



RF EXPOSURE REPORT

For

Quanzhou WenTeLai Import and Export Trade Co., Ltd.

Room 2207, Building 1, Vanke Phase I, No. 209 Fuxi Road, Fengze District, Quanzhou City,
Fujian Province, China

FCC ID: 2BH4T-RC01

Report Type:

Original

Product Name:

Remote Controller

Report Number: 2407W68709E-RF-02

Report Date: 2024-09-29

Reviewed By: Stein Peng

Stein Peng

Approved By: Miles Chen

Prepared By:

Bay Area Compliance Laboratories Corp. (Xiamen)
Unit 102, No. 902 Meifeng South Road, Binhai West
Avenue, Science and Technology Innovation Park, Torch
High tech Zone XiaMen
Tel: +86-592-3200111
www.baclcorp.com.cn

TABLE OF CONTENTS

REPORT REVISION HISTORY.....3

GENERAL INFORMATION.....4

 PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)4

RF EXPOSURE EVALUATION5

 APPLICABLE STANDARD5

 MEASUREMENT RESULT5

REPORT REVISION HISTORY

Number of Revisions	Report No.	Version	Issue Date	Description
0	2407W68709E-RF-02	R1V1	2024-09-29	Initial Release

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Applicant:	Quanzhou WenTeLai Import and Export Trade Co., Ltd.
Manufacture:	Sperax
Manufacture Address:	Room 2207, Building 1, Vanke Phase I, No. 209 Fuxi Road, Fengze District, Quanzhou City, Fujian Province, China
Product Name:	Remote Controller
Tested Model:	RC01
Power Supply:	DC 3V from Battery
RF Function:	SRD
Operating Band/Frequency:	2414MHz, 2445MHz, 2469MHz
Modulation Type:	GFSK
Antenna Type:	PCB Antenna
★Maximum Antenna Gain:	-2.93 dBi
<i>Note:</i> 1. The maximum antenna gain is provided by the applicant. 2. All measurement and test data in this report was gathered from production sample serial number: 2PZR-1 (Assigned by the BACL (Xiamen). The EUT supplied by the applicant was received on 2024-08-13)	

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Xiamen) to collect test data is located on the Unit 102, No. 902 Meifeng South Road, Binhai West Avenue, Science and Technology Innovation Park, Torch High tech Zone Xiamen.

Bay Area Compliance Laboratories Corp. (Xiamen) Lab is accredited to ISO/IEC 17025 by A2LA (Certificate Number: 7134.01) and the lab has been recognized as the FCC accredited lab under the KDB 974614 D01, the FCC Designation No. : CN1384.

RF EXPOSURE EVALUATION

Applicable Standard

§1.1307(b)(3)(i) For single RF sources (i.e., any single fixed RF source, mobile device, or portable device, as defined in paragraph (b)(2) of this section): A single RF source is exempt if:

(A) The available maximum time-averaged power is no more than 1 mW, regardless of separation distance. This exemption may not be used in conjunction with other exemption criteria other than those in paragraph (b)(3)(ii)(A) of this section. Medical implant devices may only use this exemption and that in paragraph (b)(3)(ii)(A).

Measurement Result

Maximum EIRP		1-mW Test Exemption
dBm	mW	
-15.76	0.027	Compliant

Note:

1. Chose the maximum power to do MPE analysis.
2. This device maximum E-Field level is 79.44dBμV/m at 3m, so the EIRP power is -15.76dBm.
3. Pout EIRP (dBm) = Field Strength of Fundamental(dBμV/m)-95.2

Result: Compliant. RF Exposure is exemption.

Declarations

1. Bay Area Compliance Laboratories Corp. (Xiamen) is not responsible for authenticity of any information provided by the applicant. Information from the applicant that may affect test results are marked with an asterisk “★”.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. Unless required by the rule provided by the applicant or product regulations, then decision rule in this report did not consider the uncertainty.
4. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95% confidence interval.
5. This report cannot be reproduced except in full, without prior written approval of Bay Area Compliance Laboratories Corp. (Xiamen).
6. This report is valid only with a valid digital signature. The digital signature may be available only under the adobe software above version 7.0.

******* END OF REPORT *******