


Antenna Specification

NO.	内 容 (Contents)	页数 (Number of Page)	页 码 (Page Code)
1	承认书封面 (Spec Cover)	1	1
2	承认书项目表 (Spec Item)	1	2
3	工程成品图 (Drawing)	1	3
4	电性测试报告 (Test Reports)	1	4
5	S 参数测试 (S Parameter)	1	5
6			
7			
8			
9			
10	-	-	-
11	-	-	-
12	-	-	-

Shenzhen Yihongdeng Technology Co., Ltd.
3A08, Building U4, Junxiang U8 Intelligent Manufacturing Industrial Park, Guxing
Community, Xixiang Street, Baoan District, Shenzhen City 518000, China

工程成品图

Drawing



电性测试报告

Test Reports

Electrical Properties	
Frequency	433MHz
Impedance	50 Ohm
V.S.W.R	<=2.0
Radiation	Omni-directional
Polarization	Linear
Admitted Power	1 W
Connector	Welded
Physical Properties	
Antenna Material	PCB
Cable Type	O.D. 1.13mm // 130 mm
Operating Temp.	-10 ~ +60 ° C
Storage Temp.	-10 ~ +70 ° C

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

S 参数测试

S Parameter Test

AgilentE5071C

