


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Freque	Horizontal			Vertical		
	2400MH	2400MH	2500MH	2400MH	2400MH	2500MH
	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX. Gain	-0.58dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					

333 Kexing Road, Xiangzhou District, Zhuhai City

Antenna Photo & Length (mm)




Wide part of line
width : 0.9MM

Narrow part of line width : 0.5MM

Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(d		
	M	M	A
24	-1.26174	-30.0801	-7.18716
24	-0.765802	-36.5604	-7.48023
25	-0.585582	-22.0315	-6.59127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(d)		
	M	M	A
24	-	-22.1424	-12.4294
24	-	-24.5837	-10.4702
25	-1.86120	-29.5214	-9.20432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.