


Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
163	5815	157.606	158.400	0.5	Complies

### CH163 6 dB Bandwidth



Date: 1.APR.2025 17:29:15

### 99 % Occupied Bandwidth




Date: 3.MAR.2025 17:48:52

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode
-----------	---------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
169	5845	19.150	20.800	0.5	Complies

### CH169 6 dB Bandwidth



Date: 3.MAR.2025 18:19:08

### 99 % Occupied Bandwidth




Date: 3.MAR.2025 18:18:31

Test Mode UNII-4\_TX BE(EHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
173	5865	18.950	19.400	0.5	Complies
177	5885	18.950	19.400	0.5	Complies

### CH173




Date: 26.MAR.2025 03:07:59

### CH177 6 dB Bandwidth




Date: 26.MAR.2025 03:12:56

### 99 % Occupied Bandwidth



Date: 26.MAR.2025 03:06:23




Date: 26.MAR.2025 03:11:13

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode
-----------	---------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
167	5835	38.000	38.200	0.5	Complies

### CH167 6 dB Bandwidth



Date: 3.MAR.2025 18:15:11

### 99 % Occupied Bandwidth




Date: 3.MAR.2025 18:14:34

Test Mode	UNII-4_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
175	5875	32.700	38.400	0.5	Complies

### CH175 6 dB Bandwidth



Date: 26.MAR.2025 03:15:51

### 99 % Occupied Bandwidth




Date: 26.MAR.2025 03:14:22

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode
-----------	---------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
171	5855	77.400	79.600	0.5	Complies

### CH171 6 dB Bandwidth



Date: 3.MAR.2025 18:13:50

### 99 % Occupied Bandwidth




Date: 3.MAR.2025 18:13:05

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
163	5815	157.606	160.000	0.5	Complies

### CH163 6 dB Bandwidth



Date: 1.APR.2025 17:29:15

### 99 % Occupied Bandwidth



Date: 3.MAR.2025 18:05:21

**APPENDIX F - MAXIMUM E.I.R.P.**



**For Indoor access point device:**

Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	19.35	0.00	25.96	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	20.42	0.00	27.03	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX A Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	29.54	36.00	3.9811	Complies

Test Mode	UNII-4_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	19.68	0.00	26.29	36.00	3.9811	Complies
177	5885	19.27	0.00	25.88	36.00	3.9811	Complies

Test Mode	UNII-4_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	19.04	0.00	25.65	36.00	3.9811	Complies
177	5885	19.59	0.00	26.20	36.00	3.9811	Complies

Test Mode	UNII-4_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	28.99	36.00	3.9811	Complies
177	5885	29.05	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	19.42	0.00	26.03	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	21.24	0.00	27.85	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	30.04	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	20.53	0.00	27.14	36.00	3.9811	Complies
177	5885	20.61	0.00	27.22	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	21.42	0.00	28.03	36.00	3.9811	Complies
177	5885	21.28	0.00	27.89	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	30.62	36.00	3.9811	Complies
177	5885	30.58	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	22.78	0.11	29.50	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	24.08	0.11	30.80	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	33.21	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	23.23	0.11	29.95	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	23.66	0.11	30.38	36.00	3.9811	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	33.18	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	24.46	0.09	31.16	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	25.68	0.09	32.38	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	34.82	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	15.67	0.00	22.28	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	16.20	0.00	22.81	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	25.56	36.00	3.9811	Complies



Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	20.70	0.11	27.42	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	22.23	0.11	28.95	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	31.26	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	20.31	0.11	27.03	36.00	3.9811	Complies
177	5885	20.20	0.11	26.92	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	20.87	0.11	27.59	36.00	3.9811	Complies
177	5885	20.89	0.11	27.61	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	30.33	36.00	3.9811	Complies
177	5885	30.29	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	23.72	0.00	30.33	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	25.03	0.00	31.64	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	34.04	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	23.27	0.00	29.88	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	23.63	0.00	30.24	36.00	3.9811	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	33.07	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	24.65	0.11	31.37	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	25.62	0.11	32.34	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	34.89	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	16.05	0.00	22.66	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	17.02	0.00	23.63	36.00	3.9811	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	26.18	36.00	3.9811	Complies

Note: Output power = Measure result + Cable loss

**For Client device:**

Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	15.46	0.00	22.07	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	16.31	0.00	22.92	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX A Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	25.53	30.00	1.0000	Complies

Test Mode	UNII-4_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	15.36	0.00	21.97	30.00	1.0000	Complies
177	5885	15.49	0.00	22.10	30.00	1.0000	Complies

Test Mode	UNII-4_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	15.69	0.00	22.30	30.00	1.0000	Complies
177	5885	15.68	0.00	22.29	30.00	1.0000	Complies

Test Mode	UNII-4_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	25.15	30.00	1.0000	Complies
177	5885	25.21	30.00	1.0000	Complies



Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	15.56	0.00	22.17	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	17.23	0.00	23.84	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	26.10	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	15.89	0.00	22.50	30.00	1.0000	Complies
177	5885	16.01	0.00	22.62	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	16.69	0.00	23.30	30.00	1.0000	Complies
177	5885	17.59	0.00	24.20	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	25.93	30.00	1.0000	Complies
177	5885	26.49	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	18.23	0.11	24.95	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	19.34	0.11	26.06	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	28.55	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	18.56	0.11	25.28	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	19.64	0.11	26.36	30.00	1.0000	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	28.86	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	19.89	0.09	26.59	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	20.12	0.09	26.82	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	29.72	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	15.46	0.00	22.07	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	16.63	0.00	23.24	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	25.70	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	15.34	0.11	22.06	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	17.09	0.11	23.81	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
169	5845	26.03	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	15.24	0.11	21.96	30.00	1.0000	Complies
177	5885	9.65	0.11	16.37	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	15.17	0.11	21.89	30.00	1.0000	Complies
177	5885	9.69	0.11	16.41	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
173	5865	24.94	30.00	1.0000	Complies
177	5885	19.40	30.00	1.0000	Complies



Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	18.96	0.00	25.57	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	20.59	0.00	27.20	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
167	5835	29.47	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	18.36	0.00	24.97	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	19.65	0.00	26.26	30.00	1.0000	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	5875	28.67	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	18.36	0.11	25.08	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	19.63	0.11	26.35	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
171	5855	28.77	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	15.69	0.00	22.30	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	16.89	0.00	23.50	30.00	1.0000	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
163	5815	25.95	30.00	1.0000	Complies


Note: Output power = Measure result + Cable loss

## **APPENDIX G - POWER SPECTRAL DENSITY (E.I.R.P.)**

**For Indoor access point device:**


Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	7.77	0.00	15.23	20.00	Complies



Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	9.93	0.00	17.39	20.00	Complies




Test Mode	UNII-3+UNII-4_TX A Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	19.45	20.00	Complies


Test Mode UNII-4\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	9.41	0.00	16.87	20.00	Complies
177	5885	9.33	0.00	16.79	20.00	Complies

CH173




CH177




Test Mode UNII-4\_TX A Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	9.30	0.00	16.76	20.00	Complies
177	5885	9.18	0.00	16.64	20.00	Complies

CH173



CH177




Test Mode UNII-4\_TX A Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	19.83	20.00	Complies
177	5885	19.73	20.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	7.27	0.00	14.73	20.00	Complies


CH169



Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	10.42	0.00	17.88	20.00	Complies

CH169



Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	19.59	20.00	Complies




Test Mode UNII-4\_TX AC(VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	9.31	0.00	16.77	20.00	Complies
177	5885	9.29	0.00	16.75	20.00	Complies

CH173




CH177




Test Mode UNII-4\_TX AC(VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	9.30	0.00	16.76	20.00	Complies
177	5885	9.18	0.00	16.64	20.00	Complies

CH173



CH177




Test Mode UNII-4\_TX AC(VHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	19.78	20.00	Complies
177	5885	19.71	20.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	7.50	0.11	15.07	20.00	Complies


CH167



Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	9.94	0.11	17.51	20.00	Complies

CH167




Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	19.47	20.00	Complies

Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	9.34	0.11	16.91	20.00	Complies


CH175



Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	9.40	0.11	16.97	20.00	Complies

CH175




Test Mode	UNII-4_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	19.95	20.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	7.06	0.09	14.61	20.00	Complies


CH171



Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	8.00	0.09	15.55	20.00	Complies

CH171




Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	18.12	20.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	6.04	0.00	13.50	20.00	Complies


**CH163**



Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	6.84	0.00	14.30	20.00	Complies

**CH163**




Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	16.93	20.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	7.62	0.11	15.19	20.00	Complies


CH169



Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	10.44	0.11	18.01	20.00	Complies

CH169




Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	19.84	20.00	Complies


Test Mode UNII-4\_TX BE(EHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	9.01	0.11	16.58	20.00	Complies
177	5885	8.97	0.11	16.54	20.00	Complies

CH173




CH177




Test Mode UNII-4\_TX BE(EHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	8.69	0.11	16.26	20.00	Complies
177	5885	8.90	0.11	16.47	20.00	Complies

CH173



CH177




Test Mode UNII-4\_TX BE(EHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	19.43	20.00	Complies
177	5885	19.52	20.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	7.52	0.00	14.98	20.00	Complies


CH167



Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	10.24	0.00	17.70	20.00	Complies

CH167



Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	19.56	20.00	Complies



Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	9.02	0.00	16.48	20.00	Complies


CH175



Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	9.23	0.00	16.69	20.00	Complies

CH175




Test Mode	UNII-4_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	19.60	20.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	6.22	0.11	13.79	20.00	Complies


CH171



Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	7.45	0.11	15.02	20.00	Complies

CH171




Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	17.46	20.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	6.23	0.00	13.69	20.00	Complies


**CH163**



Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	6.45	0.00	13.91	20.00	Complies

**CH163**



Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	16.81	20.00	Complies

**For Client device:**

Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	3.31	0.00	10.77	14.00	Complies


**CH169**



Test Mode	UNII-3+UNII-4_TX A Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	3.40	0.00	10.86	14.00	Complies

**CH169**




Test Mode	UNII-3+UNII-4_TX A Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	13.83	14.00	Complies


Test Mode	UNII-4_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.22	0.00	10.68	14.00	Complies
177	5885	3.36	0.00	10.82	14.00	Complies

**CH173**




**CH177**




Test Mode	UNII-4_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.27	0.00	10.73	14.00	Complies
177	5885	3.44	0.00	10.90	14.00	Complies

**CH173**



**CH177**




Test Mode	UNII-4_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	13.72	14.00	Complies
177	5885	13.87	14.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	3.50	0.00	10.96	14.00	Complies


**CH169**



Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	3.41	0.00	10.87	14.00	Complies

**CH169**




Test Mode	UNII-3+UNII-4_TX AC(VHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	13.93	14.00	Complies


Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.02	0.00	10.48	14.00	Complies
177	5885	3.10	0.00	10.56	14.00	Complies

**CH173**




**CH177**




Test Mode	UNII-4_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.07	0.00	10.53	14.00	Complies
177	5885	3.26	0.00	10.72	14.00	Complies

**CH173**



**CH177**




Test Mode	UNII-4_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	13.52	14.00	Complies
177	5885	13.65	14.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	3.17	0.11	10.74	14.00	Complies


CH167



Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	2.96	0.11	10.53	14.00	Complies

CH167




Test Mode	UNII-3+UNII-4_TX AC(VHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	13.65	14.00	Complies




Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	2.90	0.11	10.47	14.00	Complies



Test Mode	UNII-4_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	3.34	0.11	10.91	14.00	Complies




Test Mode	UNII-4_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	13.71	14.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	3.26	0.09	10.81	14.00	Complies


CH171



Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	3.56	0.09	11.11	14.00	Complies

CH171




Test Mode	UNII-3+UNII-4_TX AC(VHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	13.97	14.00	Complies

Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	3.31	0.00	10.77	14.00	Complies


**CH163**



Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	3.14	0.00	10.60	14.00	Complies

**CH163**




Test Mode	UNII-3+UNII-4_TX AC(VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	13.70	14.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	3.08	0.11	10.65	14.00	Complies


**CH169**



Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	2.95	0.11	10.52	14.00	Complies

**CH169**




Test Mode	UNII-3+UNII-4_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
169	5845	13.60	14.00	Complies


Test Mode UNII-4\_TX BE(EHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.26	0.11	10.83	14.00	Complies
177	5885	3.22	0.11	10.79	14.00	Complies

CH173




CH177




Test Mode UNII-4\_TX BE(EHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	3.18	0.11	10.75	14.00	Complies
177	5885	3.15	0.11	10.72	14.00	Complies

CH173



CH177




Test Mode UNII-4\_TX BE(EHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
173	5865	13.80	14.00	Complies
177	5885	13.77	14.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	3.23	0.00	10.69	14.00	Complies


CH167



Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	3.39	0.00	10.85	14.00	Complies

CH167




Test Mode	UNII-3+UNII-4_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
167	5835	13.78	14.00	Complies

Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	3.07	0.00	10.53	14.00	Complies


### CH175



Test Mode	UNII-4_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	3.13	0.00	10.59	14.00	Complies

### CH175




Test Mode	UNII-4_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	5875	13.57	14.00	Complies

Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	3.04	0.11	10.61	14.00	Complies


CH171



Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	3.31	0.11	10.88	14.00	Complies

CH171



Test Mode	UNII-3+UNII-4_TX BE(EHT80) Mode_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
171	5855	13.76	14.00	Complies



Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	3.10	0.00	10.56	14.00	Complies


**CH163**



Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	3.30	0.00	10.76	14.00	Complies

**CH163**



Test Mode	UNII-3+UNII-4_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (e.i.r.p.) (dBm/MHz)	Max. Limit (dBm/MHz)	Result
163	5815	13.67	14.00	Complies

**End of Test Report**