


Test Mode	UNII-2C_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.090	19.400
116	5580	23.909	19.400
140	5700	22.850	19.100
144	5720	16.650	19.300

CH100




Date: 25.FEB.2025 14:27:43

CH116
26 dB Bandwidth




Date: 25.FEB.2025 14:29:07

CH140




Date: 25.FEB.2025 14:32:12


99 % Occupied Bandwidth



Date: 25.FEB.2025 14:27:11




Date: 25.FEB.2025 14:28:36




Date: 25.FEB.2025 14:31:38

CH144 26 dB Bandwidth



Date: 1.APR.2025 11:41:20

99 % Occupied Bandwidth




Date: 1.APR.2025 11:40:06

Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	44.500	38.400
110	5550	43.990	38.400
134	5670	43.498	39.000
142	5710	37.300	38.800

CH102




Date: 25.FEB.2025 15:04:24

CH110
26 dB Bandwidth




Date: 25.FEB.2025 16:40:25

CH134




Date: 25.FEB.2025 16:49:37


99 % Occupied Bandwidth



Date: 25.FEB.2025 15:03:50




Date: 25.FEB.2025 16:47:47




Date: 25.FEB.2025 16:49:02

CH142 26 dB Bandwidth



Date: 1.APR.2025 11:43:12

99 % Occupied Bandwidth




Date: 1.APR.2025 11:41:52

Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	88.000	78.000
122	5610	86.390	78.000
138	5690	78.396	78.400

CH106




Date: 25.FEB.2025 17:32:49

CH122
26 dB Bandwidth




Date: 25.FEB.2025 17:36:57

CH138




Date: 1.APR.2025 11:46:42


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:31:59



Date: 25.FEB.2025 17:36:03




Date: 1.APR.2025 11:43:41

Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	174.000	160.000

CH114 26 dB Bandwidth



Date: 25.FEB.2025 17:42:03

99 % Occupied Bandwidth




Date: 25.FEB.2025 17:41:16

Test Mode	UNII-2C_TX BE(EHT240) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
130	5650	261.000	240.000

CH130 26 dB Bandwidth



Date: 1.APR.2025 10:08:25

99 % Occupied Bandwidth




Date: 1.APR.2025 10:07:45

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	14.500	17.300	0.5	Complies
157	5785	15.200	17.200	0.5	Complies
165	5825	15.400	17.500	0.5	Complies

CH149




Date: 25.FEB.2025 13:58:35

CH157
6 dB Bandwidth




Date: 25.FEB.2025 13:59:43

CH165




Date: 25.FEB.2025 14:01:08


99 % Occupied Bandwidth



Date: 25.FEB.2025 13:57:55



Date: 25.FEB.2025 13:59:04




Date: 25.FEB.2025 14:00:30

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.489	18.000	0.5	Complies
157	5785	17.589	18.100	0.5	Complies
165	5825	17.600	18.400	0.5	Complies

CH149




Date: 25.FEB.2025 14:38:37

CH157
6 dB Bandwidth




Date: 25.FEB.2025 14:39:37

CH165




Date: 25.FEB.2025 14:41:04


99 % Occupied Bandwidth



Date: 25.FEB.2025 14:37:58



Date: 25.FEB.2025 14:38:59




Date: 25.FEB.2025 14:40:26

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	38.200	0.5	Complies
159	5795	36.608	38.200	0.5	Complies

CH151




Date: 25.FEB.2025 14:56:34

CH159 6 dB Bandwidth




Date: 25.FEB.2025 14:57:35

99 % Occupied Bandwidth



Date: 25.FEB.2025 14:55:53




Date: 25.FEB.2025 14:56:55

Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.750	19.000	0.5	Complies
157	5785	18.750	19.100	0.5	Complies
165	5825	18.900	19.100	0.5	Complies

CH149




Date: 25.FEB.2025 14:33:38

CH157
6 dB Bandwidth




Date: 25.FEB.2025 14:34:39

CH165




Date: 25.FEB.2025 14:35:47


99 % Occupied Bandwidth



Date: 25.FEB.2025 14:33:02



Date: 25.FEB.2025 14:34:03




Date: 25.FEB.2025 14:35:11

Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.300	39.000	0.5	Complies
159	5795	38.100	39.000	0.5	Complies

CH151




Date: 25.FEB.2025 16:53:45

CH159 6 dB Bandwidth




Date: 25.FEB.2025 16:54:45

99 % Occupied Bandwidth



Date: 25.FEB.2025 16:53:08




Date: 25.FEB.2025 16:54:06

Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.600	78.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 25.FEB.2025 17:38:27

99 % Occupied Bandwidth



Date: 25.FEB.2025 17:37:41

APPENDIX F - MAXIMUM OUTPUT POWER

For Indoor access point device:

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.75	0.00	19.75	30.00	1.0000	Complies
40	5200	20.31	0.00	20.31	30.00	1.0000	Complies
48	5240	20.03	0.00	20.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.97	0.00	19.97	30.00	1.0000	Complies
40	5200	20.40	0.00	20.40	30.00	1.0000	Complies
48	5240	20.55	0.00	20.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.87	30.00	1.0000	Complies
40	5200	23.37	30.00	1.0000	Complies
48	5240	23.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.70	0.11	20.81	30.00	1.0000	Complies
40	5200	20.16	0.11	20.27	30.00	1.0000	Complies
48	5240	20.61	0.11	20.72	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.92	0.11	21.03	30.00	1.0000	Complies
40	5200	20.66	0.11	20.77	30.00	1.0000	Complies
48	5240	20.98	0.11	21.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.93	30.00	1.0000	Complies
40	5200	23.54	30.00	1.0000	Complies
48	5240	23.92	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.77	0.00	19.77	30.00	1.0000	Complies
46	5230	22.74	0.00	22.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.05	0.00	20.05	30.00	1.0000	Complies
46	5230	22.97	0.00	22.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.92	30.00	1.0000	Complies
46	5230	25.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.44	0.11	19.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.69	0.11	19.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.56	0.12	20.68	30.00	1.0000	Complies
40	5200	20.82	0.12	20.94	30.00	1.0000	Complies
48	5240	20.56	0.12	20.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.10	0.12	21.22	30.00	1.0000	Complies
40	5200	20.95	0.12	21.07	30.00	1.0000	Complies
48	5240	21.12	0.12	21.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.97	30.00	1.0000	Complies
40	5200	24.02	30.00	1.0000	Complies
48	5240	23.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.48	0.13	18.61	30.00	1.0000	Complies
46	5230	22.15	0.13	22.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.66	0.13	18.79	30.00	1.0000	Complies
46	5230	22.55	0.13	22.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.71	30.00	1.0000	Complies
46	5230	25.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.88	0.00	19.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.22	0.00	20.22	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.06	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.45	0.00	14.45	23.33	0.2153	Complies
60	5300	14.14	0.00	14.14	23.33	0.2153	Complies
64	5320	14.36	0.00	14.36	23.33	0.2153	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.71	0.00	14.71	23.33	0.2153	Complies
60	5300	14.27	0.00	14.27	23.33	0.2153	Complies
64	5320	14.32	0.00	14.32	23.33	0.2153	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.59	23.33	0.2153	Complies
60	5300	17.22	23.33	0.2153	Complies
64	5320	17.35	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.20	0.11	14.31	23.33	0.2153	Complies
60	5300	14.15	0.11	14.26	23.33	0.2153	Complies
64	5320	14.31	0.11	14.42	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.85	0.11	14.96	23.33	0.2153	Complies
60	5300	14.46	0.11	14.57	23.33	0.2153	Complies
64	5320	14.53	0.11	14.64	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.66	23.33	0.2153	Complies
60	5300	17.43	23.33	0.2153	Complies
64	5320	17.54	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.53	0.00	16.53	23.33	0.2153	Complies
62	5310	16.80	0.00	16.80	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.69	0.00	16.69	23.33	0.2153	Complies
62	5310	16.70	0.00	16.70	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.62	23.33	0.2153	Complies
62	5310	19.76	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.27	0.11	16.38	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.49	0.11	16.60	23.33	0.2153	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.50	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.10	0.12	14.22	23.33	0.2153	Complies
60	5300	14.14	0.12	14.26	23.33	0.2153	Complies
64	5320	14.41	0.12	14.53	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.45	0.12	14.57	23.33	0.2153	Complies
60	5300	14.55	0.12	14.67	23.33	0.2153	Complies
64	5320	14.46	0.12	14.58	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.41	23.33	0.2153	Complies
60	5300	17.49	23.33	0.2153	Complies
64	5320	17.57	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.57	0.13	16.70	23.33	0.2153	Complies
62	5310	16.75	0.13	16.88	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.74	0.13	16.87	23.33	0.2153	Complies
62	5310	16.96	0.13	17.09	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.79	23.33	0.2153	Complies
62	5310	19.99	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.29	0.00	16.29	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.26	0.00	16.26	23.33	0.2153	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.29	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.77	0.11	14.88	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.78	0.11	14.89	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.90	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.16	0.00	15.16	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.39	0.00	15.39	23.33	0.2153	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.29	23.33	0.2153	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.53	0.00	15.53	23.22	0.2099	Complies
116	5580	14.97	0.00	14.97	23.22	0.2099	Complies
140	5700	14.07	0.00	14.07	23.22	0.2099	Complies
144	5720	15.21	0.00	15.21	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.73	0.00	14.73	23.22	0.2099	Complies
116	5580	13.68	0.00	13.68	23.22	0.2099	Complies
140	5700	14.14	0.00	14.14	23.22	0.2099	Complies
144	5720	15.31	0.00	15.31	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.16	23.22	0.2099	Complies
116	5580	17.38	23.22	0.2099	Complies
140	5700	17.12	23.22	0.2099	Complies
144	5720	18.27	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.16	0.11	16.27	23.22	0.2099	Complies
116	5580	16.45	0.11	16.56	23.22	0.2099	Complies
140	5700	14.69	0.11	14.80	23.22	0.2099	Complies
144	5720	15.68	0.11	15.79	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.55	0.11	14.66	23.22	0.2099	Complies
116	5580	14.71	0.11	14.82	23.22	0.2099	Complies
140	5700	14.80	0.11	14.91	23.22	0.2099	Complies
144	5720	15.47	0.11	15.58	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.55	23.22	0.2099	Complies
116	5580	18.79	23.22	0.2099	Complies
140	5700	17.86	23.22	0.2099	Complies
144	5720	18.70	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.03	0.00	19.03	23.22	0.2099	Complies
110	5550	18.92	0.00	18.92	23.22	0.2099	Complies
134	5670	17.20	0.00	17.20	23.22	0.2099	Complies
142	5710	18.12	0.00	18.12	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.17	0.00	18.17	23.22	0.2099	Complies
110	5550	17.46	0.00	17.46	23.22	0.2099	Complies
134	5670	17.37	0.00	17.37	23.22	0.2099	Complies
142	5710	17.87	0.00	17.87	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.63	23.22	0.2099	Complies
110	5550	21.26	23.22	0.2099	Complies
134	5670	20.30	23.22	0.2099	Complies
142	5710	21.01	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.03	0.11	18.14	23.22	0.2099	Complies
122	5610	19.13	0.11	19.24	23.22	0.2099	Complies
138	5690	19.56	0.11	19.67	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.96	0.11	17.07	23.22	0.2099	Complies
122	5610	19.45	0.11	19.56	23.22	0.2099	Complies
138	5690	19.89	0.11	20.11	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.65	23.22	0.2099	Complies
122	5610	22.41	23.22	0.2099	Complies
138	5690	22.85	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.67	0.11	15.78	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.55	0.11	14.66	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.27	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.68	0.12	15.80	23.22	0.2099	Complies
116	5580	15.62	0.12	15.74	23.22	0.2099	Complies
140	5700	14.76	0.12	14.88	23.22	0.2099	Complies
144	5720	15.23	0.12	15.35	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.34	0.12	14.46	23.22	0.2099	Complies
116	5580	13.98	0.12	14.10	23.22	0.2099	Complies
140	5700	14.84	0.12	14.96	23.22	0.2099	Complies
144	5720	15.43	0.12	15.55	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.20	23.22	0.2099	Complies
116	5580	18.01	23.22	0.2099	Complies
140	5700	17.94	23.22	0.2099	Complies
144	5720	18.47	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.63	0.13	18.76	23.22	0.2099	Complies
110	5550	18.99	0.13	19.12	23.22	0.2099	Complies
134	5670	16.59	0.13	16.72	23.22	0.2099	Complies
142	5710	18.56	0.13	18.69	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.52	0.13	17.65	23.22	0.2099	Complies
110	5550	17.46	0.13	17.59	23.22	0.2099	Complies
134	5670	16.84	0.13	16.97	23.22	0.2099	Complies
142	5710	18.12	0.13	18.25	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.25	23.22	0.2099	Complies
110	5550	21.43	23.22	0.2099	Complies
134	5670	19.85	23.22	0.2099	Complies
142	5710	21.48	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.87	0.00	17.87	23.22	0.2099	Complies
122	5610	20.46	0.00	20.46	23.22	0.2099	Complies
138	5690	20.12	0.00	20.12	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.92	0.00	16.92	23.22	0.2099	Complies
122	5610	19.86	0.00	19.86	23.22	0.2099	Complies
138	5690	19.89	0.00	19.89	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.43	23.22	0.2099	Complies
122	5610	23.18	23.22	0.2099	Complies
138	5690	23.02	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.37	0.00	15.37	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.00	0.00	14.00	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.75	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	10.62	0.11	10.73	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	11.03	0.11	11.14	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	13.95	23.22	0.2099	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.47	0.00	25.47	29.39	0.8690	Complies
157	5785	24.92	0.00	24.92	29.39	0.8690	Complies
165	5825	24.96	0.00	24.96	29.39	0.8690	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.01	0.00	25.01	29.39	0.8690	Complies
157	5785	25.09	0.00	25.09	29.39	0.8690	Complies
165	5825	26.04	0.00	26.04	29.39	0.8690	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.26	29.39	0.8690	Complies
157	5785	28.02	29.39	0.8690	Complies
165	5825	28.54	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.17	0.11	25.28	29.39	0.8690	Complies
157	5785	24.52	0.11	24.63	29.39	0.8690	Complies
165	5825	24.52	0.11	24.63	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.44	0.11	25.55	29.39	0.8690	Complies
157	5785	25.48	0.11	25.59	29.39	0.8690	Complies
165	5825	26.23	0.11	26.34	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.43	29.39	0.8690	Complies
157	5785	28.15	29.39	0.8690	Complies
165	5825	28.58	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.53	0.00	25.53	29.39	0.8690	Complies
159	5795	24.72	0.00	24.72	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.87	0.00	24.87	29.39	0.8690	Complies
159	5795	25.31	0.00	25.31	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.22	29.39	0.8690	Complies
159	5795	28.04	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.93	0.11	23.04	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.37	0.11	22.48	29.39	0.8690	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.78	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.35	0.12	25.47	29.39	0.8690	Complies
157	5785	24.61	0.12	24.73	29.39	0.8690	Complies
165	5825	24.72	0.12	24.84	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.27	0.12	25.39	29.39	0.8690	Complies
157	5785	25.46	0.12	25.58	29.39	0.8690	Complies
165	5825	26.26	0.12	26.38	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.45	29.39	0.8690	Complies
157	5785	28.19	29.39	0.8690	Complies
165	5825	28.69	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.38	0.13	25.51	29.39	0.8690	Complies
159	5795	24.59	0.13	24.72	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.84	0.13	24.97	29.39	0.8690	Complies
159	5795	25.34	0.13	25.47	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.25	29.39	0.8690	Complies
159	5795	28.12	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.80	0.00	22.80	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.37	0.00	22.37	29.39	0.8690	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.60	29.39	0.8690	Complies

Note: Output power = Measure result + Cable loss

For Client device:

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.86	0.00	14.86	23.98	0.2500	Complies
40	5200	14.84	0.00	14.84	23.98	0.2500	Complies
48	5240	14.88	0.00	14.88	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.25	0.00	15.25	23.98	0.2500	Complies
40	5200	15.23	0.00	15.23	23.98	0.2500	Complies
48	5240	15.29	0.00	15.29	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.07	23.98	0.2500	Complies
40	5200	18.05	23.98	0.2500	Complies
48	5240	18.10	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.25	0.11	15.36	23.98	0.2500	Complies
40	5200	15.24	0.11	15.35	23.98	0.2500	Complies
48	5240	15.00	0.11	15.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.93	0.11	16.04	23.98	0.2500	Complies
40	5200	15.91	0.11	16.02	23.98	0.2500	Complies
48	5240	16.19	0.11	16.30	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.72	23.98	0.2500	Complies
40	5200	18.71	23.98	0.2500	Complies
48	5240	18.75	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.07	0.00	18.07	23.98	0.2500	Complies
46	5230	17.71	0.00	17.71	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.32	0.00	18.32	23.98	0.2500	Complies
46	5230	18.37	0.00	18.37	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.21	23.98	0.2500	Complies
46	5230	21.06	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.59	0.11	20.70	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.92	0.11	21.03	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.88	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.31	0.12	15.43	23.98	0.2500	Complies
40	5200	15.41	0.12	15.53	23.98	0.2500	Complies
48	5240	15.49	0.12	15.61	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.04	0.12	16.16	23.98	0.2500	Complies
40	5200	16.07	0.12	16.19	23.98	0.2500	Complies
48	5240	16.21	0.12	16.33	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.83	23.98	0.2500	Complies
40	5200	18.89	23.98	0.2500	Complies
48	5240	19.00	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.02	0.13	18.15	23.98	0.2500	Complies
46	5230	17.62	0.13	17.75	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.23	0.13	18.36	23.98	0.2500	Complies
46	5230	18.35	0.13	18.48	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.26	23.98	0.2500	Complies
46	5230	21.14	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.13	0.00	20.13	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.64	0.00	20.64	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.40	23.98	0.2500	Complies

APPENDIX G - POWER SPECTRAL DENSITY

For Indoor access point device:


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.59	0.00	11.59	14.80	Complies
40	5200	11.32	0.00	11.32	14.80	Complies
48	5240	11.25	0.00	11.25	14.80	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.41	0.00	10.41	14.80	Complies
40	5200	10.89	0.00	10.89	14.80	Complies
48	5240	10.95	0.00	10.95	14.80	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.05	14.80	Complies
40	5200	14.12	14.80	Complies
48	5240	14.11	14.80	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.39	0.11	12.50	14.80	Complies
40	5200	11.44	0.11	11.55	14.80	Complies
48	5240	11.91	0.11	12.02	14.80	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.19	0.11	10.30	14.80	Complies
40	5200	10.26	0.11	10.37	14.80	Complies
48	5240	10.77	0.11	10.88	14.80	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.55	14.80	Complies
40	5200	14.01	14.80	Complies
48	5240	14.50	14.80	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.35	0.00	11.35	14.80	Complies
46	5230	11.25	0.00	11.25	14.80	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.25	0.00	10.25	14.80	Complies
46	5230	10.73	0.00	10.73	14.80	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.85	14.80	Complies
46	5230	14.01	14.80	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.27	0.11	10.38	14.80	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.66	0.11	9.77	14.80	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.10	14.80	Complies


Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.86	0.12	11.98	14.80	Complies
40	5200	11.99	0.12	12.11	14.80	Complies
48	5240	11.46	0.12	11.58	14.80	Complies



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.45	0.12	10.57	14.80	Complies
40	5200	10.00	0.12	10.12	14.80	Complies
48	5240	10.60	0.12	10.72	14.80	Complies




Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.35	14.80	Complies
40	5200	14.24	14.80	Complies
48	5240	14.19	14.80	Complies


Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.34	0.13	11.47	14.80	Complies
46	5230	11.37	0.13	11.50	14.80	Complies

CH38




CH46




Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.09	0.13	10.22	14.80	Complies
46	5230	9.72	0.13	9.85	14.80	Complies

CH38



CH46




Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.90	14.80	Complies
46	5230	13.76	14.80	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.55	0.00	10.55	14.80	Complies


CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.83	0.00	9.83	14.80	Complies

CH42




Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.22	14.80	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.37	0.00	5.37	8.40	Complies
60	5300	5.00	0.00	5.00	8.40	Complies
64	5320	5.15	0.00	5.15	8.40	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.11	0.00	5.11	8.40	Complies
60	5300	5.37	0.00	5.37	8.40	Complies
64	5320	5.36	0.00	5.36	8.40	Complies



Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.25	8.40	Complies
60	5300	8.20	8.40	Complies
64	5320	8.27	8.40	Complies