


Test Mode	UNII-2C_TX BE(EHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5606.8000	88.61	14.59	103.20	999.00	-895.80	AVG	No Limit
2 *	5612.0000	101.00	14.60	115.60	68.20	47.40	Peak	No Limit
3	5725.0000	39.52	14.86	54.38	68.20	-13.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11195.1500	26.55	11.10	37.65	54.00	-16.35	AVG	
2	11209.5000	36.15	11.10	47.25	74.00	-26.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5456.4000	47.60	14.34	61.94	74.00	-12.06	Peak	
2	5456.4000	38.35	14.34	52.69	54.00	-1.31	AVG	
3	5460.0000	45.78	14.34	60.12	74.00	-13.88	Peak	
4	5460.0000	37.50	14.34	51.84	54.00	-2.16	AVG	
5	5470.0000	47.52	14.34	61.86	68.20	-6.34	Peak	
6 *	5541.2000	96.70	14.44	111.14	68.20	42.94	Peak	No Limit
7	5566.0000	85.32	14.49	99.81	999.00	-899.19	AVG	No Limit
8	5725.0000	40.08	14.86	54.94	68.20	-13.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11115.2500	33.94	11.08	45.02	74.00	-28.98	Peak	
2 *	11146.3000	24.57	11.09	35.66	54.00	-18.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.59	14.84	59.43	109.40	-49.97	Peak	
2	5725.0000	57.91	14.86	72.77	122.20	-49.43	Peak	
3 *	5744.4000	109.17	14.91	124.08	122.20	1.88	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.8500	38.11	11.19	49.30	74.00	-24.70	Peak	
2 *	11490.3500	29.66	11.19	40.85	54.00	-13.15	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.4500	29.60	11.17	40.77	54.00	-13.23	AVG	
2	11571.8500	36.51	11.17	47.68	74.00	-26.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.2000	109.32	15.09	124.41	122.20	2.21	Peak	No Limit
2	5850.0000	49.96	15.15	65.11	122.20	-57.09	Peak	
3	5860.0000	43.99	15.18	59.17	109.40	-50.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.8500	28.56	11.14	39.70	54.00	-14.30	AVG	
2	11651.2500	36.68	11.14	47.82	74.00	-26.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.07	14.84	57.91	109.40	-51.49	Peak	
2	5725.0000	52.67	14.86	67.53	122.20	-54.67	Peak	
3 *	5746.6000	108.79	14.91	123.70	122.20	1.50	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.5000	29.49	11.19	40.68	54.00	-13.32	AVG	
2	11494.8500	36.95	11.19	48.14	74.00	-25.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11569.1000	28.81	11.17	39.98	54.00	-14.02	AVG	
2	11573.7000	36.33	11.17	47.50	74.00	-26.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.4000	108.21	15.09	123.30	122.20	1.10	Peak	No Limit
2	5850.0000	42.50	15.15	57.65	122.20	-64.55	Peak	
3	5860.0000	43.85	15.18	59.03	109.40	-50.37	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11649.9500	28.24	11.14	39.38	54.00	-14.62	AVG	
2	11651.1500	35.64	11.14	46.78	74.00	-27.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	49.96	14.84	64.80	109.40	-44.60	Peak	
2	5725.0000	55.09	14.86	69.95	122.20	-52.25	Peak	
3 *	5757.0000	107.84	14.94	122.78	122.20	0.58	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11485.2000	36.03	11.19	47.22	74.00	-26.78	Peak	
2 *	11509.8000	27.50	11.19	38.69	54.00	-15.31	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5797.0000	107.01	15.03	122.04	122.20	-0.16	Peak	No Limit
2	5850.0000	43.54	15.15	58.69	122.20	-63.51	Peak	
3	5860.0000	41.37	15.18	56.55	109.40	-52.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11584.3000	35.18	11.16	46.34	74.00	-27.66	Peak	
2 *	11589.7500	27.26	11.16	38.42	54.00	-15.58	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	59.50	14.84	74.34	109.40	-35.06	Peak	
2	5725.0000	60.57	14.86	75.43	122.20	-46.77	Peak	
3 *	5764.2000	101.22	14.95	116.17	122.20	-6.03	Peak	No Limit
4	5850.0000	60.14	15.15	75.29	122.20	-46.91	Peak	
5	5860.0000	58.36	15.18	73.54	109.40	-35.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11525.2500	34.69	11.19	45.88	74.00	-28.12	Peak	
2 *	11550.5000	25.17	11.18	36.35	54.00	-17.65	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.34	14.84	60.18	109.40	-49.22	Peak	
2	5725.0000	53.69	14.86	68.55	122.20	-53.65	Peak	
3 *	5742.0000	111.40	14.90	126.30	122.20	4.10	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.6500	29.26	11.19	40.45	54.00	-13.55	AVG	
2	11493.6500	36.79	11.19	47.98	74.00	-26.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11569.4000	28.34	11.17	39.51	54.00	-14.49	AVG	
2	11571.7000	35.84	11.17	47.01	74.00	-26.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.6000	107.54	15.09	122.63	122.20	0.43	Peak	No Limit
2	5850.0000	54.19	15.15	69.34	122.20	-52.86	Peak	
3	5860.0000	43.48	15.18	58.66	109.40	-50.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11649.8500	27.68	11.14	38.82	54.00	-15.18	AVG	
2	11654.5000	35.59	11.14	46.73	74.00	-27.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.40	14.84	71.24	109.40	-38.16	Peak	
2	5725.0000	64.99	14.86	79.85	122.20	-42.35	Peak	
3 *	5759.8000	105.72	14.94	120.66	122.20	-1.54	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.3500	27.06	11.19	38.25	54.00	-15.75	AVG	
2	11528.7500	35.21	11.18	46.39	74.00	-27.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5799.8000	106.70	15.04	121.74	122.20	-0.46	Peak	No Limit
2	5850.0000	45.44	15.15	60.59	122.20	-61.61	Peak	
3	5860.0000	41.86	15.18	57.04	109.40	-52.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11589.7000	26.63	11.16	37.79	54.00	-16.21	AVG	
2	11593.8500	35.23	11.16	46.39	74.00	-27.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	59.43	14.84	74.27	109.40	-35.13	Peak	
2	5725.0000	62.89	14.86	77.75	122.20	-44.45	Peak	
3 *	5760.2000	105.00	14.94	119.94	122.20	-2.26	Peak	No Limit
4	5850.0000	63.32	15.15	78.47	122.20	-43.73	Peak	
5	5860.0000	60.00	15.18	75.18	109.40	-34.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.9000	25.25	11.18	36.43	54.00	-17.57	AVG	
2	11569.9500	34.82	11.17	45.99	74.00	-28.01	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT20) Mode Channel 149 (UNII-3)	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		20882.000	60.23	3.37	63.60	83.50	-19.90	peak	
2	*	20882.000	50.36	3.37	53.73	63.50	-9.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT20) Mode Channel 149 (UNII-3)	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		20882.000	58.77	3.37	62.14	83.50	-21.36	peak	
2	*	20882.000	50.15	3.37	53.52	63.50	-9.98	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.03	14.33	51.36	74.00	-22.64	peak	
2		5460.000	29.07	14.33	43.40	54.00	-10.60	AVG	
3		5470.000	35.52	14.33	49.85	68.20	-18.35	peak	
4	*	5718.800	99.90	14.85	114.75	68.20	46.55	peak	No Limit
5	X	5718.800	93.53	14.85	108.38	68.20	40.18	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11441.500	24.88	11.18	36.06	54.00	-17.94	AVG	
2		11446.500	35.84	11.17	47.01	74.00	-26.99	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	34.81	14.33	49.14	74.00	-24.86	peak	
2		5460.000	29.05	14.33	43.38	54.00	-10.62	AVG	
3		5470.000	35.64	14.33	49.97	68.20	-18.23	peak	
4	*	5717.600	101.78	14.84	116.62	68.20	48.42	peak	No Limit
5	X	5721.800	92.87	14.85	107.72	68.20	39.52	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11436.250	35.23	11.18	46.41	74.00	-27.59	peak	
2	*	11450.700	25.04	11.18	36.22	54.00	-17.78	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	35.85	14.33	50.18	74.00	-23.82	peak	
2		5460.000	29.99	14.33	44.32	54.00	-9.68	AVG	
3		5470.000	37.48	14.33	51.81	68.20	-16.39	peak	
4	X	5707.000	93.67	14.81	108.48	68.20	40.28	AVG	No Limit
5	*	5707.600	102.96	14.82	117.78	68.20	49.58	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11398.200	37.59	11.16	48.75	74.00	-25.25	peak	
2	*	11429.300	25.31	11.17	36.48	54.00	-17.52	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.10	14.33	53.43	74.00	-20.57	peak	
2		5460.000	29.74	14.33	44.07	54.00	-9.93	AVG	
3		5470.000	38.28	14.33	52.61	68.20	-15.59	peak	
4	*	5686.400	99.28	14.78	114.06	68.20	45.86	peak	No Limit
5	X	5687.000	88.22	14.78	103.00	68.20	34.80	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11358.400	25.30	11.14	36.44	54.00	-17.56	AVG	
2		11378.350	36.07	11.16	47.23	74.00	-26.77	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	35.94	14.33	50.27	74.00	-23.73	peak	
2		5460.000	29.32	14.33	43.65	54.00	-10.35	AVG	
3		5470.000	39.48	14.33	53.81	68.20	-14.39	peak	
4	X	5718.200	91.71	14.85	106.56	68.20	38.36	AVG	No Limit
5	*	5723.000	101.33	14.86	116.19	68.20	47.99	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11423.700	36.30	11.17	47.47	74.00	-26.53	peak	
2	*	11463.000	24.82	11.18	36.00	54.00	-18.00	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	38.19	14.33	52.52	74.00	-21.48	peak	
2		5460.000	30.40	14.33	44.73	54.00	-9.27	AVG	
3		5470.000	39.81	14.33	54.14	68.20	-14.06	peak	
4	*	5703.400	102.28	14.82	117.10	68.20	48.90	peak	No Limit
5	X	5713.000	91.00	14.84	105.84	68.20	37.64	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11428.400	35.39	11.18	46.57	74.00	-27.43	peak	
2	*	11443.600	24.76	11.18	35.94	54.00	-18.06	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	38.88	14.33	53.21	74.00	-20.79	peak	
2		5460.000	30.83	14.33	45.16	54.00	-8.84	AVG	
3		5470.000	38.41	14.33	52.74	68.20	-15.46	peak	
4	*	5688.200	99.99	14.78	114.77	68.20	46.57	peak	No Limit
5	X	5693.000	88.38	14.78	103.16	68.20	34.96	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.250	35.29	11.16	46.45	74.00	-27.55	peak	
2	*	11398.400	24.57	11.16	35.73	54.00	-18.27	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode Channel 157 (UNII-3)	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39494.000	48.36	10.86	59.22	83.50	-24.28	peak	
2	*	39494.000	39.28	10.86	50.14	63.50	-13.36	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode Channel 157 (UNII-3)	Polarization	Horizontal
-----------	--	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39538.000	48.85	10.87	59.72	83.50	-23.78	peak	
2	*	39538.000	39.72	10.87	50.59	63.50	-12.91	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.800	16.500
40	5200	17.850	16.400
48	5240	17.700	16.400

CH36




Date: 24.FEB.2025 09:32:38

CH40
26 dB Bandwidth




Date: 24.FEB.2025 14:38:02

CH48




Date: 24.FEB.2025 14:39:26


99 % Occupied Bandwidth



Date: 24.FEB.2025 09:32:05



Date: 24.FEB.2025 09:33:43




Date: 24.FEB.2025 09:34:50

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.899	17.500
40	5200	21.050	17.500
48	5240	18.500	17.400

CH36




Date: 24.FEB.2025 13:57:54

CH40
26 dB Bandwidth




Date: 24.FEB.2025 13:58:11

CH48




Date: 24.FEB.2025 14:33:19


99 % Occupied Bandwidth



Date: 24.FEB.2025 13:56:22



Date: 24.FEB.2025 13:58:15




Date: 24.FEB.2025 13:59:35

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	38.200	35.800
46	5230	38.100	35.600

CH38




Date: 24.FEB.2025 14:48:31

CH46
26 dB Bandwidth




Date: 24.FEB.2025 14:49:27

99 % Occupied Bandwidth



Date: 24.FEB.2025 14:47:39




Date: 24.FEB.2025 14:48:53

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	83.000	75.200

CH42 26 dB Bandwidth



Date: 24.FEB.2025 15:03:50

99 % Occupied Bandwidth




Date: 24.FEB.2025 15:03:04

Test Mode	UNII-1_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.400	18.800
40	5200	20.250	18.900
48	5240	20.150	18.800

CH36




Date: 24.FEB.2025 15:45:51

CH40
26 dB Bandwidth




Date: 24.FEB.2025 15:46:58

CH48




Date: 24.FEB.2025 15:47:53


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:16:57



Date: 24.FEB.2025 15:46:18




Date: 24.FEB.2025 15:47:18

Test Mode	UNII-1_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.500	37.800
46	5230	39.300	37.600

CH38




Date: 24.FEB.2025 16:04:20

CH46
26 dB Bandwidth




Date: 24.FEB.2025 16:05:19

99 % Occupied Bandwidth



Date: 24.FEB.2025 16:03:27




Date: 24.FEB.2025 16:04:46

Test Mode	UNII-1_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.798	76.800

CH42 26 dB Bandwidth



Date: 24.FEB.2025 16:16:10

99 % Occupied Bandwidth




Date: 24.FEB.2025 16:15:25

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	17.700	16.400
60	5300	21.350	16.500
64	5320	17.889	16.500

CH52




Date: 24.FEB.2025 14:40:13

CH60
26 dB Bandwidth




Date: 24.FEB.2025 09:38:04

CH64




Date: 24.FEB.2025 14:41:50


99 % Occupied Bandwidth



Date: 24.FEB.2025 09:36:32



Date: 24.FEB.2025 09:37:29




Date: 24.FEB.2025 09:38:21

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.500	17.400
60	5300	21.000	17.500
64	5320	21.650	17.500

CH52




Date: 24.FEB.2025 14:34:22

CH60
26 dB Bandwidth




Date: 24.FEB.2025 14:05:06

CH64




Date: 24.FEB.2025 14:06:29


99 % Occupied Bandwidth



Date: 24.FEB.2025 14:01:17



Date: 24.FEB.2025 14:04:33




Date: 24.FEB.2025 14:05:56

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	38.100	35.600
62	5310	38.200	35.800

CH54




Date: 24.FEB.2025 14:50:41

CH62
26 dB Bandwidth




Date: 24.FEB.2025 14:52:57

99 % Occupied Bandwidth



Date: 24.FEB.2025 14:49:52




Date: 24.FEB.2025 14:52:07

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.000	75.200

CH58 26 dB Bandwidth



Date: 24.FEB.2025 15:05:14

99 % Occupied Bandwidth




Date: 24.FEB.2025 15:04:19

Test Mode	UNII-2A_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.150	18.800
60	5300	21.290	18.900
64	5320	20.250	18.900

CH52




Date: 24.FEB.2025 15:50:47

CH60
26 dB Bandwidth




Date: 24.FEB.2025 15:51:40

CH64




Date: 24.FEB.2025 15:53:26


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:50:15



Date: 24.FEB.2025 15:51:07




Date: 24.FEB.2025 15:52:49

Test Mode	UNII-2A_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.000	76.800

CH58 26 dB Bandwidth



Date: 24.FEB.2025 16:17:49

99 % Occupied Bandwidth




Date: 24.FEB.2025 16:16:44

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	Error	155.200

CH50 26 dB Bandwidth



Date: 15.MAR.2025 11:08:05

99 % Occupied Bandwidth




Date: 15.MAR.2025 11:07:20

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.390	156.800

CH50 26 dB Bandwidth



Date: 15.MAR.2025 10:58:22

99 % Occupied Bandwidth




Date: 15.MAR.2025 10:57:30

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.990	16.500
116	5580	17.650	16.300
140	5700	20.599	16.400
144	5720	14.100	16.300

CH100




Date: 24.FEB.2025 09:40:41

CH116
26 dB Bandwidth




Date: 24.FEB.2025 14:43:47

CH140




Date: 24.FEB.2025 09:42:41


99 % Occupied Bandwidth



Date: 24.FEB.2025 09:40:05




Date: 24.FEB.2025 09:41:25




Date: 24.FEB.2025 09:42:08

CH144 26 dB Bandwidth



Date: 4.MAR.2025 16:17:23

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:37:03

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	18.700	17.400
116	5580	18.450	17.400
140	5700	22.000	17.500
144	5720	14.500	17.500

CH100




Date: 24.FEB.2025 14:35:18

CH116
26 dB Bandwidth




Date: 24.FEB.2025 14:36:04

CH140




Date: 24.FEB.2025 14:12:24


99 % Occupied Bandwidth



Date: 24.FEB.2025 14:08:01




Date: 24.FEB.2025 14:10:39




Date: 24.FEB.2025 14:11:51

CH144 26 dB Bandwidth



Date: 4.MAR.2025 16:16:16

99 % Occupied Bandwidth



Date: 4.MAR.2025 16:37:20