

# FCC Composite Gain Test Report

---

***TP-Link Systems Inc.***

10 Mauchly, Irvine, CA 926187



Copyright © 2024 By TP-Link Systems Inc. All rights reserved.

The drawings, specifications and the data contained in this document are exclusively the property of TP-Link Systems Inc. The information is intended for internal use only and is subject to change without any notice.

With no written permission from TP-Link Systems Inc. this document, in parts or as a whole, shall not be reproduced, copied, or used in any form or by any means to make any derivatives such as translation, transformation, or adaptation, for any purpose whatever.



is a registered trademark of TP-Link Systems Inc. Other brands and product names mentioned herein are trademarks or registered trademarks of their respective holders.

### Warning

This document is intended for internal use only. A Non-Disclosure Agreement (NDA) approved by Chief Technology Officer (CTO) is required to release this document under any circumstances.

### Basic Information

|                  |                                                 |       |            |
|------------------|-------------------------------------------------|-------|------------|
| EUT Description: | BE11000 Whole Home Mesh Wi-Fi 7 System with PoE |       |            |
| Brand Name:      | tp-link                                         |       |            |
| Model Name:      | Deco BE65-PoE                                   |       |            |
| Tested By:       | Xuan Shan Xuan Shan                             | Date: | 2025/06/27 |

## CONTENTS

|          |                                                          |           |
|----------|----------------------------------------------------------|-----------|
| <b>1</b> | <b>Operation Mode and Antenna Information .....</b>      | <b>5</b>  |
| 1.1      | EUT Operation Mode .....                                 | 5         |
| 1.2      | Antenna Information .....                                | 5         |
| 1.3      | Test Frequency .....                                     | 6         |
| <b>2</b> | <b>Test System.....</b>                                  | <b>7</b>  |
| 2.1      | Test Equipment.....                                      | 7         |
| 2.2      | Test Software.....                                       | 7         |
| <b>3</b> | <b>Test Summary.....</b>                                 | <b>8</b>  |
| 3.1      | Measurement Environment .....                            | 8         |
| 3.2      | Measurement Quantity .....                               | 10        |
| 3.3      | Test Method.....                                         | 10        |
| 3.4      | Directional Gain ( $N_{ss}=1$ ) Calculations .....       | 11        |
| 3.5      | Directional Gain ( $N_{ss}=N_{ant}$ ) Calculations ..... | 12        |
| 3.6      | Test Procedure .....                                     | 12        |
| <b>4</b> | <b>Measured Value and Maximum Gain Positions.....</b>    | <b>14</b> |
| 4.1      | Antenna Number .....                                     | 14        |
| 4.2      | 2G.....                                                  | 14        |
| 4.2.1    | DG_1SS Max Value Position .....                          | 14        |
| 4.2.2    | DG_1SS Max Value Position Calculation .....              | 14        |
| 4.2.3    | DG_NSS2 Max Value Position .....                         | 14        |
| 4.2.4    | DG_NSS2 Value Position Calculation .....                 | 15        |
| 4.3      | 5G.....                                                  | 15        |
| 4.3.1    | DG_1SS Max Value Position .....                          | 15        |
| 4.3.2    | DG_1SS Max Value Position Calculation .....              | 15        |
| 4.3.3    | DG_NSS2 Max Value Position .....                         | 16        |
| 4.3.4    | DG_NSS2 Value Position Calculation .....                 | 16        |
| 4.4      | 6G.....                                                  | 16        |
| 4.4.1    | DG_1SS Max Value Position .....                          | 16        |
| 4.4.2    | DG_1SS Max Value Position Calculation .....              | 16        |
| 4.4.3    | DG_NSS2 Max Value Position .....                         | 17        |
| 4.4.4    | DG_NSS2 Value Position Calculation .....                 | 17        |
| <b>5</b> | <b>Test and Calculate Result .....</b>                   | <b>17</b> |
| 5.1      | Peak Antenna Gain (Single) .....                         | 17        |

---

|          |                               |           |
|----------|-------------------------------|-----------|
| 5.2      | DG_1SS Calculate Result ..... | 18        |
| 5.3      | DG_NSS2 Calculate Result..... | 18        |
| <b>6</b> | <b>Test Pattern .....</b>     | <b>19</b> |
| 6.1      | Antenna Pattern .....         | 19        |
| <b>7</b> | <b>Test Pattern .....</b>     | <b>24</b> |
| 7.1      | DG_1SS Test Data.....         | 24        |
| 7.2      | DG_NSS2 Test Data.....        | 42        |

# 1 Operation Mode and Antenna Information

## 1.1 EUT Operation Mode

The **Deco BE65-POE**(MODEL NUMBER) is the Three-band wireless router of 6 internal antennas, of which 2 were 2.4G antennas and 2 were 5G antennas and 2 were 6G antennas.

## 1.2 Antenna Information

The Antennas are internal , the Locations of Antennas are shown below:




Figure 1-1 Locations of Antennas

The Antenna Information was shown below:

Table 1-1 Antenna Information

| Antenna Position | Antenna Type | Connector | Mode of operation |
|------------------|--------------|-----------|-------------------|
| Ant1             | Dipole       | ipex      | 2.4G              |
| Ant2             | Dipole       | ipex      | 2.4G              |
| Ant3             | Dipole       | ipex      | 5G                |
| Ant4             | Dipole       | ipex      | 5G                |
| Ant5             | Dipole       | ipex      | 6G                |
| Ant6             | Dipole       | ipex      | 6G                |

## 1.3 Test Frequency

Test frequency bands are shown in *Table 1-2*.

Table 1-2 Test Frequency

| Frequency Band(MHz) |
|---------------------|
| 2400-2500           |
| 5150-5250           |
| 5250-5350           |
| 5470-5725           |
| 5725-5925           |
| 5925-6425           |
| 6425-6525           |
| 6525-6875           |
| 6875-7125           |

## 2 Test System

### 2.1 Test Equipment

Table 2-1 Test System

| Equipment                  | Model       | Manufacturer | S/N        | Cali. Interval | Cali. Due Date |
|----------------------------|-------------|--------------|------------|----------------|----------------|
| Chamber                    | Rayzone2800 | GTS          | MY53470435 | 12months       | 2026/04/15     |
| Vector<br>Network Analyzer | E5071C      | Keysight     | MY46315238 | 24months       | 2026/05/27     |

### 2.2 Test Software

Table 2-2 Test Software

| Software       | Version | Function                     |
|----------------|---------|------------------------------|
| GTS MaxSign100 | V2.1    | Passive Antenna Measurements |

## 3 Test Summary

### 3.1 Measurement Environment

This measurement experiment adopted an antenna near-field measurement system, and the diagram of the measurement system was shown in Figure 3-1. The excitation signal was generated by the Keysight E5071C (300kHz-20GHz). Under the control of the central computer, the probe rotated in the  $\theta$  direction, and the EUT rotated in the  $\phi$  direction with the turntable. The probe sampling frame received and collected signals in the near-field range of the EUT. The software system which was controlled by the central computer completed the processing, output and display of the test data.




Figure 3-1 Schematic diagram of antenna near-field measurement system

The test site was a full anechoic chamber with a size of 3.0m×3.1m×2.97m, which was built by GTS Rayzone2800. All six surfaces of the anechoic chamber were pasted with absorbing materials. And the chamber was calibrated by the authoritative third-party lab every year. The antenna anechoic chamber measurement system adopted a 13-probe multi-probe system. The probe antennas were evenly distributed on the spherical surface surrounding the EUT, and their operating frequency was 600MHz~8.5GHz.






Figure 3-2 Antenna anechoic chamber for near-field measurement

During the measurement, the probe antennas were rotated in the  $\theta$  direction under the control of the probe holder to sample the near-field data at the  $\theta$  angle. At the same time, the EUT rotated with the turntable in the  $\phi$  direction to sample the near field data at the  $\phi$  angle. The system diagram was shown in Figure 3-3. From the sampling results, the EUT's near-field test data of  $\theta$  component,  $\phi$  component and total component could be obtained.




Figure 3-3 System diagram

Before the measurement, calibrated the vector network analyzer, and then connected the input end of each antenna to the output end of the vector network analyzer, and evenly the antennas to be measured. The Calibration information was shown in table 2-1.




Figure 3-4 Antennas measurement diagram

Table 3-1 Calibration information

| Measurement Class | Standard |
|-------------------|----------|
| Cal Type          | 2p/1-2   |
| Cal Kit           | N4691B   |

## 3.2 Measurement Quantity

In this measurement experiment, the Directional Gain was measured at a certain frequency interval within the whole frequency range. The measurement frequency interval of the 2.4G antennas was 10MHz, while the 5GL and 5GU and 6G antennas was 50MHz.

## 3.3 Test Method

During the measurement, the probe antennas were rotated in the  $\theta$  direction under the control of the probe holder to sample the near-field data at the  $\theta$  angle. At the same time, the EUT rotated with the turntable in the  $\phi$  direction to sample the near field data at the  $\phi$  angle. The sampling accuracy was  $15^\circ$ . The system diagram was shown in Figure 2-6. From the sampling results, the EUT's near-field test data of  $\theta$  component,  $\phi$  component and total component could be obtained.




Figure 3-5 Test angle

### 3.4 Directional Gain (Nss=1) Calculations

Multiple antennas system, each of which has one of two (or three) polarizations that are orthogonal to one another (i.e., cross polarized), The total gain—including array gain—is computed separately for each of the two (or three) polarizations using the procedures presented in this document. The highest of the total gains shall apply.

Theoretical Directional Gain represented the theoretical value calculated by formula 2-1. As we all know, the effect of array gain must be included in the calculation of overall directional antenna gain for devices that transmit on multiple outputs simultaneously in the same band, in the same or in overlapping frequency ranges. Therefore, in formula 2-1, the directional gain calculation needs to include all directions and all Frequencies and all Polarizations, and then take the maximum value as the final directional gain value. Therefore, the calculation formula of theoretical directional gain value can be modified as formula 2-2

$$\text{Directional Gain} = 10\log \left[ \frac{\sum_{j=1}^{N_{SS}} \left( \sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right] \quad (2-1)$$

Where

Nss = the number of independent spatial streams of data; NSS =1.

Nant = the total number of antennas: NANT =4 for 2.4G & 5G & 6G antennas

$g_{j,k} = 10^{G_k/20}$  if the kth antenna is being fed by spatial stream j, or zero if it is not;

$G_k$  is the gain in dBi of the kth antenna .

$$\text{Directional Gain} = \text{Maximum} \left[ 10\log \left[ \frac{\sum_{j=1}^{N_{SS}} \left( \sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right] \right] \quad (2-2)$$

**Maximum** function is the max directional gain overall directions and all frequency all polarizations.

### 3.5 Directional Gain (Nss=N<sub>ant</sub>) Calculations

Multiple antennas system, each of which has one of two (or three) polarizations that are orthogonal to one another (i.e., cross polarized), The total gain—including array gain—is computed separately for each of the two (or three) polarizations using the procedures presented in this document. The highest of the total gains shall apply.

Theoretical Directional Gain represented the theoretical value calculated by formula 2-1. As we all know, the effect of array gain must be included in the calculation of overall directional antenna gain for devices that transmit on multiple outputs simultaneously in the same band, in the same or in overlapping frequency ranges. Therefore, in formula 2-1, the directional gain calculation needs to include all directions and all Frequencies and all Polarizations, and then take the maximum value as the final directional gain value. Therefore, the calculation formula of theoretical combined gain value can be modified as formula 2-2

$$\text{Directional Gain} = 10\log \left[ \frac{\sum_{j=1}^{N_{ANT}} g_{j,k}}{N_{ANT}} \right] \quad (2-3)$$

Where

Nss = the number of independent spatial streams of data; NSS =Nant.

Nant = the total number of antennas: NANT =4 for 2.4G & 5G & 6G antennas

$$g_{j,k} = 10^{G_k/10} \quad \text{if the } k\text{th antenna is being fed by spatial stream } j, \text{ or zero if it is not;}$$

$G_k$  is the gain in dBi of the kth antenna .

$$\text{Directional Gain} = \text{Maximum} \left[ 10\log \left[ \frac{\sum_{j=1}^{N_{ANT}} g_{j,k}}{N_{ANT}} \right] \right] \quad (2-4)$$

**Maximum** function is the max directional gain overall directions and all frequency all polarizations.

### 3.6 Test Procedure

The calculation method of DG (Directional Gain) in this scheme is summarized as follows:

- 1) The antenna anechoic chamber is used to measure the gain of each antenna, the gain of each antenna at this angle is taken every 15° to calculate the Directional Gain;
- 2) Use formula below to calculate and the DG\_Nss=1 of the system at this angle is obtained

$$\text{Directional Gain} = 10\log \left[ \frac{\sum_{j=1}^{N_{SS}} \left( \sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right] \quad (2-5)$$

- 3) Use formula below to calculate and the DG\_Nssmax of the system at this angle is obtained

$$\text{Directional Gain} = 10\log\left[\frac{\sum_{j=1}^{N_{ANT}} g_{j,k}}{N_{ANT}}\right] \quad (2-6)$$

- 4) For each frequency point, the Directional Gain value under 24 different angles can be obtained, and finally the maximum value is taken as the system Directional Gain value.




Figure 3-6 Directional Gain Calculation Sketch Map

## 4 Measured Value and Maximum Gain Positions

### 4.1 Antenna Number

The Antennas number for measured in the following section was shown below:

Table 4-1 Antennas number

| Antenna Number | Antenna Position |      |      |
|----------------|------------------|------|------|
|                | 2G               | 5G   | 6G   |
| Ant1           | Ant1             | Ant3 | Ant5 |
| Ant2           | Ant2             | Ant4 | Ant6 |

### 4.2 2G

#### 4.2.1 DG\_1SS Max Value Position

Table 4-2 DG\_1SS Max Value Position

|                |           |
|----------------|-----------|
| Frequency(GHz) | 2.40~2.50 |
| Ant1(dBi)      | 2.84      |
| Ant2(dBi)      | 1.53      |
| Polarization   | Theta     |
| $\Phi$ (°)     | 255       |
| $\theta$ (°)   | 75        |

#### 4.2.2 DG\_1SS Max Value Position Calculation

Table 4-3 DG\_1SS Max Value Position Calculation

|                                                              |                  |
|--------------------------------------------------------------|------------------|
| Frequency(GHz)                                               | 2.40~2.50        |
| Ant1[ $10^{(G/20)}$ ]                                        | $10^{(2.84/20)}$ |
| Ant2[ $10^{(G/20)}$ ]                                        | $10^{(1.53/20)}$ |
| Ant1[ $10^{(G/20)}$ ] value                                  | 1.387            |
| Ant2[ $10^{(G/20)}$ ] value                                  | 1.193            |
| Sum of Ants Value(Antmax)                                    | 2.580            |
| DG[ $10 * \text{Log}(\text{Antmax}^2 / \text{Nant})$ ] (dBi) | 5.22             |

#### 4.2.3 DG\_NSS2 Max Value Position

Table 4-4 DG\_NSSmax Max Value Position

|                |           |
|----------------|-----------|
| Frequency(GHz) | 2.40~2.50 |
| Ant1(dBi)      | 2.84      |

|                                |       |
|--------------------------------|-------|
| <b>Ant2(dBi)</b>               | 1.53  |
| <b>Polarization</b>            | Theta |
| <b><math>\Phi</math> (°)</b>   | 255   |
| <b><math>\theta</math> (°)</b> | 75    |

## 4.2.4 DG\_NSS2 Value Position Calculation

Table 4-5 DG\_NSSmax Max Value Position Calculation

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| <b>Frequency(GHz)</b>                             | 2.40~2.50                |
| <b>Ant1[10<sup>^(G/10)</sup>]</b>                 | 10 <sup>^(2.84/10)</sup> |
| <b>Ant2[10<sup>^(G/10)</sup>]</b>                 | 10 <sup>^(1.53/10)</sup> |
| <b>Ant1[10<sup>^(G/10)</sup>] value</b>           | 1.923                    |
| <b>Ant2[10<sup>^(G/10)</sup>] value</b>           | 1.422                    |
| <b>Sum of Ants Value(Antmax)</b>                  | 3.345                    |
| <b>DG[10*Log<sub>10</sub>(Antmax/Nant)] (dBi)</b> | 2.23                     |

## 4.3 5G

### 4.3.1 DG\_1SS Max Value Position

Table 4-6 DG\_1SS Max Value Position

|                                |           |           |            |             |
|--------------------------------|-----------|-----------|------------|-------------|
| <b>Frequency(GHz)</b>          | 5.15~5.25 | 5.25~5.35 | 5.47~5.725 | 5.725~5.925 |
| <b>Ant1(dBi)</b>               | 2.48      | 2.34      | 3.43       | 1.98        |
| <b>Ant2(dBi)</b>               | 2.84      | 2.70      | 3.62       | 3.70        |
| <b>Polarization</b>            | Theta     | Theta     | Theta      | Theta       |
| <b><math>\Phi</math> (°)</b>   | 300       | 300       | 330        | 300         |
| <b><math>\theta</math> (°)</b> | 45        | 45        | 75         | 75          |

### 4.3.2 DG\_1SS Max Value Position Calculation

Table 4-7 DG\_1SS Max Value Position Calculation

|                                                  |                          |                          |                          |                          |
|--------------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <b>Frequency(GHz)</b>                            | 5.15~5.25                | 5.25~5.35                | 5.47~5.725               | 5.725~5.925              |
| <b>Ant1[10<sup>^(G/20)</sup>]</b>                | 10 <sup>^(2.48/20)</sup> | 10 <sup>^(2.34/20)</sup> | 10 <sup>^(3.43/20)</sup> | 10 <sup>^(1.98/20)</sup> |
| <b>Ant2[10<sup>^(G/20)</sup>]</b>                | 10 <sup>^(2.84/20)</sup> | 10 <sup>^(2.70/20)</sup> | 10 <sup>^(3.62/20)</sup> | 10 <sup>^(3.70/20)</sup> |
| <b>Ant1[10<sup>^(G/20)</sup>] value</b>          | 1.330                    | 1.309                    | 1.484                    | 1.256                    |
| <b>Ant2[10<sup>^(G/20)</sup>] value</b>          | 1.387                    | 1.365                    | 1.517                    | 1.531                    |
| <b>Sum of Ants Value(Antmax)</b>                 | 2.717                    | 2.674                    | 3.001                    | 2.787                    |
| <b>DG[10*Log(Antmax<sup>2</sup>/Nant)] (dBi)</b> | 5.67                     | 5.53                     | 6.54                     | 5.89                     |

### 4.3.3 DG\_NSS2 Max Value Position

Table 4-8 DG\_NSSmax Max Value Position

| Frequency(GHz) | 5.15~5.25 | 5.25~5.35 | 5.47~5.725 | 5.725~5.925 |
|----------------|-----------|-----------|------------|-------------|
| Ant1(dBi)      | 2.48      | 2.34      | 3.43       | 1.98        |
| Ant2(dBi)      | 2.84      | 2.70      | 3.62       | 3.70        |
| Polarization   | Theta     | Theta     | Theta      | Theta       |
| $\Phi$ (°)     | 300       | 300       | 330        | 300         |
| $\theta$ (°)   | 45        | 45        | 75         | 75          |

### 4.3.4 DG\_NSS2 Value Position Calculation

Table 4-9 DG\_NSSmax Max Value Position Calculation

| Frequency(GHz)                                  | 5.15~5.25        | 5.25~5.35        | 5.47~5.725       | 5.725~5.925      |
|-------------------------------------------------|------------------|------------------|------------------|------------------|
| Ant1[10 <sup>^(G/10)</sup> ]                    | $10^{(2.48/10)}$ | $10^{(2.34/10)}$ | $10^{(3.43/10)}$ | $10^{(1.98/10)}$ |
| Ant2[10 <sup>^(G/10)</sup> ]                    | $10^{(2.84/10)}$ | $10^{(2.70/10)}$ | $10^{(3.62/10)}$ | $10^{(3.70/10)}$ |
| Ant1[10 <sup>^(G/10)</sup> ] value              | 1.770            | 1.714            | 2.203            | 1.578            |
| Ant2[10 <sup>^(G/10)</sup> ] value              | 1.923            | 1.862            | 2.301            | 2.344            |
| Sum of Ants Value(Antmax)                       | 3.693            | 3.576            | 4.504            | 3.922            |
| DG[10*Log <sub>10</sub> (Antmax/Nant)]<br>(dBi) | 2.66             | 2.52             | 3.53             | 2.92             |

## 4.4 6G

### 4.4.1 DG\_1SS Max Value Position

Table 4-10 DG\_1SS Max Value Position

| Frequency(GHz) | 5.925~6.425 | 6.425~6.525 | 6.525~6.875 | 6.875~7.125 |
|----------------|-------------|-------------|-------------|-------------|
| Ant1(dBi)      | -0.88       | 0.63        | 3.60        | 2.12        |
| Ant2(dBi)      | 2.31        | 0.51        | 1.64        | 0.13        |
| Polarization   | Theta       | Theta       | Theta       | Theta       |
| $\Phi$ (°)     | 120         | 225         | 225         | 210         |
| $\theta$ (°)   | 45          | 75          | 45          | 75          |

### 4.4.2 DG\_1SS Max Value Position Calculation

Table 4-11 DG\_1SS Max Value Position Calculation

| Frequency(GHz)               | 5.925~6.425       | 6.425~6.525      | 6.525~6.875      | 6.875~7.125      |
|------------------------------|-------------------|------------------|------------------|------------------|
| Ant1[10 <sup>^(G/20)</sup> ] | $10^{(-0.88/20)}$ | $10^{(0.63/20)}$ | $10^{(3.60/20)}$ | $10^{(2.12/20)}$ |
| Ant2[10 <sup>^(G/20)</sup> ] | $10^{(2.31/20)}$  | $10^{(0.51/20)}$ | $10^{(1.64/20)}$ | $10^{(0.13/20)}$ |



|                                                |       |       |       |       |
|------------------------------------------------|-------|-------|-------|-------|
| Ant1[10 <sup>*(G/20)</sup> ] value             | 0.904 | 1.075 | 1.514 | 1.276 |
| Ant2[10 <sup>*(G/20)</sup> ] value             | 1.305 | 1.060 | 1.208 | 1.015 |
| Sum of Ants Value(Antmax)                      | 2.209 | 2.135 | 2.722 | 2.291 |
| DG[10*Log(Antmax <sup>2</sup> /Nant)]<br>(dBi) | 3.87  | 3.58  | 5.69  | 4.19  |

### 4.4.3 DG\_NSS2 Max Value Position

Table 4-12 DG\_NSSmax Max Value Position

|                |             |             |             |             |
|----------------|-------------|-------------|-------------|-------------|
| Frequency(GHz) | 5.925~6.425 | 6.425~6.525 | 6.525~6.875 | 6.875~7.125 |
| Ant1(dBi)      | 4.90        | -8.41       | 5.17        | 4.02        |
| Ant2(dBi)      | -8.51       | 4.83        | -0.85       | -4.24       |
| Polarization   | Theta       | Theta       | Theta       | Theta       |
| Φ (°)          | 195         | 150         | 225         | 195         |
| θ (°)          | 60          | 45          | 75          | 60          |

### 4.4.4 DG\_NSS2 Value Position Calculation

Table 4-13 DG\_NSSmax Max Value Position Calculation

|                                                 |                           |                           |                           |                           |
|-------------------------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Frequency(GHz)                                  | 5.925~6.425               | 6.425~6.525               | 6.525~6.875               | 6.875~7.125               |
| Ant1[10 <sup>*(G/10)</sup> ]                    | 10 <sup>^(4.90/10)</sup>  | 10 <sup>^(-8.41/10)</sup> | 10 <sup>^(5.17/10)</sup>  | 10 <sup>^(4.02/10)</sup>  |
| Ant2[10 <sup>*(G/10)</sup> ]                    | 10 <sup>^(-8.51/10)</sup> | 10 <sup>^(4.83/10)</sup>  | 10 <sup>^(-0.85/10)</sup> | 10 <sup>^(-4.24/10)</sup> |
| Ant1 [10 <sup>*(G/10)</sup> ] value             | 3.090                     | 0.144                     | 3.289                     | 2.523                     |
| Ant2 [10 <sup>*(G/10)</sup> ] value             | 0.141                     | 3.041                     | 0.822                     | 0.377                     |
| Sum of Ants Value(Antmax)                       | 3.231                     | 3.185                     | 4.111                     | 2.900                     |
| DG[10*Log <sub>10</sub> (Antmax/Nant)]<br>(dBi) | 2.08                      | 2.02                      | 3.13                      | 1.61                      |

## 5 Test and Calculate Result

### 5.1 Peak Antenna Gain (Single)

Table 5-1 Antenna Test Result

| Frequency Band(MHz) | Ant1 | Ant2 |
|---------------------|------|------|
| 2400-2500           | 3.31 | 3.33 |
| 5150-5250           | 4.30 | 3.88 |
| 5250-5350           | 3.53 | 3.43 |
| 5470-5725           | 3.56 | 3.62 |
| 5725-5925           | 3.93 | 3.70 |

|           |      |      |
|-----------|------|------|
| 5925-6425 | 4.90 | 5.12 |
| 6425-6525 | 4.45 | 4.83 |
| 6525-6875 | 5.17 | 3.99 |
| 6875-7125 | 4.92 | 3.99 |

## 5.2 DG\_1SS Calculate Result

Table 5-2 Test & Calculate Result

| Frequency Band(MHz) | Max Directional Gain | Polarization/ $\Phi$ (°) / $\theta$ (°) |
|---------------------|----------------------|-----------------------------------------|
| 2400-2450           | 5.22dBi              | Theta/255/75                            |
| 5150-5250           | 5.67dBi              | Theta/300/45                            |
| 5250-5350           | 5.53dBi              | Theta/300/45                            |
| 5470-5725           | 6.54dBi              | Theta/330/75                            |
| 5725-5925           | 5.89dBi              | Theta/300/75                            |
| 5925-6425           | 3.87dBi              | Theta/120/45                            |
| 6425-6525           | 3.58dBi              | Theta/225/75                            |
| 6525-6875           | 5.69dBi              | Theta/225/45                            |
| 6875-7125           | 4.19dBi              | Theta/210/75                            |


## 5.3 DG\_NSS2 Calculate Result


Table 5-3 Test & Calculate Result


| Frequency Band(MHz) | Max Directional Gain | Polarization/ $\Phi$ (°) / $\theta$ (°) |
|---------------------|----------------------|-----------------------------------------|
| 2400-2450           | 2.23dBi              | Theta/255/75                            |
| 5150-5250           | 2.66dBi              | Theta/300/45                            |
| 5250-5350           | 2.52dBi              | Theta/300/45                            |
| 5470-5725           | 3.53dBi              | Theta/330/75                            |
| 5725-5925           | 2.92dBi              | Theta/300/75                            |
| 5925-6425           | 2.08dBi              | Theta/195/60                            |
| 6425-6525           | 2.02dBi              | Theta/150/45                            |
| 6525-6875           | 3.13dBi              | Theta/225/75                            |
| 6875-7125           | 1.61dBi              | Theta/195/60                            |

## 6 Test Pattern

### 6.1 Antenna Pattern









# Ant5


theta90 6125MHz




theta45 6125MHz




theta90 6425MHz




theta45 6425MHz




theta90 6675MHz




theta45 6675MHz



theta90 7025MHz




theta45 7025MHz




Ant6


theta90 6125MHz




theta45 6125MHz




theta90 6425MHz



theta45 6425MHz





## 7 Test Pattern

### 7.1 DG\_1SS Test Data

| Ant1      |       |       |       |       |        |        |       |       |        |        |        |       |       |
|-----------|-------|-------|-------|-------|--------|--------|-------|-------|--------|--------|--------|-------|-------|
| Freq      | 2450  |       |       |       |        |        |       |       |        |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75     | 90    | 105   | 120    | 135    | 150    | 165   | 180   |
| 0         | -0.2  | -2.4  | -5.39 | -5.11 | -3.93  | -2     | -0.86 | -0.93 | -4.84  | -6.33  | -10.75 | -9.37 | -9.53 |
| 15        | -0.05 | -2.46 | -5.02 | -3.45 | -1.08  | 0.29   | 0.23  | 1.22  | -1.69  | -4.99  | -8.57  | -8.24 | -9.53 |
| 30        | 0.04  | -2.52 | -3.78 | -2.39 | -0.7   | 0.81   | -0.17 | 0.54  | -1.92  | -4.75  | -7.49  | -6.54 | -9.53 |
| 45        | 0.17  | -2.5  | -2.72 | -1.67 | -0.99  | 0.04   | -1.37 | -1.58 | -3.16  | -6.25  | -5.71  | -4.56 | -9.53 |
| 60        | 0.27  | -2.44 | -2.41 | -1.44 | -0.39  | 0.08   | -1.49 | -1.84 | -2.47  | -3.33  | -3.17  | -3.24 | -9.53 |
| 75        | 0.31  | -2.44 | -2.76 | -1.3  | 0.54   | 1.13   | -0.35 | -3.25 | -4.87  | -5.04  | -3.68  | -2.93 | -9.53 |
| 90        | 0.29  | -2.49 | -3.6  | -1.12 | 0.99   | 1.69   | 1.09  | -2.7  | -10.54 | -8.72  | -5.35  | -3.5  | -9.53 |
| 105       | 0.17  | -2.62 | -4.93 | -1.84 | -0.13  | 1.22   | 0.69  | -1.87 | -6.47  | -9.42  | -6.7   | -4.55 | -9.53 |
| 120       | 0.04  | -2.54 | -6.37 | -5    | -4.58  | -2.02  | -2.52 | -4.05 | -9.54  | -11.52 | -9.85  | -5.03 | -9.53 |
| 135       | 0.07  | -2.11 | -5.48 | -7.53 | -12.16 | -10.07 | -8.96 | -8.08 | -7.02  | -10.45 | -14.49 | -5.23 | -9.53 |
| 150       | 0.15  | -1.41 | -2.9  | -2.98 | -3.66  | -5.05  | -2.62 | -1.18 | -3     | -8.53  | -18.75 | -5.93 | -9.53 |



|     |       |       |       |       |       |       |       |       |       |        |        |       |       |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|
| 165 | 0.24  | -0.63 | -1.26 | -0.31 | -0.78 | -0.33 | 0.72  | -0.04 | -4.49 | -7.52  | -20.38 | -5.1  | -9.53 |
| 180 | 0.28  | -0.04 | -0.54 | 0.71  | 0.1   | 0.79  | 1.33  | -1.22 | -5.57 | -6.04  | -9.24  | -3.52 | -9.53 |
| 195 | 0.13  | 0.32  | -0.13 | 0.81  | 0.54  | 1.07  | 1.18  | -4.3  | -5.04 | -4.66  | -6.05  | -3.22 | -9.53 |
| 210 | -0.16 | 0.52  | 0.15  | 1.22  | 1.89  | 2.72  | 1.49  | -2.6  | -3.4  | -3.86  | -5.74  | -4.36 | -9.53 |
| 225 | -0.36 | 0.64  | 0.19  | 1.73  | 2.64  | 3.31  | 1.65  | 0.45  | -1.77 | -4.35  | -6.59  | -6.2  | -9.53 |
| 240 | -0.44 | 0.69  | 0.07  | 1.57  | 2.33  | 2.99  | 2.33  | 0.98  | -2.37 | -5.45  | -7.45  | -6.08 | -9.53 |
| 255 | -0.35 | 0.57  | -0.18 | 0.53  | 1.51  | 2.84  | 2.37  | 0.92  | -2.82 | -5.47  | -7.68  | -5.52 | -9.53 |
| 270 | -0.21 | 0.28  | -0.36 | -0.42 | 0.43  | 1.45  | 1.18  | -0.08 | -3.11 | -5.23  | -8.09  | -5.39 | -9.53 |
| 285 | -0.1  | -0.12 | -0.18 | 0.05  | -0.35 | -1.22 | -1.77 | -2.81 | -6.23 | -9.12  | -9.64  | -5.51 | -9.53 |
| 300 | -0.16 | -0.62 | 0.09  | 1.47  | 0.58  | -0.86 | -1.18 | -3.01 | -5.73 | -9.52  | -10.64 | -5.88 | -9.53 |
| 315 | -0.25 | -1.18 | -0.32 | 2.23  | 2     | 1.25  | 1.17  | -0.7  | -4.54 | -8.09  | -10.53 | -6.71 | -9.53 |
| 330 | -0.3  | -1.8  | -1.75 | 0.9   | 1.4   | 0.65  | 0.09  | -1.71 | -5.83 | -11.24 | -11.27 | -8.15 | -9.53 |
| 345 | -0.28 | -2.2  | -3.85 | -2.82 | -2.49 | -1.96 | -2.69 | -3.74 | -8.21 | -10.89 | -11.19 | -9.53 | -9.53 |

| Ant2      |      |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 2450 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 1.3  | -0.1  | 1.07  | 2.87  | 1.66  | 0.38  | -1.89 | -3.54  | -6.38  | -5.78  | -5.62  | -7.04  | -12.59 |
| 15        | 1.29 | 0.19  | 1.56  | 3.33  | 2.45  | 2.07  | 0.73  | -0.63  | -4.73  | -6.31  | -6.39  | -6.22  | -12.59 |
| 30        | 1.16 | 0.31  | 1.18  | 2.58  | 1.72  | 1.8   | 0.97  | 0.2    | -2.5   | -5.75  | -8.04  | -6.01  | -12.59 |
| 45        | 1.04 | 0.27  | 0.43  | 1.46  | 0.48  | 0.42  | 0.14  | -0.6   | -2.72  | -6.42  | -8.39  | -6.15  | -12.59 |
| 60        | 1.04 | 0.17  | -0.4  | 0.29  | -0.57 | 0.34  | 0.41  | 0.75   | -1.78  | -7.78  | -8.09  | -6.58  | -12.59 |
| 75        | 1.12 | 0.16  | -1.03 | -0.6  | -1.49 | 0.24  | 0.6   | 1.55   | -1.6   | -7.25  | -9.42  | -7.27  | -12.59 |
| 90        | 1.15 | 0.25  | -1.14 | -0.65 | -1.45 | 0.06  | 0.63  | 0.73   | -2.42  | -8.02  | -10.74 | -8.35  | -12.59 |
| 105       | 1.08 | 0.49  | -0.69 | 0.05  | -0.13 | 0.53  | 0.81  | -0.64  | -3.76  | -8.84  | -9.32  | -8.95  | -12.59 |
| 120       | 0.98 | 0.8   | 0.01  | 0.83  | 1.05  | 1.27  | 0.87  | -1.77  | -4.68  | -7.88  | -7.68  | -9.14  | -12.59 |
| 135       | 0.96 | 0.98  | 0.74  | 1.09  | 0.78  | 0.8   | -0.59 | -3.53  | -5.2   | -6.96  | -7.02  | -10.59 | -12.59 |
| 150       | 1    | 1.08  | 1.29  | 0.98  | -0.23 | -0.33 | -2.49 | -3.66  | -4.29  | -5.42  | -7.42  | -12.29 | -12.59 |
| 165       | 1.05 | 1.17  | 1.55  | 1.56  | 0.33  | -0.74 | -0.88 | -2.33  | -3.74  | -4.4   | -8.51  | -12.59 | -12.59 |
| 180       | 1.01 | 1.19  | 1.57  | 2.44  | 1.53  | 1.3   | 0.87  | -0.47  | -2.8   | -4.73  | -9.46  | -11.97 | -12.59 |
| 195       | 0.94 | 0.96  | 1.3   | 2.24  | 1.57  | 1.05  | 1.06  | -1     | -3.76  | -6.37  | -9.3   | -10.13 | -12.59 |
| 210       | 0.96 | 0.45  | 0.4   | 0.62  | -0.57 | -0.52 | -1.76 | -5.04  | -6.87  | -7.95  | -7.59  | -8.49  | -12.59 |
| 225       | 1.02 | -0.23 | -1.28 | -2.04 | -1.95 | -1.15 | -1.56 | -5.99  | -9.17  | -7.79  | -6.75  | -7.57  | -12.59 |
| 240       | 1.09 | -0.89 | -3.51 | -4.36 | -0.69 | 1.19  | 0.9   | -3.88  | -11.49 | -8.25  | -6.63  | -7.23  | -12.59 |
| 255       | 1.11 | -1.49 | -5.39 | -5.25 | 0.05  | 1.53  | 1.82  | -1.63  | -11.63 | -9.44  | -6.55  | -7.2   | -12.59 |
| 270       | 1.17 | -2.02 | -6.23 | -5.27 | -0.77 | 0.33  | 1.01  | -0.83  | -8.9   | -10.96 | -6.55  | -7.26  | -12.59 |
| 285       | 1.15 | -2.37 | -6.55 | -4.87 | -1.81 | -0.83 | -0.61 | -1.23  | -8.09  | -12.55 | -6.54  | -7.84  | -12.59 |
| 300       | 1.14 | -2.42 | -6.95 | -5.56 | -3.54 | -2.67 | -4.35 | -3.66  | -12.09 | -14.78 | -7.32  | -8.84  | -12.59 |
| 315       | 1.11 | -2.09 | -6.03 | -6.13 | -5.89 | -6.16 | -9.98 | -13.45 | -14.78 | -11.09 | -8.56  | -9.78  | -12.59 |
| 330       | 1.13 | -1.36 | -3.25 | -2.8  | -3.18 | -3.31 | -4.27 | -6.41  | -8.03  | -5.59  | -7.24  | -9.6   | -12.59 |
| 345       | 1.18 | -0.63 | -0.55 | 0.85  | -0.2  | -1.16 | -2.49 | -3.19  | -7.01  | -4.91  | -5.68  | -8.31  | -12.59 |

2450MHz Composite Gain

| Freq      | 2450 |      |      |      |       |       |       |       |       |       |       |       |       |
|-----------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Phi\Theta | 0    | 15   | 30   | 45   | 60    | 75    | 90    | 105   | 120   | 135   | 150   | 165   | 180   |
| 0         | 3.59 | 1.84 | 1.44 | 2.78 | 2.32  | 2.28  | 1.65  | 0.87  | -2.57 | -3.04 | -4.80 | -5.12 | -7.92 |
| 15        | 3.66 | 1.98 | 1.89 | 3.60 | 3.87  | 4.24  | 3.49  | 3.35  | -0.07 | -2.61 | -4.40 | -4.16 | -7.92 |
| 30        | 3.63 | 2.02 | 2.06 | 3.46 | 3.60  | 4.33  | 3.43  | 3.38  | 0.81  | -2.23 | -4.75 | -3.26 | -7.92 |
| 45        | 3.63 | 2.01 | 2.01 | 3.05 | 2.79  | 3.24  | 2.43  | 1.93  | 0.07  | -3.32 | -3.94 | -2.31 | -7.92 |
| 60        | 3.67 | 1.97 | 1.66 | 2.48 | 2.53  | 3.22  | 2.52  | 2.56  | 0.89  | -2.26 | -2.28 | -1.74 | -7.92 |
| 75        | 3.73 | 1.97 | 1.16 | 2.07 | 2.59  | 3.71  | 3.15  | 2.49  | -0.07 | -3.06 | -3.07 | -1.82 | -7.92 |
| 90        | 3.74 | 2.00 | 0.73 | 2.13 | 2.87  | 3.92  | 3.87  | 2.19  | -2.55 | -5.35 | -4.62 | -2.58 | -7.92 |
| 105       | 3.65 | 2.08 | 0.46 | 2.17 | 2.88  | 3.89  | 3.76  | 1.78  | -2.00 | -6.11 | -4.90 | -3.46 | -7.92 |
| 120       | 3.53 | 2.30 | 0.40 | 1.41 | 1.69  | 2.79  | 2.35  | 0.17  | -3.76 | -6.50 | -5.69 | -3.83 | -7.92 |
| 135       | 3.54 | 2.58 | 1.19 | 0.82 | -0.46 | -0.02 | -0.79 | -2.50 | -3.05 | -5.52 | -6.97 | -4.49 | -7.92 |
| 150       | 3.60 | 2.93 | 2.46 | 2.23 | 1.23  | 0.64  | 0.46  | 0.68  | -0.61 | -3.83 | -8.35 | -5.53 | -7.92 |
| 165       | 3.66 | 3.33 | 3.27 | 3.69 | 2.80  | 2.48  | 2.97  | 1.90  | -1.10 | -2.81 | -9.55 | -5.05 | -7.92 |
| 180       | 3.66 | 3.61 | 3.59 | 4.63 | 3.85  | 4.06  | 4.11  | 2.17  | -1.06 | -2.35 | -6.34 | -3.75 | -7.92 |
| 195       | 3.55 | 3.66 | 3.62 | 4.56 | 4.08  | 4.07  | 4.13  | 0.52  | -1.37 | -2.46 | -4.51 | -2.99 | -7.92 |
| 210       | 3.43 | 3.50 | 3.29 | 3.94 | 3.76  | 4.26  | 3.03  | -0.72 | -1.95 | -2.66 | -3.61 | -3.17 | -7.92 |
| 225       | 3.37 | 3.23 | 2.50 | 3.06 | 3.66  | 4.37  | 3.20  | 0.82  | -1.69 | -2.89 | -3.66 | -3.85 | -7.92 |
| 240       | 3.37 | 2.95 | 1.47 | 2.11 | 3.96  | 5.15  | 4.65  | 1.90  | -2.77 | -3.73 | -4.02 | -3.63 | -7.92 |
| 255       | 3.42 | 2.61 | 0.61 | 1.12 | 3.82  | 5.22  | 5.11  | 2.75  | -3.14 | -4.22 | -4.09 | -3.31 | -7.92 |
| 270       | 3.52 | 2.22 | 0.20 | 0.50 | 2.86  | 3.92  | 4.11  | 2.56  | -2.52 | -4.62 | -4.28 | -3.26 | -7.92 |
| 285       | 3.56 | 1.84 | 0.22 | 0.94 | 1.96  | 1.99  | 1.84  | 1.03  | -4.10 | -7.66 | -4.94 | -3.59 | -7.92 |
| 300       | 3.52 | 1.54 | 0.27 | 1.66 | 1.77  | 1.29  | 0.39  | -0.32 | -5.33 | -8.75 | -5.81 | -4.22 | -7.92 |
| 315       | 3.47 | 1.39 | 0.30 | 2.03 | 1.93  | 1.32  | 0.28  | -1.91 | -5.22 | -6.45 | -6.48 | -5.10 | -7.92 |
| 330       | 3.45 | 1.43 | 0.54 | 2.26 | 2.42  | 1.90  | 1.19  | -0.74 | -3.85 | -4.95 | -6.01 | -5.83 | -7.92 |
| 345       | 3.49 | 1.63 | 0.97 | 2.22 | 1.74  | 1.46  | 0.42  | -0.45 | -4.58 | -4.38 | -4.99 | -5.89 | -7.92 |

| Ant3      |       |       |       |       |        |       |       |        |       |        |        |        |        |
|-----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|--------|--------|--------|--------|
| Freq      | 5200  |       |       |       |        |       |       |        |       |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75    | 90    | 105    | 120   | 135    | 150    | 165    | 180    |
| 0         | 0.02  | 1.05  | 1.03  | -0.21 | -4.44  | -2.18 | -4.24 | -10.59 | -9.48 | -12.43 | -7.95  | -10.76 | -14.72 |
| 15        | 0.04  | 0.77  | -0.67 | -0.36 | -5.06  | -5.69 | -10.9 | -16.12 | -7.76 | -13.33 | -13.07 | -8.76  | -14.72 |
| 30        | 0.1   | 0.59  | -4.29 | -3.63 | -8.27  | -5.24 | -6.37 | -10.85 | -7.67 | -11.09 | -14.19 | -7.15  | -14.72 |
| 45        | 0.13  | 0.74  | -4.86 | -8.43 | -10.89 | -6.85 | -9.68 | -9.89  | -6.8  | -5.81  | -13.85 | -7.29  | -14.72 |
| 60        | 0.06  | 1.17  | -0.88 | -1.29 | -3.65  | -2.6  | -5.91 | -9.97  | -7.91 | -5.41  | -9.02  | -8.98  | -14.72 |
| 75        | 0.03  | 1.33  | 0.71  | -0.07 | -2.23  | -3.17 | -5.59 | -9.74  | -5.99 | -7.18  | -9.51  | -10.16 | -14.72 |
| 90        | -0.11 | 1.14  | 0.32  | 0.5   | 0.89   | 2.62  | 0.03  | -6.12  | -4.62 | -6.47  | -14.27 | -12.74 | -14.72 |
| 105       | 0.06  | 0.37  | 0.11  | 1.21  | -1.03  | 0.76  | -1.85 | -3.38  | -5.9  | -5.26  | -15.38 | -11.74 | -14.72 |
| 120       | 0.2   | -1.22 | -0.9  | 0.24  | -1.82  | 1.23  | -1.7  | -2.04  | -6.33 | -5.03  | -11.07 | -8.47  | -14.72 |
| 135       | 0.25  | -2.89 | -2.25 | -0.75 | 0.1    | 2.4   | 0.91  | -0.98  | -3.29 | -3.2   | -6.58  | -6.55  | -14.72 |
| 150       | 0.23  | -4.11 | -2.88 | -1    | 0.35   | 1.86  | 1.6   | 0.02   | 0.08  | -1.72  | -3.08  | -6.34  | -14.72 |
| 165       | 0.11  | -4.87 | -3.16 | -0.29 | 0.27   | 0.17  | 0.74  | -1.04  | -0.03 | -1.44  | -2.42  | -4.76  | -14.72 |

|     |       |       |       |       |       |       |        |        |        |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| 180 | -0.03 | -5.92 | -3.3  | 0.63  | 0.52  | 1.74  | 0.01   | -3.25  | -4.58  | -3.75  | -3.4   | -4     | -14.72 |
| 195 | 0.03  | -6.43 | -4.1  | 1.73  | 0.62  | 1.36  | -1.46  | -4.4   | -7.92  | -6.48  | -5.37  | -4.65  | -14.72 |
| 210 | 0.05  | -5.27 | -3.67 | 2.57  | 1.81  | 2.3   | -0.48  | -4.56  | -4.79  | -4.63  | -6.24  | -5.63  | -14.72 |
| 225 | 0.31  | -3.29 | -1.91 | 2.74  | 2.45  | 2.85  | -0.66  | -3.99  | -4.04  | -7.6   | -7.61  | -6.73  | -14.72 |
| 240 | 0.41  | -2.19 | -0.03 | 2.71  | 0.68  | -1.12 | -3.93  | -9.02  | -8.51  | -7.08  | -7     | -7.01  | -14.72 |
| 255 | 0.2   | -1.96 | 0.11  | 2.14  | -0.47 | -2.37 | -4.19  | -9.12  | -9.36  | -8.73  | -5.41  | -5.8   | -14.72 |
| 270 | 0.1   | -2.01 | -1.24 | -0.47 | -2.53 | -4.98 | -11.67 | -13.13 | -8.27  | -13.52 | -9.42  | -5.91  | -14.72 |
| 285 | 0     | -1.3  | 0.02  | 1.02  | 0.42  | -1.52 | -5.99  | -8.18  | -15.42 | -9.23  | -9.08  | -7.63  | -14.72 |
| 300 | -0.06 | -0.41 | 1.79  | 2.48  | 1.63  | -0.14 | -4.82  | -4.2   | -12.54 | -13.42 | -10.23 | -9.63  | -14.72 |
| 315 | 0.19  | 0.55  | 2.15  | 3.02  | 4     | 2.13  | -0.84  | 0.16   | -4.54  | -10.1  | -9.31  | -11.28 | -14.72 |
| 330 | 0.25  | 1.09  | 2.04  | 3.33  | 4.3   | 2.43  | -1.16  | -1.29  | -5.1   | -12.53 | -6.2   | -14.21 | -14.72 |
| 345 | 0.11  | 1.12  | 1.73  | 1.54  | 1.17  | 1.57  | -1.6   | -6.78  | -7.91  | -11.58 | -5.81  | -14.72 | -14.72 |

| Ant4      |       |       |       |       |       |       |       |       |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq      | 5200  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0         | -0.03 | -0.71 | 2.67  | 3.88  | 2.22  | 2.03  | -1.41 | -4.98 | -5.76  | -12.8  | -13.63 | -10.09 | -19.47 |
| 15        | -0.15 | -0.63 | 0.79  | 1.2   | -1.34 | -0.59 | -2.12 | -3.61 | -5.97  | -9.14  | -16.07 | -17.37 | -19.47 |
| 30        | -0.24 | -0.53 | -1.41 | -2.64 | -3.92 | -2.67 | -3.32 | -4.67 | -5.08  | -9.44  | -9.71  | -17.59 | -19.47 |
| 45        | -0.09 | -0.72 | -0.5  | 0.86  | -0.36 | 0.32  | 0.09  | -3.22 | -8.57  | -6.34  | -7.34  | -10.53 | -19.47 |
| 60        | 0.04  | -1.42 | 0.32  | 2.2   | -0.07 | -1.44 | -4.64 | -7.69 | -5.95  | -5.25  | -8.6   | -6.79  | -19.47 |
| 75        | 0.12  | -2.56 | -1.29 | -3.38 | -3.23 | -2.68 | -2.32 | -3.88 | -7.62  | -20.82 | -8.06  | -5.16  | -19.47 |
| 90        | 0.11  | -3.42 | 0.38  | 0.45  | 0.46  | -0.43 | -5.04 | -8.94 | -6.64  | -9.28  | -7.73  | -5.07  | -19.47 |
| 105       | 0.06  | -3.68 | 1.94  | 2.39  | 1.92  | 1.08  | 0.1   | -2.75 | -4.41  | -7.93  | -12.82 | -6.51  | -19.47 |
| 120       | -0.1  | -4.07 | 1.04  | -0.39 | -0.29 | -0.78 | -5.1  | -6.84 | -13.37 | -7.09  | -6.88  | -8.61  | -19.47 |
| 135       | -0.08 | -4.53 | -1.06 | -1.95 | -0.04 | -0.99 | -5.91 | -9.43 | -9.42  | -9.68  | -5.65  | -11.44 | -19.47 |
| 150       | -0.05 | -4.95 | -1.37 | 0.36  | 0.43  | 0.97  | -3.31 | -8.88 | -5.82  | -8.28  | -9.97  | -15.2  | -19.47 |
| 165       | 0.16  | -5.07 | -1.18 | 1.84  | 0.6   | 1.49  | -0.06 | -4.67 | -6.72  | -5.76  | -9.1   | -19.47 | -19.47 |
| 180       | 0.36  | -4.14 | -1.97 | 1.81  | 1.12  | 0.69  | -2.4  | -2.49 | -4.32  | -7.86  | -11.39 | -17.9  | -19.47 |
| 195       | 0.5   | -2.6  | -1.39 | 0.35  | -0.12 | 0.83  | -1.73 | -5.14 | -7.38  | -8.34  | -9.42  | -17.12 | -19.47 |
| 210       | 0.42  | -1.34 | 0.26  | 0.08  | -1.96 | -0.7  | -1.76 | -3.9  | -9.21  | -6.62  | -8.9   | -18.24 | -19.47 |
| 225       | 0.42  | -0.52 | 0.58  | -0.98 | -6.72 | -6.21 | -6.13 | -6.88 | -4.66  | -3.28  | -9.31  | -17.49 | -19.47 |
| 240       | 0.28  | -0.01 | 0.48  | 0.76  | -2.24 | -1.67 | -2.45 | -2.59 | -4.4   | -6.23  | -7.29  | -15.76 | -19.47 |
| 255       | 0.26  | 0.08  | -0.58 | 0.34  | -3.34 | -3.77 | -2.51 | -3.46 | -4.84  | -6.98  | -11.3  | -13.84 | -19.47 |
| 270       | 0.23  | -0.33 | -2.88 | 0.64  | -0.03 | -0.81 | -2.39 | -3.38 | -8.83  | -10.74 | -18.56 | -11.83 | -19.47 |
| 285       | 0.31  | -1.1  | -3.25 | 3     | 2.62  | 2.64  | 1.64  | -1.24 | -5.4   | -9.92  | -9.87  | -9.06  | -19.47 |
| 300       | 0.3   | -1.66 | -2.52 | 2.84  | 2.36  | 3.02  | 1.19  | -1.72 | -5.74  | -7.46  | -6.75  | -6.99  | -19.47 |
| 315       | 0.41  | -1.92 | -1.49 | 0.69  | 0.34  | 2.02  | 0.37  | -2.95 | -3.7   | -6.11  | -10.14 | -6.56  | -19.47 |
| 330       | 0.37  | -1.51 | 0.62  | -0.89 | -2.15 | 0.1   | -0.71 | -1.74 | -4.65  | -5.7   | -10.64 | -7.04  | -19.47 |
| 345       | 0.21  | -1.01 | 2.55  | 2.56  | 0.55  | 2.11  | 1.41  | -1.13 | -7.19  | -5.95  | -9.43  | -7.74  | -19.47 |

5200MHz Composite Gain

| Freq      | 5200 |       |      |       |       |       |       |       |       |       |        |       |        |
|-----------|------|-------|------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| Phi\Theta | 0    | 15    | 30   | 45    | 60    | 75    | 90    | 105   | 120   | 135   | 150    | 165   | 180    |
| 0         | 3.01 | 3.22  | 4.90 | 5.08  | 2.52  | 3.19  | 0.30  | -4.33 | -4.41 | -9.60 | -7.32  | -7.41 | -13.76 |
| 15        | 2.96 | 3.11  | 3.10 | 3.47  | 0.01  | 0.24  | -2.43 | -4.77 | -3.81 | -7.97 | -11.43 | -9.03 | -13.76 |
| 30        | 2.94 | 3.06  | 0.28 | -0.11 | -2.82 | -0.85 | -1.70 | -4.21 | -3.27 | -7.22 | -8.65  | -7.88 | -13.76 |
| 45        | 3.03 | 3.05  | 0.60 | 0.41  | -1.11 | 0.47  | -0.48 | -2.92 | -4.63 | -3.06 | -6.99  | -5.75 | -13.76 |
| 60        | 3.06 | 2.98  | 2.75 | 3.64  | 1.33  | 1.01  | -2.24 | -5.75 | -3.86 | -2.32 | -5.80  | -4.81 | -13.76 |
| 75        | 3.09 | 2.61  | 2.78 | 1.44  | 0.29  | 0.09  | -0.79 | -3.31 | -3.76 | -8.55 | -5.74  | -4.29 | -13.76 |
| 90        | 3.01 | 2.17  | 3.36 | 3.49  | 3.69  | 4.24  | 0.87  | -4.41 | -2.56 | -4.75 | -7.39  | -5.07 | -13.76 |
| 105       | 3.07 | 1.59  | 4.08 | 4.83  | 3.58  | 3.93  | 2.19  | -0.05 | -2.11 | -3.48 | -11.00 | -5.73 | -13.76 |
| 120       | 3.06 | 0.48  | 3.13 | 2.94  | 1.99  | 3.29  | -0.22 | -1.10 | -6.15 | -2.99 | -5.71  | -5.53 | -13.76 |
| 135       | 3.10 | -0.66 | 1.38 | 1.68  | 3.04  | 3.88  | 1.16  | -1.21 | -2.81 | -2.84 | -3.09  | -5.65 | -13.76 |
| 150       | 3.10 | -1.51 | 0.92 | 2.72  | 3.40  | 4.44  | 2.50  | -0.33 | 0.63  | -1.38 | -2.85  | -6.68 | -13.76 |
| 165       | 3.15 | -1.96 | 0.90 | 3.85  | 3.45  | 3.87  | 3.36  | 0.34  | 0.26  | -0.32 | -2.12  | -6.30 | -13.76 |
| 180       | 3.18 | -1.97 | 0.40 | 4.25  | 3.84  | 4.24  | 1.90  | 0.15  | -1.44 | -2.55 | -3.50  | -5.41 | -13.76 |
| 195       | 3.28 | -1.30 | 0.37 | 4.08  | 3.27  | 4.11  | 1.42  | -1.75 | -4.64 | -4.35 | -4.15  | -5.81 | -13.76 |
| 210       | 3.25 | -0.07 | 1.53 | 4.42  | 3.14  | 3.94  | 1.91  | -1.21 | -3.71 | -2.56 | -4.46  | -6.81 | -13.76 |
| 225       | 3.38 | 1.22  | 2.43 | 4.09  | 2.03  | 2.46  | 0.04  | -2.31 | -1.33 | -2.16 | -5.41  | -7.53 | -13.76 |
| 240       | 3.36 | 1.98  | 3.24 | 4.80  | 2.35  | 1.62  | -0.15 | -2.21 | -3.20 | -3.63 | -4.13  | -7.32 | -13.76 |
| 255       | 3.24 | 2.13  | 2.78 | 4.30  | 1.22  | -0.03 | -0.30 | -2.83 | -3.80 | -4.80 | -4.85  | -5.91 | -13.76 |
| 270       | 3.18 | 1.88  | 0.99 | 3.11  | 1.82  | 0.36  | -2.84 | -3.94 | -5.54 | -9.01 | -9.83  | -5.36 | -13.76 |
| 285       | 3.17 | 1.81  | 1.55 | 5.08  | 4.60  | 3.82  | 1.65  | -1.02 | -6.03 | -6.56 | -6.46  | -5.31 | -13.76 |
| 300       | 3.13 | 2.00  | 2.91 | 5.67  | 5.01  | 4.59  | 1.71  | 0.14  | -5.48 | -6.93 | -5.31  | -5.20 | -13.76 |
| 315       | 3.31 | 2.41  | 3.53 | 4.94  | 5.37  | 5.09  | 2.80  | 1.75  | -1.10 | -4.87 | -6.70  | -5.59 | -13.76 |
| 330       | 3.32 | 2.90  | 4.37 | 4.48  | 4.67  | 4.35  | 2.08  | 1.50  | -1.86 | -5.45 | -5.13  | -6.89 | -13.76 |
| 345       | 3.17 | 3.13  | 5.16 | 5.08  | 3.88  | 4.85  | 3.05  | -0.49 | -4.53 | -5.31 | -4.42  | -7.54 | -13.76 |

| Ant3      |       |       |       |       |        |       |       |        |       |        |        |        |        |
|-----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|--------|--------|--------|--------|
| Freq      | 5300  |       |       |       |        |       |       |        |       |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75    | 90    | 105    | 120   | 135    | 150    | 165    | 180    |
| 0         | -0.97 | -0.42 | 0.92  | 1.31  | -3.89  | -1.55 | -3.75 | -9.72  | -8.61 | -12.7  | -8.34  | -10.35 | -12.61 |
| 15        | -0.8  | -0.44 | -0.99 | 0.18  | -5.05  | -5.36 | -9.54 | -15.26 | -7.01 | -11.48 | -12.86 | -8.1   | -12.61 |
| 30        | -0.59 | -0.39 | -4.21 | -4.61 | -10.71 | -7.12 | -8.21 | -11.95 | -8.86 | -8.83  | -15.4  | -6.65  | -12.61 |
| 45        | -0.55 | 0.03  | -3    | -4.05 | -6.01  | -3.77 | -8.08 | -9.31  | -6.13 | -4.68  | -16.8  | -6.89  | -12.61 |
| 60        | -0.55 | 0.51  | -0.36 | 0.18  | -3.44  | -2.12 | -5.39 | -8.83  | -7.94 | -5.33  | -9.64  | -8.52  | -12.61 |
| 75        | -0.82 | 0.54  | -0.36 | -0.72 | -2.53  | -1.96 | -4.13 | -8.31  | -6.15 | -5.94  | -10.11 | -9.53  | -12.61 |
| 90        | -0.95 | -0.56 | -1.91 | -0.98 | 0.55   | 2.45  | 0.12  | -4.31  | -6.11 | -6.08  | -15.64 | -12.61 | -12.61 |
| 105       | -0.82 | -2.07 | -1.02 | -0.11 | -2.05  | 0.8   | -2.31 | -3.59  | -6.99 | -6.21  | -18.5  | -11.15 | -12.61 |
| 120       | -0.63 | -3.04 | -0.59 | -0.29 | -2.28  | 1.42  | -1.84 | -2.95  | -6.88 | -6.53  | -10.99 | -7.09  | -12.61 |
| 135       | -0.52 | -3.7  | -1.95 | -1.84 | -1.12  | 2.01  | 1.45  | -0.93  | -3.48 | -3.35  | -6.02  | -4.63  | -12.61 |
| 150       | -0.41 | -3.59 | -3.28 | -2.12 | -0.75  | 1.72  | 1.8   | 0.14   | -0.17 | -1.95  | -2.32  | -4.36  | -12.61 |
| 165       | -0.49 | -3.67 | -3.45 | -0.91 | 0      | -0.04 | -0.19 | -1.4   | -0.8  | -2.15  | -1.75  | -2.95  | -12.61 |
| 180       | -0.58 | -4.27 | -2.9  | 0.35  | 0.07   | 1.15  | -0.51 | -3.74  | -5.48 | -4.31  | -3.26  | -2.14  | -12.61 |

|     |       |       |       |      |       |       |        |        |        |        |        |        |        |
|-----|-------|-------|-------|------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| 195 | -0.62 | -4.8  | -2.72 | 1.63 | -0.05 | 0.63  | -2.17  | -4.88  | -7.89  | -7.59  | -5.4   | -2.85  | -12.61 |
| 210 | -0.64 | -4.51 | -2.12 | 2.93 | 1.42  | 1.83  | -0.97  | -4.78  | -6.69  | -5.56  | -5.24  | -4.08  | -12.61 |
| 225 | -0.43 | -2.93 | -1.66 | 2.38 | 1.51  | 2.24  | -1.55  | -4.68  | -4.43  | -6.88  | -6.31  | -5.62  | -12.61 |
| 240 | -0.37 | -1.58 | 0.38  | 2.37 | 0.16  | -1.46 | -3.59  | -7.92  | -9.19  | -6.67  | -7.63  | -7.01  | -12.61 |
| 255 | -0.52 | -1.16 | 1.45  | 3.11 | 0.11  | -1.65 | -4.15  | -9.35  | -7.63  | -6.34  | -4.34  | -6.78  | -12.61 |
| 270 | -0.59 | -1.16 | -0.02 | 0.75 | -2.6  | -4.92 | -13.43 | -10.61 | -9.65  | -12.88 | -7.04  | -6.37  | -12.61 |
| 285 | -0.6  | -1.36 | -0.91 | 0.81 | 0.4   | -1.08 | -5.5   | -8.1   | -13.94 | -8.06  | -10.41 | -7.66  | -12.61 |
| 300 | -0.6  | -1.26 | 0.39  | 2.34 | 1.57  | 0.11  | -4.39  | -3.04  | -11    | -13.23 | -9.15  | -8.91  | -12.61 |
| 315 | -0.45 | -0.87 | 0.98  | 2.35 | 3.01  | 1.34  | -1.82  | 0.15   | -4.09  | -9.22  | -9.38  | -8.45  | -12.61 |
| 330 | -0.51 | -0.71 | 1.32  | 3.1  | 3.53  | 2.16  | -2.07  | -1.48  | -5.19  | -11.02 | -5.87  | -10.67 | -12.61 |
| 345 | -0.85 | -0.78 | 1.33  | 2.33 | 0.9   | 1.62  | -1.43  | -7.36  | -7.88  | -12.51 | -5.94  | -12.44 | -12.61 |

| Ant4      |      |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 5300 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 1.2  | -0.67 | 2.75  | 3.43  | 1.8   | 2.26  | -1.51 | -6.38  | -6.8   | -13.97 | -14.46 | -9.41  | -25.84 |
| 15        | 1.04 | -0.33 | 1.14  | 1.53  | -2.27 | -1.43 | -3.03 | -4.1   | -7.34  | -8.99  | -20.58 | -13.87 | -25.84 |
| 30        | 0.99 | -0.02 | -0.88 | -1.55 | -4.51 | -3.45 | -4.01 | -5.7   | -6.06  | -7.72  | -13.57 | -21.86 | -25.84 |
| 45        | 1.06 | 0.23  | -0.42 | 0.33  | -1.32 | -1.39 | -1.5  | -3.51  | -9.89  | -7.7   | -8.01  | -13.97 | -25.84 |
| 60        | 1.13 | 0.05  | 0.24  | 1.41  | -1.23 | -1.7  | -4.16 | -7.23  | -6.49  | -5.08  | -8.47  | -9.3   | -25.84 |
| 75        | 1.18 | -0.86 | -2.11 | -2.76 | -2.92 | -1.54 | -2.05 | -3.56  | -5.76  | -16.11 | -8.01  | -7.19  | -25.84 |
| 90        | 1.19 | -1.86 | -1.75 | -0.68 | -0.04 | -1.43 | -4.65 | -7.82  | -8.7   | -12    | -10.49 | -6.62  | -25.84 |
| 105       | 1.08 | -2.58 | 0.99  | 2.55  | 1.65  | 1.13  | 0.17  | -2.74  | -4.78  | -5.75  | -15.29 | -7.33  | -25.84 |
| 120       | 1.04 | -2.79 | 1.12  | 1.52  | 1.61  | 0.95  | -3.51 | -5.2   | -10.61 | -6.87  | -7.85  | -8.54  | -25.84 |
| 135       | 1.03 | -2.82 | -0.71 | -0.75 | 0.04  | -0.73 | -5.8  | -10.11 | -9.16  | -9.84  | -6.07  | -10.11 | -25.84 |
| 150       | 0.98 | -2.98 | -2.46 | -1.35 | -1.18 | 0.37  | -3.74 | -9.67  | -5.82  | -7.96  | -10.48 | -13.14 | -25.84 |
| 165       | 0.95 | -2.99 | -2.53 | 0.49  | -0.66 | 1.17  | -0.71 | -5.36  | -7.33  | -4.92  | -9.04  | -17.87 | -25.84 |
| 180       | 0.99 | -2.42 | -2.33 | 1.56  | 0.82  | 0.94  | -2.24 | -2.13  | -3.36  | -8.13  | -10.1  | -21.64 | -25.84 |
| 195       | 1.06 | -1.72 | -1.35 | 0.04  | -0.16 | 1.13  | -1.87 | -5.25  | -7.72  | -6.94  | -7.51  | -25.17 | -25.84 |
| 210       | 1.2  | -1.16 | -0.41 | -0.63 | -2.9  | -1.37 | -3.12 | -5.04  | -10.41 | -6.58  | -10.33 | -25.84 | -25.84 |
| 225       | 1.21 | -0.76 | -1.23 | -2.34 | -7.57 | -4.64 | -3.33 | -5.75  | -4.42  | -3.92  | -12.53 | -14.44 | -25.84 |
| 240       | 1.22 | -0.64 | -1.12 | -0.11 | -2.45 | -2.31 | -3.7  | -3.36  | -6.23  | -9.1   | -9.89  | -10.18 | -25.84 |
| 255       | 1.1  | -1.19 | -1.57 | 0.37  | -4.57 | -5.01 | -4.01 | -5.3   | -6.19  | -8.15  | -15.12 | -9.7   | -25.84 |
| 270       | 0.99 | -2.37 | -2.87 | 1.14  | -0.99 | -0.81 | -1.8  | -2.64  | -6.96  | -9.02  | -16.57 | -11.09 | -25.84 |
| 285       | 1.02 | -3.93 | -1.63 | 3.16  | 0.96  | 0.96  | -0.4  | -2.22  | -6.66  | -10.42 | -11.5  | -10.3  | -25.84 |
| 300       | 1.16 | -4.52 | -0.51 | 2.7   | 1.36  | 2.73  | 1.69  | -1.55  | -5.5   | -9.57  | -9.79  | -8.73  | -25.84 |
| 315       | 1.25 | -3.72 | 0     | 0.48  | 0.84  | 2.19  | 0.37  | -2.47  | -4.41  | -6.73  | -8.69  | -8.88  | -25.84 |
| 330       | 1.36 | -2.42 | 1.1   | -1.63 | -0.78 | 0.83  | -1.44 | -2.18  | -5.33  | -8.91  | -8.1   | -9.62  | -25.84 |
| 345       | 1.32 | -1.34 | 2.45  | 1.41  | 0.48  | 2.22  | 1.27  | -0.57  | -6.07  | -9.01  | -8.89  | -8.86  | -25.84 |

| 5300MHz Composite Gain |      |    |    |    |    |    |    |     |     |     |     |     |     |
|------------------------|------|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|
| Freq                   | 5300 |    |    |    |    |    |    |     |     |     |     |     |     |
| Phi\Theta              | 0    | 15 | 30 | 45 | 60 | 75 | 90 | 105 | 120 | 135 | 150 | 165 | 180 |

|     |      |       |      |      |       |       |       |       |       |        |        |       |        |
|-----|------|-------|------|------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 0   | 3.19 | 2.47  | 4.89 | 5.44 | 2.42  | 3.57  | 0.45  | -4.88 | -4.65 | -10.30 | -7.86  | -6.86 | -13.91 |
| 15  | 3.18 | 2.63  | 3.15 | 3.89 | -0.54 | -0.16 | -2.68 | -4.99 | -4.16 | -7.14  | -12.88 | -7.50 | -13.91 |
| 30  | 3.25 | 2.81  | 0.62 | 0.06 | -4.06 | -2.08 | -2.85 | -5.26 | -4.34 | -5.25  | -11.43 | -8.27 | -13.91 |
| 45  | 3.30 | 3.14  | 1.40 | 1.42 | -0.34 | 0.51  | -1.17 | -2.92 | -4.80 | -3.05  | -8.33  | -6.72 | -13.91 |
| 60  | 3.34 | 3.29  | 2.96 | 3.83 | 0.75  | 1.10  | -1.74 | -4.98 | -4.17 | -2.19  | -6.03  | -5.89 | -13.91 |
| 75  | 3.25 | 2.88  | 1.82 | 1.33 | 0.29  | 1.26  | -0.02 | -2.60 | -2.94 | -6.60  | -5.99  | -5.27 | -13.91 |
| 90  | 3.20 | 1.82  | 1.18 | 2.18 | 3.27  | 3.74  | 1.07  | -2.88 | -4.30 | -5.53  | -9.68  | -6.10 | -13.91 |
| 105 | 3.19 | 0.69  | 3.05 | 4.33 | 3.01  | 3.98  | 2.03  | -0.14 | -2.80 | -2.97  | -13.74 | -6.02 | -13.91 |
| 120 | 3.26 | 0.10  | 3.32 | 3.67 | 2.89  | 4.20  | 0.38  | -0.99 | -5.54 | -3.69  | -6.27  | -4.77 | -13.91 |
| 135 | 3.30 | -0.24 | 1.70 | 1.73 | 2.49  | 3.76  | 1.57  | -1.35 | -2.85 | -2.99  | -3.03  | -3.93 | -13.91 |
| 150 | 3.32 | -0.27 | 0.15 | 1.28 | 2.05  | 4.08  | 2.47  | -0.44 | 0.47  | -1.43  | -2.46  | -4.67 | -13.91 |
| 165 | 3.27 | -0.31 | 0.03 | 2.83 | 2.69  | 3.60  | 2.56  | -0.15 | -0.45 | -0.41  | -1.64  | -4.53 | -13.91 |
| 180 | 3.25 | -0.29 | 0.40 | 3.99 | 3.46  | 4.06  | 1.68  | 0.11  | -1.35 | -3.00  | -3.01  | -4.28 | -13.91 |
| 195 | 3.27 | -0.11 | 1.00 | 3.88 | 2.91  | 3.89  | 0.99  | -2.05 | -4.79 | -4.25  | -3.38  | -5.22 | -13.91 |
| 210 | 3.34 | 0.34  | 1.79 | 4.34 | 2.54  | 3.39  | 1.03  | -1.90 | -5.34 | -3.04  | -4.41  | -6.41 | -13.91 |
| 225 | 3.44 | 1.23  | 1.57 | 3.35 | 1.12  | 2.47  | 0.62  | -2.19 | -1.41 | -2.26  | -5.86  | -5.95 | -13.91 |
| 240 | 3.47 | 1.91  | 2.67 | 4.23 | 1.96  | 1.14  | -0.63 | -2.33 | -4.57 | -4.79  | -5.68  | -5.44 | -13.91 |
| 255 | 3.34 | 1.84  | 3.08 | 4.86 | 1.09  | -0.16 | -1.07 | -4.08 | -3.87 | -4.19  | -5.14  | -5.11 | -13.91 |
| 270 | 3.25 | 1.27  | 1.68 | 3.96 | 1.25  | 0.39  | -2.79 | -2.73 | -5.19 | -7.73  | -7.55  | -5.40 | -13.91 |
| 285 | 3.26 | 0.46  | 1.75 | 5.07 | 3.69  | 3.01  | 0.43  | -1.66 | -6.55 | -6.15  | -7.93  | -5.87 | -13.91 |
| 300 | 3.33 | 0.27  | 2.96 | 5.53 | 4.48  | 4.53  | 2.18  | 0.75  | -4.81 | -8.20  | -6.45  | -5.81 | -13.91 |
| 315 | 3.45 | 0.83  | 3.51 | 4.48 | 5.00  | 4.79  | 2.35  | 1.95  | -1.24 | -4.88  | -6.02  | -5.65 | -13.91 |
| 330 | 3.49 | 1.49  | 4.22 | 4.06 | 4.65  | 4.53  | 1.26  | 1.19  | -2.25 | -6.89  | -3.90  | -7.12 | -13.91 |
| 345 | 3.31 | 1.95  | 4.92 | 4.89 | 3.70  | 4.94  | 3.03  | -0.31 | -3.92 | -7.57  | -4.28  | -7.46 | -13.91 |

| Ant3      |       |       |       |       |        |        |        |        |       |        |        |       |       |
|-----------|-------|-------|-------|-------|--------|--------|--------|--------|-------|--------|--------|-------|-------|
| Freq      | 5600  |       |       |       |        |        |        |        |       |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75     | 90     | 105    | 120   | 135    | 150    | 165   | 180   |
| 0         | -3.39 | -1.01 | -0.06 | 0.08  | -6.7   | -5.88  | -7.5   | -11.93 | -8.72 | -12.27 | -10.09 | -8.06 | -9.66 |
| 15        | -3.37 | -0.86 | -1.96 | -1.48 | -8.73  | -8.39  | -11.3  | -15.73 | -6.77 | -10.19 | -14.67 | -7.02 | -9.66 |
| 30        | -3.21 | -0.53 | -4.21 | -4.81 | -10.37 | -10.36 | -10.57 | -8.35  | -5.08 | -5.43  | -19.84 | -5.85 | -9.66 |
| 45        | -3.28 | -0.15 | -1.28 | -2    | -5.94  | -6.93  | -11.21 | -12.27 | -5.75 | -3.8   | -15.64 | -6.79 | -9.66 |
| 60        | -3.36 | 0.12  | 0.55  | -1.2  | -7.1   | -7.26  | -6.06  | -8.36  | -5.83 | -3.17  | -9.22  | -8.5  | -9.66 |
| 75        | -3.29 | 0.13  | -0.29 | -2.96 | -0.15  | 0.1    | -0.72  | -3.95  | -4.95 | -7.13  | -11.56 | -9.57 | -9.66 |
| 90        | -3.33 | -0.96 | 0.02  | 1.04  | 1.51   | 2.21   | -0.76  | -2.94  | -6.33 | -10.26 | -17.19 | -9.66 | -9.66 |
| 105       | -3.38 | -2.73 | -0.75 | -0.83 | -0.76  | 0.37   | -3.25  | -5.18  | -4.99 | -7.63  | -13.05 | -6.73 | -9.66 |
| 120       | -3.42 | -4.19 | -3.13 | -2.71 | -1.57  | 1.6    | -3.69  | -4.09  | -6.23 | -5.6   | -9.91  | -3.46 | -9.66 |
| 135       | -3.65 | -4.97 | -3.84 | -3.45 | -1.42  | 2.24   | 1.54   | 0.3    | -2.28 | -2.92  | -5.05  | -1.1  | -9.66 |
| 150       | -3.76 | -4.48 | -1.85 | -1.31 | -0.66  | 0.34   | 1.9    | 1.45   | 0.9   | -0.68  | -1.79  | -1.04 | -9.66 |
| 165       | -3.68 | -3.86 | -0.68 | 1.75  | 1.92   | -0.2   | -1.51  | -3.56  | 0.57  | -0.82  | -1     | -0.64 | -9.66 |
| 180       | -3.44 | -3.28 | -0.3  | 2.92  | 3.49   | 2.4    | -0.27  | -2.44  | -2.34 | -6.32  | -2.73  | -0.07 | -9.66 |
| 195       | -3.28 | -3.14 | -0.72 | 2.76  | 2.49   | 2.22   | -1.6   | -4.26  | -5.19 | -10.66 | -5.16  | -0.57 | -9.66 |
| 210       | -3.55 | -3.02 | -0.88 | 1.8   | 0.96   | 0.68   | -1.49  | -4.76  | -4.45 | -4.99  | -4.19  | -1.22 | -9.66 |

|     |       |       |      |      |       |       |       |        |        |        |        |       |       |
|-----|-------|-------|------|------|-------|-------|-------|--------|--------|--------|--------|-------|-------|
| 225 | -3.47 | -2.43 | 0.82 | 2.99 | 2.46  | 2.66  | 0.34  | -2.8   | -2.22  | -3.57  | -3.57  | -2.61 | -9.66 |
| 240 | -3.41 | -1.79 | 1.83 | 3.56 | 0.52  | -3.51 | -5.74 | -6.82  | -7.15  | -6.65  | -5.23  | -5.07 | -9.66 |
| 255 | -3.48 | -1.67 | 2.91 | 2.94 | -0.1  | -2.52 | -3.29 | -7.59  | -8.66  | -4.86  | -4.25  | -7.18 | -9.66 |
| 270 | -3.49 | -1.92 | 2.56 | 2.53 | -1.46 | -3.4  | -6.79 | -7.78  | -14.2  | -8.32  | -3.86  | -8.18 | -9.66 |
| 285 | -3.28 | -2.49 | 0.94 | 1.3  | 0.21  | -1.46 | -5.47 | -10.37 | -10.37 | -9.16  | -11.29 | -8.52 | -9.66 |
| 300 | -3.33 | -2.37 | 0.59 | 2.16 | 1.55  | 1.56  | -3.55 | -2.98  | -12.22 | -18.16 | -9.15  | -9.07 | -9.66 |
| 315 | -3.12 | -1.58 | 0.44 | 2.11 | 2.58  | 2.59  | -2.73 | 0.48   | -3.33  | -9.12  | -8.28  | -7.61 | -9.66 |
| 330 | -3.04 | -0.96 | 0.59 | 2.06 | 3.53  | 3.43  | -3.11 | -1.95  | -4.37  | -12.52 | -6.92  | -8.28 | -9.66 |
| 345 | -3.1  | -0.87 | 0.89 | 1.34 | 0.6   | 0.76  | -1.91 | -10.43 | -8.24  | -11.04 | -6.68  | -9.01 | -9.66 |

| Ant4      |       |       |       |       |       |       |       |       |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq      | 5600  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0         | -2.93 | -1.55 | 0.4   | 0.89  | 2.33  | 2.94  | 2.17  | 0.4   | -7.11  | -2.23  | -12.71 | -7.95  | -14.93 |
| 15        | -2.75 | -2.22 | 1.74  | 2.75  | 2.67  | 1.99  | -1.26 | -4.98 | -3.69  | -5.1   | -14.34 | -6.12  | -14.93 |
| 30        | -2.66 | -2.21 | 2.71  | 2.49  | -0.95 | -1.82 | -2.43 | -4.04 | -6.18  | -2.64  | -9.03  | -6.63  | -14.93 |
| 45        | -2.72 | -1.35 | 2.87  | 3.07  | 0.81  | 1.07  | -3.45 | -2.93 | -4.75  | -10.84 | -8     | -11.49 | -14.93 |
| 60        | -2.77 | -0.92 | 1.5   | 2.72  | 1.13  | 0.12  | -3.45 | -8.2  | -6.36  | -3.5   | -5.41  | -11.8  | -14.93 |
| 75        | -2.98 | -1.24 | -0.87 | 3.55  | 0.63  | -4.44 | -7.32 | -8.78 | -10.73 | -5.12  | -8.02  | -9.42  | -14.93 |
| 90        | -2.83 | -1.85 | 0.09  | 3.37  | -0.1  | -1.69 | -3.24 | -4.37 | -3.12  | -7.79  | -10.79 | -9.26  | -14.93 |
| 105       | -2.68 | -2.15 | 1.72  | 2.88  | 2.25  | 3.17  | 0.71  | -1.95 | -4.3   | -7.08  | -14.67 | -8.23  | -14.93 |
| 120       | -2.57 | -2.09 | 1.26  | 0.51  | -1.77 | -0.01 | -2.17 | -2.59 | -5.31  | -5.47  | -8.15  | -8.31  | -14.93 |
| 135       | -2.69 | -2.03 | -0.62 | -1.11 | -3.44 | -2.2  | -5.07 | -9.48 | -12.88 | -6.44  | -10.88 | -9.15  | -14.93 |
| 150       | -2.9  | -2.19 | -1.56 | 0.26  | -2.58 | 0.71  | -1.82 | -12.2 | -13.76 | -11.34 | -11.22 | -11.25 | -14.93 |
| 165       | -3.42 | -2.39 | -2.31 | 1.06  | -1.83 | -0.18 | -0.18 | -3.01 | -10.62 | -3.67  | -5.8   | -11.87 | -14.93 |
| 180       | -3.92 | -1.97 | -3.77 | -4.88 | -1.74 | -0.8  | -6.82 | -3.51 | -0.42  | -5.44  | -6.66  | -10.83 | -14.93 |
| 195       | -4.15 | -1.39 | -3.71 | -5.73 | -5.95 | -2.27 | -1.68 | -5.92 | -13.06 | -9.55  | -11.78 | -9.24  | -14.93 |
| 210       | -4.01 | -1.11 | -5.38 | -4.94 | -0.97 | 0.46  | -1.35 | -1.55 | -4.22  | -2.92  | -6.28  | -10.21 | -14.93 |
| 225       | -4.16 | -0.99 | -3.53 | -7.92 | -6.25 | -6.46 | -3.12 | -2.74 | -6.64  | -6.54  | -12.26 | -14.08 | -14.93 |
| 240       | -4.08 | -1.29 | -3.25 | -8.7  | -8.68 | -5.52 | -6.64 | -5.07 | -3.59  | -2.47  | -4.9   | -14.93 | -14.93 |
| 255       | -3.95 | -1.93 | -6.67 | -6.13 | -0.62 | -1.27 | -3.44 | -2.61 | -4.37  | -9.03  | -11.88 | -12.08 | -14.93 |
| 270       | -4.05 | -2.95 | -4.76 | 0.65  | -0.86 | -4.1  | -3.62 | -4.82 | -7.68  | -9.03  | -9.23  | -13.02 | -14.93 |
| 285       | -4.24 | -3.98 | -1.67 | 0     | -4.5  | -4.72 | -2.6  | -8.08 | -7.91  | -8.83  | -13.67 | -13.93 | -14.93 |
| 300       | -4.12 | -3.93 | -1.21 | -4.74 | -1.23 | 1.88  | 1.18  | 0.36  | -2.04  | -9.6   | -7.9   | -14.29 | -14.93 |
| 315       | -4.2  | -3.21 | -2.22 | -1.71 | 0.57  | 0.95  | -1.67 | -2.16 | -3.82  | -9.09  | -5.43  | -11.24 | -14.93 |
| 330       | -3.91 | -2.34 | -1.65 | 1.43  | 2.7   | 3.62  | 1.86  | -4.43 | -7     | -9.57  | -6.78  | -8.26  | -14.93 |
| 345       | -3.46 | -1.67 | -0.37 | 0.13  | 2.72  | 2.59  | -0.74 | -1.74 | -1.28  | -4.84  | -8.4   | -7.41  | -14.93 |

| 5600MHz Composite Gain |       |      |      |      |      |      |       |       |       |       |        |       |       |
|------------------------|-------|------|------|------|------|------|-------|-------|-------|-------|--------|-------|-------|
| Freq                   | 5600  |      |      |      |      |      |       |       |       |       |        |       |       |
| Phi\Theta              | 0     | 15   | 30   | 45   | 60   | 75   | 90    | 105   | 120   | 135   | 150    | 165   | 180   |
| 0                      | -0.15 | 1.73 | 3.18 | 3.50 | 1.95 | 2.61 | 1.63  | -0.73 | -4.87 | -2.86 | -8.29  | -4.99 | -8.89 |
| 15                     | -0.04 | 1.50 | 3.10 | 3.90 | 1.73 | 1.28 | -1.89 | -5.78 | -2.08 | -4.27 | -11.49 | -3.55 | -8.89 |

|     |       |       |      |      |       |       |       |       |       |       |        |       |       |
|-----|-------|-------|------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| 30  | 0.08  | 1.68  | 2.93 | 2.60 | -1.43 | -2.07 | -2.57 | -2.92 | -2.60 | -0.91 | -9.84  | -3.22 | -8.89 |
| 45  | 0.01  | 2.28  | 4.05 | 3.91 | 1.09  | 0.97  | -3.48 | -3.39 | -2.23 | -3.62 | -8.00  | -5.82 | -8.89 |
| 60  | -0.05 | 2.63  | 4.05 | 3.99 | 0.97  | 0.20  | -1.65 | -5.27 | -3.08 | -0.32 | -4.10  | -6.98 | -8.89 |
| 75  | -0.12 | 2.48  | 2.44 | 3.90 | 3.26  | 1.13  | -0.40 | -3.02 | -4.36 | -3.06 | -6.60  | -6.48 | -8.89 |
| 90  | -0.07 | 1.62  | 3.07 | 5.29 | 3.75  | 3.49  | 1.10  | -0.62 | -1.57 | -5.93 | -10.40 | -6.45 | -8.89 |
| 105 | -0.01 | 0.58  | 3.58 | 4.23 | 3.89  | 4.89  | 1.96  | -0.41 | -1.63 | -4.34 | -10.81 | -4.44 | -8.89 |
| 120 | 0.03  | -0.07 | 2.35 | 2.06 | 1.34  | 3.84  | 0.11  | -0.30 | -2.75 | -2.52 | -5.98  | -2.54 | -8.89 |
| 135 | -0.15 | -0.37 | 0.93 | 0.81 | 0.64  | 3.31  | 1.86  | -0.27 | -3.04 | -1.49 | -4.47  | -1.21 | -8.89 |
| 150 | -0.31 | -0.25 | 1.31 | 2.52 | 1.44  | 3.54  | 3.25  | 0.08  | -0.64 | -1.46 | -2.27  | -1.71 | -8.89 |
| 165 | -0.54 | -0.08 | 1.55 | 4.42 | 3.26  | 2.82  | 2.19  | -0.27 | -0.33 | 0.88  | -0.06  | -1.54 | -8.89 |
| 180 | -0.67 | 0.41  | 1.15 | 2.88 | 4.27  | 3.96  | 0.07  | 0.05  | 1.68  | -2.86 | -1.46  | -0.87 | -8.89 |
| 195 | -0.69 | 0.79  | 0.92 | 2.52 | 2.27  | 3.27  | 1.37  | -2.04 | -5.25 | -7.08 | -4.84  | -0.86 | -8.89 |
| 210 | -0.77 | 1.00  | 0.17 | 2.08 | 3.06  | 3.58  | 1.59  | 0.00  | -1.32 | -0.88 | -2.16  | -1.59 | -8.89 |
| 225 | -0.80 | 1.33  | 1.92 | 2.16 | 2.16  | 2.26  | 1.79  | 0.24  | -1.14 | -1.92 | -3.86  | -3.56 | -8.89 |
| 240 | -0.73 | 1.47  | 2.67 | 2.44 | 0.10  | -1.45 | -3.17 | -2.89 | -2.18 | -1.30 | -2.05  | -5.66 | -8.89 |
| 255 | -0.70 | 1.21  | 2.39 | 2.55 | 2.65  | 1.14  | -0.35 | -1.74 | -3.24 | -3.69 | -4.24  | -6.28 | -8.89 |
| 270 | -0.76 | 0.59  | 2.66 | 4.65 | 1.86  | -0.73 | -2.05 | -3.16 | -7.33 | -5.66 | -3.13  | -7.26 | -8.89 |
| 285 | -0.74 | -0.19 | 2.74 | 3.68 | 1.18  | 0.07  | -0.91 | -6.14 | -6.04 | -5.98 | -9.39  | -7.80 | -8.89 |
| 300 | -0.71 | -0.10 | 2.75 | 2.39 | 3.28  | 4.73  | 2.14  | 1.86  | -2.71 | -9.86 | -5.49  | -8.28 | -8.89 |
| 315 | -0.63 | 0.65  | 2.22 | 3.42 | 4.64  | 4.82  | 0.83  | 2.27  | -0.56 | -6.09 | -3.73  | -6.23 | -8.89 |
| 330 | -0.45 | 1.39  | 2.55 | 4.76 | 6.14  | 6.54  | 2.74  | -0.09 | -2.58 | -7.91 | -3.84  | -5.26 | -8.89 |
| 345 | -0.27 | 1.75  | 3.29 | 3.77 | 4.73  | 4.73  | 1.70  | -2.03 | -1.07 | -4.39 | -4.49  | -5.16 | -8.89 |

| Ant3      |       |       |       |       |       |       |        |        |       |        |        |       |       |
|-----------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|--------|-------|-------|
| Freq      | 5800  |       |       |       |       |       |        |        |       |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90     | 105    | 120   | 135    | 150    | 165   | 180   |
| 0         | -4.06 | -3.26 | -0.96 | -0.25 | -6.55 | -9.24 | -9.14  | -11.88 | -9.92 | -10.6  | -9.6   | -9.16 | -9.87 |
| 15        | -3.54 | -2.96 | -2.69 | -2.02 | -9.95 | -6.36 | -6.25  | -14.5  | -5.71 | -7.56  | -17.11 | -7.4  | -9.87 |
| 30        | -3.22 | -1.89 | -3.83 | -4.75 | -9.49 | -9.78 | -11.53 | -9.67  | -4.19 | -3.57  | -20.85 | -6.54 | -9.87 |
| 45        | -3.08 | -0.74 | 0.04  | -0.88 | -5.49 | -8.41 | -8.72  | -14.25 | -7.27 | -3.04  | -16.97 | -8.11 | -9.87 |
| 60        | -3.14 | -0.18 | 0.17  | -1.3  | -8.02 | -6.84 | -4.02  | -5.29  | -5.75 | -3.02  | -11.73 | -8.76 | -9.87 |
| 75        | -3.33 | -0.75 | -1.39 | -2.52 | 0.83  | 0.88  | -0.06  | -3.84  | -6.4  | -4.89  | -17.33 | -8.94 | -9.87 |
| 90        | -4.22 | -2.26 | -1.65 | 0.81  | 0.72  | 0.59  | -1.46  | -3.65  | -5.34 | -10.35 | -13.05 | -7.23 | -9.87 |
| 105       | -3.84 | -3.67 | -2.77 | -0.02 | -0.34 | -0.28 | -2.41  | -6.04  | -3.33 | -8.1   | -14.56 | -4.19 | -9.87 |
| 120       | -3.6  | -4.86 | -4.67 | -0.39 | -0.11 | 0.89  | -4.53  | -6.51  | -5.96 | -5.77  | -14.69 | -1.82 | -9.87 |
| 135       | -3.42 | -5.31 | -6.68 | -2.62 | -2.1  | 1.32  | 0.27   | 0.28   | -2.49 | -3.82  | -6.12  | -0.04 | -9.87 |
| 150       | -3.25 | -4.95 | -5.77 | -3.17 | -0.15 | 1.53  | 1.76   | 0.66   | 0.37  | -1.82  | -2.33  | 0.12  | -9.87 |
| 165       | -3.24 | -4.2  | -2.8  | -0.7  | 2.16  | 2.46  | 1.5    | -2.63  | -1.49 | -2.34  | -1.75  | 0.01  | -9.87 |
| 180       | -3.57 | -3.97 | -0.78 | 3     | 3.93  | 3.22  | 1.02   | -2.59  | -1.76 | -5.64  | -4.11  | 0.21  | -9.87 |
| 195       | -3.64 | -4.07 | -0.88 | 2.71  | 3.08  | 2.83  | -0.49  | -4.03  | -1.9  | -9.82  | -7.2   | -0.01 | -9.87 |
| 210       | -3.71 | -3.83 | -1.75 | 0.78  | 0.31  | -0.45 | -2.81  | -5.21  | -5.27 | -6.92  | -5.28  | -0.07 | -9.87 |
| 225       | -3.63 | -3.38 | -0.78 | 1.2   | 1.88  | 1.28  | -0.36  | -2.15  | -1.45 | -2.78  | -3.1   | -1.25 | -9.87 |
| 240       | -3.48 | -2.37 | 1.24  | 1.6   | 1.09  | -2.03 | -7.35  | -6.31  | -6.48 | -7.77  | -4.43  | -3.78 | -9.87 |



|     |       |       |       |      |       |       |       |       |        |        |       |       |       |
|-----|-------|-------|-------|------|-------|-------|-------|-------|--------|--------|-------|-------|-------|
| 255 | -3.41 | -1.67 | 1.74  | 2.73 | -0.45 | -5.34 | -7.14 | -8.7  | -11.11 | -6.33  | -4.61 | -6.08 | -9.87 |
| 270 | -3.43 | -1.72 | 1.72  | 2.61 | -1.26 | -2.79 | -4.88 | -5.11 | -14    | -8.37  | -3.67 | -6.55 | -9.87 |
| 285 | -3.36 | -2.33 | 1.18  | 2.46 | -0.39 | -1.03 | -3.88 | -7.75 | -10.01 | -9.99  | -8.65 | -7.34 | -9.87 |
| 300 | -3.32 | -3.45 | 0.56  | 3.05 | 0.25  | 1.98  | -1.96 | -3.45 | -13.67 | -17.96 | -9.93 | -9.58 | -9.87 |
| 315 | -3.27 | -4.02 | -0.55 | 1.17 | 1.11  | 2.21  | -3.11 | -1.22 | -4.05  | -10.64 | -8.48 | -9.87 | -9.87 |
| 330 | -3.36 | -3.85 | -1.43 | 0.89 | 2.3   | 2.43  | -4.44 | -4.14 | -4.09  | -13.5  | -7.16 | -9    | -9.87 |
| 345 | -3.51 | -3.45 | -1.18 | 0.18 | -1.15 | -1.53 | -3.76 | -9.67 | -7.52  | -11.7  | -6.53 | -8.23 | -9.87 |

| Ant4      |       |       |       |       |       |       |       |        |       |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|--------|
| Freq      | 5800  |       |       |       |       |       |       |        |       |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120   | 135    | 150    | 165    | 180    |
| 0         | -2.35 | -0.26 | 0.05  | -0.1  | 0.02  | 1.66  | 0.1   | -1.09  | -4.16 | -3.83  | -9.14  | -6.58  | -17.68 |
| 15        | -2.53 | -0.71 | 0.67  | 1.75  | 1     | 0.76  | -1.14 | -4.55  | -7.97 | -4.63  | -11.91 | -5.24  | -17.68 |
| 30        | -2.59 | -2.2  | 0.48  | -0.16 | -0.95 | -2.78 | -3.68 | -3.38  | -7.91 | -7.37  | -9.26  | -5.27  | -17.68 |
| 45        | -2.64 | -3.4  | 1.18  | 0.72  | -3.51 | -4.26 | -6.39 | -6.45  | -7.31 | -8.98  | -15.07 | -8.94  | -17.68 |
| 60        | -2.52 | -2.98 | 0.84  | 2.2   | 1.4   | 0.59  | -1.38 | -7.51  | -8.44 | -7.63  | -11.15 | -14.32 | -17.68 |
| 75        | -1.99 | -2.3  | -1.57 | 1.4   | 2     | 1.19  | -2.18 | -4.15  | -9.89 | -5.16  | -8.99  | -11.13 | -17.68 |
| 90        | -1.54 | -2.16 | -6.01 | 1.73  | -0.04 | -2.51 | -9.66 | -12.62 | -8.68 | -12.45 | -9.73  | -8.1   | -17.68 |
| 105       | -1.67 | -2.17 | -2.91 | 2.01  | 1.73  | 0.68  | -0.83 | -2.81  | -5.29 | -9.2   | -18.08 | -5.85  | -17.68 |
| 120       | -1.88 | -2.28 | -1.34 | 0     | -1.89 | -0.63 | -2.45 | -5.23  | -4.4  | -6.88  | -9.27  | -6.73  | -17.68 |
| 135       | -2.21 | -2.19 | -1.77 | -1.64 | -1.46 | -2.6  | -3.89 | -5.56  | -8.7  | -6.56  | -8.82  | -9.72  | -17.68 |
| 150       | -2.47 | -1.65 | -1.27 | 1.21  | -1.13 | 0.72  | -0.04 | -8.76  | -7.24 | -12.46 | -7.66  | -12.44 | -17.68 |
| 165       | -2.31 | -0.72 | -1.46 | 2.13  | -0.38 | -1.71 | -0.49 | -4.44  | -9.4  | -4.16  | -6.42  | -11.53 | -17.68 |
| 180       | -2.01 | 0.18  | -2.6  | -2.51 | -3.93 | -0.08 | -3.25 | -7.6   | -3.56 | -8.94  | -14.07 | -9.8   | -17.68 |
| 195       | -2.02 | 0.64  | -2.01 | -2.36 | -2.72 | -2    | -2.75 | -3.19  | -6.44 | -7.76  | -10.03 | -9.61  | -17.68 |
| 210       | -2.11 | 0.54  | -0.7  | -7.13 | -4.78 | 0.17  | -1.75 | -3.11  | -8.26 | -5.13  | -6.52  | -12.96 | -17.68 |
| 225       | -2.27 | -0.47 | -0.26 | -2.45 | -3.86 | -3.53 | -3.45 | -3.27  | -4.62 | -4.26  | -8.69  | -17.68 | -17.68 |
| 240       | -2.39 | -2.15 | -2.38 | -4.07 | -7.03 | -5.75 | -4.85 | -6.48  | -5.66 | -7.27  | -7.79  | -11.82 | -17.68 |
| 255       | -2.73 | -3.23 | -1.79 | 0.43  | -0.47 | 0.27  | -1.66 | -2.06  | -3.84 | -4.54  | -10.27 | -10.88 | -17.68 |
| 270       | -2.92 | -3.32 | 0.03  | 2.13  | -4.12 | -7.75 | -6    | -5.68  | -8.78 | -16.04 | -9.1   | -15.05 | -17.68 |
| 285       | -2.97 | -2.6  | -0.74 | -1.72 | -2.04 | 0.58  | 2.1   | -0.01  | -4.84 | -8.48  | -8.85  | -13.85 | -17.68 |
| 300       | -2.86 | -2.05 | -1.88 | 0.35  | 2.91  | 3.7   | 2.08  | -1.2   | -3.2  | -5.16  | -7.89  | -12.02 | -17.68 |
| 315       | -2.7  | -1.9  | -2.1  | 2.69  | 1.86  | 2.46  | 0.25  | -2.45  | -4.2  | -5.78  | -8.42  | -10.8  | -17.68 |
| 330       | -2.44 | -1.42 | -3.18 | 1.96  | -0.03 | 1.39  | 1.04  | -0.55  | -4.11 | -9     | -11.79 | -9.81  | -17.68 |
| 345       | -2.38 | -0.86 | -1.66 | 1.3   | 2.28  | 2.43  | 0.41  | -3.74  | -3.12 | -5.86  | -7.28  | -8.48  | -17.68 |

| 5800MHz Composite Gain |       |      |      |      |       |       |       |       |       |       |        |       |       |
|------------------------|-------|------|------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| Freq                   | 5800  |      |      |      |       |       |       |       |       |       |        |       |       |
| Phi\Theta              | 0     | 15   | 30   | 45   | 60    | 75    | 90    | 105   | 120   | 135   | 150    | 165   | 180   |
| 0                      | -0.15 | 1.38 | 2.57 | 2.84 | 0.35  | 0.83  | -0.33 | -1.90 | -3.56 | -3.56 | -6.36  | -4.76 | -9.91 |
| 15                     | -0.01 | 1.25 | 2.16 | 3.08 | 0.16  | 0.92  | -0.31 | -5.16 | -3.76 | -2.96 | -11.12 | -3.24 | -9.91 |
| 30                     | 0.11  | 0.97 | 1.60 | 0.86 | -1.20 | -2.58 | -3.74 | -2.96 | -2.84 | -2.25 | -10.24 | -2.87 | -9.91 |
| 45                     | 0.15  | 1.04 | 3.64 | 2.97 | -1.43 | -3.08 | -4.47 | -6.49 | -4.28 | -2.50 | -12.96 | -5.50 | -9.91 |

|     |       |       |       |      |      |       |       |       |       |       |        |       |       |
|-----|-------|-------|-------|------|------|-------|-------|-------|-------|-------|--------|-------|-------|
| 60  | 0.19  | 1.54  | 3.52  | 3.64 | 0.92 | 0.66  | 0.41  | -3.32 | -3.98 | -2.01 | -8.42  | -8.09 | -9.91 |
| 75  | 0.38  | 1.52  | 1.53  | 2.67 | 4.44 | 4.05  | 1.95  | -0.98 | -4.96 | -2.01 | -9.18  | -6.96 | -9.91 |
| 90  | 0.23  | 0.80  | -0.55 | 4.29 | 3.36 | 2.19  | -1.62 | -4.01 | -3.84 | -8.33 | -8.22  | -4.64 | -9.91 |
| 105 | 0.32  | 0.12  | 0.17  | 4.06 | 3.77 | 3.22  | 1.43  | -1.27 | -1.24 | -5.62 | -13.13 | -1.97 | -9.91 |
| 120 | 0.31  | -0.46 | 0.16  | 2.82 | 2.06 | 3.17  | -0.42 | -2.84 | -2.13 | -3.30 | -8.55  | -0.92 | -9.91 |
| 135 | 0.22  | -0.60 | -0.87 | 0.89 | 1.24 | 2.59  | 1.45  | 0.85  | -2.04 | -2.07 | -4.36  | -0.59 | -9.91 |
| 150 | 0.16  | -0.13 | -0.22 | 2.30 | 2.38 | 4.14  | 3.92  | 0.18  | 0.38  | -2.59 | -1.58  | -1.05 | -9.91 |
| 165 | 0.25  | 0.72  | 0.91  | 3.84 | 3.99 | 3.63  | 3.57  | -0.48 | -1.56 | -0.19 | -0.76  | -0.96 | -9.91 |
| 180 | 0.26  | 1.36  | 1.37  | 3.69 | 3.87 | 4.74  | 2.16  | -1.73 | 0.40  | -4.12 | -4.72  | -0.42 | -9.91 |
| 195 | 0.22  | 1.61  | 1.58  | 3.55 | 3.67 | 3.76  | 1.46  | -0.59 | -0.87 | -5.72 | -5.49  | -0.54 | -9.91 |
| 210 | 0.14  | 1.64  | 1.80  | 0.71 | 1.14 | 2.88  | 0.75  | -1.09 | -3.63 | -2.97 | -2.87  | -1.31 | -9.91 |
| 225 | 0.09  | 1.21  | 2.49  | 2.58 | 2.49 | 2.21  | 1.24  | 0.32  | 0.12  | -0.48 | -2.44  | -3.04 | -9.91 |
| 240 | 0.09  | 0.75  | 2.63  | 2.23 | 0.96 | -0.68 | -3.00 | -3.38 | -3.05 | -4.51 | -2.94  | -3.89 | -9.91 |
| 255 | -0.05 | 0.60  | 3.16  | 4.67 | 2.55 | 0.92  | -0.96 | -1.75 | -3.73 | -2.38 | -3.98  | -5.14 | -9.91 |
| 270 | -0.16 | 0.53  | 3.93  | 5.38 | 0.44 | -1.91 | -2.41 | -2.38 | -7.99 | -8.37 | -2.96  | -6.79 | -9.91 |
| 285 | -0.15 | 0.55  | 3.28  | 3.63 | 1.83 | 2.82  | 2.63  | -0.03 | -4.04 | -6.19 | -5.74  | -6.99 | -9.91 |
| 300 | -0.08 | 0.29  | 2.44  | 4.81 | 4.69 | 5.89  | 3.30  | 0.76  | -3.93 | -6.38 | -5.84  | -7.70 | -9.91 |
| 315 | 0.03  | 0.11  | 1.72  | 4.97 | 4.50 | 5.35  | 1.74  | 1.20  | -1.11 | -4.86 | -5.44  | -7.31 | -9.91 |
| 330 | 0.12  | 0.46  | 0.75  | 4.45 | 4.22 | 4.94  | 1.74  | 0.85  | -1.09 | -7.95 | -6.16  | -6.39 | -9.91 |
| 345 | 0.08  | 0.95  | 1.59  | 3.77 | 3.74 | 3.68  | 1.58  | -3.20 | -2.03 | -5.29 | -3.89  | -5.34 | -9.91 |

| Ant5      |      |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 6125 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0    | 1.48  | -0.45 | 0.08  | -0.25 | -3.8  | -5.69 | -4.2   | -4.67  | -9.27  | -13.15 | -12.36 | -13.67 |
| 15        | 0.31 | 0.78  | -3.52 | 0.61  | 0.36  | 1.1   | -3.16 | -6.16  | -7.49  | -7.25  | -10.6  | -11.73 | -13.67 |
| 30        | 0.48 | -0.03 | -3.83 | -1.5  | -4.62 | -6.05 | -8.9  | -15.9  | -8.14  | -6.5   | -12.71 | -7.49  | -13.67 |
| 45        | 0.51 | -0.87 | -1.64 | 0.41  | -5.33 | -4.35 | -2.75 | -7.32  | -7.36  | -9.01  | -12.18 | -6.11  | -13.67 |
| 60        | 0.49 | -0.88 | -2.64 | 0.23  | -2.56 | -3.76 | -5.34 | -10.13 | -10.99 | -12.2  | -7.77  | -6.85  | -13.67 |
| 75        | 0.24 | -0.08 | -2.13 | -2.2  | -3.28 | -4.93 | -4.42 | -5.26  | -12.29 | -11.03 | -6.13  | -10.58 | -13.67 |
| 90        | 0.07 | -0.06 | -2.2  | -5.13 | -8.6  | -3.51 | -1.6  | -8.29  | -7.58  | -12.08 | -11.4  | -10.14 | -13.67 |
| 105       | 0.21 | -0.93 | -1.1  | -0.46 | -3.79 | -1.87 | -3.18 | -6.04  | -10.53 | -9.45  | -16.33 | -7.66  | -13.67 |
| 120       | 0.34 | -2.32 | -0.62 | -0.88 | -1.19 | -0.25 | -2.26 | -8.9   | -7.02  | -17.04 | -10.58 | -8.59  | -13.67 |
| 135       | 0.45 | -4.17 | 0.16  | 0.72  | -0.49 | -0.03 | -3.65 | -7.1   | -9.61  | -6.25  | -15.39 | -13.01 | -13.67 |
| 150       | 0.7  | -5.53 | 0.44  | 1.51  | 1.23  | -0.29 | -4.7  | -11.64 | -5.41  | -6.45  | -12.16 | -13.67 | -13.67 |
| 165       | 0.78 | -3.88 | 0.18  | 2.01  | 2.81  | 1.68  | -1.39 | -4.46  | -4.51  | -10.5  | -13.02 | -8.83  | -13.67 |
| 180       | 0.59 | -1.38 | -0.46 | 1.55  | -0.86 | -0.67 | -4.44 | -9.48  | -7.29  | -10.88 | -8.39  | -7.59  | -13.67 |
| 195       | 0.37 | 0.38  | 0.91  | 3.39  | 4.9   | 0.25  | -4.03 | -11.55 | -6.91  | -9.9   | -7.47  | -7.65  | -13.67 |
| 210       | 0.29 | 1.1   | -0.04 | 2.21  | 1.91  | -0.06 | -1.41 | -1.06  | -2.3   | -2.59  | -10.35 | -5.6   | -13.67 |
| 225       | 0.24 | 1.2   | -1.87 | 1.53  | 3.12  | 2.24  | 1.05  | -2.89  | -3.37  | -3.23  | -14.64 | -5.08  | -13.67 |
| 240       | 0.42 | 0.95  | -0.58 | 0.88  | 1.58  | 2.48  | 3.14  | 1.15   | -2.66  | -9.81  | -9.36  | -8.18  | -13.67 |
| 255       | 0.55 | 0.38  | 0.74  | 2.6   | 0.66  | 0.04  | -1.41 | -3.64  | -4.57  | -9.19  | -10.81 | -9.17  | -13.67 |
| 270       | 0.53 | -0.3  | 1.84  | 3.25  | 1.02  | -0.62 | -2.05 | -4.17  | -4.35  | -5.16  | -9.09  | -7.8   | -13.67 |

|     |       |       |      |       |       |       |       |        |        |        |        |        |        |
|-----|-------|-------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| 285 | 0.47  | -0.51 | 2.16 | 1.59  | 1.4   | 1.78  | -0.39 | -3.03  | -5.88  | -4.54  | -4.5   | -8.63  | -13.67 |
| 300 | 0.44  | 0.07  | 1.5  | 2.24  | -0.26 | -0.66 | -3.5  | -4.53  | -5.35  | -12.01 | -7.56  | -9.13  | -13.67 |
| 315 | 0.31  | 1.14  | 0.71 | 0.84  | 0.47  | -1.06 | -6.62 | -10.96 | -11.97 | -10.08 | -11.14 | -9.35  | -13.67 |
| 330 | 0.19  | 1.84  | -0.8 | -2.04 | -0.4  | -2.11 | -3.43 | -4.41  | -5.88  | -10.63 | -22.9  | -10.69 | -13.67 |
| 345 | -0.01 | 1.96  | -0.1 | -0.2  | 1.16  | -1.07 | -3.04 | -2.78  | -4.32  | -12.03 | -13.08 | -11.75 | -13.67 |

| Ant6      |       |       |       |       |       |       |       |       |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq      | 6125  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0         | -5.03 | -8.7  | -4.12 | -0.01 | -2.77 | -3.47 | -3.7  | -4.67 | -5.81  | -15.17 | -13.19 | -7.16  | -18.31 |
| 15        | -4.99 | -8.01 | -3.56 | 0.92  | 1.19  | 0.22  | -0.35 | -2.32 | -10    | -8.35  | -9.76  | -9.74  | -18.31 |
| 30        | -4.79 | -7    | -6.91 | 0.78  | 2.36  | 2.83  | 0.52  | -1.52 | -4.48  | -8.68  | -6.77  | -10.98 | -18.31 |
| 45        | -4.81 | -6.77 | -9.85 | -1.21 | 0.16  | 2.22  | 1.63  | -0.37 | -2.95  | -6.41  | -5.33  | -9.09  | -18.31 |
| 60        | -5.13 | -5.87 | -5.64 | 0.88  | 3.12  | 3.36  | 2.97  | 0.26  | -1.19  | -4.3   | -5.85  | -8.1   | -18.31 |
| 75        | -5.21 | -4.26 | -3.45 | 2.14  | 3.4   | 3.84  | 2.34  | 1.26  | -0.5   | -4.77  | -7.59  | -11.03 | -18.31 |
| 90        | -5.26 | -2.7  | -1.12 | 2.73  | 4.81  | 3.42  | 0.71  | -0.83 | -4.43  | -8.25  | -13.44 | -14.82 | -18.31 |
| 105       | -5.37 | -1.72 | 1.94  | 1.69  | 2.75  | 2.8   | -0.39 | -3.68 | -7.24  | -8.43  | -12.48 | -15.74 | -18.31 |
| 120       | -5.2  | -0.89 | 1.36  | 2.31  | 1.2   | 0.28  | -0.92 | -2.2  | -4.96  | -9.21  | -11.84 | -16.74 | -18.31 |
| 135       | -5.2  | -0.45 | -1.04 | 0.76  | -1.06 | -1.39 | -4.26 | -6.58 | -6.39  | -6.04  | -9.26  | -11.97 | -18.31 |
| 150       | -5.24 | -0.52 | -0.06 | -0.19 | -1.96 | -1.96 | -4.96 | -8.16 | -12    | -9.01  | -10.7  | -10.35 | -18.31 |
| 165       | -5.43 | -1.04 | 0.06  | -1.51 | -5.35 | -2.26 | -2.74 | -4.25 | -5.96  | -7.9   | -15.94 | -15.23 | -18.31 |
| 180       | -5.79 | -2.28 | -1.71 | -2.32 | -6.12 | -6.37 | -6.94 | -9.67 | -10.41 | -9.6   | -16.08 | -18.31 | -18.31 |
| 195       | -5.69 | -3.44 | -3.26 | -3.26 | -8.51 | -0.95 | -4.64 | -6.84 | -9.58  | -10.43 | -10.97 | -11.97 | -18.31 |
| 210       | -5.51 | -4.5  | -2.87 | -2.04 | -3.74 | 0.4   | -1.98 | -5.6  | -3.94  | -5.89  | -12.49 | -11.02 | -18.31 |
| 225       | -5.55 | -4.92 | -2.15 | -1.4  | -2.89 | -1.37 | -3.43 | -8.61 | -14.43 | -13.26 | -13.59 | -11.46 | -18.31 |
| 240       | -5.42 | -4.88 | -1.44 | -1.28 | -1.18 | -1.55 | -2.92 | -8    | -5.76  | -14.38 | -11.66 | -11.74 | -18.31 |
| 255       | -5.42 | -4.7  | 0.38  | -2    | 0.62  | 0.37  | -3.35 | -6.25 | -5.17  | -8.68  | -8.68  | -10.21 | -18.31 |
| 270       | -5.53 | -4.96 | -1.7  | -2.94 | -0.14 | -0.03 | -3.77 | -8.85 | -8.34  | -12.99 | -11.71 | -10.02 | -18.31 |
| 285       | -5.29 | -5.91 | -2.38 | -1.46 | -0.43 | -0.69 | -1.87 | -5.01 | -9.74  | -8.19  | -7.34  | -9.48  | -18.31 |
| 300       | -5.07 | -6.42 | -2.35 | -2.63 | -1    | -2.91 | -5.97 | -8.1  | -9.57  | -8.65  | -12.04 | -8.51  | -18.31 |
| 315       | -5.12 | -5.52 | -3.33 | -2.23 | -0.04 | -0.9  | -3.73 | -4.74 | -7.31  | -6.16  | -9.71  | -9.74  | -18.31 |
| 330       | -5.31 | -5.44 | -0.85 | 1.5   | 1.19  | 2.49  | -1.85 | -9.18 | -11.83 | -12.74 | -14.85 | -14.43 | -18.31 |
| 345       | -5.19 | -7.21 | -2.6  | 0.27  | -2.37 | -2.54 | -5.05 | -5.45 | -8.55  | -8.95  | -11.39 | -13.21 | -18.31 |

| 6125MHz Composite Gain |      |       |       |      |      |       |       |       |       |       |        |       |        |
|------------------------|------|-------|-------|------|------|-------|-------|-------|-------|-------|--------|-------|--------|
| Freq                   | 6125 |       |       |      |      |       |       |       |       |       |        |       |        |
| Phi\Theta              | 0    | 15    | 30    | 45   | 60   | 75    | 90    | 105   | 120   | 135   | 150    | 165   | 180    |
| 0                      | 0.85 | 0.81  | 0.92  | 3.05 | 1.59 | -0.62 | -1.63 | -1.42 | -2.21 | -8.72 | -10.16 | -6.37 | -12.67 |
| 15                     | 1.07 | 0.46  | -0.53 | 3.78 | 3.80 | 3.68  | 1.37  | -1.02 | -5.64 | -4.77 | -7.16  | -7.67 | -12.67 |
| 30                     | 1.25 | 0.18  | -2.22 | 2.72 | 2.56 | 2.49  | 0.04  | -3.01 | -3.11 | -4.51 | -6.23  | -6.05 | -12.67 |
| 45                     | 1.26 | -0.32 | -1.80 | 2.65 | 0.85 | 2.55  | 2.72  | -0.16 | -1.87 | -4.60 | -5.09  | -4.46 | -12.67 |
| 60                     | 1.14 | -0.01 | -1.00 | 3.57 | 3.75 | 3.52  | 2.78  | -0.46 | -1.77 | -4.37 | -3.75  | -4.44 | -12.67 |
| 75                     | 0.95 | 1.09  | 0.25  | 3.25 | 3.70 | 3.53  | 2.61  | 1.61  | -1.52 | -4.34 | -3.82  | -7.79 | -12.67 |

|     |      |      |      |      |       |       |       |       |       |       |        |       |        |
|-----|------|------|------|------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 90  | 0.82 | 1.73 | 1.37 | 2.67 | 3.48  | 3.64  | 2.64  | -0.77 | -2.85 | -6.95 | -9.35  | -9.16 | -12.67 |
| 105 | 0.87 | 1.69 | 3.56 | 3.69 | 3.09  | 3.79  | 1.34  | -1.77 | -5.72 | -5.91 | -11.18 | -7.78 | -12.67 |
| 120 | 1.01 | 1.43 | 3.44 | 3.87 | 3.10  | 3.03  | 1.45  | -1.91 | -2.92 | -9.26 | -8.18  | -8.73 | -12.67 |
| 135 | 1.09 | 0.90 | 2.59 | 3.75 | 2.24  | 2.33  | -0.94 | -3.83 | -4.84 | -3.13 | -8.78  | -9.46 | -12.67 |
| 150 | 1.24 | 0.34 | 3.20 | 3.71 | 2.79  | 1.93  | -1.82 | -6.72 | -5.08 | -4.63 | -8.39  | -8.84 | -12.67 |
| 165 | 1.23 | 0.67 | 3.13 | 3.44 | 2.67  | 2.94  | 0.97  | -1.34 | -2.19 | -6.09 | -11.35 | -8.44 | -12.67 |
| 180 | 0.98 | 1.19 | 1.95 | 2.84 | -0.09 | -0.05 | -2.59 | -6.56 | -5.70 | -7.21 | -8.40  | -8.38 | -12.67 |
| 195 | 0.87 | 1.69 | 2.08 | 3.70 | 3.57  | 2.68  | -1.32 | -5.87 | -5.13 | -7.15 | -6.03  | -6.53 | -12.67 |
| 210 | 0.88 | 1.75 | 1.67 | 3.35 | 2.55  | 3.18  | 1.32  | -0.03 | -0.07 | -1.07 | -8.34  | -4.88 | -12.67 |
| 225 | 0.83 | 1.68 | 1.00 | 3.20 | 3.64  | 3.63  | 2.11  | -2.28 | -4.24 | -3.86 | -11.09 | -4.69 | -12.67 |
| 240 | 0.99 | 1.53 | 2.01 | 2.88 | 3.32  | 3.71  | 3.64  | 0.74  | -1.06 | -8.79 | -7.42  | -6.77 | -12.67 |
| 255 | 1.08 | 1.22 | 3.57 | 3.61 | 3.65  | 3.22  | 0.68  | -1.84 | -1.85 | -5.92 | -6.67  | -6.66 | -12.67 |
| 270 | 1.03 | 0.69 | 3.26 | 3.71 | 3.47  | 2.69  | 0.14  | -3.19 | -3.11 | -5.21 | -7.29  | -5.83 | -12.67 |
| 285 | 1.07 | 0.21 | 3.19 | 3.21 | 3.54  | 3.64  | 1.91  | -0.95 | -4.59 | -3.16 | -2.79  | -6.03 | -12.67 |
| 300 | 1.13 | 0.43 | 2.80 | 3.15 | 2.39  | 1.30  | -1.64 | -3.12 | -4.20 | -7.16 | -6.50  | -5.80 | -12.67 |
| 315 | 1.02 | 1.44 | 1.93 | 2.45 | 3.23  | 2.03  | -2.05 | -4.29 | -6.32 | -4.89 | -7.39  | -6.53 | -12.67 |
| 330 | 0.88 | 1.95 | 2.19 | 2.92 | 3.44  | 3.50  | 0.41  | -3.46 | -5.34 | -8.61 | -14.96 | -9.35 | -12.67 |
| 345 | 0.79 | 1.54 | 1.75 | 3.05 | 2.58  | 1.24  | -0.98 | -1.00 | -3.17 | -7.34 | -9.18  | -9.44 | -12.67 |

| Ant5      |       |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 6425  |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0.68  | 2.76  | 0.9   | -2.88 | -1.95 | -5.44 | -4.95 | -3.87  | -6.64  | -11.1  | -10.34 | -9.02  | -17.32 |
| 15        | 0.89  | 2.02  | -2.13 | -0.69 | 0.44  | 1.47  | -1.67 | -8.16  | -9.14  | -8     | -12.76 | -7.53  | -17.32 |
| 30        | 0.93  | 1.87  | -4.24 | 0.24  | -2.55 | -1.94 | -4.39 | -13.56 | -11.23 | -7.45  | -11.38 | -9.19  | -17.32 |
| 45        | 0.85  | 1.44  | -2.94 | -0.94 | -3.48 | -5.81 | -3.67 | -7.64  | -9.69  | -10.99 | -17.2  | -9.14  | -17.32 |
| 60        | 0.7   | 1.84  | -0.47 | -1.98 | -3.46 | -2.87 | -3.97 | -11.5  | -10.21 | -11.62 | -11.7  | -9.36  | -17.32 |
| 75        | 0.65  | 1     | 1.32  | 0.38  | -2.49 | -3.16 | -4.57 | -6.53  | -12.28 | -9.67  | -9.9   | -10.13 | -17.32 |
| 90        | 0.7   | -0.5  | 0.43  | 1.19  | -2.06 | -1.82 | -1.66 | -6.06  | -12.08 | -14.1  | -7.84  | -11.64 | -17.32 |
| 105       | 0.92  | -2.07 | -0.92 | 1.23  | -0.2  | 0.83  | -1.35 | -6.28  | -9.59  | -11.23 | -13.8  | -11.52 | -17.32 |
| 120       | 1.12  | -2.46 | -0.59 | -1.86 | -1.96 | -3.54 | -5.46 | -14.49 | -12.26 | -9.62  | -9.7   | -11.97 | -17.32 |
| 135       | 1.16  | -1.63 | 1.02  | 0.25  | -0.79 | -1.71 | -5.44 | -6.85  | -8.42  | -7.59  | -16.17 | -10    | -17.32 |
| 150       | 1.06  | 0.3   | -0.27 | -8.41 | 0.68  | -1    | -3.14 | -5.24  | -6.69  | -6.03  | -11.81 | -7.59  | -17.32 |
| 165       | 0.94  | 0.69  | -2.16 | -0.62 | -2.89 | -2.51 | -4.16 | -3.63  | -8.96  | -8.44  | -11.22 | -7.44  | -17.32 |
| 180       | 0.61  | 1.57  | 0.17  | -0.44 | -4.5  | -3.12 | -3.62 | -6.79  | -12.83 | -8     | -6.87  | -7.94  | -17.32 |
| 195       | 0.32  | 1.37  | 0.32  | 1.6   | 0.55  | 0.32  | -0.48 | -1.85  | -3.98  | -5.37  | -5.91  | -9.68  | -17.32 |
| 210       | 0.21  | 1.95  | 0.12  | 1.54  | 0.3   | -1.14 | -1.39 | -5.32  | -2.59  | -3.48  | -5.32  | -9.59  | -17.32 |
| 225       | 0.31  | 0.92  | 0.81  | 1.8   | 1.93  | 0.63  | 2.21  | -1.55  | -8.31  | -2.85  | -7.5   | -7.61  | -17.32 |
| 240       | 0.54  | 0.54  | 0.35  | 2.2   | 0.68  | 0.88  | 1.57  | 0.62   | -1.54  | -6.14  | -11.93 | -9.27  | -17.32 |
| 255       | 0.7   | 0.59  | 0.33  | 0.94  | -0.55 | 0.25  | 1.95  | -0.48  | -3.14  | -5.18  | -11.57 | -9.32  | -17.32 |
| 270       | 0.59  | 0.38  | 0.73  | 0.98  | 0.53  | 0.86  | -0.41 | -2.2   | -8.36  | -10.13 | -11.96 | -9.34  | -17.32 |
| 285       | 0.27  | -0.15 | 1.55  | 0.57  | 0.45  | 0.75  | 0.26  | -2.76  | -3.95  | -2.48  | -3.77  | -10.69 | -17.32 |
| 300       | -0.02 | -0.77 | 1.97  | 0.42  | 0.1   | 0.36  | -0.4  | -3.58  | -4.14  | -6.2   | -4.54  | -14.32 | -17.32 |

|     |       |       |       |       |       |       |        |        |        |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| 315 | -0.08 | -0.77 | 1.79  | 4.2   | -0.05 | -1.33 | -4.79  | -7.55  | -12.83 | -6.98  | -9.35  | -17.32 | -17.32 |
| 330 | 0.13  | 0.15  | -0.34 | -0.82 | -2.71 | -7.27 | -11.66 | -10.06 | -9.37  | -10.02 | -15.04 | -13.02 | -17.32 |
| 345 | 0.4   | 1.67  | 1     | -1.57 | -1.1  | -3.22 | -4.85  | -6.23  | -4.69  | -12.75 | -14.78 | -11.18 | -17.32 |

| Ant6      |       |       |       |       |       |       |       |        |        |        |        |        |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|-------|
| Freq      | 6425  |       |       |       |       |       |       |        |        |        |        |        |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180   |
| 0         | -3.15 | -3.59 | -5.19 | -2.02 | -0.48 | -1.46 | -2.31 | -3.74  | -7.37  | -8.19  | -14.31 | -7.63  | -18.9 |
| 15        | -3.11 | -1.94 | -4.88 | -1.71 | -0.76 | -0.89 | -3.46 | -4.74  | -4.45  | -9.2   | -6.61  | -12.51 | -18.9 |
| 30        | -3.04 | -1.44 | -1.37 | 0.57  | -1.51 | -0.52 | -0.38 | -4.5   | -8.91  | -6.19  | -7.66  | -8.51  | -18.9 |
| 45        | -2.97 | -1.78 | -0.49 | 1.67  | 2.71  | 2.99  | 1.79  | -0.3   | -1.81  | -5.68  | -8.43  | -5.09  | -18.9 |
| 60        | -3.22 | -2.11 | -1.24 | 1.66  | 2.58  | 1.68  | 2.43  | -2.51  | -5.28  | -9.28  | -8.41  | -5.23  | -18.9 |
| 75        | -3.46 | -2.06 | -2.59 | 0.4   | 0.65  | 0.6   | 1.37  | -1.83  | -2.95  | -8.26  | -5.81  | -6.45  | -18.9 |
| 90        | -3.89 | -1.68 | -3.26 | -1.21 | 0.19  | -0.81 | 0.05  | -2.03  | -3.65  | -9.59  | -10.5  | -8.79  | -18.9 |
| 105       | -4.45 | -1.34 | -0.6  | -1.73 | 1.04  | 0.05  | -1.01 | -4.88  | -12.39 | -9.78  | -17.07 | -13.63 | -18.9 |
| 120       | -4.65 | -0.71 | 1.31  | 1.94  | 0.52  | 1.71  | -0.61 | -1.94  | -4.42  | -7     | -9.61  | -17.39 | -18.9 |
| 135       | -4.76 | -0.03 | -0.32 | 0.4   | 1.07  | 0.47  | -4.1  | -7.28  | -9.24  | -8.8   | -11.33 | -13.14 | -18.9 |
| 150       | -4.86 | 0.42  | -1.27 | 4.83  | -2.36 | -1.08 | -2.67 | -5.97  | -11.62 | -9.9   | -8.77  | -11.07 | -18.9 |
| 165       | -4.75 | -0.01 | 2.01  | 1.23  | -2.56 | -3.36 | -6.64 | -6.02  | -9.52  | -7.16  | -11.4  | -11.74 | -18.9 |
| 180       | -4.58 | -1    | 0.33  | -0.92 | -5.91 | -6.96 | -8.27 | -7.91  | -8.02  | -8.84  | -11.85 | -14.36 | -18.9 |
| 195       | -4.64 | -1.21 | -2.88 | -2.72 | -4.6  | -3.29 | -7.47 | -10.62 | -18.41 | -7.62  | -9.74  | -8.78  | -18.9 |
| 210       | -4.62 | -2.72 | -1.6  | -1.15 | -1.34 | 0.77  | 1.41  | -2.08  | -3.81  | -6.03  | -13.18 | -6.25  | -18.9 |
| 225       | -4.76 | -4.24 | 0.15  | -1.53 | -1.42 | 0.51  | -2.94 | -3.87  | -11.4  | -11.64 | -12.03 | -6.34  | -18.9 |
| 240       | -4.74 | -5.14 | 0.34  | -3.38 | 0.17  | -0.57 | -2.92 | -11.76 | -6.85  | -13.22 | -13.41 | -5.92  | -18.9 |
| 255       | -4.38 | -5.15 | 0.03  | -1.05 | -0.39 | 0.08  | -1.48 | -5.2   | -5.06  | -5.3   | -7.5   | -4.12  | -18.9 |
| 270       | -3.73 | -4.98 | -0.24 | -0.2  | -0.35 | -1.56 | -2.15 | -7.92  | -8.47  | -10.26 | -8.13  | -5.36  | -18.9 |
| 285       | -3.25 | -4.7  | -2.89 | -0.42 | 0.34  | 0.2   | -1.8  | -3.48  | -6.3   | -5.3   | -5.6   | -7.08  | -18.9 |
| 300       | -3.02 | -4.17 | -5.33 | -3.24 | -0.2  | 0.2   | -2.91 | -6.95  | -8.13  | -11.73 | -11.55 | -7.84  | -18.9 |
| 315       | -2.97 | -4.65 | -1.23 | -6.37 | -0.65 | 0.36  | -2.72 | -3.67  | -7.39  | -5.12  | -6.69  | -12.34 | -18.9 |
| 330       | -3.13 | -6.39 | 0.5   | 1.35  | -0.28 | 1.35  | -0.69 | -6.11  | -7.13  | -7.73  | -17.16 | -18.9  | -18.9 |
| 345       | -3.18 | -6.17 | -4.47 | -3.92 | -9.69 | -5.9  | -6.75 | -8.42  | -13.96 | -11.3  | -8.64  | -8.91  | -18.9 |

| 6425MHz Composite Gain |      |      |       |      |      |       |       |       |       |       |        |       |        |
|------------------------|------|------|-------|------|------|-------|-------|-------|-------|-------|--------|-------|--------|
| Freq                   | 6425 |      |       |      |      |       |       |       |       |       |        |       |        |
| Phi\Theta              | 0    | 15   | 30    | 45   | 60   | 75    | 90    | 105   | 120   | 135   | 150    | 165   | 180    |
| 0                      | 1.98 | 3.16 | 1.39  | 0.57 | 1.83 | -0.21 | -0.52 | -0.79 | -3.99 | -6.51 | -9.09  | -5.29 | -15.06 |
| 15                     | 2.13 | 3.27 | -0.39 | 1.83 | 2.87 | 3.38  | 0.49  | -3.27 | -3.47 | -5.57 | -6.14  | -6.66 | -15.06 |
| 30                     | 2.18 | 3.38 | 0.32  | 3.42 | 1.00 | 1.81  | 0.85  | -4.89 | -6.98 | -3.79 | -6.31  | -5.83 | -15.06 |
| 45                     | 2.16 | 2.99 | 1.38  | 3.47 | 3.17 | 2.67  | 2.49  | -0.21 | -1.88 | -4.93 | -8.74  | -3.87 | -15.06 |
| 60                     | 1.97 | 3.10 | 2.16  | 3.04 | 3.09 | 2.71  | 2.82  | -2.88 | -4.39 | -7.36 | -6.89  | -4.04 | -15.06 |
| 75                     | 1.85 | 2.61 | 2.59  | 3.40 | 2.23 | 1.93  | 1.91  | -0.86 | -3.41 | -5.93 | -4.61  | -5.09 | -15.06 |
| 90                     | 1.72 | 1.94 | 1.79  | 3.08 | 2.15 | 1.71  | 2.25  | -0.80 | -3.87 | -8.55 | -6.06  | -7.09 | -15.06 |
| 105                    | 1.65 | 1.31 | 2.25  | 2.89 | 3.45 | 3.46  | 1.83  | -2.54 | -7.87 | -7.46 | -12.27 | -9.50 | -15.06 |

|     |      |      |      |      |       |       |       |       |       |       |        |        |        |
|-----|------|------|------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|
| 120 | 1.72 | 1.47 | 3.42 | 3.26 | 2.38  | 2.49  | 0.31  | -3.11 | -4.47 | -5.20 | -6.64  | -11.25 | -15.06 |
| 135 | 1.71 | 2.22 | 3.39 | 3.34 | 3.20  | 2.46  | -1.73 | -4.05 | -5.81 | -5.16 | -10.41 | -8.42  | -15.06 |
| 150 | 1.61 | 3.37 | 2.25 | 3.53 | 2.30  | 1.97  | 0.11  | -2.59 | -5.80 | -4.74 | -7.15  | -6.15  | -15.06 |
| 165 | 1.56 | 3.36 | 3.18 | 3.36 | 0.29  | 0.09  | -2.30 | -1.73 | -6.23 | -4.77 | -8.30  | -6.32  | -15.06 |
| 180 | 1.41 | 3.39 | 3.26 | 2.33 | -2.17 | -1.82 | -2.63 | -4.32 | -7.09 | -5.40 | -6.00  | -7.56  | -15.06 |
| 195 | 1.20 | 3.19 | 1.88 | 2.72 | 1.36  | 1.71  | -0.28 | -2.16 | -5.48 | -3.41 | -4.61  | -6.21  | -15.06 |
| 210 | 1.14 | 2.94 | 2.31 | 3.31 | 2.53  | 2.88  | 3.13  | -0.54 | -0.17 | -1.65 | -5.38  | -4.75  | -15.06 |
| 225 | 1.15 | 1.73 | 3.50 | 3.30 | 3.43  | 3.58  | 3.02  | 0.38  | -6.71 | -3.17 | -6.46  | -3.94  | -15.06 |
| 240 | 1.31 | 1.17 | 3.36 | 2.86 | 3.44  | 3.20  | 2.62  | -0.52 | -0.79 | -5.97 | -9.63  | -4.42  | -15.06 |
| 255 | 1.54 | 1.20 | 3.19 | 3.01 | 2.54  | 3.18  | 3.41  | 0.49  | -1.04 | -2.23 | -6.29  | -3.33  | -15.06 |
| 270 | 1.71 | 1.12 | 3.27 | 3.42 | 3.11  | 2.74  | 1.77  | -1.59 | -5.40 | -7.18 | -6.83  | -4.11  | -15.06 |
| 285 | 1.70 | 0.88 | 2.62 | 3.10 | 3.41  | 3.49  | 2.30  | -0.10 | -2.04 | -0.77 | -1.63  | -5.69  | -15.06 |
| 300 | 1.62 | 0.71 | 2.08 | 1.79 | 2.96  | 3.29  | 1.45  | -2.09 | -2.90 | -5.52 | -4.35  | -7.48  | -15.06 |
| 315 | 1.60 | 0.52 | 3.42 | 3.44 | 2.67  | 2.57  | -0.68 | -2.38 | -6.68 | -2.99 | -4.91  | -11.47 | -15.06 |
| 330 | 1.66 | 0.49 | 3.10 | 3.34 | 1.60  | 1.08  | -1.54 | -4.85 | -5.17 | -5.79 | -13.03 | -12.46 | -15.06 |
| 345 | 1.80 | 1.62 | 1.70 | 0.34 | -1.36 | -1.45 | -2.74 | -4.25 | -5.13 | -8.98 | -8.17  | -6.96  | -15.06 |

| Ant5      |      |       |       |       |       |       |       |        |        |        |        |       |       |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|-------|-------|
| Freq      | 6675 |       |       |       |       |       |       |        |        |        |        |       |       |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165   | 180   |
| 0         | 2.01 | 1.19  | 0.39  | -4.73 | -2.79 | -4.03 | -5.3  | -3.51  | -6.32  | -12.83 | -8.48  | -8.1  | -9.85 |
| 15        | 2.04 | 1.45  | -0.25 | -6.91 | -1.61 | 0.11  | -2.72 | -7     | -6.56  | -6.13  | -9.06  | -7.31 | -9.85 |
| 30        | 1.93 | 1.38  | -1.01 | -2.27 | -8.27 | -5.94 | -3.79 | -9.3   | -10.79 | -3.22  | -7.15  | -6.79 | -9.85 |
| 45        | 1.85 | 0.54  | -1.3  | -1.29 | -4.51 | -1.73 | -1.54 | -4.1   | -8.84  | -9.48  | -8.33  | -5.72 | -9.85 |
| 60        | 1.72 | -0.73 | -0.27 | -0.25 | -0.3  | 0.98  | -0.62 | -3.89  | -6.56  | -11.97 | -12.88 | -4.66 | -9.85 |
| 75        | 1.8  | -1.87 | -0.87 | 0.75  | 0.97  | 0.42  | -4.05 | -6.59  | -7.29  | -6.99  | -9.08  | -5.84 | -9.85 |
| 90        | 1.98 | -2.36 | -3.14 | 2.49  | 0.82  | 0.95  | 0.59  | -0.39  | -14.12 | -10.78 | -3.64  | -9.85 | -9.85 |
| 105       | 2.25 | -1.98 | -7.2  | -1.45 | -1.5  | 0.05  | -1.55 | -7.7   | -8.53  | -10.53 | -8.14  | -9.61 | -9.85 |
| 120       | 2.4  | -1.45 | -1.97 | -1.43 | -1.27 | -2.18 | -3.75 | -17.62 | -9.74  | -10.17 | -5.76  | -5.95 | -9.85 |
| 135       | 2.43 | -0.79 | -1.92 | 1.78  | -1.5  | -2.61 | -7.65 | -10.3  | -10.74 | -7.49  | -11.86 | -3.53 | -9.85 |
| 150       | 2.25 | -0.01 | -6.72 | -0.65 | -2.06 | -0.48 | -2.62 | -3.29  | -5.86  | -6.21  | -10.2  | -2.24 | -9.85 |
| 165       | 1.9  | 0.42  | -4.15 | -5.77 | -2.49 | -0.13 | -2.94 | -1.66  | -4.36  | -7.17  | -8.2   | -2.07 | -9.85 |
| 180       | 1.7  | 0.43  | 0.14  | -0.27 | -2.9  | -4.33 | -6.61 | -8.12  | -9.8   | -6.86  | -5.16  | -2.8  | -9.85 |
| 195       | 1.74 | -0.18 | 1.69  | -0.24 | 1.05  | 1.93  | 0.77  | -0.86  | -0.99  | -2.65  | -3.41  | -4.4  | -9.85 |
| 210       | 1.91 | -1.15 | 2.51  | 0.93  | 2.65  | 3.99  | 3.08  | -2.15  | -1.76  | -0.3   | -2.71  | -6.26 | -9.85 |
| 225       | 2.05 | -2.02 | 3.68  | 3.6   | 3.2   | 5.17  | 3.87  | 2.51   | -3.48  | -2.1   | -2.08  | -3.75 | -9.85 |
| 240       | 2.09 | -1.73 | 2.79  | 3.9   | 2.28  | 2.23  | 2.76  | 0.96   | -1.04  | -4.9   | -7.19  | -3.2  | -9.85 |
| 255       | 1.94 | -0.01 | 0.73  | 2.77  | 2.95  | 2.97  | 3.39  | 2.64   | -3.36  | -2.8   | -10.85 | -3.24 | -9.85 |
| 270       | 1.73 | 1.64  | 1.12  | 1.71  | 2.81  | 4.06  | 3.12  | 2.59   | -0.82  | -2.94  | -5.61  | -5.8  | -9.85 |
| 285       | 1.51 | 2.57  | 2.92  | 2.12  | 0.6   | -0.01 | -1.63 | -1.88  | -5.12  | -1.25  | -2.88  | -9.01 | -9.85 |
| 300       | 1.39 | 2.9   | 2.8   | 0.84  | 1.46  | 1.01  | -0.67 | -2.13  | -3.26  | -1.65  | -1.86  | -9.7  | -9.85 |
| 315       | 1.41 | 2.48  | 1.92  | 0.99  | -1.74 | -2.21 | -8.22 | -10.56 | -16.72 | -5.13  | -4.77  | -8.68 | -9.85 |
| 330       | 1.54 | 1.86  | -0.45 | -1.01 | -2.75 | -1.76 | -4.86 | -9.33  | -19.39 | -4.31  | -7.41  | -6.45 | -9.85 |

|     |      |      |       |       |       |       |       |       |       |       |       |      |       |
|-----|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| 345 | 1.83 | 1.45 | -1.54 | -2.19 | -1.35 | -4.38 | -5.54 | -10.2 | -6.57 | -5.31 | -9.81 | -6.4 | -9.85 |
|-----|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|

| Ant6      |       |       |       |       |       |       |        |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| Freq      | 6675  |       |       |       |       |       |        |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90     | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0.39  | -0.18 | -2.93 | -1.84 | -1.97 | -1.58 | -1.61  | -3.01  | -8.52  | -10.6  | -13.34 | -9.98  | -17.88 |
| 15        | 0.41  | -0.03 | -0.97 | 0.25  | -2.24 | -2.78 | -2.76  | -6.36  | -8.85  | -9.71  | -10.43 | -8.07  | -17.88 |
| 30        | 0.43  | -0.71 | 0.72  | 3.04  | -0.84 | -0.78 | -0.51  | -2.06  | -8.07  | -6.27  | -11.61 | -7.74  | -17.88 |
| 45        | 0.47  | -2.06 | 0.72  | 2.98  | 1.46  | 2.13  | 1.49   | -0.36  | -4.07  | -4.18  | -13.3  | -6.46  | -17.88 |
| 60        | 0.36  | -3.16 | -0.57 | 3.45  | 3.85  | 3.53  | 1.92   | 0.2    | -4.93  | -7.32  | -12.44 | -6.5   | -17.88 |
| 75        | 0.01  | -3.53 | -2.43 | 3.79  | 3.7   | 3.96  | 1.88   | 0.92   | -0.8   | -4.54  | -6.49  | -5.5   | -17.88 |
| 90        | -0.33 | -3.56 | -2.69 | 2.3   | 1.61  | 3.08  | 2.3    | 0.43   | -2.91  | -4.16  | -6.71  | -5.7   | -17.88 |
| 105       | -0.58 | -3.37 | -3.17 | 2.86  | 2.06  | 0.98  | -1.05  | -3.72  | -6.36  | -9.38  | -13.8  | -6.83  | -17.88 |
| 120       | -0.59 | -2.35 | -1.62 | 2.73  | 2.94  | 1.86  | -0.84  | -3.45  | -6.84  | -6.62  | -10.45 | -10.11 | -17.88 |
| 135       | -0.46 | -1.24 | 0.86  | 2.91  | 0.91  | 0.7   | -3.15  | -4.86  | -6.65  | -10.82 | -11.8  | -12.03 | -17.88 |
| 150       | -0.23 | -0.87 | -1.44 | 0.31  | -0.82 | -1.54 | -6.03  | -6.1   | -8.05  | -7.33  | -11.87 | -12.56 | -17.88 |
| 165       | -0.08 | -1.11 | -1.4  | -0.07 | -2.45 | -1.58 | -5.12  | -7.72  | -7.97  | -8.3   | -10    | -13.62 | -17.88 |
| 180       | -0.3  | -0.79 | 1.28  | 1.79  | -5.95 | -9.54 | -13.25 | -13.93 | -12.92 | -13.25 | -11.77 | -17.35 | -17.88 |
| 195       | -0.55 | -0.04 | 0.23  | -0.48 | -3.52 | -2.94 | -5.33  | -9.03  | -9.72  | -9.8   | -17.17 | -15.63 | -17.88 |
| 210       | -0.59 | 0.27  | -1.57 | 1.8   | 0.46  | 0.52  | -0.88  | -5.93  | -4.69  | -9.44  | -17.24 | -10.97 | -17.88 |
| 225       | -0.46 | -0.04 | -0.96 | 1.64  | 0.62  | -0.85 | -1.01  | -5.04  | -9.88  | -12    | -16.33 | -8.89  | -17.88 |
| 240       | -0.11 | -1    | 0.31  | 1     | 1.75  | 2.13  | -1.6   | -7.96  | -8.01  | -11.22 | -15.48 | -8.8   | -17.88 |
| 255       | 0.3   | -1.99 | 0.47  | 2.29  | 0.83  | 1.9   | -0.49  | -7.07  | -7.54  | -7.74  | -10.26 | -7.35  | -17.88 |
| 270       | 0.41  | -2.97 | -1.06 | 1.97  | 1.21  | 0.72  | -3.45  | -8.48  | -10.79 | -15.98 | -13.18 | -9.88  | -17.88 |
| 285       | 0.43  | -3.73 | -3.27 | 0.18  | 2.53  | 2.9   | -0.24  | -3.47  | -8.43  | -7.85  | -9.13  | -16.41 | -17.88 |
| 300       | 0.44  | -3.9  | -1.46 | -2.3  | -0.04 | 0.98  | -4.04  | -8.66  | -12.26 | -10.84 | -10.53 | -14.58 | -17.88 |
| 315       | 0.47  | -3.68 | 0.66  | 2.74  | -0.68 | -1.44 | -2.77  | -4.9   | -7.42  | -9.24  | -10.1  | -16.46 | -17.88 |
| 330       | 0.47  | -2.72 | -2.27 | 0.08  | -4.31 | -2.66 | -4.78  | -7.29  | -9.65  | -7.69  | -10.84 | -17.88 | -17.88 |
| 345       | 0.39  | -1.3  | -4.5  | -5.02 | -3.5  | 0.31  | -2.45  | -4.32  | -7.53  | -14.03 | -9.33  | -12.01 | -17.88 |

| 6675MHz Composite Gain |      |      |       |       |       |      |       |       |       |       |       |       |       |
|------------------------|------|------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|
| Freq                   | 6675 |      |       |       |       |      |       |       |       |       |       |       |       |
| Phi\Theta              | 0    | 15   | 30    | 45    | 60    | 75   | 90    | 105   | 120   | 135   | 150   | 165   | 180   |
| 0                      | 4.25 | 3.54 | 1.90  | -0.16 | 0.64  | 0.29 | -0.25 | -0.25 | -4.34 | -8.63 | -7.56 | -5.98 | -9.96 |
| 15                     | 4.27 | 3.75 | 2.41  | 0.40  | 1.09  | 1.79 | 0.27  | -3.66 | -4.62 | -4.73 | -6.71 | -4.67 | -9.96 |
| 30                     | 4.22 | 3.41 | 2.91  | 3.79  | -0.77 | 0.03 | 1.01  | -1.94 | -6.31 | -1.60 | -6.09 | -4.24 | -9.96 |
| 45                     | 4.20 | 2.35 | 2.78  | 4.12  | 1.99  | 3.42 | 3.12  | 0.98  | -3.12 | -3.42 | -7.45 | -3.07 | -9.96 |
| 60                     | 4.08 | 1.15 | 2.59  | 4.81  | 5.03  | 5.36 | 3.75  | 1.40  | -2.70 | -6.33 | -9.65 | -2.52 | -9.96 |
| 75                     | 3.96 | 0.35 | 1.40  | 5.41  | 5.45  | 5.38 | 2.42  | 0.96  | -0.44 | -2.67 | -4.68 | -2.66 | -9.96 |
| 90                     | 3.91 | 0.07 | 0.10  | 5.41  | 4.23  | 5.09 | 4.50  | 3.04  | -3.81 | -3.84 | -2.03 | -4.52 | -9.96 |
| 105                    | 3.96 | 0.36 | -1.94 | 3.98  | 3.47  | 3.54 | 1.71  | -2.47 | -4.37 | -6.93 | -7.51 | -5.10 | -9.96 |
| 120                    | 4.04 | 1.12 | 1.22  | 3.91  | 4.10  | 3.08 | 0.84  | -4.91 | -5.16 | -5.20 | -4.78 | -4.77 | -9.96 |
| 135                    | 4.11 | 2.00 | 2.59  | 5.37  | 2.80  | 2.21 | -2.10 | -4.15 | -5.45 | -5.99 | -8.82 | -3.77 | -9.96 |

|     |      |      |       |       |       |       |       |       |        |       |       |       |       |
|-----|------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| 150 | 4.11 | 2.58 | -0.67 | 2.85  | 1.59  | 2.02  | -1.15 | -1.57 | -3.88  | -3.74 | -7.98 | -2.94 | -9.96 |
| 165 | 3.98 | 2.70 | 0.34  | 0.55  | 0.54  | 2.19  | -0.95 | -1.16 | -2.97  | -4.71 | -6.04 | -3.04 | -9.96 |
| 180 | 3.77 | 2.85 | 3.74  | 3.83  | -1.28 | -3.54 | -6.30 | -7.54 | -8.21  | -6.47 | -4.84 | -4.32 | -9.96 |
| 195 | 3.68 | 2.90 | 4.00  | 2.65  | 2.07  | 2.84  | 1.26  | -1.01 | -1.29  | -2.50 | -4.80 | -5.30 | -9.96 |
| 210 | 3.76 | 2.60 | 3.72  | 4.39  | 4.63  | 5.44  | 4.33  | -0.83 | -0.09  | -0.71 | -4.23 | -5.29 | -9.96 |
| 225 | 3.90 | 2.04 | 4.68  | 5.69  | 5.02  | 5.68  | 4.78  | 2.54  | -3.09  | -2.70 | -3.55 | -2.93 | -9.96 |
| 240 | 4.07 | 1.65 | 4.65  | 5.58  | 5.03  | 5.19  | 3.86  | 0.61  | -0.83  | -4.49 | -7.37 | -2.55 | -9.96 |
| 255 | 4.17 | 2.07 | 3.61  | 5.54  | 4.96  | 5.46  | 4.68  | 2.09  | -2.19  | -1.91 | -7.54 | -2.04 | -9.96 |
| 270 | 4.11 | 2.65 | 3.11  | 4.85  | 5.06  | 5.56  | 3.45  | 1.72  | -1.44  | -4.20 | -5.58 | -4.59 | -9.96 |
| 285 | 4.00 | 2.99 | 3.38  | 4.21  | 4.63  | 4.58  | 2.10  | 0.37  | -3.61  | -0.93 | -2.44 | -8.93 | -9.96 |
| 300 | 3.94 | 3.16 | 3.94  | 2.42  | 3.75  | 4.01  | 0.82  | -1.78 | -3.63  | -2.07 | -2.15 | -8.79 | -9.96 |
| 315 | 3.96 | 2.95 | 4.32  | 4.92  | 1.82  | 1.19  | -2.06 | -4.27 | -7.87  | -3.93 | -4.02 | -8.72 | -9.96 |
| 330 | 4.03 | 2.88 | 1.70  | 2.56  | -0.48 | 0.81  | -1.81 | -5.24 | -10.21 | -2.83 | -5.95 | -7.40 | -9.96 |
| 345 | 4.15 | 3.19 | 0.12  | -0.48 | 0.65  | 1.29  | -0.85 | -3.76 | -4.03  | -5.61 | -6.56 | -5.75 | -9.96 |

| Ant5      |       |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 7025  |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | -1.2  | -2.48 | -2.8  | -1.92 | -6.47 | -7.35 | -8.6  | -5.48  | -7.88  | -9.83  | -7.49  | -7.25  | -11.24 |
| 15        | -1.26 | -3.72 | -4.06 | -3.42 | -3.28 | 1.44  | 0.1   | -4.23  | -6.64  | -8.25  | -8.71  | -8.45  | -11.24 |
| 30        | -1.28 | -4.05 | -4.42 | -0.63 | -3.68 | -2.3  | -5.84 | -5.82  | -9.81  | -4.24  | -6.52  | -8.58  | -11.24 |
| 45        | -1.41 | -3.43 | -4.37 | -0.2  | -1.92 | -1.75 | -1.23 | -6.9   | -6.48  | -4.6   | -5.88  | -9.5   | -11.24 |
| 60        | -1.33 | -3.14 | -3.65 | 1.25  | -0.15 | 0.11  | -2.14 | -3.61  | -7.02  | -12.5  | -6.82  | -8.41  | -11.24 |
| 75        | -1.29 | -2.8  | -8.84 | -0.24 | 0.48  | 0.4   | -2.64 | -11.47 | -4.2   | -6.94  | -9.94  | -7.66  | -11.24 |
| 90        | -1.25 | -1.52 | -4.98 | -1.55 | 1.65  | 0.56  | 0.42  | -1.29  | -7.12  | -13.15 | -3.4   | -10.92 | -11.24 |
| 105       | -1.13 | -1.14 | -0.62 | -0.86 | 1.89  | 0.92  | -0.37 | -1.22  | -9.71  | -8.07  | -7.27  | -9.14  | -11.24 |
| 120       | -0.96 | -1.71 | -1.22 | 0.01  | -0.35 | -0.88 | -1.71 | -9.96  | -12.93 | -15.99 | -6.05  | -6.51  | -11.24 |
| 135       | -1.11 | -1.81 | -4.62 | 0.08  | -2.86 | -3.5  | -4.64 | -10.68 | -10.04 | -9.85  | -18.53 | -5.9   | -11.24 |
| 150       | -1.38 | -1.52 | -1.51 | -5.51 | -0.49 | -1.82 | -4.29 | -4.64  | -6.84  | -6.45  | -13.59 | -5.31  | -11.24 |
| 165       | -1.39 | -2.09 | -0.18 | -3.51 | -3.92 | -0.96 | -2.11 | -5.91  | -2     | -5.88  | -8.94  | -5.07  | -11.24 |
| 180       | -1.3  | -3.41 | -3.56 | -1.73 | 1.72  | 0.78  | -2.05 | -5.42  | -4.26  | -7.27  | -6.2   | -5.65  | -11.24 |
| 195       | -1.32 | -4.48 | -2.99 | 0.5   | 4.02  | 2.72  | 0.83  | -3.57  | -1.16  | -1.4   | -4.9   | -7.03  | -11.24 |
| 210       | -1.25 | -3.32 | -0.45 | 0.27  | 2.83  | 2.12  | 2.86  | 0.92   | -6.55  | -5.15  | -5.13  | -8.25  | -11.24 |
| 225       | -1.26 | -1.88 | 0.33  | 0.18  | 0.76  | 1.54  | -0.57 | -1.89  | -4.08  | -11.96 | -7.43  | -7.74  | -11.24 |
| 240       | -1.41 | -1.06 | -1.49 | -1.64 | 1.56  | 1.83  | 3.23  | -2.04  | -5.58  | -5.16  | -11.75 | -9.04  | -11.24 |
| 255       | -1.35 | -0.7  | -1.9  | -1.44 | 0.85  | 2.37  | 0.6   | 0.38   | -2.48  | -5.58  | -9.21  | -7.77  | -11.24 |
| 270       | -1.25 | -0.63 | -5.69 | -1.57 | -2.64 | 0.89  | 1.37  | -1.2   | -2.33  | -5.74  | -5.3   | -11.24 | -11.24 |
| 285       | -1.46 | -1.2  | -4.29 | 1.42  | 1.8   | 1     | 0.76  | -0.17  | -1.96  | -3.36  | -4.51  | -8.11  | -11.24 |
| 300       | -1.6  | -1.75 | -3.9  | -2.03 | -1.44 | -0.79 | -4.4  | -3.86  | -5.93  | -3.65  | -5.33  | -3.86  | -11.24 |
| 315       | -1.58 | -1.53 | -4.56 | -2.05 | -2.87 | -2.16 | -0.86 | -4.75  | -10.93 | -6.28  | -11.96 | -3.19  | -11.24 |
| 330       | -1.36 | -1.39 | -5.54 | -3.49 | -0.36 | 0.62  | 0.12  | -6.49  | -12.42 | -6.5   | -9.47  | -4.38  | -11.24 |
| 345       | -1.25 | -1.67 | -4.47 | -2.56 | -1.43 | -4.67 | -4.55 | -1.55  | -9.99  | -3.67  | -6.58  | -4.5   | -11.24 |



| Ant6      |       |       |       |       |       |        |        |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| Freq      | 7025  |       |       |       |       |        |        |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75     | 90     | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | -0.85 | -2.19 | -0.74 | -2.94 | -7    | -4.13  | -3.29  | -5.06  | -7.67  | -13.68 | -5.79  | -9.85  | -20.55 |
| 15        | -0.86 | -2.26 | 0.63  | -1.12 | -2.5  | 0.59   | -0.12  | -2.27  | -7.71  | -7.68  | -14.71 | -10.74 | -20.55 |
| 30        | -0.85 | -3.14 | -1.27 | -3.58 | -4.11 | 0.25   | -1.46  | -2.4   | -6.34  | -9.5   | -6.47  | -10.87 | -20.55 |
| 45        | -0.86 | -4.21 | -2.23 | -3.17 | -0.48 | 0.68   | 0.02   | -0.77  | -2.31  | -3.03  | -7.14  | -20.55 | -20.55 |
| 60        | -0.98 | -5.04 | -1.59 | 0.71  | 1.97  | 0.8    | 1.48   | -0.46  | -1.38  | -9.13  | -9.78  | -13.53 | -20.55 |
| 75        | -1.08 | -4.8  | -0.38 | -0.51 | 0.21  | 0.15   | 0.21   | -0.81  | -0.74  | -3.11  | -8.06  | -10.73 | -20.55 |
| 90        | -1.13 | -4.39 | 0.55  | -1.45 | -0.45 | 1.19   | 1.54   | 0.1    | -3.47  | -3.35  | -5.07  | -5.74  | -20.55 |
| 105       | -1.21 | -4.27 | 2.42  | 1.05  | -1.67 | 0.72   | 1.12   | -1.04  | -3.9   | -5.57  | -4.99  | -3.68  | -20.55 |
| 120       | -1.04 | -3.66 | 0.89  | 1.88  | -0.26 | -1.78  | -6.64  | -7.72  | -9.55  | -7.24  | -10.25 | -4.64  | -20.55 |
| 135       | -0.96 | -2.54 | 0.88  | 0.6   | -4.56 | -1.98  | -1.25  | -3.92  | -3.61  | -5.2   | -6.11  | -6.8   | -20.55 |
| 150       | -0.83 | -1.64 | 1.6   | 3.08  | -0.3  | -3.1   | -12.44 | -17.01 | -10.29 | -16.69 | -9.93  | -10.11 | -20.55 |
| 165       | -0.73 | -1.89 | -1.13 | 0.07  | -2.3  | -5.43  | -9.67  | -11.7  | -7.85  | -8.78  | -9.62  | -9.26  | -20.55 |
| 180       | -0.76 | -3.71 | -1.85 | 0.85  | -4.17 | -9.1   | -8.49  | -6.47  | -14.05 | -11.29 | -9.01  | -6.73  | -20.55 |
| 195       | -1.08 | -4.11 | 1.86  | 0.66  | -4.24 | -11.16 | -9.79  | -9.94  | -16.52 | -6.8   | -6.56  | -6.07  | -20.55 |
| 210       | -1.09 | -2.51 | 1.92  | 0.49  | -1.87 | 0.13   | -4.69  | -10.07 | -5.85  | -10.18 | -10.79 | -5.97  | -20.55 |
| 225       | -1.1  | -1.06 | 0.81  | 1.79  | -0.72 | -0.71  | -2.29  | -6.28  | -9.51  | -8.49  | -8.89  | -5.37  | -20.55 |
| 240       | -0.93 | -0.62 | -1.39 | 2.99  | -0.79 | -0.85  | -3.39  | -9.83  | -10.34 | -14.9  | -7.21  | -6.47  | -20.55 |
| 255       | -0.67 | -1    | -4.09 | 1.48  | -1.69 | -4.77  | -3.6   | -11.17 | -10.4  | -8.3   | -10.83 | -5.4   | -20.55 |
| 270       | -0.51 | -1.84 | -6.86 | -0.21 | -0.27 | 1.13   | -2.61  | -6.84  | -7.18  | -11.96 | -10.23 | -7.47  | -20.55 |
| 285       | -0.74 | -3.27 | -3.72 | -2.97 | -1.6  | 1.02   | -0.47  | -2.44  | -6.27  | -4.99  | -10.18 | -15.02 | -20.55 |
| 300       | -0.9  | -5.24 | -2.03 | 2     | -5.36 | -4.04  | -7.29  | -15.07 | -9.94  | -20.26 | -5.51  | -11.85 | -20.55 |
| 315       | -0.99 | -6.11 | -9.26 | 0.93  | -0.87 | -4.66  | -3.83  | -8.04  | -7.25  | -12.44 | -16.99 | -12.52 | -20.55 |
| 330       | -1.08 | -5.36 | -7.25 | -3.83 | -1.97 | -7.23  | -7.42  | -5.72  | -5.25  | -5.88  | -6.69  | -14.19 | -20.55 |
| 345       | -1.01 | -3.68 | -3.55 | -2.24 | 0.1   | 3.24   | 0.61   | -2.45  | -2.94  | -8.57  | -18.52 | -13.15 | -20.55 |

| 7025MHz Composite Gain |      |       |       |      |       |       |       |       |       |       |       |        |        |
|------------------------|------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|--------|--------|
| Freq                   | 7025 |       |       |      |       |       |       |       |       |       |       |        |        |
| Phi\Theta              | 0    | 15    | 30    | 45   | 60    | 75    | 90    | 105   | 120   | 135   | 150   | 165    | 180    |
| 0                      | 1.99 | 0.68  | 1.30  | 0.60 | -3.72 | -2.58 | -2.54 | -2.26 | -4.76 | -8.53 | -3.59 | -5.44  | -11.69 |
| 15                     | 1.95 | 0.05  | 1.61  | 0.82 | 0.13  | 4.04  | 3.00  | -0.18 | -4.15 | -4.95 | -8.19 | -6.51  | -11.69 |
| 30                     | 1.95 | -0.57 | 0.31  | 1.03 | -0.88 | 2.08  | -0.37 | -0.93 | -4.89 | -3.47 | -3.48 | -6.64  | -11.69 |
| 45                     | 1.88 | -0.80 | -0.22 | 1.45 | 1.84  | 2.56  | 2.43  | -0.29 | -1.14 | -0.77 | -3.48 | -10.36 | -11.69 |
| 60                     | 1.86 | -1.03 | 0.45  | 3.99 | 3.98  | 3.47  | 2.87  | 1.12  | -0.74 | -7.64 | -5.16 | -7.59  | -11.69 |
| 75                     | 1.83 | -0.73 | -0.61 | 2.64 | 3.36  | 3.29  | 1.91  | -1.59 | 0.71  | -1.81 | -5.94 | -6.05  | -11.69 |
| 90                     | 1.82 | 0.17  | 1.23  | 1.51 | 3.67  | 3.89  | 4.01  | 2.44  | -2.09 | -3.93 | -1.18 | -4.94  | -11.69 |
| 105                    | 1.84 | 0.45  | 4.04  | 3.16 | 3.30  | 3.83  | 3.42  | 1.88  | -3.32 | -3.72 | -3.05 | -2.98  | -11.69 |
| 120                    | 2.01 | 0.38  | 2.91  | 4.01 | 2.71  | 1.69  | -0.82 | -5.76 | -8.07 | -7.55 | -4.89 | -2.51  | -11.69 |
| 135                    | 1.98 | 0.84  | 1.57  | 3.35 | -0.66 | 0.30  | 0.23  | -3.65 | -3.23 | -4.21 | -7.26 | -3.33  | -11.69 |
| 150                    | 1.91 | 1.43  | 3.19  | 2.82 | 2.62  | 0.57  | -4.43 | -5.78 | -5.38 | -7.13 | -8.56 | -4.37  | -11.69 |

|     |      |       |       |       |       |       |       |       |       |       |        |       |        |
|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 165 | 1.96 | 1.02  | 2.37  | 1.47  | -0.06 | 0.10  | -2.08 | -5.32 | -1.43 | -4.20 | -6.26  | -3.90 | -11.69 |
| 180 | 1.98 | -0.55 | 0.35  | 2.67  | 2.28  | 0.19  | -1.68 | -2.92 | -4.83 | -6.04 | -4.48  | -3.16 | -11.69 |
| 195 | 1.81 | -1.28 | 2.78  | 3.59  | 3.85  | 1.31  | 0.06  | -3.17 | -2.80 | -0.68 | -2.68  | -3.53 | -11.69 |
| 210 | 1.84 | 0.10  | 3.83  | 3.39  | 3.80  | 4.19  | 2.89  | 0.07  | -3.18 | -4.30 | -4.50  | -4.03 | -11.69 |
| 225 | 1.83 | 1.55  | 3.58  | 4.03  | 3.06  | 3.50  | 1.62  | -0.80 | -3.37 | -7.04 | -5.12  | -3.46 | -11.69 |
| 240 | 1.84 | 2.17  | 1.57  | 3.99  | 3.47  | 3.60  | 3.55  | -2.08 | -4.63 | -5.72 | -6.18  | -4.65 | -11.69 |
| 255 | 2.01 | 2.16  | 0.08  | 3.15  | 2.68  | 2.52  | 1.76  | -0.59 | -2.56 | -3.82 | -6.97  | -3.49 | -11.69 |
| 270 | 2.14 | 1.80  | -3.25 | 2.15  | 1.64  | 4.02  | 2.62  | -0.56 | -1.41 | -5.29 | -4.41  | -6.14 | -11.69 |
| 285 | 1.92 | 0.84  | -0.99 | 2.51  | 3.28  | 4.02  | 3.18  | 1.78  | -0.84 | -1.13 | -3.88  | -7.88 | -11.69 |
| 300 | 1.77 | -0.31 | 0.10  | 3.23  | -0.17 | 0.75  | -2.72 | -4.76 | -4.70 | -5.46 | -2.41  | -3.96 | -11.69 |
| 315 | 1.73 | -0.51 | -3.59 | 2.58  | 1.20  | -0.31 | 0.79  | -3.23 | -5.89 | -5.81 | -11.11 | -3.65 | -11.69 |
| 330 | 1.79 | -0.14 | -3.34 | -0.65 | 1.88  | 0.56  | 0.15  | -3.09 | -5.10 | -3.17 | -4.96  | -4.96 | -11.69 |
| 345 | 1.88 | 0.39  | -0.99 | 0.61  | 2.38  | 3.17  | 1.42  | 1.02  | -2.76 | -2.77 | -7.63  | -4.78 | -11.69 |

## 7.2 DG\_NSS2 Test Data

| Ant1      |       |       |       |       |        |        |       |       |        |        |        |       |       |
|-----------|-------|-------|-------|-------|--------|--------|-------|-------|--------|--------|--------|-------|-------|
| Freq      | 2450  |       |       |       |        |        |       |       |        |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75     | 90    | 105   | 120    | 135    | 150    | 165   | 180   |
| 0         | -0.2  | -2.4  | -5.39 | -5.11 | -3.93  | -2     | -0.86 | -0.93 | -4.84  | -6.33  | -10.75 | -9.37 | -9.53 |
| 15        | -0.05 | -2.46 | -5.02 | -3.45 | -1.08  | 0.29   | 0.23  | 1.22  | -1.69  | -4.99  | -8.57  | -8.24 | -9.53 |
| 30        | 0.04  | -2.52 | -3.78 | -2.39 | -0.7   | 0.81   | -0.17 | 0.54  | -1.92  | -4.75  | -7.49  | -6.54 | -9.53 |
| 45        | 0.17  | -2.5  | -2.72 | -1.67 | -0.99  | 0.04   | -1.37 | -1.58 | -3.16  | -6.25  | -5.71  | -4.56 | -9.53 |
| 60        | 0.27  | -2.44 | -2.41 | -1.44 | -0.39  | 0.08   | -1.49 | -1.84 | -2.47  | -3.33  | -3.17  | -3.24 | -9.53 |
| 75        | 0.31  | -2.44 | -2.76 | -1.3  | 0.54   | 1.13   | -0.35 | -3.25 | -4.87  | -5.04  | -3.68  | -2.93 | -9.53 |
| 90        | 0.29  | -2.49 | -3.6  | -1.12 | 0.99   | 1.69   | 1.09  | -2.7  | -10.54 | -8.72  | -5.35  | -3.5  | -9.53 |
| 105       | 0.17  | -2.62 | -4.93 | -1.84 | -0.13  | 1.22   | 0.69  | -1.87 | -6.47  | -9.42  | -6.7   | -4.55 | -9.53 |
| 120       | 0.04  | -2.54 | -6.37 | -5    | -4.58  | -2.02  | -2.52 | -4.05 | -9.54  | -11.52 | -9.85  | -5.03 | -9.53 |
| 135       | 0.07  | -2.11 | -5.48 | -7.53 | -12.16 | -10.07 | -8.96 | -8.08 | -7.02  | -10.45 | -14.49 | -5.23 | -9.53 |
| 150       | 0.15  | -1.41 | -2.9  | -2.98 | -3.66  | -5.05  | -2.62 | -1.18 | -3     | -8.53  | -18.75 | -5.93 | -9.53 |
| 165       | 0.24  | -0.63 | -1.26 | -0.31 | -0.78  | -0.33  | 0.72  | -0.04 | -4.49  | -7.52  | -20.38 | -5.1  | -9.53 |
| 180       | 0.28  | -0.04 | -0.54 | 0.71  | 0.1    | 0.79   | 1.33  | -1.22 | -5.57  | -6.04  | -9.24  | -3.52 | -9.53 |
| 195       | 0.13  | 0.32  | -0.13 | 0.81  | 0.54   | 1.07   | 1.18  | -4.3  | -5.04  | -4.66  | -6.05  | -3.22 | -9.53 |
| 210       | -0.16 | 0.52  | 0.15  | 1.22  | 1.89   | 2.72   | 1.49  | -2.6  | -3.4   | -3.86  | -5.74  | -4.36 | -9.53 |
| 225       | -0.36 | 0.64  | 0.19  | 1.73  | 2.64   | 3.31   | 1.65  | 0.45  | -1.77  | -4.35  | -6.59  | -6.2  | -9.53 |
| 240       | -0.44 | 0.69  | 0.07  | 1.57  | 2.33   | 2.99   | 2.33  | 0.98  | -2.37  | -5.45  | -7.45  | -6.08 | -9.53 |
| 255       | -0.35 | 0.57  | -0.18 | 0.53  | 1.51   | 2.84   | 2.37  | 0.92  | -2.82  | -5.47  | -7.68  | -5.52 | -9.53 |
| 270       | -0.21 | 0.28  | -0.36 | -0.42 | 0.43   | 1.45   | 1.18  | -0.08 | -3.11  | -5.23  | -8.09  | -5.39 | -9.53 |
| 285       | -0.1  | -0.12 | -0.18 | 0.05  | -0.35  | -1.22  | -1.77 | -2.81 | -6.23  | -9.12  | -9.64  | -5.51 | -9.53 |
| 300       | -0.16 | -0.62 | 0.09  | 1.47  | 0.58   | -0.86  | -1.18 | -3.01 | -5.73  | -9.52  | -10.64 | -5.88 | -9.53 |
| 315       | -0.25 | -1.18 | -0.32 | 2.23  | 2      | 1.25   | 1.17  | -0.7  | -4.54  | -8.09  | -10.53 | -6.71 | -9.53 |
| 330       | -0.3  | -1.8  | -1.75 | 0.9   | 1.4    | 0.65   | 0.09  | -1.71 | -5.83  | -11.24 | -11.27 | -8.15 | -9.53 |
| 345       | -0.28 | -2.2  | -3.85 | -2.82 | -2.49  | -1.96  | -2.69 | -3.74 | -8.21  | -10.89 | -11.19 | -9.53 | -9.53 |

| Ant2      |      |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 2450 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 1.3  | -0.1  | 1.07  | 2.87  | 1.66  | 0.38  | -1.89 | -3.54  | -6.38  | -5.78  | -5.62  | -7.04  | -12.59 |
| 15        | 1.29 | 0.19  | 1.56  | 3.33  | 2.45  | 2.07  | 0.73  | -0.63  | -4.73  | -6.31  | -6.39  | -6.22  | -12.59 |
| 30        | 1.16 | 0.31  | 1.18  | 2.58  | 1.72  | 1.8   | 0.97  | 0.2    | -2.5   | -5.75  | -8.04  | -6.01  | -12.59 |
| 45        | 1.04 | 0.27  | 0.43  | 1.46  | 0.48  | 0.42  | 0.14  | -0.6   | -2.72  | -6.42  | -8.39  | -6.15  | -12.59 |
| 60        | 1.04 | 0.17  | -0.4  | 0.29  | -0.57 | 0.34  | 0.41  | 0.75   | -1.78  | -7.78  | -8.09  | -6.58  | -12.59 |
| 75        | 1.12 | 0.16  | -1.03 | -0.6  | -1.49 | 0.24  | 0.6   | 1.55   | -1.6   | -7.25  | -9.42  | -7.27  | -12.59 |
| 90        | 1.15 | 0.25  | -1.14 | -0.65 | -1.45 | 0.06  | 0.63  | 0.73   | -2.42  | -8.02  | -10.74 | -8.35  | -12.59 |
| 105       | 1.08 | 0.49  | -0.69 | 0.05  | -0.13 | 0.53  | 0.81  | -0.64  | -3.76  | -8.84  | -9.32  | -8.95  | -12.59 |
| 120       | 0.98 | 0.8   | 0.01  | 0.83  | 1.05  | 1.27  | 0.87  | -1.77  | -4.68  | -7.88  | -7.68  | -9.14  | -12.59 |
| 135       | 0.96 | 0.98  | 0.74  | 1.09  | 0.78  | 0.8   | -0.59 | -3.53  | -5.2   | -6.96  | -7.02  | -10.59 | -12.59 |
| 150       | 1    | 1.08  | 1.29  | 0.98  | -0.23 | -0.33 | -2.49 | -3.66  | -4.29  | -5.42  | -7.42  | -12.29 | -12.59 |
| 165       | 1.05 | 1.17  | 1.55  | 1.56  | 0.33  | -0.74 | -0.88 | -2.33  | -3.74  | -4.4   | -8.51  | -12.59 | -12.59 |
| 180       | 1.01 | 1.19  | 1.57  | 2.44  | 1.53  | 1.3   | 0.87  | -0.47  | -2.8   | -4.73  | -9.46  | -11.97 | -12.59 |
| 195       | 0.94 | 0.96  | 1.3   | 2.24  | 1.57  | 1.05  | 1.06  | -1     | -3.76  | -6.37  | -9.3   | -10.13 | -12.59 |
| 210       | 0.96 | 0.45  | 0.4   | 0.62  | -0.57 | -0.52 | -1.76 | -5.04  | -6.87  | -7.95  | -7.59  | -8.49  | -12.59 |
| 225       | 1.02 | -0.23 | -1.28 | -2.04 | -1.95 | -1.15 | -1.56 | -5.99  | -9.17  | -7.79  | -6.75  | -7.57  | -12.59 |
| 240       | 1.09 | -0.89 | -3.51 | -4.36 | -0.69 | 1.19  | 0.9   | -3.88  | -11.49 | -8.25  | -6.63  | -7.23  | -12.59 |
| 255       | 1.11 | -1.49 | -5.39 | -5.25 | 0.05  | 1.53  | 1.82  | -1.63  | -11.63 | -9.44  | -6.55  | -7.2   | -12.59 |
| 270       | 1.17 | -2.02 | -6.23 | -5.27 | -0.77 | 0.33  | 1.01  | -0.83  | -8.9   | -10.96 | -6.55  | -7.26  | -12.59 |
| 285       | 1.15 | -2.37 | -6.55 | -4.87 | -1.81 | -0.83 | -0.61 | -1.23  | -8.09  | -12.55 | -6.54  | -7.84  | -12.59 |
| 300       | 1.14 | -2.42 | -6.95 | -5.56 | -3.54 | -2.67 | -4.35 | -3.66  | -12.09 | -14.78 | -7.32  | -8.84  | -12.59 |
| 315       | 1.11 | -2.09 | -6.03 | -6.13 | -5.89 | -6.16 | -9.98 | -13.45 | -14.78 | -11.09 | -8.56  | -9.78  | -12.59 |
| 330       | 1.13 | -1.36 | -3.25 | -2.8  | -3.18 | -3.31 | -4.27 | -6.41  | -8.03  | -5.59  | -7.24  | -9.6   | -12.59 |
| 345       | 1.18 | -0.63 | -0.55 | 0.85  | -0.2  | -1.16 | -2.49 | -3.19  | -7.01  | -4.91  | -5.68  | -8.31  | -12.59 |

| 2450MHz Composite Gain |      |       |       |       |       |       |       |       |       |       |       |       |        |
|------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Freq                   | 2450 |       |       |       |       |       |       |       |       |       |       |       |        |
| Phi\Theta              | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135   | 150   | 165   | 180    |
| 0                      | 0.61 | -1.10 | -1.06 | 0.50  | -0.29 | -0.65 | -1.34 | -2.04 | -5.54 | -6.05 | -7.47 | -8.05 | -10.80 |
| 15                     | 0.67 | -0.94 | -0.59 | 1.15  | 1.03  | 1.27  | 0.49  | 0.39  | -2.95 | -5.60 | -7.34 | -7.11 | -10.80 |
| 30                     | 0.64 | -0.88 | -0.63 | 0.77  | 0.68  | 1.33  | 0.44  | 0.37  | -2.20 | -5.22 | -7.76 | -6.27 | -10.80 |
| 45                     | 0.63 | -0.90 | -0.87 | 0.17  | -0.19 | 0.23  | -0.55 | -1.06 | -2.93 | -6.33 | -6.85 | -5.28 | -10.80 |
| 60                     | 0.67 | -0.94 | -1.29 | -0.49 | -0.48 | 0.21  | -0.44 | -0.35 | -2.11 | -5.01 | -4.97 | -4.60 | -10.80 |
| 75                     | 0.73 | -0.95 | -1.81 | -0.94 | -0.36 | 0.71  | 0.15  | -0.22 | -2.93 | -6.01 | -5.66 | -4.58 | -10.80 |
| 90                     | 0.74 | -0.91 | -2.20 | -0.88 | -0.06 | 0.95  | 0.87  | -0.65 | -4.81 | -8.36 | -7.26 | -5.28 | -10.80 |
| 105                    | 0.65 | -0.79 | -2.31 | -0.79 | -0.13 | 0.89  | 0.75  | -1.21 | -4.91 | -9.12 | -7.82 | -6.22 | -10.80 |
| 120                    | 0.54 | -0.56 | -2.10 | -1.17 | -0.91 | -0.07 | -0.50 | -2.76 | -6.46 | -9.33 | -8.63 | -6.62 | -10.80 |
| 135                    | 0.54 | -0.30 | -1.34 | -1.36 | -2.02 | -1.87 | -3.01 | -5.23 | -6.02 | -8.36 | -9.31 | -7.13 | -10.80 |

|     |      |       |       |       |       |       |       |       |       |        |        |       |        |
|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 150 | 0.60 | 0.01  | -0.32 | -0.56 | -1.61 | -2.08 | -2.55 | -2.25 | -3.60 | -6.70  | -10.12 | -8.04 | -10.80 |
| 165 | 0.66 | 0.36  | 0.37  | 0.72  | -0.19 | -0.53 | -0.01 | -1.04 | -4.10 | -5.69  | -11.25 | -7.40 | -10.80 |
| 180 | 0.66 | 0.62  | 0.64  | 1.66  | 0.87  | 1.05  | 1.11  | -0.83 | -3.97 | -5.34  | -9.35  | -5.95 | -10.80 |
| 195 | 0.55 | 0.65  | 0.64  | 1.58  | 1.09  | 1.06  | 1.12  | -2.34 | -4.35 | -5.43  | -7.38  | -5.43 | -10.80 |
| 210 | 0.44 | 0.49  | 0.28  | 0.93  | 0.83  | 1.40  | 0.16  | -3.65 | -4.80 | -5.44  | -6.57  | -5.95 | -10.80 |
| 225 | 0.38 | 0.23  | -0.48 | 0.24  | 0.93  | 1.63  | 0.34  | -1.67 | -4.05 | -5.74  | -6.67  | -6.83 | -10.80 |
| 240 | 0.39 | -0.03 | -1.36 | -0.45 | 1.08  | 2.18  | 1.67  | -0.80 | -4.88 | -6.63  | -7.02  | -6.62 | -10.80 |
| 255 | 0.44 | -0.34 | -2.05 | -1.46 | 0.84  | 2.23  | 2.10  | -0.17 | -5.29 | -7.02  | -7.08  | -6.28 | -10.80 |
| 270 | 0.53 | -0.72 | -2.37 | -2.20 | -0.13 | 0.93  | 1.10  | -0.44 | -5.10 | -7.21  | -7.25  | -6.23 | -10.80 |
| 285 | 0.57 | -1.10 | -2.29 | -1.75 | -1.02 | -1.02 | -1.15 | -1.95 | -7.06 | -10.50 | -7.82  | -6.52 | -10.80 |
| 300 | 0.54 | -1.43 | -2.14 | -0.76 | -1.01 | -1.67 | -2.48 | -3.32 | -7.84 | -11.40 | -8.67  | -7.11 | -10.80 |
| 315 | 0.48 | -1.61 | -2.30 | -0.19 | -0.36 | -1.04 | -1.52 | -3.49 | -7.16 | -9.34  | -9.43  | -7.98 | -10.80 |
| 330 | 0.47 | -1.57 | -2.44 | -0.57 | -0.31 | -0.89 | -1.56 | -3.45 | -6.79 | -7.55  | -8.80  | -8.81 | -10.80 |
| 345 | 0.51 | -1.34 | -1.89 | -0.61 | -1.20 | -1.54 | -2.59 | -3.46 | -7.57 | -6.94  | -7.61  | -8.88 | -10.80 |

| Ant3      |       |       |       |       |        |       |        |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|
| Freq      | 5200  |       |       |       |        |       |        |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75    | 90     | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0.02  | 1.05  | 1.03  | -0.21 | -4.44  | -2.18 | -4.24  | -10.59 | -9.48  | -12.43 | -7.95  | -10.76 | -14.72 |
| 15        | 0.04  | 0.77  | -0.67 | -0.36 | -5.06  | -5.69 | -10.9  | -16.12 | -7.76  | -13.33 | -13.07 | -8.76  | -14.72 |
| 30        | 0.1   | 0.59  | -4.29 | -3.63 | -8.27  | -5.24 | -6.37  | -10.85 | -7.67  | -11.09 | -14.19 | -7.15  | -14.72 |
| 45        | 0.13  | 0.74  | -4.86 | -8.43 | -10.89 | -6.85 | -9.68  | -9.89  | -6.8   | -5.81  | -13.85 | -7.29  | -14.72 |
| 60        | 0.06  | 1.17  | -0.88 | -1.29 | -3.65  | -2.6  | -5.91  | -9.97  | -7.91  | -5.41  | -9.02  | -8.98  | -14.72 |
| 75        | 0.03  | 1.33  | 0.71  | -0.07 | -2.23  | -3.17 | -5.59  | -9.74  | -5.99  | -7.18  | -9.51  | -10.16 | -14.72 |
| 90        | -0.11 | 1.14  | 0.32  | 0.5   | 0.89   | 2.62  | 0.03   | -6.12  | -4.62  | -6.47  | -14.27 | -12.74 | -14.72 |
| 105       | 0.06  | 0.37  | 0.11  | 1.21  | -1.03  | 0.76  | -1.85  | -3.38  | -5.9   | -5.26  | -15.38 | -11.74 | -14.72 |
| 120       | 0.2   | -1.22 | -0.9  | 0.24  | -1.82  | 1.23  | -1.7   | -2.04  | -6.33  | -5.03  | -11.07 | -8.47  | -14.72 |
| 135       | 0.25  | -2.89 | -2.25 | -0.75 | 0.1    | 2.4   | 0.91   | -0.98  | -3.29  | -3.2   | -6.58  | -6.55  | -14.72 |
| 150       | 0.23  | -4.11 | -2.88 | -1    | 0.35   | 1.86  | 1.6    | 0.02   | 0.08   | -1.72  | -3.08  | -6.34  | -14.72 |
| 165       | 0.11  | -4.87 | -3.16 | -0.29 | 0.27   | 0.17  | 0.74   | -1.04  | -0.03  | -1.44  | -2.42  | -4.76  | -14.72 |
| 180       | -0.03 | -5.92 | -3.3  | 0.63  | 0.52   | 1.74  | 0.01   | -3.25  | -4.58  | -3.75  | -3.4   | -4     | -14.72 |
| 195       | 0.03  | -6.43 | -4.1  | 1.73  | 0.62   | 1.36  | -1.46  | -4.4   | -7.92  | -6.48  | -5.37  | -4.65  | -14.72 |
| 210       | 0.05  | -5.27 | -3.67 | 2.57  | 1.81   | 2.3   | -0.48  | -4.56  | -4.79  | -4.63  | -6.24  | -5.63  | -14.72 |
| 225       | 0.31  | -3.29 | -1.91 | 2.74  | 2.45   | 2.85  | -0.66  | -3.99  | -4.04  | -7.6   | -7.61  | -6.73  | -14.72 |
| 240       | 0.41  | -2.19 | -0.03 | 2.71  | 0.68   | -1.12 | -3.93  | -9.02  | -8.51  | -7.08  | -7     | -7.01  | -14.72 |
| 255       | 0.2   | -1.96 | 0.11  | 2.14  | -0.47  | -2.37 | -4.19  | -9.12  | -9.36  | -8.73  | -5.41  | -5.8   | -14.72 |
| 270       | 0.1   | -2.01 | -1.24 | -0.47 | -2.53  | -4.98 | -11.67 | -13.13 | -8.27  | -13.52 | -9.42  | -5.91  | -14.72 |
| 285       | 0     | -1.3  | 0.02  | 1.02  | 0.42   | -1.52 | -5.99  | -8.18  | -15.42 | -9.23  | -9.08  | -7.63  | -14.72 |
| 300       | -0.06 | -0.41 | 1.79  | 2.48  | 1.63   | -0.14 | -4.82  | -4.2   | -12.54 | -13.42 | -10.23 | -9.63  | -14.72 |
| 315       | 0.19  | 0.55  | 2.15  | 3.02  | 4      | 2.13  | -0.84  | 0.16   | -4.54  | -10.1  | -9.31  | -11.28 | -14.72 |
| 330       | 0.25  | 1.09  | 2.04  | 3.33  | 4.3    | 2.43  | -1.16  | -1.29  | -5.1   | -12.53 | -6.2   | -14.21 | -14.72 |
| 345       | 0.11  | 1.12  | 1.73  | 1.54  | 1.17   | 1.57  | -1.6   | -6.78  | -7.91  | -11.58 | -5.81  | -14.72 | -14.72 |

| Ant4      |       |       |       |       |       |       |       |       |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq      | 5200  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0         | -0.03 | -0.71 | 2.67  | 3.88  | 2.22  | 2.03  | -1.41 | -4.98 | -5.76  | -12.8  | -13.63 | -10.09 | -19.47 |
| 15        | -0.15 | -0.63 | 0.79  | 1.2   | -1.34 | -0.59 | -2.12 | -3.61 | -5.97  | -9.14  | -16.07 | -17.37 | -19.47 |
| 30        | -0.24 | -0.53 | -1.41 | -2.64 | -3.92 | -2.67 | -3.32 | -4.67 | -5.08  | -9.44  | -9.71  | -17.59 | -19.47 |
| 45        | -0.09 | -0.72 | -0.5  | 0.86  | -0.36 | 0.32  | 0.09  | -3.22 | -8.57  | -6.34  | -7.34  | -10.53 | -19.47 |
| 60        | 0.04  | -1.42 | 0.32  | 2.2   | -0.07 | -1.44 | -4.64 | -7.69 | -5.95  | -5.25  | -8.6   | -6.79  | -19.47 |
| 75        | 0.12  | -2.56 | -1.29 | -3.38 | -3.23 | -2.68 | -2.32 | -3.88 | -7.62  | -20.82 | -8.06  | -5.16  | -19.47 |
| 90        | 0.11  | -3.42 | 0.38  | 0.45  | 0.46  | -0.43 | -5.04 | -8.94 | -6.64  | -9.28  | -7.73  | -5.07  | -19.47 |
| 105       | 0.06  | -3.68 | 1.94  | 2.39  | 1.92  | 1.08  | 0.1   | -2.75 | -4.41  | -7.93  | -12.82 | -6.51  | -19.47 |
| 120       | -0.1  | -4.07 | 1.04  | -0.39 | -0.29 | -0.78 | -5.1  | -6.84 | -13.37 | -7.09  | -6.88  | -8.61  | -19.47 |
| 135       | -0.08 | -4.53 | -1.06 | -1.95 | -0.04 | -0.99 | -5.91 | -9.43 | -9.42  | -9.68  | -5.65  | -11.44 | -19.47 |
| 150       | -0.05 | -4.95 | -1.37 | 0.36  | 0.43  | 0.97  | -3.31 | -8.88 | -5.82  | -8.28  | -9.97  | -15.2  | -19.47 |
| 165       | 0.16  | -5.07 | -1.18 | 1.84  | 0.6   | 1.49  | -0.06 | -4.67 | -6.72  | -5.76  | -9.1   | -19.47 | -19.47 |
| 180       | 0.36  | -4.14 | -1.97 | 1.81  | 1.12  | 0.69  | -2.4  | -2.49 | -4.32  | -7.86  | -11.39 | -17.9  | -19.47 |
| 195       | 0.5   | -2.6  | -1.39 | 0.35  | -0.12 | 0.83  | -1.73 | -5.14 | -7.38  | -8.34  | -9.42  | -17.12 | -19.47 |
| 210       | 0.42  | -1.34 | 0.26  | 0.08  | -1.96 | -0.7  | -1.76 | -3.9  | -9.21  | -6.62  | -8.9   | -18.24 | -19.47 |
| 225       | 0.42  | -0.52 | 0.58  | -0.98 | -6.72 | -6.21 | -6.13 | -6.88 | -4.66  | -3.28  | -9.31  | -17.49 | -19.47 |
| 240       | 0.28  | -0.01 | 0.48  | 0.76  | -2.24 | -1.67 | -2.45 | -2.59 | -4.4   | -6.23  | -7.29  | -15.76 | -19.47 |
| 255       | 0.26  | 0.08  | -0.58 | 0.34  | -3.34 | -3.77 | -2.51 | -3.46 | -4.84  | -6.98  | -11.3  | -13.84 | -19.47 |
| 270       | 0.23  | -0.33 | -2.88 | 0.64  | -0.03 | -0.81 | -2.39 | -3.38 | -8.83  | -10.74 | -18.56 | -11.83 | -19.47 |
| 285       | 0.31  | -1.1  | -3.25 | 3     | 2.62  | 2.64  | 1.64  | -1.24 | -5.4   | -9.92  | -9.87  | -9.06  | -19.47 |
| 300       | 0.3   | -1.66 | -2.52 | 2.84  | 2.36  | 3.02  | 1.19  | -1.72 | -5.74  | -7.46  | -6.75  | -6.99  | -19.47 |
| 315       | 0.41  | -1.92 | -1.49 | 0.69  | 0.34  | 2.02  | 0.37  | -2.95 | -3.7   | -6.11  | -10.14 | -6.56  | -19.47 |
| 330       | 0.37  | -1.51 | 0.62  | -0.89 | -2.15 | 0.1   | -0.71 | -1.74 | -4.65  | -5.7   | -10.64 | -7.04  | -19.47 |
| 345       | 0.21  | -1.01 | 2.55  | 2.56  | 0.55  | 2.11  | 1.41  | -1.13 | -7.19  | -5.95  | -9.43  | -7.74  | -19.47 |

| 5200MHz Composite Gain |       |       |       |       |       |       |       |       |       |        |        |        |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Freq                   | 5200  |       |       |       |       |       |       |       |       |        |        |        |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165    | 180    |
| 0                      | 0.00  | 0.26  | 1.93  | 2.30  | 0.06  | 0.42  | -2.60 | -6.94 | -7.23 | -12.61 | -9.92  | -10.41 | -16.48 |
| 15                     | -0.05 | 0.13  | 0.12  | 0.49  | -2.81 | -2.43 | -4.59 | -6.38 | -6.77 | -10.75 | -14.32 | -11.21 | -16.48 |
| 30                     | -0.07 | 0.07  | -2.62 | -3.11 | -5.57 | -3.77 | -4.58 | -6.74 | -6.18 | -10.19 | -11.40 | -9.78  | -16.48 |
| 45                     | 0.02  | 0.07  | -2.15 | -1.67 | -3.00 | -1.93 | -2.48 | -5.38 | -7.60 | -6.07  | -9.47  | -8.61  | -16.48 |
| 60                     | 0.05  | 0.07  | -0.24 | 0.80  | -1.50 | -1.98 | -5.23 | -8.68 | -6.82 | -5.33  | -8.80  | -7.75  | -16.48 |
| 75                     | 0.08  | -0.19 | -0.18 | -1.42 | -2.70 | -2.92 | -3.65 | -5.89 | -6.73 | -10.01 | -8.72  | -6.98  | -16.48 |
| 90                     | 0.00  | -0.57 | 0.35  | 0.48  | 0.68  | 1.36  | -1.80 | -7.31 | -5.51 | -7.65  | -9.87  | -7.39  | -16.48 |
| 105                    | 0.06  | -1.20 | 1.12  | 1.84  | 0.69  | 0.92  | -0.77 | -3.05 | -5.09 | -6.39  | -13.91 | -8.38  | -16.48 |
| 120                    | 0.05  | -2.42 | 0.18  | -0.06 | -0.99 | 0.34  | -3.08 | -3.81 | -8.56 | -5.94  | -8.49  | -8.54  | -16.48 |
| 135                    | 0.09  | -3.63 | -1.61 | -1.31 | 0.03  | 1.03  | -1.28 | -3.41 | -5.35 | -5.33  | -6.09  | -8.34  | -16.48 |

|     |      |       |       |       |       |       |       |       |       |        |        |       |        |
|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| 150 | 0.09 | -4.51 | -2.06 | -0.27 | 0.39  | 1.44  | -0.20 | -2.46 | -1.94 | -3.86  | -5.28  | -8.82 | -16.48 |
| 165 | 0.14 | -4.97 | -2.06 | 0.90  | 0.44  | 0.88  | 0.36  | -2.49 | -2.20 | -3.08  | -4.59  | -7.63 | -16.48 |
| 180 | 0.17 | -4.94 | -2.58 | 1.26  | 0.83  | 1.25  | -1.03 | -2.85 | -4.45 | -5.34  | -5.77  | -6.84 | -16.48 |
| 195 | 0.27 | -4.11 | -2.54 | 1.09  | 0.27  | 1.10  | -1.59 | -4.75 | -7.64 | -7.31  | -6.94  | -7.42 | -16.48 |
| 210 | 0.24 | -2.87 | -1.27 | 1.50  | 0.32  | 1.05  | -1.07 | -4.22 | -6.46 | -5.51  | -7.37  | -8.41 | -16.48 |
| 225 | 0.37 | -1.69 | -0.49 | 1.27  | -0.06 | 0.35  | -2.59 | -5.20 | -4.34 | -4.92  | -8.38  | -9.39 | -16.48 |
| 240 | 0.35 | -0.96 | 0.23  | 1.84  | -0.54 | -1.39 | -3.13 | -4.71 | -5.99 | -6.63  | -7.14  | -9.48 | -16.48 |
| 255 | 0.23 | -0.82 | -0.22 | 1.33  | -1.67 | -3.01 | -3.27 | -5.43 | -6.54 | -7.77  | -7.42  | -8.18 | -16.48 |
| 270 | 0.17 | -1.09 | -1.98 | 0.12  | -1.10 | -2.41 | -4.92 | -5.95 | -8.54 | -11.91 | -11.93 | -7.93 | -16.48 |
| 285 | 0.16 | -1.20 | -1.31 | 2.12  | 1.66  | 1.04  | -0.68 | -3.45 | -8.00 | -9.56  | -9.46  | -8.29 | -16.48 |
| 300 | 0.12 | -0.99 | 0.15  | 2.66  | 2.01  | 1.72  | -0.85 | -2.79 | -7.93 | -9.49  | -8.15  | -8.11 | -16.48 |
| 315 | 0.30 | -0.51 | 0.70  | 2.01  | 2.54  | 2.08  | -0.19 | -1.12 | -4.10 | -7.66  | -9.71  | -8.31 | -16.48 |
| 330 | 0.31 | -0.02 | 1.39  | 1.71  | 2.18  | 1.42  | -0.93 | -1.51 | -4.87 | -7.89  | -7.88  | -9.29 | -16.48 |
| 345 | 0.16 | 0.18  | 2.16  | 2.08  | 0.87  | 1.85  | 0.16  | -3.09 | -7.54 | -7.91  | -7.25  | -9.96 | -16.48 |

| Ant3      |       |       |       |       |        |       |        |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|
| Freq      | 5300  |       |       |       |        |       |        |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75    | 90     | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | -0.97 | -0.42 | 0.92  | 1.31  | -3.89  | -1.55 | -3.75  | -9.72  | -8.61  | -12.7  | -8.34  | -10.35 | -12.61 |
| 15        | -0.8  | -0.44 | -0.99 | 0.18  | -5.05  | -5.36 | -9.54  | -15.26 | -7.01  | -11.48 | -12.86 | -8.1   | -12.61 |
| 30        | -0.59 | -0.39 | -4.21 | -4.61 | -10.71 | -7.12 | -8.21  | -11.95 | -8.86  | -8.83  | -15.4  | -6.65  | -12.61 |
| 45        | -0.55 | 0.03  | -3    | -4.05 | -6.01  | -3.77 | -8.08  | -9.31  | -6.13  | -4.68  | -16.8  | -6.89  | -12.61 |
| 60        | -0.55 | 0.51  | -0.36 | 0.18  | -3.44  | -2.12 | -5.39  | -8.83  | -7.94  | -5.33  | -9.64  | -8.52  | -12.61 |
| 75        | -0.82 | 0.54  | -0.36 | -0.72 | -2.53  | -1.96 | -4.13  | -8.31  | -6.15  | -5.94  | -10.11 | -9.53  | -12.61 |
| 90        | -0.95 | -0.56 | -1.91 | -0.98 | 0.55   | 2.45  | 0.12   | -4.31  | -6.11  | -6.08  | -15.64 | -12.61 | -12.61 |
| 105       | -0.82 | -2.07 | -1.02 | -0.11 | -2.05  | 0.8   | -2.31  | -3.59  | -6.99  | -6.21  | -18.5  | -11.15 | -12.61 |
| 120       | -0.63 | -3.04 | -0.59 | -0.29 | -2.28  | 1.42  | -1.84  | -2.95  | -6.88  | -6.53  | -10.99 | -7.09  | -12.61 |
| 135       | -0.52 | -3.7  | -1.95 | -1.84 | -1.12  | 2.01  | 1.45   | -0.93  | -3.48  | -3.35  | -6.02  | -4.63  | -12.61 |
| 150       | -0.41 | -3.59 | -3.28 | -2.12 | -0.75  | 1.72  | 1.8    | 0.14   | -0.17  | -1.95  | -2.32  | -4.36  | -12.61 |
| 165       | -0.49 | -3.67 | -3.45 | -0.91 | 0      | -0.04 | -0.19  | -1.4   | -0.8   | -2.15  | -1.75  | -2.95  | -12.61 |
| 180       | -0.58 | -4.27 | -2.9  | 0.35  | 0.07   | 1.15  | -0.51  | -3.74  | -5.48  | -4.31  | -3.26  | -2.14  | -12.61 |
| 195       | -0.62 | -4.8  | -2.72 | 1.63  | -0.05  | 0.63  | -2.17  | -4.88  | -7.89  | -7.59  | -5.4   | -2.85  | -12.61 |
| 210       | -0.64 | -4.51 | -2.12 | 2.93  | 1.42   | 1.83  | -0.97  | -4.78  | -6.69  | -5.56  | -5.24  | -4.08  | -12.61 |
| 225       | -0.43 | -2.93 | -1.66 | 2.38  | 1.51   | 2.24  | -1.55  | -4.68  | -4.43  | -6.88  | -6.31  | -5.62  | -12.61 |
| 240       | -0.37 | -1.58 | 0.38  | 2.37  | 0.16   | -1.46 | -3.59  | -7.92  | -9.19  | -6.67  | -7.63  | -7.01  | -12.61 |
| 255       | -0.52 | -1.16 | 1.45  | 3.11  | 0.11   | -1.65 | -4.15  | -9.35  | -7.63  | -6.34  | -4.34  | -6.78  | -12.61 |
| 270       | -0.59 | -1.16 | -0.02 | 0.75  | -2.6   | -4.92 | -13.43 | -10.61 | -9.65  | -12.88 | -7.04  | -6.37  | -12.61 |
| 285       | -0.6  | -1.36 | -0.91 | 0.81  | 0.4    | -1.08 | -5.5   | -8.1   | -13.94 | -8.06  | -10.41 | -7.66  | -12.61 |
| 300       | -0.6  | -1.26 | 0.39  | 2.34  | 1.57   | 0.11  | -4.39  | -3.04  | -11    | -13.23 | -9.15  | -8.91  | -12.61 |
| 315       | -0.45 | -0.87 | 0.98  | 2.35  | 3.01   | 1.34  | -1.82  | 0.15   | -4.09  | -9.22  | -9.38  | -8.45  | -12.61 |
| 330       | -0.51 | -0.71 | 1.32  | 3.1   | 3.53   | 2.16  | -2.07  | -1.48  | -5.19  | -11.02 | -5.87  | -10.67 | -12.61 |
| 345       | -0.85 | -0.78 | 1.33  | 2.33  | 0.9    | 1.62  | -1.43  | -7.36  | -7.88  | -12.51 | -5.94  | -12.44 | -12.61 |

| Ant4      |      |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 5300 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 1.2  | -0.67 | 2.75  | 3.43  | 1.8   | 2.26  | -1.51 | -6.38  | -6.8   | -13.97 | -14.46 | -9.41  | -25.84 |
| 15        | 1.04 | -0.33 | 1.14  | 1.53  | -2.27 | -1.43 | -3.03 | -4.1   | -7.34  | -8.99  | -20.58 | -13.87 | -25.84 |
| 30        | 0.99 | -0.02 | -0.88 | -1.55 | -4.51 | -3.45 | -4.01 | -5.7   | -6.06  | -7.72  | -13.57 | -21.86 | -25.84 |
| 45        | 1.06 | 0.23  | -0.42 | 0.33  | -1.32 | -1.39 | -1.5  | -3.51  | -9.89  | -7.7   | -8.01  | -13.97 | -25.84 |
| 60        | 1.13 | 0.05  | 0.24  | 1.41  | -1.23 | -1.7  | -4.16 | -7.23  | -6.49  | -5.08  | -8.47  | -9.3   | -25.84 |
| 75        | 1.18 | -0.86 | -2.11 | -2.76 | -2.92 | -1.54 | -2.05 | -3.56  | -5.76  | -16.11 | -8.01  | -7.19  | -25.84 |
| 90        | 1.19 | -1.86 | -1.75 | -0.68 | -0.04 | -1.43 | -4.65 | -7.82  | -8.7   | -12    | -10.49 | -6.62  | -25.84 |
| 105       | 1.08 | -2.58 | 0.99  | 2.55  | 1.65  | 1.13  | 0.17  | -2.74  | -4.78  | -5.75  | -15.29 | -7.33  | -25.84 |
| 120       | 1.04 | -2.79 | 1.12  | 1.52  | 1.61  | 0.95  | -3.51 | -5.2   | -10.61 | -6.87  | -7.85  | -8.54  | -25.84 |
| 135       | 1.03 | -2.82 | -0.71 | -0.75 | 0.04  | -0.73 | -5.8  | -10.11 | -9.16  | -9.84  | -6.07  | -10.11 | -25.84 |
| 150       | 0.98 | -2.98 | -2.46 | -1.35 | -1.18 | 0.37  | -3.74 | -9.67  | -5.82  | -7.96  | -10.48 | -13.14 | -25.84 |
| 165       | 0.95 | -2.99 | -2.53 | 0.49  | -0.66 | 1.17  | -0.71 | -5.36  | -7.33  | -4.92  | -9.04  | -17.87 | -25.84 |
| 180       | 0.99 | -2.42 | -2.33 | 1.56  | 0.82  | 0.94  | -2.24 | -2.13  | -3.36  | -8.13  | -10.1  | -21.64 | -25.84 |
| 195       | 1.06 | -1.72 | -1.35 | 0.04  | -0.16 | 1.13  | -1.87 | -5.25  | -7.72  | -6.94  | -7.51  | -25.17 | -25.84 |
| 210       | 1.2  | -1.16 | -0.41 | -0.63 | -2.9  | -1.37 | -3.12 | -5.04  | -10.41 | -6.58  | -10.33 | -25.84 | -25.84 |
| 225       | 1.21 | -0.76 | -1.23 | -2.34 | -7.57 | -4.64 | -3.33 | -5.75  | -4.42  | -3.92  | -12.53 | -14.44 | -25.84 |
| 240       | 1.22 | -0.64 | -1.12 | -0.11 | -2.45 | -2.31 | -3.7  | -3.36  | -6.23  | -9.1   | -9.89  | -10.18 | -25.84 |
| 255       | 1.1  | -1.19 | -1.57 | 0.37  | -4.57 | -5.01 | -4.01 | -5.3   | -6.19  | -8.15  | -15.12 | -9.7   | -25.84 |
| 270       | 0.99 | -2.37 | -2.87 | 1.14  | -0.99 | -0.81 | -1.8  | -2.64  | -6.96  | -9.02  | -16.57 | -11.09 | -25.84 |
| 285       | 1.02 | -3.93 | -1.63 | 3.16  | 0.96  | 0.96  | -0.4  | -2.22  | -6.66  | -10.42 | -11.5  | -10.3  | -25.84 |
| 300       | 1.16 | -4.52 | -0.51 | 2.7   | 1.36  | 2.73  | 1.69  | -1.55  | -5.5   | -9.57  | -9.79  | -8.73  | -25.84 |
| 315       | 1.25 | -3.72 | 0     | 0.48  | 0.84  | 2.19  | 0.37  | -2.47  | -4.41  | -6.73  | -8.69  | -8.88  | -25.84 |
| 330       | 1.36 | -2.42 | 1.1   | -1.63 | -0.78 | 0.83  | -1.44 | -2.18  | -5.33  | -8.91  | -8.1   | -9.62  | -25.84 |
| 345       | 1.32 | -1.34 | 2.45  | 1.41  | 0.48  | 2.22  | 1.27  | -0.57  | -6.07  | -9.01  | -8.89  | -8.86  | -25.84 |

| 5300MHz Composite Gain |      |       |       |       |       |       |       |       |       |        |        |        |        |
|------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Freq                   | 5300 |       |       |       |       |       |       |       |       |        |        |        |        |
| Phi\Theta              | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165    | 180    |
| 0                      | 0.25 | -0.54 | 1.93  | 2.50  | -0.17 | 0.76  | -2.49 | -7.74 | -7.61 | -13.29 | -10.40 | -9.85  | -15.42 |
| 15                     | 0.22 | -0.38 | 0.20  | 0.91  | -3.44 | -2.96 | -5.16 | -6.79 | -7.17 | -10.06 | -15.19 | -10.09 | -15.42 |
| 30                     | 0.27 | -0.20 | -2.23 | -2.82 | -6.59 | -4.91 | -5.62 | -7.79 | -7.24 | -8.24  | -14.39 | -9.53  | -15.42 |
| 45                     | 0.33 | 0.13  | -1.52 | -1.33 | -3.06 | -2.42 | -3.65 | -5.51 | -7.62 | -5.93  | -10.48 | -9.12  | -15.42 |
| 60                     | 0.37 | 0.29  | -0.05 | 0.84  | -2.20 | -1.90 | -4.73 | -7.96 | -7.15 | -5.20  | -9.02  | -8.89  | -15.42 |
| 75                     | 0.29 | -0.10 | -1.15 | -1.62 | -2.72 | -1.74 | -2.97 | -5.32 | -5.95 | -8.55  | -8.93  | -8.20  | -15.42 |
| 90                     | 0.25 | -1.16 | -1.83 | -0.83 | 0.27  | 0.93  | -1.64 | -5.72 | -7.21 | -8.10  | -12.34 | -8.66  | -15.42 |
| 105                    | 0.23 | -2.32 | 0.10  | 1.42  | 0.18  | 0.97  | -0.90 | -3.14 | -5.75 | -5.97  | -16.60 | -8.83  | -15.42 |
| 120                    | 0.28 | -2.91 | 0.35  | 0.71  | 0.09  | 1.19  | -2.60 | -3.93 | -8.36 | -6.70  | -9.14  | -7.75  | -15.42 |
| 135                    | 0.32 | -3.24 | -1.29 | -1.26 | -0.50 | 0.85  | -0.81 | -3.45 | -5.45 | -5.48  | -6.04  | -6.56  | -15.42 |
| 150                    | 0.34 | -3.27 | -2.85 | -1.72 | -0.96 | 1.10  | -0.14 | -2.44 | -2.13 | -3.99  | -4.71  | -6.83  | -15.42 |
| 165                    | 0.29 | -3.32 | -2.97 | -0.15 | -0.32 | 0.61  | -0.44 | -2.94 | -2.94 | -3.32  | -4.02  | -5.82  | -15.42 |

|     |      |       |       |      |       |       |       |       |       |        |        |        |        |
|-----|------|-------|-------|------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| 180 | 0.28 | -3.25 | -2.61 | 1.00 | 0.46  | 1.05  | -1.29 | -2.86 | -4.29 | -5.81  | -5.45  | -5.10  | -15.42 |
| 195 | 0.30 | -2.99 | -1.98 | 0.91 | -0.10 | 0.89  | -2.02 | -5.06 | -7.80 | -7.25  | -6.33  | -5.83  | -15.42 |
| 210 | 0.38 | -2.52 | -1.18 | 1.50 | -0.22 | 0.52  | -1.91 | -4.91 | -8.16 | -6.04  | -7.08  | -7.06  | -15.42 |
| 225 | 0.47 | -1.71 | -1.44 | 0.63 | -0.99 | 0.04  | -2.35 | -5.18 | -4.42 | -5.15  | -8.39  | -8.09  | -15.42 |
| 240 | 0.50 | -1.08 | -0.31 | 1.30 | -0.95 | -1.86 | -3.64 | -5.07 | -7.46 | -7.72  | -8.61  | -8.31  | -15.42 |
| 255 | 0.37 | -1.17 | 0.20  | 1.95 | -1.63 | -3.01 | -4.08 | -6.87 | -6.85 | -7.15  | -7.00  | -8.00  | -15.42 |
| 270 | 0.27 | -1.72 | -1.22 | 0.95 | -1.72 | -2.40 | -4.52 | -5.01 | -8.10 | -10.53 | -9.59  | -8.12  | -15.42 |
| 285 | 0.29 | -2.46 | -1.26 | 2.14 | 0.69  | 0.06  | -2.24 | -4.23 | -8.93 | -9.08  | -10.92 | -8.78  | -15.42 |
| 300 | 0.37 | -2.59 | -0.04 | 2.52 | 1.47  | 1.61  | -0.36 | -2.23 | -7.43 | -11.03 | -9.46  | -8.82  | -15.42 |
| 315 | 0.48 | -2.07 | 0.52  | 1.51 | 2.06  | 1.79  | -0.59 | -0.97 | -4.25 | -7.80  | -9.02  | -8.66  | -15.42 |
| 330 | 0.52 | -1.48 | 1.21  | 1.35 | 1.89  | 1.55  | -1.74 | -1.82 | -5.26 | -9.84  | -6.84  | -10.11 | -15.42 |
| 345 | 0.37 | -1.05 | 1.93  | 1.89 | 0.70  | 1.93  | 0.13  | -2.75 | -6.88 | -10.42 | -7.17  | -10.29 | -15.42 |

| Ant3      |       |       |       |       |        |        |        |        |        |        |        |       |       |
|-----------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| Freq      | 5600  |       |       |       |        |        |        |        |        |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60     | 75     | 90     | 105    | 120    | 135    | 150    | 165   | 180   |
| 0         | -3.39 | -1.01 | -0.06 | 0.08  | -6.7   | -5.88  | -7.5   | -11.93 | -8.72  | -12.27 | -10.09 | -8.06 | -9.66 |
| 15        | -3.37 | -0.86 | -1.96 | -1.48 | -8.73  | -8.39  | -11.3  | -15.73 | -6.77  | -10.19 | -14.67 | -7.02 | -9.66 |
| 30        | -3.21 | -0.53 | -4.21 | -4.81 | -10.37 | -10.36 | -10.57 | -8.35  | -5.08  | -5.43  | -19.84 | -5.85 | -9.66 |
| 45        | -3.28 | -0.15 | -1.28 | -2    | -5.94  | -6.93  | -11.21 | -12.27 | -5.75  | -3.8   | -15.64 | -6.79 | -9.66 |
| 60        | -3.36 | 0.12  | 0.55  | -1.2  | -7.1   | -7.26  | -6.06  | -8.36  | -5.83  | -3.17  | -9.22  | -8.5  | -9.66 |
| 75        | -3.29 | 0.13  | -0.29 | -2.96 | -0.15  | 0.1    | -0.72  | -3.95  | -4.95  | -7.13  | -11.56 | -9.57 | -9.66 |
| 90        | -3.33 | -0.96 | 0.02  | 1.04  | 1.51   | 2.21   | -0.76  | -2.94  | -6.33  | -10.26 | -17.19 | -9.66 | -9.66 |
| 105       | -3.38 | -2.73 | -0.75 | -0.83 | -0.76  | 0.37   | -3.25  | -5.18  | -4.99  | -7.63  | -13.05 | -6.73 | -9.66 |
| 120       | -3.42 | -4.19 | -3.13 | -2.71 | -1.57  | 1.6    | -3.69  | -4.09  | -6.23  | -5.6   | -9.91  | -3.46 | -9.66 |
| 135       | -3.65 | -4.97 | -3.84 | -3.45 | -1.42  | 2.24   | 1.54   | 0.3    | -2.28  | -2.92  | -5.05  | -1.1  | -9.66 |
| 150       | -3.76 | -4.48 | -1.85 | -1.31 | -0.66  | 0.34   | 1.9    | 1.45   | 0.9    | -0.68  | -1.79  | -1.04 | -9.66 |
| 165       | -3.68 | -3.86 | -0.68 | 1.75  | 1.92   | -0.2   | -1.51  | -3.56  | 0.57   | -0.82  | -1     | -0.64 | -9.66 |
| 180       | -3.44 | -3.28 | -0.3  | 2.92  | 3.49   | 2.4    | -0.27  | -2.44  | -2.34  | -6.32  | -2.73  | -0.07 | -9.66 |
| 195       | -3.28 | -3.14 | -0.72 | 2.76  | 2.49   | 2.22   | -1.6   | -4.26  | -5.19  | -10.66 | -5.16  | -0.57 | -9.66 |
| 210       | -3.55 | -3.02 | -0.88 | 1.8   | 0.96   | 0.68   | -1.49  | -4.76  | -4.45  | -4.99  | -4.19  | -1.22 | -9.66 |
| 225       | -3.47 | -2.43 | 0.82  | 2.99  | 2.46   | 2.66   | 0.34   | -2.8   | -2.22  | -3.57  | -3.57  | -2.61 | -9.66 |
| 240       | -3.41 | -1.79 | 1.83  | 3.56  | 0.52   | -3.51  | -5.74  | -6.82  | -7.15  | -6.65  | -5.23  | -5.07 | -9.66 |
| 255       | -3.48 | -1.67 | 2.91  | 2.94  | -0.1   | -2.52  | -3.29  | -7.59  | -8.66  | -4.86  | -4.25  | -7.18 | -9.66 |
| 270       | -3.49 | -1.92 | 2.56  | 2.53  | -1.46  | -3.4   | -6.79  | -7.78  | -14.2  | -8.32  | -3.86  | -8.18 | -9.66 |
| 285       | -3.28 | -2.49 | 0.94  | 1.3   | 0.21   | -1.46  | -5.47  | -10.37 | -10.37 | -9.16  | -11.29 | -8.52 | -9.66 |
| 300       | -3.33 | -2.37 | 0.59  | 2.16  | 1.55   | 1.56   | -3.55  | -2.98  | -12.22 | -18.16 | -9.15  | -9.07 | -9.66 |
| 315       | -3.12 | -1.58 | 0.44  | 2.11  | 2.58   | 2.59   | -2.73  | 0.48   | -3.33  | -9.12  | -8.28  | -7.61 | -9.66 |
| 330       | -3.04 | -0.96 | 0.59  | 2.06  | 3.53   | 3.43   | -3.11  | -1.95  | -4.37  | -12.52 | -6.92  | -8.28 | -9.66 |
| 345       | -3.1  | -0.87 | 0.89  | 1.34  | 0.6    | 0.76   | -1.91  | -10.43 | -8.24  | -11.04 | -6.68  | -9.01 | -9.66 |

| Ant4 |      |  |  |  |  |  |  |  |  |  |  |  |  |
|------|------|--|--|--|--|--|--|--|--|--|--|--|--|
| Freq | 5600 |  |  |  |  |  |  |  |  |  |  |  |  |



| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| 0         | -2.93 | -1.55 | 0.4   | 0.89  | 2.33  | 2.94  | 2.17  | 0.4   | -7.11  | -2.23  | -12.71 | -7.95  | -14.93 |
| 15        | -2.75 | -2.22 | 1.74  | 2.75  | 2.67  | 1.99  | -1.26 | -4.98 | -3.69  | -5.1   | -14.34 | -6.12  | -14.93 |
| 30        | -2.66 | -2.21 | 2.71  | 2.49  | -0.95 | -1.82 | -2.43 | -4.04 | -6.18  | -2.64  | -9.03  | -6.63  | -14.93 |
| 45        | -2.72 | -1.35 | 2.87  | 3.07  | 0.81  | 1.07  | -3.45 | -2.93 | -4.75  | -10.84 | -8     | -11.49 | -14.93 |
| 60        | -2.77 | -0.92 | 1.5   | 2.72  | 1.13  | 0.12  | -3.45 | -8.2  | -6.36  | -3.5   | -5.41  | -11.8  | -14.93 |
| 75        | -2.98 | -1.24 | -0.87 | 3.55  | 0.63  | -4.44 | -7.32 | -8.78 | -10.73 | -5.12  | -8.02  | -9.42  | -14.93 |
| 90        | -2.83 | -1.85 | 0.09  | 3.37  | -0.1  | -1.69 | -3.24 | -4.37 | -3.12  | -7.79  | -10.79 | -9.26  | -14.93 |
| 105       | -2.68 | -2.15 | 1.72  | 2.88  | 2.25  | 3.17  | 0.71  | -1.95 | -4.3   | -7.08  | -14.67 | -8.23  | -14.93 |
| 120       | -2.57 | -2.09 | 1.26  | 0.51  | -1.77 | -0.01 | -2.17 | -2.59 | -5.31  | -5.47  | -8.15  | -8.31  | -14.93 |
| 135       | -2.69 | -2.03 | -0.62 | -1.11 | -3.44 | -2.2  | -5.07 | -9.48 | -12.88 | -6.44  | -10.88 | -9.15  | -14.93 |
| 150       | -2.9  | -2.19 | -1.56 | 0.26  | -2.58 | 0.71  | -1.82 | -12.2 | -13.76 | -11.34 | -11.22 | -11.25 | -14.93 |
| 165       | -3.42 | -2.39 | -2.31 | 1.06  | -1.83 | -0.18 | -0.18 | -3.01 | -10.62 | -3.67  | -5.8   | -11.87 | -14.93 |
| 180       | -3.92 | -1.97 | -3.77 | -4.88 | -1.74 | -0.8  | -6.82 | -3.51 | -0.42  | -5.44  | -6.66  | -10.83 | -14.93 |
| 195       | -4.15 | -1.39 | -3.71 | -5.73 | -5.95 | -2.27 | -1.68 | -5.92 | -13.06 | -9.55  | -11.78 | -9.24  | -14.93 |
| 210       | -4.01 | -1.11 | -5.38 | -4.94 | -0.97 | 0.46  | -1.35 | -1.55 | -4.22  | -2.92  | -6.28  | -10.21 | -14.93 |
| 225       | -4.16 | -0.99 | -3.53 | -7.92 | -6.25 | -6.46 | -3.12 | -2.74 | -6.64  | -6.54  | -12.26 | -14.08 | -14.93 |
| 240       | -4.08 | -1.29 | -3.25 | -8.7  | -8.68 | -5.52 | -6.64 | -5.07 | -3.59  | -2.47  | -4.9   | -14.93 | -14.93 |
| 255       | -3.95 | -1.93 | -6.67 | -6.13 | -0.62 | -1.27 | -3.44 | -2.61 | -4.37  | -9.03  | -11.88 | -12.08 | -14.93 |
| 270       | -4.05 | -2.95 | -4.76 | 0.65  | -0.86 | -4.1  | -3.62 | -4.82 | -7.68  | -9.03  | -9.23  | -13.02 | -14.93 |
| 285       | -4.24 | -3.98 | -1.67 | 0     | -4.5  | -4.72 | -2.6  | -8.08 | -7.91  | -8.83  | -13.67 | -13.93 | -14.93 |
| 300       | -4.12 | -3.93 | -1.21 | -4.74 | -1.23 | 1.88  | 1.18  | 0.36  | -2.04  | -9.6   | -7.9   | -14.29 | -14.93 |
| 315       | -4.2  | -3.21 | -2.22 | -1.71 | 0.57  | 0.95  | -1.67 | -2.16 | -3.82  | -9.09  | -5.43  | -11.24 | -14.93 |
| 330       | -3.91 | -2.34 | -1.65 | 1.43  | 2.7   | 3.62  | 1.86  | -4.43 | -7     | -9.57  | -6.78  | -8.26  | -14.93 |
| 345       | -3.46 | -1.67 | -0.37 | 0.13  | 2.72  | 2.59  | -0.74 | -1.74 | -1.28  | -4.84  | -8.4   | -7.41  | -14.93 |

| 5600MHz Composite Gain |       |       |       |       |       |       |       |       |       |        |        |       |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| Freq                   | 5600  |       |       |       |       |       |       |       |       |        |        |       |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165   | 180    |
| 0                      | -3.15 | -1.27 | 0.18  | 0.50  | -0.17 | 0.47  | -0.40 | -2.36 | -7.84 | -4.83  | -11.21 | -8.00 | -11.54 |
| 15                     | -3.05 | -1.49 | 0.27  | 1.13  | -0.04 | -0.64 | -3.86 | -7.64 | -4.96 | -6.94  | -14.50 | -6.55 | -11.54 |
| 30                     | -2.93 | -1.29 | 0.50  | 0.22  | -3.49 | -4.26 | -4.82 | -5.68 | -5.60 | -3.81  | -11.69 | -6.22 | -11.54 |
| 45                     | -2.99 | -0.71 | 1.27  | 1.24  | -1.37 | -1.30 | -5.79 | -5.46 | -5.22 | -6.03  | -10.32 | -8.53 | -11.54 |
| 60                     | -3.05 | -0.37 | 1.05  | 1.19  | -1.27 | -2.16 | -4.56 | -8.28 | -6.09 | -3.33  | -6.91  | -9.84 | -11.54 |
| 75                     | -3.13 | -0.50 | -0.57 | 1.42  | 0.26  | -1.60 | -2.87 | -5.73 | -6.94 | -6.01  | -9.44  | -9.49 | -11.54 |
| 90                     | -3.07 | -1.38 | 0.06  | 2.36  | 0.78  | 0.68  | -1.83 | -3.60 | -4.43 | -8.85  | -12.90 | -9.46 | -11.54 |
| 105                    | -3.02 | -2.43 | 0.66  | 1.41  | 1.00  | 1.99  | -0.83 | -3.27 | -4.63 | -7.35  | -13.78 | -7.42 | -11.54 |
| 120                    | -2.97 | -3.01 | -0.40 | -0.81 | -1.67 | 0.87  | -2.86 | -3.28 | -5.75 | -5.53  | -8.94  | -5.24 | -11.54 |
| 135                    | -3.14 | -3.26 | -1.94 | -2.12 | -2.31 | 0.56  | -0.61 | -2.28 | -4.93 | -4.33  | -7.05  | -3.48 | -11.54 |
| 150                    | -3.31 | -3.19 | -1.70 | -0.45 | -1.51 | 0.53  | 0.43  | -1.38 | -1.96 | -3.33  | -4.33  | -3.66 | -11.54 |
| 165                    | -3.55 | -3.06 | -1.42 | 1.42  | 0.44  | -0.19 | -0.79 | -3.28 | -2.12 | -2.02  | -2.77  | -3.33 | -11.54 |
| 180                    | -3.67 | -2.58 | -1.70 | 0.58  | 1.62  | 1.09  | -2.41 | -2.94 | -1.27 | -5.86  | -4.26  | -2.73 | -11.54 |
| 195                    | -3.69 | -2.18 | -1.96 | 0.32  | 0.06  | 0.53  | -1.64 | -5.01 | -7.54 | -10.07 | -7.31  | -3.03 | -11.54 |

|     |       |       |       |       |       |       |       |       |       |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| 210 | -3.77 | -1.96 | -2.57 | -0.38 | 0.10  | 0.57  | -1.42 | -2.86 | -4.33 | -3.83  | -5.11  | -3.71  | -11.54 |
| 225 | -3.80 | -1.65 | -0.83 | 0.32  | 0.00  | 0.15  | -1.05 | -2.77 | -3.89 | -4.81  | -6.03  | -5.32  | -11.54 |
| 240 | -3.73 | -1.53 | -0.01 | 0.80  | -2.00 | -4.40 | -6.17 | -5.86 | -5.02 | -4.08  | -5.06  | -7.65  | -11.54 |
| 255 | -3.71 | -1.80 | 0.35  | 0.44  | -0.35 | -1.85 | -3.36 | -4.42 | -6.01 | -6.46  | -6.57  | -8.97  | -11.54 |
| 270 | -3.76 | -2.40 | 0.29  | 1.69  | -1.15 | -3.74 | -4.92 | -6.05 | -9.82 | -8.66  | -5.76  | -9.96  | -11.54 |
| 285 | -3.73 | -3.17 | -0.17 | 0.70  | -1.54 | -2.79 | -3.80 | -9.08 | -8.97 | -8.99  | -12.32 | -10.43 | -11.54 |
| 300 | -3.71 | -3.08 | -0.22 | -0.04 | 0.38  | 1.72  | -0.57 | -1.00 | -4.65 | -12.04 | -8.48  | -10.94 | -11.54 |
| 315 | -3.63 | -2.32 | -0.69 | 0.61  | 1.69  | 1.85  | -2.17 | -0.64 | -3.57 | -9.10  | -6.63  | -9.06  | -11.54 |
| 330 | -3.45 | -1.60 | -0.39 | 1.76  | 3.13  | 3.53  | 0.05  | -3.02 | -5.49 | -10.80 | -6.85  | -8.27  | -11.54 |
| 345 | -3.28 | -1.25 | 0.31  | 0.78  | 1.79  | 1.77  | -1.29 | -4.20 | -3.49 | -6.92  | -7.46  | -8.14  | -11.54 |

| Ant3      |       |       |       |       |       |       |        |        |        |        |        |       |       |
|-----------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|-------|-------|
| Freq      | 5800  |       |       |       |       |       |        |        |        |        |        |       |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90     | 105    | 120    | 135    | 150    | 165   | 180   |
| 0         | -4.06 | -3.26 | -0.96 | -0.25 | -6.55 | -9.24 | -9.14  | -11.88 | -9.92  | -10.6  | -9.6   | -9.16 | -9.87 |
| 15        | -3.54 | -2.96 | -2.69 | -2.02 | -9.95 | -6.36 | -6.25  | -14.5  | -5.71  | -7.56  | -17.11 | -7.4  | -9.87 |
| 30        | -3.22 | -1.89 | -3.83 | -4.75 | -9.49 | -9.78 | -11.53 | -9.67  | -4.19  | -3.57  | -20.85 | -6.54 | -9.87 |
| 45        | -3.08 | -0.74 | 0.04  | -0.88 | -5.49 | -8.41 | -8.72  | -14.25 | -7.27  | -3.04  | -16.97 | -8.11 | -9.87 |
| 60        | -3.14 | -0.18 | 0.17  | -1.3  | -8.02 | -6.84 | -4.02  | -5.29  | -5.75  | -3.02  | -11.73 | -8.76 | -9.87 |
| 75        | -3.33 | -0.75 | -1.39 | -2.52 | 0.83  | 0.88  | -0.06  | -3.84  | -6.4   | -4.89  | -17.33 | -8.94 | -9.87 |
| 90        | -4.22 | -2.26 | -1.65 | 0.81  | 0.72  | 0.59  | -1.46  | -3.65  | -5.34  | -10.35 | -13.05 | -7.23 | -9.87 |
| 105       | -3.84 | -3.67 | -2.77 | -0.02 | -0.34 | -0.28 | -2.41  | -6.04  | -3.33  | -8.1   | -14.56 | -4.19 | -9.87 |
| 120       | -3.6  | -4.86 | -4.67 | -0.39 | -0.11 | 0.89  | -4.53  | -6.51  | -5.96  | -5.77  | -14.69 | -1.82 | -9.87 |
| 135       | -3.42 | -5.31 | -6.68 | -2.62 | -2.1  | 1.32  | 0.27   | 0.28   | -2.49  | -3.82  | -6.12  | -0.04 | -9.87 |
| 150       | -3.25 | -4.95 | -5.77 | -3.17 | -0.15 | 1.53  | 1.76   | 0.66   | 0.37   | -1.82  | -2.33  | 0.12  | -9.87 |
| 165       | -3.24 | -4.2  | -2.8  | -0.7  | 2.16  | 2.46  | 1.5    | -2.63  | -1.49  | -2.34  | -1.75  | 0.01  | -9.87 |
| 180       | -3.57 | -3.97 | -0.78 | 3     | 3.93  | 3.22  | 1.02   | -2.59  | -1.76  | -5.64  | -4.11  | 0.21  | -9.87 |
| 195       | -3.64 | -4.07 | -0.88 | 2.71  | 3.08  | 2.83  | -0.49  | -4.03  | -1.9   | -9.82  | -7.2   | -0.01 | -9.87 |
| 210       | -3.71 | -3.83 | -1.75 | 0.78  | 0.31  | -0.45 | -2.81  | -5.21  | -5.27  | -6.92  | -5.28  | -0.07 | -9.87 |
| 225       | -3.63 | -3.38 | -0.78 | 1.2   | 1.88  | 1.28  | -0.36  | -2.15  | -1.45  | -2.78  | -3.1   | -1.25 | -9.87 |
| 240       | -3.48 | -2.37 | 1.24  | 1.6   | 1.09  | -2.03 | -7.35  | -6.31  | -6.48  | -7.77  | -4.43  | -3.78 | -9.87 |
| 255       | -3.41 | -1.67 | 1.74  | 2.73  | -0.45 | -5.34 | -7.14  | -8.7   | -11.11 | -6.33  | -4.61  | -6.08 | -9.87 |
| 270       | -3.43 | -1.72 | 1.72  | 2.61  | -1.26 | -2.79 | -4.88  | -5.11  | -14    | -8.37  | -3.67  | -6.55 | -9.87 |
| 285       | -3.36 | -2.33 | 1.18  | 2.46  | -0.39 | -1.03 | -3.88  | -7.75  | -10.01 | -9.99  | -8.65  | -7.34 | -9.87 |
| 300       | -3.32 | -3.45 | 0.56  | 3.05  | 0.25  | 1.98  | -1.96  | -3.45  | -13.67 | -17.96 | -9.93  | -9.58 | -9.87 |
| 315       | -3.27 | -4.02 | -0.55 | 1.17  | 1.11  | 2.21  | -3.11  | -1.22  | -4.05  | -10.64 | -8.48  | -9.87 | -9.87 |
| 330       | -3.36 | -3.85 | -1.43 | 0.89  | 2.3   | 2.43  | -4.44  | -4.14  | -4.09  | -13.5  | -7.16  | -9    | -9.87 |
| 345       | -3.51 | -3.45 | -1.18 | 0.18  | -1.15 | -1.53 | -3.76  | -9.67  | -7.52  | -11.7  | -6.53  | -8.23 | -9.87 |

| Ant4      |       |       |      |      |      |      |     |       |       |       |       |       |        |
|-----------|-------|-------|------|------|------|------|-----|-------|-------|-------|-------|-------|--------|
| Freq      | 5800  |       |      |      |      |      |     |       |       |       |       |       |        |
| Phi\Theta | 0     | 15    | 30   | 45   | 60   | 75   | 90  | 105   | 120   | 135   | 150   | 165   | 180    |
| 0         | -2.35 | -0.26 | 0.05 | -0.1 | 0.02 | 1.66 | 0.1 | -1.09 | -4.16 | -3.83 | -9.14 | -6.58 | -17.68 |

|     |       |       |       |       |       |       |       |        |       |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|--------|
| 15  | -2.53 | -0.71 | 0.67  | 1.75  | 1     | 0.76  | -1.14 | -4.55  | -7.97 | -4.63  | -11.91 | -5.24  | -17.68 |
| 30  | -2.59 | -2.2  | 0.48  | -0.16 | -0.95 | -2.78 | -3.68 | -3.38  | -7.91 | -7.37  | -9.26  | -5.27  | -17.68 |
| 45  | -2.64 | -3.4  | 1.18  | 0.72  | -3.51 | -4.26 | -6.39 | -6.45  | -7.31 | -8.98  | -15.07 | -8.94  | -17.68 |
| 60  | -2.52 | -2.98 | 0.84  | 2.2   | 1.4   | 0.59  | -1.38 | -7.51  | -8.44 | -7.63  | -11.15 | -14.32 | -17.68 |
| 75  | -1.99 | -2.3  | -1.57 | 1.4   | 2     | 1.19  | -2.18 | -4.15  | -9.89 | -5.16  | -8.99  | -11.13 | -17.68 |
| 90  | -1.54 | -2.16 | -6.01 | 1.73  | -0.04 | -2.51 | -9.66 | -12.62 | -8.68 | -12.45 | -9.73  | -8.1   | -17.68 |
| 105 | -1.67 | -2.17 | -2.91 | 2.01  | 1.73  | 0.68  | -0.83 | -2.81  | -5.29 | -9.2   | -18.08 | -5.85  | -17.68 |
| 120 | -1.88 | -2.28 | -1.34 | 0     | -1.89 | -0.63 | -2.45 | -5.23  | -4.4  | -6.88  | -9.27  | -6.73  | -17.68 |
| 135 | -2.21 | -2.19 | -1.77 | -1.64 | -1.46 | -2.6  | -3.89 | -5.56  | -8.7  | -6.56  | -8.82  | -9.72  | -17.68 |
| 150 | -2.47 | -1.65 | -1.27 | 1.21  | -1.13 | 0.72  | -0.04 | -8.76  | -7.24 | -12.46 | -7.66  | -12.44 | -17.68 |
| 165 | -2.31 | -0.72 | -1.46 | 2.13  | -0.38 | -1.71 | -0.49 | -4.44  | -9.4  | -4.16  | -6.42  | -11.53 | -17.68 |
| 180 | -2.01 | 0.18  | -2.6  | -2.51 | -3.93 | -0.08 | -3.25 | -7.6   | -3.56 | -8.94  | -14.07 | -9.8   | -17.68 |
| 195 | -2.02 | 0.64  | -2.01 | -2.36 | -2.72 | -2    | -2.75 | -3.19  | -6.44 | -7.76  | -10.03 | -9.61  | -17.68 |
| 210 | -2.11 | 0.54  | -0.7  | -7.13 | -4.78 | 0.17  | -1.75 | -3.11  | -8.26 | -5.13  | -6.52  | -12.96 | -17.68 |
| 225 | -2.27 | -0.47 | -0.26 | -2.45 | -3.86 | -3.53 | -3.45 | -3.27  | -4.62 | -4.26  | -8.69  | -17.68 | -17.68 |
| 240 | -2.39 | -2.15 | -2.38 | -4.07 | -7.03 | -5.75 | -4.85 | -6.48  | -5.66 | -7.27  | -7.79  | -11.82 | -17.68 |
| 255 | -2.73 | -3.23 | -1.79 | 0.43  | -0.47 | 0.27  | -1.66 | -2.06  | -3.84 | -4.54  | -10.27 | -10.88 | -17.68 |
| 270 | -2.92 | -3.32 | 0.03  | 2.13  | -4.12 | -7.75 | -6    | -5.68  | -8.78 | -16.04 | -9.1   | -15.05 | -17.68 |
| 285 | -2.97 | -2.6  | -0.74 | -1.72 | -2.04 | 0.58  | 2.1   | -0.01  | -4.84 | -8.48  | -8.85  | -13.85 | -17.68 |
| 300 | -2.86 | -2.05 | -1.88 | 0.35  | 2.91  | 3.7   | 2.08  | -1.2   | -3.2  | -5.16  | -7.89  | -12.02 | -17.68 |
| 315 | -2.7  | -1.9  | -2.1  | 2.69  | 1.86  | 2.46  | 0.25  | -2.45  | -4.2  | -5.78  | -8.42  | -10.8  | -17.68 |
| 330 | -2.44 | -1.42 | -3.18 | 1.96  | -0.03 | 1.39  | 1.04  | -0.55  | -4.11 | -9     | -11.79 | -9.81  | -17.68 |
| 345 | -2.38 | -0.86 | -1.66 | 1.3   | 2.28  | 2.43  | 0.41  | -3.74  | -3.12 | -5.86  | -7.28  | -8.48  | -17.68 |

| 5800MHz Composite Gain |       |       |       |       |       |       |       |       |       |        |        |        |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Freq                   | 5800  |       |       |       |       |       |       |       |       |        |        |        |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165    | 180    |
| 0                      | -3.12 | -1.51 | -0.43 | -0.17 | -2.13 | -1.01 | -2.42 | -3.75 | -6.15 | -6.01  | -9.36  | -7.68  | -12.21 |
| 15                     | -3.01 | -1.69 | -0.69 | 0.26  | -1.67 | -1.48 | -2.98 | -7.14 | -6.69 | -5.85  | -13.77 | -6.19  | -12.21 |
| 30                     | -2.89 | -2.04 | -1.16 | -1.87 | -3.39 | -5.00 | -6.03 | -5.47 | -5.66 | -5.07  | -11.98 | -5.86  | -12.21 |
| 45                     | -2.85 | -1.87 | 0.65  | -0.01 | -4.39 | -5.86 | -7.40 | -8.79 | -7.29 | -5.06  | -15.92 | -8.51  | -12.21 |
| 60                     | -2.82 | -1.36 | 0.52  | 0.79  | -1.14 | -1.70 | -2.50 | -6.26 | -6.89 | -4.74  | -11.43 | -10.71 | -12.21 |
| 75                     | -2.61 | -1.46 | -1.48 | -0.13 | 1.45  | 1.04  | -0.99 | -3.99 | -7.80 | -5.02  | -11.41 | -9.90  | -12.21 |
| 90                     | -2.68 | -2.21 | -3.30 | 1.29  | 0.36  | -0.69 | -3.86 | -6.14 | -6.70 | -11.27 | -11.08 | -7.64  | -12.21 |
| 105                    | -2.62 | -2.86 | -2.84 | 1.11  | 0.82  | 0.23  | -1.55 | -4.13 | -4.20 | -8.62  | -15.97 | -4.94  | -12.21 |
| 120                    | -2.66 | -3.38 | -2.69 | -0.19 | -0.91 | 0.20  | -3.37 | -5.82 | -5.11 | -6.29  | -11.18 | -3.62  | -12.21 |
| 135                    | -2.77 | -3.48 | -3.57 | -2.10 | -1.77 | -0.21 | -1.33 | -1.72 | -4.57 | -4.98  | -7.26  | -2.61  | -12.21 |
| 150                    | -2.84 | -2.99 | -2.96 | -0.45 | -0.61 | 1.14  | 0.95  | -1.88 | -1.95 | -4.47  | -4.22  | -2.66  | -12.21 |
| 165                    | -2.75 | -2.12 | -2.08 | 0.94  | 1.07  | 0.86  | 0.62  | -3.44 | -3.85 | -3.16  | -3.49  | -2.71  | -12.21 |
| 180                    | -2.72 | -1.42 | -1.60 | 1.07  | 1.58  | 1.88  | -0.61 | -4.41 | -2.57 | -6.98  | -6.70  | -2.39  | -12.21 |
| 195                    | -2.75 | -1.11 | -1.41 | 0.88  | 1.08  | 1.05  | -1.47 | -3.59 | -3.60 | -8.67  | -8.39  | -2.57  | -12.21 |
| 210                    | -2.84 | -1.12 | -1.19 | -1.58 | -1.53 | -0.13 | -2.25 | -4.03 | -6.51 | -5.93  | -5.86  | -2.86  | -12.21 |
| 225                    | -2.90 | -1.69 | -0.51 | -0.25 | -0.10 | -0.49 | -1.64 | -2.67 | -2.75 | -3.46  | -5.05  | -4.16  | -12.21 |

|     |       |       |       |       |       |       |       |       |        |        |       |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|--------|
| 240 | -2.90 | -2.26 | -0.20 | -0.37 | -1.30 | -3.50 | -5.92 | -6.39 | -6.05  | -7.51  | -5.79 | -6.16  | -12.21 |
| 255 | -3.06 | -2.38 | 0.32  | 1.73  | -0.46 | -1.69 | -3.59 | -4.22 | -6.10  | -5.34  | -6.58 | -7.85  | -12.21 |
| 270 | -3.17 | -2.45 | 0.96  | 2.38  | -2.46 | -4.60 | -5.40 | -5.39 | -10.65 | -10.69 | -5.59 | -8.99  | -12.21 |
| 285 | -3.16 | -2.46 | 0.33  | 0.85  | -1.14 | -0.15 | 0.07  | -2.34 | -6.70  | -9.17  | -8.75 | -9.47  | -12.21 |
| 300 | -3.08 | -2.69 | -0.49 | 1.91  | 1.78  | 2.92  | 0.51  | -2.18 | -5.84  | -7.95  | -8.79 | -10.63 | -12.21 |
| 315 | -2.98 | -2.83 | -1.26 | 2.00  | 1.50  | 2.34  | -1.11 | -1.79 | -4.12  | -7.56  | -8.45 | -10.31 | -12.21 |
| 330 | -2.88 | -2.47 | -2.22 | 1.46  | 1.29  | 1.94  | -0.89 | -1.98 | -4.10  | -10.69 | -8.89 | -9.39  | -12.21 |
| 345 | -2.91 | -1.96 | -1.41 | 0.78  | 0.90  | 0.89  | -1.19 | -5.76 | -4.79  | -7.86  | -6.89 | -8.35  | -12.21 |

| Ant5      |       |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 6125  |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0     | 1.48  | -0.45 | 0.08  | -0.25 | -3.8  | -5.69 | -4.2   | -4.67  | -9.27  | -13.15 | -12.36 | -13.67 |
| 15        | 0.31  | 0.78  | -3.52 | 0.61  | 0.36  | 1.1   | -3.16 | -6.16  | -7.49  | -7.25  | -10.6  | -11.73 | -13.67 |
| 30        | 0.48  | -0.03 | -3.83 | -1.5  | -4.62 | -6.05 | -8.9  | -15.9  | -8.14  | -6.5   | -12.71 | -7.49  | -13.67 |
| 45        | 0.51  | -0.87 | -1.64 | 0.41  | -5.33 | -4.35 | -2.75 | -7.32  | -7.36  | -9.01  | -12.18 | -6.11  | -13.67 |
| 60        | 0.49  | -0.88 | -2.64 | 0.23  | -2.56 | -3.76 | -5.34 | -10.13 | -10.99 | -12.2  | -7.77  | -6.85  | -13.67 |
| 75        | 0.24  | -0.08 | -2.13 | -2.2  | -3.28 | -4.93 | -4.42 | -5.26  | -12.29 | -11.03 | -6.13  | -10.58 | -13.67 |
| 90        | 0.07  | -0.06 | -2.2  | -5.13 | -8.6  | -3.51 | -1.6  | -8.29  | -7.58  | -12.08 | -11.4  | -10.14 | -13.67 |
| 105       | 0.21  | -0.93 | -1.1  | -0.46 | -3.79 | -1.87 | -3.18 | -6.04  | -10.53 | -9.45  | -16.33 | -7.66  | -13.67 |
| 120       | 0.34  | -2.32 | -0.62 | -0.88 | -1.19 | -0.25 | -2.26 | -8.9   | -7.02  | -17.04 | -10.58 | -8.59  | -13.67 |
| 135       | 0.45  | -4.17 | 0.16  | 0.72  | -0.49 | -0.03 | -3.65 | -7.1   | -9.61  | -6.25  | -15.39 | -13.01 | -13.67 |
| 150       | 0.7   | -5.53 | 0.44  | 1.51  | 1.23  | -0.29 | -4.7  | -11.64 | -5.41  | -6.45  | -12.16 | -13.67 | -13.67 |
| 165       | 0.78  | -3.88 | 0.18  | 2.01  | 2.81  | 1.68  | -1.39 | -4.46  | -4.51  | -10.5  | -13.02 | -8.83  | -13.67 |
| 180       | 0.59  | -1.38 | -0.46 | 1.55  | -0.86 | -0.67 | -4.44 | -9.48  | -7.29  | -10.88 | -8.39  | -7.59  | -13.67 |
| 195       | 0.37  | 0.38  | 0.91  | 3.39  | 4.9   | 0.25  | -4.03 | -11.55 | -6.91  | -9.9   | -7.47  | -7.65  | -13.67 |
| 210       | 0.29  | 1.1   | -0.04 | 2.21  | 1.91  | -0.06 | -1.41 | -1.06  | -2.3   | -2.59  | -10.35 | -5.6   | -13.67 |
| 225       | 0.24  | 1.2   | -1.87 | 1.53  | 3.12  | 2.24  | 1.05  | -2.89  | -3.37  | -3.23  | -14.64 | -5.08  | -13.67 |
| 240       | 0.42  | 0.95  | -0.58 | 0.88  | 1.58  | 2.48  | 3.14  | 1.15   | -2.66  | -9.81  | -9.36  | -8.18  | -13.67 |
| 255       | 0.55  | 0.38  | 0.74  | 2.6   | 0.66  | 0.04  | -1.41 | -3.64  | -4.57  | -9.19  | -10.81 | -9.17  | -13.67 |
| 270       | 0.53  | -0.3  | 1.84  | 3.25  | 1.02  | -0.62 | -2.05 | -4.17  | -4.35  | -5.16  | -9.09  | -7.8   | -13.67 |
| 285       | 0.47  | -0.51 | 2.16  | 1.59  | 1.4   | 1.78  | -0.39 | -3.03  | -5.88  | -4.54  | -4.5   | -8.63  | -13.67 |
| 300       | 0.44  | 0.07  | 1.5   | 2.24  | -0.26 | -0.66 | -3.5  | -4.53  | -5.35  | -12.01 | -7.56  | -9.13  | -13.67 |
| 315       | 0.31  | 1.14  | 0.71  | 0.84  | 0.47  | -1.06 | -6.62 | -10.96 | -11.97 | -10.08 | -11.14 | -9.35  | -13.67 |
| 330       | 0.19  | 1.84  | -0.8  | -2.04 | -0.4  | -2.11 | -3.43 | -4.41  | -5.88  | -10.63 | -22.9  | -10.69 | -13.67 |
| 345       | -0.01 | 1.96  | -0.1  | -0.2  | 1.16  | -1.07 | -3.04 | -2.78  | -4.32  | -12.03 | -13.08 | -11.75 | -13.67 |

| Ant6      |       |       |       |       |       |       |       |       |       |        |        |       |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|--------|
| Freq      | 6125  |       |       |       |       |       |       |       |       |        |        |       |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165   | 180    |
| 0         | -5.03 | -8.7  | -4.12 | -0.01 | -2.77 | -3.47 | -3.7  | -4.67 | -5.81 | -15.17 | -13.19 | -7.16 | -18.31 |
| 15        | -4.99 | -8.01 | -3.56 | 0.92  | 1.19  | 0.22  | -0.35 | -2.32 | -10   | -8.35  | -9.76  | -9.74 | -18.31 |

|     |       |       |       |       |       |       |       |       |        |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| 30  | -4.79 | -7    | -6.91 | 0.78  | 2.36  | 2.83  | 0.52  | -1.52 | -4.48  | -8.68  | -6.77  | -10.98 | -18.31 |
| 45  | -4.81 | -6.77 | -9.85 | -1.21 | 0.16  | 2.22  | 1.63  | -0.37 | -2.95  | -6.41  | -5.33  | -9.09  | -18.31 |
| 60  | -5.13 | -5.87 | -5.64 | 0.88  | 3.12  | 3.36  | 2.97  | 0.26  | -1.19  | -4.3   | -5.85  | -8.1   | -18.31 |
| 75  | -5.21 | -4.26 | -3.45 | 2.14  | 3.4   | 3.84  | 2.34  | 1.26  | -0.5   | -4.77  | -7.59  | -11.03 | -18.31 |
| 90  | -5.26 | -2.7  | -1.12 | 2.73  | 4.81  | 3.42  | 0.71  | -0.83 | -4.43  | -8.25  | -13.44 | -14.82 | -18.31 |
| 105 | -5.37 | -1.72 | 1.94  | 1.69  | 2.75  | 2.8   | -0.39 | -3.68 | -7.24  | -8.43  | -12.48 | -15.74 | -18.31 |
| 120 | -5.2  | -0.89 | 1.36  | 2.31  | 1.2   | 0.28  | -0.92 | -2.2  | -4.96  | -9.21  | -11.84 | -16.74 | -18.31 |
| 135 | -5.2  | -0.45 | -1.04 | 0.76  | -1.06 | -1.39 | -4.26 | -6.58 | -6.39  | -6.04  | -9.26  | -11.97 | -18.31 |
| 150 | -5.24 | -0.52 | -0.06 | -0.19 | -1.96 | -1.96 | -4.96 | -8.16 | -12    | -9.01  | -10.7  | -10.35 | -18.31 |
| 165 | -5.43 | -1.04 | 0.06  | -1.51 | -5.35 | -2.26 | -2.74 | -4.25 | -5.96  | -7.9   | -15.94 | -15.23 | -18.31 |
| 180 | -5.79 | -2.28 | -1.71 | -2.32 | -6.12 | -6.37 | -6.94 | -9.67 | -10.41 | -9.6   | -16.08 | -18.31 | -18.31 |
| 195 | -5.69 | -3.44 | -3.26 | -3.26 | -8.51 | -0.95 | -4.64 | -6.84 | -9.58  | -10.43 | -10.97 | -11.97 | -18.31 |
| 210 | -5.51 | -4.5  | -2.87 | -2.04 | -3.74 | 0.4   | -1.98 | -5.6  | -3.94  | -5.89  | -12.49 | -11.02 | -18.31 |
| 225 | -5.55 | -4.92 | -2.15 | -1.4  | -2.89 | -1.37 | -3.43 | -8.61 | -14.43 | -13.26 | -13.59 | -11.46 | -18.31 |
| 240 | -5.42 | -4.88 | -1.44 | -1.28 | -1.18 | -1.55 | -2.92 | -8    | -5.76  | -14.38 | -11.66 | -11.74 | -18.31 |
| 255 | -5.42 | -4.7  | 0.38  | -2    | 0.62  | 0.37  | -3.35 | -6.25 | -5.17  | -8.68  | -8.68  | -10.21 | -18.31 |
| 270 | -5.53 | -4.96 | -1.7  | -2.94 | -0.14 | -0.03 | -3.77 | -8.85 | -8.34  | -12.99 | -11.71 | -10.02 | -18.31 |
| 285 | -5.29 | -5.91 | -2.38 | -1.46 | -0.43 | -0.69 | -1.87 | -5.01 | -9.74  | -8.19  | -7.34  | -9.48  | -18.31 |
| 300 | -5.07 | -6.42 | -2.35 | -2.63 | -1    | -2.91 | -5.97 | -8.1  | -9.57  | -8.65  | -12.04 | -8.51  | -18.31 |
| 315 | -5.12 | -5.52 | -3.33 | -2.23 | -0.04 | -0.9  | -3.73 | -4.74 | -7.31  | -6.16  | -9.71  | -9.74  | -18.31 |
| 330 | -5.31 | -5.44 | -0.85 | 1.5   | 1.19  | 2.49  | -1.85 | -9.18 | -11.83 | -12.74 | -14.85 | -14.43 | -18.31 |
| 345 | -5.19 | -7.21 | -2.6  | 0.27  | -2.37 | -2.54 | -5.05 | -5.45 | -8.55  | -8.95  | -11.39 | -13.21 | -18.31 |

| 6125MHz Composite Gain |       |       |       |       |       |       |       |       |       |        |        |        |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Freq                   | 6125  |       |       |       |       |       |       |       |       |        |        |        |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165    | 180    |
| 0                      | -1.82 | -1.13 | -1.91 | 0.04  | -1.33 | -3.63 | -4.58 | -4.43 | -5.20 | -11.29 | -13.17 | -9.02  | -15.40 |
| 15                     | -1.58 | -1.69 | -3.54 | 0.77  | 0.79  | 0.68  | -1.53 | -3.83 | -8.57 | -7.77  | -10.16 | -10.62 | -15.40 |
| 30                     | -1.40 | -2.25 | -5.10 | -0.21 | 0.14  | 0.35  | -2.02 | -4.37 | -5.94 | -7.45  | -8.79  | -8.89  | -15.40 |
| 45                     | -1.38 | -2.89 | -4.04 | -0.32 | -1.77 | 0.07  | -0.03 | -2.58 | -4.62 | -7.52  | -7.52  | -7.35  | -15.40 |
| 60                     | -1.47 | -2.69 | -3.89 | 0.57  | 1.15  | 1.12  | 0.56  | -2.37 | -3.77 | -6.66  | -6.70  | -7.43  | -15.40 |
| 75                     | -1.68 | -1.69 | -2.74 | 0.49  | 1.23  | 1.37  | 0.16  | -0.88 | -3.23 | -6.86  | -6.80  | -10.80 | -15.40 |
| 90                     | -1.82 | -1.18 | -1.63 | 0.38  | 1.99  | 1.21  | -0.29 | -3.12 | -5.73 | -9.76  | -12.30 | -11.88 | -15.40 |
| 105                    | -1.74 | -1.31 | 0.68  | 0.75  | 0.61  | 1.06  | -1.56 | -4.70 | -8.58 | -8.91  | -13.99 | -10.04 | -15.40 |
| 120                    | -1.60 | -1.55 | 0.48  | 1.00  | 0.17  | 0.02  | -1.54 | -4.37 | -5.87 | -11.56 | -11.16 | -10.98 | -15.40 |
| 135                    | -1.51 | -1.92 | -0.40 | 0.74  | -0.77 | -0.66 | -3.94 | -6.83 | -7.71 | -6.14  | -11.32 | -12.46 | -15.40 |
| 150                    | -1.32 | -2.34 | 0.20  | 0.74  | -0.08 | -1.05 | -4.83 | -9.56 | -7.56 | -7.54  | -11.37 | -11.70 | -15.40 |
| 165                    | -1.30 | -2.23 | 0.12  | 0.60  | 0.42  | 0.14  | -2.01 | -4.35 | -5.17 | -9.01  | -14.24 | -10.94 | -15.40 |
| 180                    | -1.52 | -1.81 | -1.04 | 0.03  | -2.74 | -2.65 | -5.51 | -9.57 | -8.58 | -10.19 | -10.72 | -10.25 | -15.40 |
| 195                    | -1.68 | -1.12 | -0.69 | 1.23  | 2.08  | -0.31 | -4.32 | -8.59 | -8.04 | -10.16 | -8.88  | -9.29  | -15.40 |
| 210                    | -1.71 | -0.85 | -1.23 | 0.59  | -0.05 | 0.18  | -1.69 | -2.76 | -3.04 | -3.93  | -11.29 | -7.51  | -15.40 |
| 225                    | -1.75 | -0.86 | -2.01 | 0.31  | 1.08  | 0.80  | -0.64 | -4.87 | -6.05 | -5.83  | -14.08 | -7.19  | -15.40 |
| 240                    | -1.58 | -1.05 | -0.99 | -0.07 | 0.42  | 0.92  | 1.09  | -1.36 | -3.94 | -11.52 | -10.36 | -9.61  | -15.40 |

|     |       |       |       |       |       |       |       |       |       |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| 255 | -1.48 | -1.46 | 0.56  | 0.88  | 0.64  | 0.21  | -2.27 | -4.75 | -4.86 | -8.93  | -9.62  | -9.66  | -15.40 |
| 270 | -1.52 | -2.03 | 0.42  | 1.18  | 0.48  | -0.31 | -2.83 | -5.91 | -5.90 | -7.51  | -10.21 | -8.77  | -15.40 |
| 285 | -1.52 | -2.42 | 0.46  | 0.33  | 0.58  | 0.72  | -1.07 | -3.91 | -7.39 | -5.99  | -5.69  | -9.03  | -15.40 |
| 300 | -1.49 | -2.06 | -0.01 | 0.45  | -0.61 | -1.64 | -4.56 | -5.96 | -6.97 | -10.01 | -9.25  | -8.81  | -15.40 |
| 315 | -1.61 | -1.02 | -0.86 | -0.43 | 0.22  | -0.98 | -4.94 | -6.82 | -9.04 | -7.69  | -10.37 | -9.54  | -15.40 |
| 330 | -1.74 | -0.43 | -0.82 | 0.08  | 0.47  | 0.77  | -2.57 | -6.17 | -7.91 | -11.56 | -17.23 | -12.17 | -15.40 |
| 345 | -1.87 | -0.55 | -1.17 | 0.04  | -0.26 | -1.74 | -3.93 | -3.91 | -5.94 | -10.22 | -12.15 | -12.42 | -15.40 |

| Ant5      |       |       |       |       |       |       |        |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| Freq      | 6425  |       |       |       |       |       |        |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90     | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | 0.68  | 2.76  | 0.9   | -2.88 | -1.95 | -5.44 | -4.95  | -3.87  | -6.64  | -11.1  | -10.34 | -9.02  | -17.32 |
| 15        | 0.89  | 2.02  | -2.13 | -0.69 | 0.44  | 1.47  | -1.67  | -8.16  | -9.14  | -8     | -12.76 | -7.53  | -17.32 |
| 30        | 0.93  | 1.87  | -4.24 | 0.24  | -2.55 | -1.94 | -4.39  | -13.56 | -11.23 | -7.45  | -11.38 | -9.19  | -17.32 |
| 45        | 0.85  | 1.44  | -2.94 | -0.94 | -3.48 | -5.81 | -3.67  | -7.64  | -9.69  | -10.99 | -17.2  | -9.14  | -17.32 |
| 60        | 0.7   | 1.84  | -0.47 | -1.98 | -3.46 | -2.87 | -3.97  | -11.5  | -10.21 | -11.62 | -11.7  | -9.36  | -17.32 |
| 75        | 0.65  | 1     | 1.32  | 0.38  | -2.49 | -3.16 | -4.57  | -6.53  | -12.28 | -9.67  | -9.9   | -10.13 | -17.32 |
| 90        | 0.7   | -0.5  | 0.43  | 1.19  | -2.06 | -1.82 | -1.66  | -6.06  | -12.08 | -14.1  | -7.84  | -11.64 | -17.32 |
| 105       | 0.92  | -2.07 | -0.92 | 1.23  | -0.2  | 0.83  | -1.35  | -6.28  | -9.59  | -11.23 | -13.8  | -11.52 | -17.32 |
| 120       | 1.12  | -2.46 | -0.59 | -1.86 | -1.96 | -3.54 | -5.46  | -14.49 | -12.26 | -9.62  | -9.7   | -11.97 | -17.32 |
| 135       | 1.16  | -1.63 | 1.02  | 0.25  | -0.79 | -1.71 | -5.44  | -6.85  | -8.42  | -7.59  | -16.17 | -10    | -17.32 |
| 150       | 1.06  | 0.3   | -0.27 | -8.41 | 0.68  | -1    | -3.14  | -5.24  | -6.69  | -6.03  | -11.81 | -7.59  | -17.32 |
| 165       | 0.94  | 0.69  | -2.16 | -0.62 | -2.89 | -2.51 | -4.16  | -3.63  | -8.96  | -8.44  | -11.22 | -7.44  | -17.32 |
| 180       | 0.61  | 1.57  | 0.17  | -0.44 | -4.5  | -3.12 | -3.62  | -6.79  | -12.83 | -8     | -6.87  | -7.94  | -17.32 |
| 195       | 0.32  | 1.37  | 0.32  | 1.6   | 0.55  | 0.32  | -0.48  | -1.85  | -3.98  | -5.37  | -5.91  | -9.68  | -17.32 |
| 210       | 0.21  | 1.95  | 0.12  | 1.54  | 0.3   | -1.14 | -1.39  | -5.32  | -2.59  | -3.48  | -5.32  | -9.59  | -17.32 |
| 225       | 0.31  | 0.92  | 0.81  | 1.8   | 1.93  | 0.63  | 2.21   | -1.55  | -8.31  | -2.85  | -7.5   | -7.61  | -17.32 |
| 240       | 0.54  | 0.54  | 0.35  | 2.2   | 0.68  | 0.88  | 1.57   | 0.62   | -1.54  | -6.14  | -11.93 | -9.27  | -17.32 |
| 255       | 0.7   | 0.59  | 0.33  | 0.94  | -0.55 | 0.25  | 1.95   | -0.48  | -3.14  | -5.18  | -11.57 | -9.32  | -17.32 |
| 270       | 0.59  | 0.38  | 0.73  | 0.98  | 0.53  | 0.86  | -0.41  | -2.2   | -8.36  | -10.13 | -11.96 | -9.34  | -17.32 |
| 285       | 0.27  | -0.15 | 1.55  | 0.57  | 0.45  | 0.75  | 0.26   | -2.76  | -3.95  | -2.48  | -3.77  | -10.69 | -17.32 |
| 300       | -0.02 | -0.77 | 1.97  | 0.42  | 0.1   | 0.36  | -0.4   | -3.58  | -4.14  | -6.2   | -4.54  | -14.32 | -17.32 |
| 315       | -0.08 | -0.77 | 1.79  | 4.2   | -0.05 | -1.33 | -4.79  | -7.55  | -12.83 | -6.98  | -9.35  | -17.32 | -17.32 |
| 330       | 0.13  | 0.15  | -0.34 | -0.82 | -2.71 | -7.27 | -11.66 | -10.06 | -9.37  | -10.02 | -15.04 | -13.02 | -17.32 |
| 345       | 0.4   | 1.67  | 1     | -1.57 | -1.1  | -3.22 | -4.85  | -6.23  | -4.69  | -12.75 | -14.78 | -11.18 | -17.32 |

| Ant6      |       |       |       |       |       |       |       |       |       |       |        |        |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|
| Freq      | 6425  |       |       |       |       |       |       |       |       |       |        |        |       |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135   | 150    | 165    | 180   |
| 0         | -3.15 | -3.59 | -5.19 | -2.02 | -0.48 | -1.46 | -2.31 | -3.74 | -7.37 | -8.19 | -14.31 | -7.63  | -18.9 |
| 15        | -3.11 | -1.94 | -4.88 | -1.71 | -0.76 | -0.89 | -3.46 | -4.74 | -4.45 | -9.2  | -6.61  | -12.51 | -18.9 |
| 30        | -3.04 | -1.44 | -1.37 | 0.57  | -1.51 | -0.52 | -0.38 | -4.5  | -8.91 | -6.19 | -7.66  | -8.51  | -18.9 |
| 45        | -2.97 | -1.78 | -0.49 | 1.67  | 2.71  | 2.99  | 1.79  | -0.3  | -1.81 | -5.68 | -8.43  | -5.09  | -18.9 |

|     |       |       |       |       |       |       |       |        |        |        |        |        |       |
|-----|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|-------|
| 60  | -3.22 | -2.11 | -1.24 | 1.66  | 2.58  | 1.68  | 2.43  | -2.51  | -5.28  | -9.28  | -8.41  | -5.23  | -18.9 |
| 75  | -3.46 | -2.06 | -2.59 | 0.4   | 0.65  | 0.6   | 1.37  | -1.83  | -2.95  | -8.26  | -5.81  | -6.45  | -18.9 |
| 90  | -3.89 | -1.68 | -3.26 | -1.21 | 0.19  | -0.81 | 0.05  | -2.03  | -3.65  | -9.59  | -10.5  | -8.79  | -18.9 |
| 105 | -4.45 | -1.34 | -0.6  | -1.73 | 1.04  | 0.05  | -1.01 | -4.88  | -12.39 | -9.78  | -17.07 | -13.63 | -18.9 |
| 120 | -4.65 | -0.71 | 1.31  | 1.94  | 0.52  | 1.71  | -0.61 | -1.94  | -4.42  | -7     | -9.61  | -17.39 | -18.9 |
| 135 | -4.76 | -0.03 | -0.32 | 0.4   | 1.07  | 0.47  | -4.1  | -7.28  | -9.24  | -8.8   | -11.33 | -13.14 | -18.9 |
| 150 | -4.86 | 0.42  | -1.27 | 4.83  | -2.36 | -1.08 | -2.67 | -5.97  | -11.62 | -9.9   | -8.77  | -11.07 | -18.9 |
| 165 | -4.75 | -0.01 | 2.01  | 1.23  | -2.56 | -3.36 | -6.64 | -6.02  | -9.52  | -7.16  | -11.4  | -11.74 | -18.9 |
| 180 | -4.58 | -1    | 0.33  | -0.92 | -5.91 | -6.96 | -8.27 | -7.91  | -8.02  | -8.84  | -11.85 | -14.36 | -18.9 |
| 195 | -4.64 | -1.21 | -2.88 | -2.72 | -4.6  | -3.29 | -7.47 | -10.62 | -18.41 | -7.62  | -9.74  | -8.78  | -18.9 |
| 210 | -4.62 | -2.72 | -1.6  | -1.15 | -1.34 | 0.77  | 1.41  | -2.08  | -3.81  | -6.03  | -13.18 | -6.25  | -18.9 |
| 225 | -4.76 | -4.24 | 0.15  | -1.53 | -1.42 | 0.51  | -2.94 | -3.87  | -11.4  | -11.64 | -12.03 | -6.34  | -18.9 |
| 240 | -4.74 | -5.14 | 0.34  | -3.38 | 0.17  | -0.57 | -2.92 | -11.76 | -6.85  | -13.22 | -13.41 | -5.92  | -18.9 |
| 255 | -4.38 | -5.15 | 0.03  | -1.05 | -0.39 | 0.08  | -1.48 | -5.2   | -5.06  | -5.3   | -7.5   | -4.12  | -18.9 |
| 270 | -3.73 | -4.98 | -0.24 | -0.2  | -0.35 | -1.56 | -2.15 | -7.92  | -8.47  | -10.26 | -8.13  | -5.36  | -18.9 |
| 285 | -3.25 | -4.7  | -2.89 | -0.42 | 0.34  | 0.2   | -1.8  | -3.48  | -6.3   | -5.3   | -5.6   | -7.08  | -18.9 |
| 300 | -3.02 | -4.17 | -5.33 | -3.24 | -0.2  | 0.2   | -2.91 | -6.95  | -8.13  | -11.73 | -11.55 | -7.84  | -18.9 |
| 315 | -2.97 | -4.65 | -1.23 | -6.37 | -0.65 | 0.36  | -2.72 | -3.67  | -7.39  | -5.12  | -6.69  | -12.34 | -18.9 |
| 330 | -3.13 | -6.39 | 0.5   | 1.35  | -0.28 | 1.35  | -0.69 | -6.11  | -7.13  | -7.73  | -17.16 | -18.9  | -18.9 |
| 345 | -3.18 | -6.17 | -4.47 | -3.92 | -9.69 | -5.9  | -6.75 | -8.42  | -13.96 | -11.3  | -8.64  | -8.91  | -18.9 |

| 6425MHz Composite Gain |       |       |       |       |       |       |       |       |        |        |        |        |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq                   | 6425  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0                      | -0.83 | 0.65  | -1.15 | -2.43 | -1.15 | -3.01 | -3.43 | -3.80 | -6.99  | -9.41  | -11.89 | -8.27  | -18.04 |
| 15                     | -0.66 | 0.48  | -3.29 | -1.17 | -0.12 | 0.45  | -2.47 | -6.12 | -6.19  | -8.56  | -8.68  | -9.34  | -18.04 |
| 30                     | -0.62 | 0.52  | -2.57 | 0.41  | -2.00 | -1.17 | -1.94 | -7.00 | -9.92  | -6.77  | -9.13  | -8.84  | -18.04 |
| 45                     | -0.65 | 0.12  | -1.54 | 0.56  | 0.64  | 0.52  | -0.13 | -2.57 | -4.16  | -7.57  | -10.90 | -6.66  | -18.04 |
| 60                     | -0.83 | 0.30  | -0.84 | 0.21  | 0.53  | -0.02 | 0.32  | -5.00 | -7.08  | -10.29 | -9.75  | -6.82  | -18.04 |
| 75                     | -0.94 | -0.27 | -0.21 | 0.39  | -0.64 | -0.89 | -0.65 | -3.57 | -5.48  | -8.91  | -7.39  | -7.91  | -18.04 |
| 90                     | -1.01 | -1.05 | -1.03 | 0.15  | -0.79 | -1.29 | -0.72 | -3.59 | -6.08  | -11.28 | -8.97  | -9.99  | -18.04 |
| 105                    | -0.98 | -1.69 | -0.76 | 0.00  | 0.46  | 0.46  | -1.18 | -5.52 | -10.77 | -10.44 | -15.13 | -12.45 | -18.04 |
| 120                    | -0.87 | -1.50 | 0.46  | 0.44  | -0.55 | -0.17 | -2.39 | -4.72 | -6.77  | -8.12  | -9.65  | -13.88 | -18.04 |
| 135                    | -0.86 | -0.76 | 0.40  | 0.33  | 0.24  | -0.48 | -4.72 | -7.06 | -8.81  | -8.15  | -13.11 | -11.29 | -18.04 |
| 150                    | -0.96 | 0.36  | -0.74 | 2.02  | -0.58 | -1.04 | -2.90 | -5.59 | -8.49  | -7.55  | -10.03 | -8.99  | -18.04 |
| 165                    | -1.03 | 0.35  | 0.41  | 0.40  | -2.72 | -2.91 | -5.23 | -4.66 | -9.23  | -7.75  | -11.31 | -9.08  | -18.04 |
| 180                    | -1.25 | 0.47  | 0.25  | -0.67 | -5.15 | -4.63 | -5.35 | -7.31 | -9.79  | -8.40  | -8.68  | -10.06 | -18.04 |
| 195                    | -1.49 | 0.27  | -0.99 | -0.04 | -1.30 | -1.12 | -2.70 | -4.32 | -6.84  | -6.35  | -7.42  | -9.21  | -18.04 |
| 210                    | -1.57 | 0.21  | -0.66 | 0.40  | -0.44 | -0.08 | 0.23  | -3.40 | -3.16  | -4.57  | -7.67  | -7.61  | -18.04 |
| 225                    | -1.52 | -0.93 | 0.49  | 0.45  | 0.57  | 0.57  | 0.36  | -2.56 | -9.59  | -5.32  | -9.20  | -6.93  | -18.04 |
| 240                    | -1.34 | -1.43 | 0.35  | 0.25  | 0.43  | 0.22  | -0.12 | -2.15 | -3.43  | -8.37  | -12.61 | -7.28  | -18.04 |
| 255                    | -1.14 | -1.39 | 0.18  | 0.06  | -0.47 | 0.17  | 0.57  | -2.23 | -3.99  | -5.24  | -9.07  | -5.98  | -18.04 |
| 270                    | -1.05 | -1.52 | 0.27  | 0.43  | 0.11  | -0.18 | -1.19 | -4.18 | -8.41  | -10.19 | -9.64  | -6.91  | -18.04 |

|     |       |       |       |       |       |       |       |       |       |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| 285 | -1.14 | -1.85 | -0.13 | 0.10  | 0.40  | 0.48  | -0.65 | -3.11 | -4.97 | -3.67  | -4.59  | -8.52  | -18.04 |
| 300 | -1.27 | -2.15 | -0.30 | -1.04 | -0.05 | 0.28  | -1.48 | -4.95 | -5.69 | -8.14  | -6.76  | -9.97  | -18.04 |
| 315 | -1.29 | -2.29 | 0.54  | 1.55  | -0.34 | -0.40 | -3.63 | -5.19 | -9.31 | -5.95  | -7.82  | -14.15 | -18.04 |
| 330 | -1.20 | -1.99 | 0.10  | 0.40  | -1.33 | -1.10 | -3.37 | -7.65 | -8.11 | -8.73  | -15.97 | -15.03 | -18.04 |
| 345 | -1.03 | -0.68 | -0.93 | -2.59 | -3.55 | -4.36 | -5.70 | -7.19 | -7.21 | -11.96 | -10.70 | -9.90  | -18.04 |

| Ant5      |      |       |       |       |       |       |       |        |        |        |        |       |       |
|-----------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|-------|-------|
| Freq      | 6675 |       |       |       |       |       |       |        |        |        |        |       |       |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165   | 180   |
| 0         | 2.01 | 1.19  | 0.39  | -4.73 | -2.79 | -4.03 | -5.3  | -3.51  | -6.32  | -12.83 | -8.48  | -8.1  | -9.85 |
| 15        | 2.04 | 1.45  | -0.25 | -6.91 | -1.61 | 0.11  | -2.72 | -7     | -6.56  | -6.13  | -9.06  | -7.31 | -9.85 |
| 30        | 1.93 | 1.38  | -1.01 | -2.27 | -8.27 | -5.94 | -3.79 | -9.3   | -10.79 | -3.22  | -7.15  | -6.79 | -9.85 |
| 45        | 1.85 | 0.54  | -1.3  | -1.29 | -4.51 | -1.73 | -1.54 | -4.1   | -8.84  | -9.48  | -8.33  | -5.72 | -9.85 |
| 60        | 1.72 | -0.73 | -0.27 | -0.25 | -0.3  | 0.98  | -0.62 | -3.89  | -6.56  | -11.97 | -12.88 | -4.66 | -9.85 |
| 75        | 1.8  | -1.87 | -0.87 | 0.75  | 0.97  | 0.42  | -4.05 | -6.59  | -7.29  | -6.99  | -9.08  | -5.84 | -9.85 |
| 90        | 1.98 | -2.36 | -3.14 | 2.49  | 0.82  | 0.95  | 0.59  | -0.39  | -14.12 | -10.78 | -3.64  | -9.85 | -9.85 |
| 105       | 2.25 | -1.98 | -7.2  | -1.45 | -1.5  | 0.05  | -1.55 | -7.7   | -8.53  | -10.53 | -8.14  | -9.61 | -9.85 |
| 120       | 2.4  | -1.45 | -1.97 | -1.43 | -1.27 | -2.18 | -3.75 | -17.62 | -9.74  | -10.17 | -5.76  | -5.95 | -9.85 |
| 135       | 2.43 | -0.79 | -1.92 | 1.78  | -1.5  | -2.61 | -7.65 | -10.3  | -10.74 | -7.49  | -11.86 | -3.53 | -9.85 |
| 150       | 2.25 | -0.01 | -6.72 | -0.65 | -2.06 | -0.48 | -2.62 | -3.29  | -5.86  | -6.21  | -10.2  | -2.24 | -9.85 |
| 165       | 1.9  | 0.42  | -4.15 | -5.77 | -2.49 | -0.13 | -2.94 | -1.66  | -4.36  | -7.17  | -8.2   | -2.07 | -9.85 |
| 180       | 1.7  | 0.43  | 0.14  | -0.27 | -2.9  | -4.33 | -6.61 | -8.12  | -9.8   | -6.86  | -5.16  | -2.8  | -9.85 |
| 195       | 1.74 | -0.18 | 1.69  | -0.24 | 1.05  | 1.93  | 0.77  | -0.86  | -0.99  | -2.65  | -3.41  | -4.4  | -9.85 |
| 210       | 1.91 | -1.15 | 2.51  | 0.93  | 2.65  | 3.99  | 3.08  | -2.15  | -1.76  | -0.3   | -2.71  | -6.26 | -9.85 |
| 225       | 2.05 | -2.02 | 3.68  | 3.6   | 3.2   | 5.17  | 3.87  | 2.51   | -3.48  | -2.1   | -2.08  | -3.75 | -9.85 |
| 240       | 2.09 | -1.73 | 2.79  | 3.9   | 2.28  | 2.23  | 2.76  | 0.96   | -1.04  | -4.9   | -7.19  | -3.2  | -9.85 |
| 255       | 1.94 | -0.01 | 0.73  | 2.77  | 2.95  | 2.97  | 3.39  | 2.64   | -3.36  | -2.8   | -10.85 | -3.24 | -9.85 |
| 270       | 1.73 | 1.64  | 1.12  | 1.71  | 2.81  | 4.06  | 3.12  | 2.59   | -0.82  | -2.94  | -5.61  | -5.8  | -9.85 |
| 285       | 1.51 | 2.57  | 2.92  | 2.12  | 0.6   | -0.01 | -1.63 | -1.88  | -5.12  | -1.25  | -2.88  | -9.01 | -9.85 |
| 300       | 1.39 | 2.9   | 2.8   | 0.84  | 1.46  | 1.01  | -0.67 | -2.13  | -3.26  | -1.65  | -1.86  | -9.7  | -9.85 |
| 315       | 1.41 | 2.48  | 1.92  | 0.99  | -1.74 | -2.21 | -8.22 | -10.56 | -16.72 | -5.13  | -4.77  | -8.68 | -9.85 |
| 330       | 1.54 | 1.86  | -0.45 | -1.01 | -2.75 | -1.76 | -4.86 | -9.33  | -19.39 | -4.31  | -7.41  | -6.45 | -9.85 |
| 345       | 1.83 | 1.45  | -1.54 | -2.19 | -1.35 | -4.38 | -5.54 | -10.2  | -6.57  | -5.31  | -9.81  | -6.4  | -9.85 |

| Ant6      |      |       |       |       |       |       |       |       |       |       |        |       |        |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| Freq      | 6675 |       |       |       |       |       |       |       |       |       |        |       |        |
| Phi\Theta | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135   | 150    | 165   | 180    |
| 0         | 0.39 | -0.18 | -2.93 | -1.84 | -1.97 | -1.58 | -1.61 | -3.01 | -8.52 | -10.6 | -13.34 | -9.98 | -17.88 |
| 15        | 0.41 | -0.03 | -0.97 | 0.25  | -2.24 | -2.78 | -2.76 | -6.36 | -8.85 | -9.71 | -10.43 | -8.07 | -17.88 |
| 30        | 0.43 | -0.71 | 0.72  | 3.04  | -0.84 | -0.78 | -0.51 | -2.06 | -8.07 | -6.27 | -11.61 | -7.74 | -17.88 |
| 45        | 0.47 | -2.06 | 0.72  | 2.98  | 1.46  | 2.13  | 1.49  | -0.36 | -4.07 | -4.18 | -13.3  | -6.46 | -17.88 |
| 60        | 0.36 | -3.16 | -0.57 | 3.45  | 3.85  | 3.53  | 1.92  | 0.2   | -4.93 | -7.32 | -12.44 | -6.5  | -17.88 |
| 75        | 0.01 | -3.53 | -2.43 | 3.79  | 3.7   | 3.96  | 1.88  | 0.92  | -0.8  | -4.54 | -6.49  | -5.5  | -17.88 |



|     |       |       |       |       |       |       |        |        |        |        |        |        |        |
|-----|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| 90  | -0.33 | -3.56 | -2.69 | 2.3   | 1.61  | 3.08  | 2.3    | 0.43   | -2.91  | -4.16  | -6.71  | -5.7   | -17.88 |
| 105 | -0.58 | -3.37 | -3.17 | 2.86  | 2.06  | 0.98  | -1.05  | -3.72  | -6.36  | -9.38  | -13.8  | -6.83  | -17.88 |
| 120 | -0.59 | -2.35 | -1.62 | 2.73  | 2.94  | 1.86  | -0.84  | -3.45  | -6.84  | -6.62  | -10.45 | -10.11 | -17.88 |
| 135 | -0.46 | -1.24 | 0.86  | 2.91  | 0.91  | 0.7   | -3.15  | -4.86  | -6.65  | -10.82 | -11.8  | -12.03 | -17.88 |
| 150 | -0.23 | -0.87 | -1.44 | 0.31  | -0.82 | -1.54 | -6.03  | -6.1   | -8.05  | -7.33  | -11.87 | -12.56 | -17.88 |
| 165 | -0.08 | -1.11 | -1.4  | -0.07 | -2.45 | -1.58 | -5.12  | -7.72  | -7.97  | -8.3   | -10    | -13.62 | -17.88 |
| 180 | -0.3  | -0.79 | 1.28  | 1.79  | -5.95 | -9.54 | -13.25 | -13.93 | -12.92 | -13.25 | -11.77 | -17.35 | -17.88 |
| 195 | -0.55 | -0.04 | 0.23  | -0.48 | -3.52 | -2.94 | -5.33  | -9.03  | -9.72  | -9.8   | -17.17 | -15.63 | -17.88 |
| 210 | -0.59 | 0.27  | -1.57 | 1.8   | 0.46  | 0.52  | -0.88  | -5.93  | -4.69  | -9.44  | -17.24 | -10.97 | -17.88 |
| 225 | -0.46 | -0.04 | -0.96 | 1.64  | 0.62  | -0.85 | -1.01  | -5.04  | -9.88  | -12    | -16.33 | -8.89  | -17.88 |
| 240 | -0.11 | -1    | 0.31  | 1     | 1.75  | 2.13  | -1.6   | -7.96  | -8.01  | -11.22 | -15.48 | -8.8   | -17.88 |
| 255 | 0.3   | -1.99 | 0.47  | 2.29  | 0.83  | 1.9   | -0.49  | -7.07  | -7.54  | -7.74  | -10.26 | -7.35  | -17.88 |
| 270 | 0.41  | -2.97 | -1.06 | 1.97  | 1.21  | 0.72  | -3.45  | -8.48  | -10.79 | -15.98 | -13.18 | -9.88  | -17.88 |
| 285 | 0.43  | -3.73 | -3.27 | 0.18  | 2.53  | 2.9   | -0.24  | -3.47  | -8.43  | -7.85  | -9.13  | -16.41 | -17.88 |
| 300 | 0.44  | -3.9  | -1.46 | -2.3  | -0.04 | 0.98  | -4.04  | -8.66  | -12.26 | -10.84 | -10.53 | -14.58 | -17.88 |
| 315 | 0.47  | -3.68 | 0.66  | 2.74  | -0.68 | -1.44 | -2.77  | -4.9   | -7.42  | -9.24  | -10.1  | -16.46 | -17.88 |
| 330 | 0.47  | -2.72 | -2.27 | 0.08  | -4.31 | -2.66 | -4.78  | -7.29  | -9.65  | -7.69  | -10.84 | -17.88 | -17.88 |
| 345 | 0.39  | -1.3  | -4.5  | -5.02 | -3.5  | 0.31  | -2.45  | -4.32  | -7.53  | -14.03 | -9.33  | -12.01 | -17.88 |

| 6675MHz Composite Gain |      |       |       |       |       |       |       |        |        |        |        |        |        |
|------------------------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq                   | 6675 |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta              | 0    | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0                      | 1.28 | 0.56  | -0.96 | -3.05 | -2.36 | -2.63 | -3.07 | -3.25  | -7.28  | -11.57 | -10.26 | -8.94  | -12.23 |
| 15                     | 1.30 | 0.77  | -0.60 | -2.00 | -1.91 | -1.10 | -2.74 | -6.67  | -7.56  | -7.56  | -9.69  | -7.67  | -12.23 |
| 30                     | 1.24 | 0.46  | -0.06 | 1.15  | -3.13 | -2.63 | -1.85 | -4.32  | -9.22  | -4.48  | -8.83  | -7.24  | -12.23 |
| 45                     | 1.21 | -0.57 | -0.17 | 1.35  | -0.57 | 0.62  | 0.23  | -1.84  | -5.83  | -6.07  | -10.14 | -6.07  | -12.23 |
| 60                     | 1.09 | -1.78 | -0.42 | 1.98  | 2.25  | 2.44  | 0.83  | -1.38  | -5.67  | -9.05  | -12.65 | -5.48  | -12.23 |
| 75                     | 1.00 | -2.62 | -1.58 | 2.53  | 2.55  | 2.54  | -0.14 | -1.38  | -2.93  | -5.59  | -7.59  | -5.67  | -12.23 |
| 90                     | 0.98 | -2.92 | -2.91 | 2.40  | 1.23  | 2.14  | 1.53  | 0.04   | -5.60  | -6.31  | -4.91  | -7.30  | -12.23 |
| 105                    | 1.06 | -2.62 | -4.73 | 1.22  | 0.63  | 0.54  | -1.29 | -5.27  | -7.31  | -9.92  | -10.11 | -8.00  | -12.23 |
| 120                    | 1.16 | -1.88 | -1.79 | 1.13  | 1.33  | 0.29  | -2.06 | -6.30  | -8.05  | -8.04  | -7.50  | -7.55  | -12.23 |
| 135                    | 1.22 | -1.01 | -0.31 | 2.38  | -0.13 | -0.65 | -4.84 | -6.78  | -8.23  | -8.84  | -11.83 | -5.97  | -12.23 |
| 150                    | 1.18 | -0.42 | -3.32 | -0.14 | -1.40 | -0.98 | -4.00 | -4.47  | -6.82  | -6.73  | -10.96 | -4.86  | -12.23 |
| 165                    | 1.02 | -0.28 | -2.56 | -2.05 | -2.47 | -0.79 | -3.89 | -3.71  | -5.80  | -7.70  | -9.01  | -4.79  | -12.23 |
| 180                    | 0.81 | -0.14 | 0.75  | 0.88  | -4.16 | -6.20 | -8.77 | -10.12 | -11.09 | -8.97  | -7.31  | -5.66  | -12.23 |
| 195                    | 0.74 | -0.11 | 1.02  | -0.36 | -0.66 | 0.14  | -1.29 | -3.25  | -3.45  | -4.89  | -6.24  | -7.09  | -12.23 |
| 210                    | 0.84 | -0.38 | 0.93  | 1.39  | 1.69  | 2.59  | 1.54  | -3.64  | -2.98  | -2.81  | -5.57  | -8.01  | -12.23 |
| 225                    | 0.97 | -0.92 | 1.95  | 2.73  | 2.10  | 3.13  | 2.08  | 0.20   | -5.59  | -4.69  | -4.93  | -5.60  | -12.23 |
| 240                    | 1.13 | -1.35 | 1.72  | 2.69  | 2.02  | 2.18  | 1.11  | -1.53  | -3.26  | -7.00  | -9.60  | -5.15  | -12.23 |
| 255                    | 1.20 | -0.89 | 0.60  | 2.54  | 2.02  | 2.47  | 1.87  | 0.07   | -4.97  | -4.60  | -10.54 | -4.83  | -12.23 |
| 270                    | 1.12 | -0.08 | 0.17  | 1.84  | 2.08  | 2.70  | 0.97  | -0.09  | -3.41  | -5.74  | -7.92  | -7.38  | -12.23 |
| 285                    | 1.00 | 0.47  | 0.85  | 1.26  | 1.67  | 1.68  | -0.88 | -2.60  | -6.47  | -3.40  | -4.97  | -11.29 | -12.23 |
| 300                    | 0.94 | 0.71  | 1.17  | -0.45 | 0.77  | 1.00  | -2.04 | -4.27  | -5.76  | -4.17  | -4.32  | -11.49 | -12.23 |

|     |      |      |       |       |       |       |       |       |        |       |       |        |        |
|-----|------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|--------|
| 315 | 0.97 | 0.41 | 1.34  | 1.95  | -1.18 | -1.81 | -4.69 | -6.87 | -9.95  | -6.72 | -6.66 | -11.02 | -12.23 |
| 330 | 1.04 | 0.15 | -1.27 | -0.43 | -3.46 | -2.19 | -4.82 | -8.19 | -12.22 | -5.68 | -8.79 | -9.16  | -12.23 |
| 345 | 1.17 | 0.29 | -2.77 | -3.38 | -2.29 | -1.43 | -3.73 | -6.33 | -7.02  | -7.77 | -9.56 | -8.36  | -12.23 |

| Ant5      |       |       |       |       |       |       |       |        |        |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Freq      | 7025  |       |       |       |       |       |       |        |        |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105    | 120    | 135    | 150    | 165    | 180    |
| 0         | -1.2  | -2.48 | -2.8  | -1.92 | -6.47 | -7.35 | -8.6  | -5.48  | -7.88  | -9.83  | -7.49  | -7.25  | -11.24 |
| 15        | -1.26 | -3.72 | -4.06 | -3.42 | -3.28 | 1.44  | 0.1   | -4.23  | -6.64  | -8.25  | -8.71  | -8.45  | -11.24 |
| 30        | -1.28 | -4.05 | -4.42 | -0.63 | -3.68 | -2.3  | -5.84 | -5.82  | -9.81  | -4.24  | -6.52  | -8.58  | -11.24 |
| 45        | -1.41 | -3.43 | -4.37 | -0.2  | -1.92 | -1.75 | -1.23 | -6.9   | -6.48  | -4.6   | -5.88  | -9.5   | -11.24 |
| 60        | -1.33 | -3.14 | -3.65 | 1.25  | -0.15 | 0.11  | -2.14 | -3.61  | -7.02  | -12.5  | -6.82  | -8.41  | -11.24 |
| 75        | -1.29 | -2.8  | -8.84 | -0.24 | 0.48  | 0.4   | -2.64 | -11.47 | -4.2   | -6.94  | -9.94  | -7.66  | -11.24 |
| 90        | -1.25 | -1.52 | -4.98 | -1.55 | 1.65  | 0.56  | 0.42  | -1.29  | -7.12  | -13.15 | -3.4   | -10.92 | -11.24 |
| 105       | -1.13 | -1.14 | -0.62 | -0.86 | 1.89  | 0.92  | -0.37 | -1.22  | -9.71  | -8.07  | -7.27  | -9.14  | -11.24 |
| 120       | -0.96 | -1.71 | -1.22 | 0.01  | -0.35 | -0.88 | -1.71 | -9.96  | -12.93 | -15.99 | -6.05  | -6.51  | -11.24 |
| 135       | -1.11 | -1.81 | -4.62 | 0.08  | -2.86 | -3.5  | -4.64 | -10.68 | -10.04 | -9.85  | -18.53 | -5.9   | -11.24 |
| 150       | -1.38 | -1.52 | -1.51 | -5.51 | -0.49 | -1.82 | -4.29 | -4.64  | -6.84  | -6.45  | -13.59 | -5.31  | -11.24 |
| 165       | -1.39 | -2.09 | -0.18 | -3.51 | -3.92 | -0.96 | -2.11 | -5.91  | -2     | -5.88  | -8.94  | -5.07  | -11.24 |
| 180       | -1.3  | -3.41 | -3.56 | -1.73 | 1.72  | 0.78  | -2.05 | -5.42  | -4.26  | -7.27  | -6.2   | -5.65  | -11.24 |
| 195       | -1.32 | -4.48 | -2.99 | 0.5   | 4.02  | 2.72  | 0.83  | -3.57  | -1.16  | -1.4   | -4.9   | -7.03  | -11.24 |
| 210       | -1.25 | -3.32 | -0.45 | 0.27  | 2.83  | 2.12  | 2.86  | 0.92   | -6.55  | -5.15  | -5.13  | -8.25  | -11.24 |
| 225       | -1.26 | -1.88 | 0.33  | 0.18  | 0.76  | 1.54  | -0.57 | -1.89  | -4.08  | -11.96 | -7.43  | -7.74  | -11.24 |
| 240       | -1.41 | -1.06 | -1.49 | -1.64 | 1.56  | 1.83  | 3.23  | -2.04  | -5.58  | -5.16  | -11.75 | -9.04  | -11.24 |
| 255       | -1.35 | -0.7  | -1.9  | -1.44 | 0.85  | 2.37  | 0.6   | 0.38   | -2.48  | -5.58  | -9.21  | -7.77  | -11.24 |
| 270       | -1.25 | -0.63 | -5.69 | -1.57 | -2.64 | 0.89  | 1.37  | -1.2   | -2.33  | -5.74  | -5.3   | -11.24 | -11.24 |
| 285       | -1.46 | -1.2  | -4.29 | 1.42  | 1.8   | 1     | 0.76  | -0.17  | -1.96  | -3.36  | -4.51  | -8.11  | -11.24 |
| 300       | -1.6  | -1.75 | -3.9  | -2.03 | -1.44 | -0.79 | -4.4  | -3.86  | -5.93  | -3.65  | -5.33  | -3.86  | -11.24 |
| 315       | -1.58 | -1.53 | -4.56 | -2.05 | -2.87 | -2.16 | -0.86 | -4.75  | -10.93 | -6.28  | -11.96 | -3.19  | -11.24 |
| 330       | -1.36 | -1.39 | -5.54 | -3.49 | -0.36 | 0.62  | 0.12  | -6.49  | -12.42 | -6.5   | -9.47  | -4.38  | -11.24 |
| 345       | -1.25 | -1.67 | -4.47 | -2.56 | -1.43 | -4.67 | -4.55 | -1.55  | -9.99  | -3.67  | -6.58  | -4.5   | -11.24 |

| Ant6      |       |       |       |       |       |       |       |       |       |        |        |        |        |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Freq      | 7025  |       |       |       |       |       |       |       |       |        |        |        |        |
| Phi\Theta | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120   | 135    | 150    | 165    | 180    |
| 0         | -0.85 | -2.19 | -0.74 | -2.94 | -7    | -4.13 | -3.29 | -5.06 | -7.67 | -13.68 | -5.79  | -9.85  | -20.55 |
| 15        | -0.86 | -2.26 | 0.63  | -1.12 | -2.5  | 0.59  | -0.12 | -2.27 | -7.71 | -7.68  | -14.71 | -10.74 | -20.55 |
| 30        | -0.85 | -3.14 | -1.27 | -3.58 | -4.11 | 0.25  | -1.46 | -2.4  | -6.34 | -9.5   | -6.47  | -10.87 | -20.55 |
| 45        | -0.86 | -4.21 | -2.23 | -3.17 | -0.48 | 0.68  | 0.02  | -0.77 | -2.31 | -3.03  | -7.14  | -20.55 | -20.55 |
| 60        | -0.98 | -5.04 | -1.59 | 0.71  | 1.97  | 0.8   | 1.48  | -0.46 | -1.38 | -9.13  | -9.78  | -13.53 | -20.55 |
| 75        | -1.08 | -4.8  | -0.38 | -0.51 | 0.21  | 0.15  | 0.21  | -0.81 | -0.74 | -3.11  | -8.06  | -10.73 | -20.55 |
| 90        | -1.13 | -4.39 | 0.55  | -1.45 | -0.45 | 1.19  | 1.54  | 0.1   | -3.47 | -3.35  | -5.07  | -5.74  | -20.55 |
| 105       | -1.21 | -4.27 | 2.42  | 1.05  | -1.67 | 0.72  | 1.12  | -1.04 | -3.9  | -5.57  | -4.99  | -3.68  | -20.55 |

|     |       |       |       |       |       |        |        |        |        |        |        |        |        |
|-----|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| 120 | -1.04 | -3.66 | 0.89  | 1.88  | -0.26 | -1.78  | -6.64  | -7.72  | -9.55  | -7.24  | -10.25 | -4.64  | -20.55 |
| 135 | -0.96 | -2.54 | 0.88  | 0.6   | -4.56 | -1.98  | -1.25  | -3.92  | -3.61  | -5.2   | -6.11  | -6.8   | -20.55 |
| 150 | -0.83 | -1.64 | 1.6   | 3.08  | -0.3  | -3.1   | -12.44 | -17.01 | -10.29 | -16.69 | -9.93  | -10.11 | -20.55 |
| 165 | -0.73 | -1.89 | -1.13 | 0.07  | -2.3  | -5.43  | -9.67  | -11.7  | -7.85  | -8.78  | -9.62  | -9.26  | -20.55 |
| 180 | -0.76 | -3.71 | -1.85 | 0.85  | -4.17 | -9.1   | -8.49  | -6.47  | -14.05 | -11.29 | -9.01  | -6.73  | -20.55 |
| 195 | -1.08 | -4.11 | 1.86  | 0.66  | -4.24 | -11.16 | -9.79  | -9.94  | -16.52 | -6.8   | -6.56  | -6.07  | -20.55 |
| 210 | -1.09 | -2.51 | 1.92  | 0.49  | -1.87 | 0.13   | -4.69  | -10.07 | -5.85  | -10.18 | -10.79 | -5.97  | -20.55 |
| 225 | -1.1  | -1.06 | 0.81  | 1.79  | -0.72 | -0.71  | -2.29  | -6.28  | -9.51  | -8.49  | -8.89  | -5.37  | -20.55 |
| 240 | -0.93 | -0.62 | -1.39 | 2.99  | -0.79 | -0.85  | -3.39  | -9.83  | -10.34 | -14.9  | -7.21  | -6.47  | -20.55 |
| 255 | -0.67 | -1    | -4.09 | 1.48  | -1.69 | -4.77  | -3.6   | -11.17 | -10.4  | -8.3   | -10.83 | -5.4   | -20.55 |
| 270 | -0.51 | -1.84 | -6.86 | -0.21 | -0.27 | 1.13   | -2.61  | -6.84  | -7.18  | -11.96 | -10.23 | -7.47  | -20.55 |
| 285 | -0.74 | -3.27 | -3.72 | -2.97 | -1.6  | 1.02   | -0.47  | -2.44  | -6.27  | -4.99  | -10.18 | -15.02 | -20.55 |
| 300 | -0.9  | -5.24 | -2.03 | 2     | -5.36 | -4.04  | -7.29  | -15.07 | -9.94  | -20.26 | -5.51  | -11.85 | -20.55 |
| 315 | -0.99 | -6.11 | -9.26 | 0.93  | -0.87 | -4.66  | -3.83  | -8.04  | -7.25  | -12.44 | -16.99 | -12.52 | -20.55 |
| 330 | -1.08 | -5.36 | -7.25 | -3.83 | -1.97 | -7.23  | -7.42  | -5.72  | -5.25  | -5.88  | -6.69  | -14.19 | -20.55 |
| 345 | -1.01 | -3.68 | -3.55 | -2.24 | 0.1   | 3.24   | 0.61   | -2.45  | -2.94  | -8.57  | -18.52 | -13.15 | -20.55 |

| 7025MHz Composite Gain |       |       |       |       |       |       |       |       |        |        |        |        |        |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| Freq                   | 7025  |       |       |       |       |       |       |       |        |        |        |        |        |
| Phi\Theta              | 0     | 15    | 30    | 45    | 60    | 75    | 90    | 105   | 120    | 135    | 150    | 165    | 180    |
| 0                      | -1.02 | -2.33 | -1.65 | -2.40 | -6.73 | -5.45 | -5.18 | -5.26 | -7.77  | -11.34 | -6.56  | -8.36  | -13.77 |
| 15                     | -1.06 | -2.93 | -1.11 | -2.12 | -2.87 | 1.04  | -0.01 | -3.14 | -7.14  | -7.96  | -10.75 | -9.45  | -13.77 |
| 30                     | -1.06 | -3.57 | -2.57 | -1.86 | -3.89 | -0.84 | -3.12 | -3.78 | -7.74  | -6.12  | -6.49  | -9.58  | -13.77 |
| 45                     | -1.13 | -3.80 | -3.17 | -1.44 | -1.14 | -0.37 | -0.56 | -2.83 | -3.91  | -3.74  | -6.46  | -12.18 | -13.77 |
| 60                     | -1.15 | -3.99 | -2.50 | 0.99  | 1.04  | 0.47  | 0.04  | -1.76 | -3.34  | -10.50 | -8.05  | -10.26 | -13.77 |
| 75                     | -1.18 | -3.69 | -2.81 | -0.37 | 0.35  | 0.28  | -0.99 | -3.46 | -2.13  | -4.62  | -8.90  | -8.93  | -13.77 |
| 90                     | -1.19 | -2.72 | -1.39 | -1.50 | 0.73  | 0.89  | 1.02  | -0.54 | -4.92  | -5.93  | -4.16  | -7.60  | -13.77 |
| 105                    | -1.17 | -2.43 | 1.16  | 0.20  | 0.46  | 0.82  | 0.44  | -1.13 | -5.90  | -6.64  | -5.98  | -5.60  | -13.77 |
| 120                    | -1.00 | -2.58 | -0.04 | 1.04  | -0.30 | -1.31 | -3.51 | -8.70 | -10.92 | -9.71  | -7.66  | -5.48  | -13.77 |
| 135                    | -1.03 | -2.16 | -1.05 | 0.35  | -3.63 | -2.67 | -2.62 | -6.10 | -5.73  | -6.93  | -8.88  | -6.33  | -13.77 |
| 150                    | -1.10 | -1.58 | 0.32  | 0.63  | -0.39 | -2.41 | -6.68 | -7.41 | -8.23  | -9.07  | -11.39 | -7.08  | -13.77 |
| 165                    | -1.05 | -1.99 | -0.63 | -1.36 | -3.03 | -2.64 | -4.42 | -7.90 | -4.01  | -7.09  | -9.27  | -6.68  | -13.77 |
| 180                    | -1.02 | -3.56 | -2.62 | -0.25 | -0.29 | -1.81 | -4.17 | -5.91 | -6.84  | -8.83  | -7.38  | -6.16  | -13.77 |
| 195                    | -1.20 | -4.29 | 0.08  | 0.58  | 1.61  | -0.12 | -1.82 | -5.68 | -4.05  | -3.31  | -5.65  | -6.52  | -13.77 |
| 210                    | -1.17 | -2.90 | 0.89  | 0.38  | 1.09  | 1.24  | 0.55  | -1.76 | -6.19  | -6.97  | -7.10  | -6.96  | -13.77 |
| 225                    | -1.18 | -1.45 | 0.58  | 1.06  | 0.08  | 0.56  | -1.35 | -3.55 | -6.00  | -9.89  | -8.10  | -6.40  | -13.77 |
| 240                    | -1.16 | -0.83 | -1.44 | 1.26  | 0.54  | 0.69  | 1.08  | -4.38 | -7.34  | -7.73  | -8.91  | -7.57  | -13.77 |
| 255                    | -1.00 | -0.85 | -2.86 | 0.26  | -0.24 | 0.13  | -1.01 | -2.34 | -4.84  | -6.73  | -9.94  | -6.43  | -13.77 |
| 270                    | -0.86 | -1.19 | -6.24 | -0.84 | -1.30 | 1.01  | -0.18 | -3.16 | -4.11  | -7.82  | -7.10  | -8.96  | -13.77 |
| 285                    | -1.09 | -2.11 | -4.00 | -0.24 | 0.42  | 1.01  | 0.19  | -1.16 | -3.60  | -4.10  | -6.48  | -10.32 | -13.77 |
| 300                    | -1.24 | -3.15 | -2.87 | 0.44  | -2.97 | -2.12 | -5.61 | -6.55 | -7.49  | -6.57  | -5.42  | -6.23  | -13.77 |
| 315                    | -1.27 | -3.24 | -6.30 | -0.31 | -1.76 | -3.23 | -2.10 | -6.09 | -8.71  | -8.35  | -13.78 | -5.72  | -13.77 |
| 330                    | -1.22 | -2.94 | -6.31 | -3.66 | -1.09 | -1.73 | -2.19 | -6.09 | -7.50  | -6.18  | -7.86  | -6.96  | -13.77 |

---

|     |       |       |       |       |       |      |       |       |       |       |       |       |        |
|-----|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|--------|
| 345 | -1.13 | -2.56 | -3.99 | -2.40 | -0.60 | 0.88 | -1.24 | -1.98 | -5.17 | -5.46 | -9.32 | -6.95 | -13.77 |
|-----|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|--------|