



802.11n-HT20 AVGPSPD – Ant 1 – CDD Mode


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT40 AVGPSPD – Ant 1 – CDD Mode

Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11ax-HE20 AVGPSPD – Ant 1 – CDD Mode


Channel 01 (2412MHz)



Channel 06 (2437MHz)



Channel 11 (2462MHz)




802.11ax-HE40 AVGPSPD – Ant 1 – CDD Mode

Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11be-EHT20 AVGPSPD – Ant 1 – CDD Mode


Channel 01 (2412MHz)




Channel 06 (2437MHz)



Channel 11 (2462MHz)



Channel 06 (2437MHz)



The screenshot displays the Keysight Spectrum Analyzer 1 interface. The main plot shows a signal trace with a prominent peak labeled "Mkr1 2.452 380 GHz -11.688 dBm". The x-axis is frequency, ranging from 2.452 GHz to 2.452 GHz + 80 MHz. The y-axis is power, ranging from 0.00 dBm to -70.00 dBm. The plot is set to a scale of 10 dB and a resolution bandwidth (RBW) of 80 MHz.

Top Panel:

- Spectrum Analyzer 1**: Sweep SA
- Input RF**: Input RF, Core Coor, Freq Ref Set, NFE Off
- #Bandwidth**: 20 dB
- PNO**: Fast Gate Off
- Avg Type**: Power (RMS)
- High/Low**: SISO
- Trig**: Free Run
- Span**: 80.000000 MHz
- Center Frequency**: 2.452000000 GHz
- AWWWWWW**: A N N N N N

Left Panel:

- Scale/Div**: 10 dB
- Log**
- Ref Lvl Offset**: 21.00 dB
- Ref Level**: 10.00 dBm

Right Panel:

- Span**: 80.000000 MHz
- Sweep Span**: Zero Span
- Full Span**
- Start Freq**: 2.412000000 GHz
- Stop Freq**: 2.492000000 GHz
- AUTO TUNE**
- CP Step**: 8.000000 MHz
- Auto Man**
- Freq Offset**: 0 Hz
- X Axis Scale**: Log
- Signal Track**

Bottom Panel:

- Center**: 2.452000 GHz
- #Res**: BW 10 kHz
- #Video BW**: 30 kHz
- Span**: 80.00 MHz
- Sweep**: 885 ms (20001 pts)

7.5. Conducted Band Edge and Out-of-Band Emissions

7.5.1. Test Limit

The limit for out-of-band spurious emissions at the band edge is 30dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100 kHz bandwidth per the PSD procedure.

7.5.2. Test Procedure Used

ANSI C63.10 - 2013 Section 11.11

7.5.3. Test Setting


Reference level measurement

1. Set instrument center frequency to DTS channel center frequency
2. Set the span to ≥ 1.5 times the DTS bandwidth
3. Set the RBW = 100 kHz
4. Set the VBW $\geq 3 \times$ RBW
5. Detector = peak
6. Sweep time = auto couple
7. Trace mode = max hold
8. Allow trace to fully stabilize

Emission level measurement

1. Set the center frequency and span to encompass frequency range to be measured
2. RBW = 100kHz
3. VBW = 300kHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

7.5.4. Test Setup



7.5.5. Test Result

Product	BE14000 Whole Home Mesh Wi-Fi 7 System	Temperature	25°C
Test Engineer	Marvin	Relative Humidity	54%
Test Site	SR6	Test Date	2025/1/2


Test Mode	Data Rate / MCS	Channel No.	Frequency (MHz)	Limit (dBc)	Result
802.11b	1Mbps	01	2412	30	Pass
802.11b	1Mbps	06	2437	30	Pass
802.11b	1Mbps	11	2462	30	Pass
802.11g	6Mbps	01	2412	30	Pass
802.11g	6Mbps	06	2437	30	Pass
802.11g	6Mbps	11	2462	30	Pass
802.11n-HT20	MCS0	01	2412	30	Pass
802.11n-HT20	MCS0	06	2437	30	Pass
802.11n-HT20	MCS0	11	2462	30	Pass
802.11n-HT40	MCS0	03	2422	30	Pass
802.11n-HT40	MCS0	06	2437	30	Pass
802.11n-HT40	MCS0	09	2452	30	Pass
802.11ax-HE20	MCS0	01	2412	30	Pass
802.11ax-HE20	MCS0	06	2437	30	Pass
802.11ax-HE20	MCS0	11	2462	30	Pass
802.11ax-HE40	MCS0	03	2422	30	Pass
802.11ax-HE40	MCS0	06	2437	30	Pass
802.11ax-HE40	MCS0	09	2452	30	Pass
802.11be-EHT20	MCS0	01	2412	30	Pass
802.11be-EHT20	MCS0	06	2437	30	Pass
802.11be-EHT20	MCS0	11	2462	30	Pass
802.11be-EHT40	MCS0	03	2422	30	Pass
802.11be-EHT40	MCS0	06	2437	30	Pass
802.11be-EHT40	MCS0	09	2452	30	Pass

Ant 0

802.11 b CH01 (2412MHz)




802.11 b CH01 (2412MHz)




802.11 b CH06 (2437MHz)




802.11 b CH06 (2437MHz)




802.11 b CH11 (2462MHz)




802.11 b CH11 (2462MHz)




802.11 g CH01 (2412MHz)




802.11 g CH01 (2412MHz)




802.11 g CH06 (2437MHz)




802.11 g CH06 (2437MHz)




802.11 g CH11 (2462MHz)




802.11 g CH11 (2462MHz)




802.11 n20 CH01 (2412MHz)




802.11 n20 CH01 (2412MHz)




802.11 n20 CH06 (2437MHz)




802.11 n20 CH06 (2437MHz)




802.11 n20 CH11 (2462MHz)




802.11 n20 CH11 (2462MHz)



802.11 n40 CH03 (2422MHz)




802.11 n40 CH03 (2422MHz)




802.11 n40 CH06 (2437MHz)




802.11 n40 CH06 (2437MHz)









802.11 n40 CH09 (2452MHz)




802.11 n40 CH09 (2452MHz)







802.11 ax40 CH03 (2422MHz)




802.11 ax40 CH03 (2422MHz)




802.11 ax40 CH06 (2437MHz)




802.11 ax40 CH06 (2437MHz)









802.11 ax40 CH09 (2452MHz)




802.11 ax40 CH09 (2452MHz)







802.11be40 CH03 (2422MHz)




802.11be40 CH03 (2422MHz)




802.11be40 CH06 (2437MHz)



802.11be40 CH06 (2437MHz)



802.11be40 CH09 (2452MHz)



802.11be40 CH09 (2452MHz)

