


802.11be-EHT40 Power Spectral Density- Ant 1 (Nss = 1)


Channel 3 (5965MHz)



Channel 43 (6165MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)




Channel 115 (6525MHz)



802.11be-EHT40 Power Spectral Density- Ant 1 (Nss = 1)


Channel 123 (6565MHz)



Channel 147 (6685MHz)




Channel 179 (6845MHz)



Channel 187 (6885MHz)



Channel 195 (6925MHz)




Channel 211 (7005MHz)




802.11be-EHT40 Power Spectral Density- Ant 1 (Nss = 1)

Channel 227 (7085MHz)



802.11be-EHT80 Power Spectral Density- Ant 1 (Nss = 1)


Channel 7 (5985MHz)



Channel 39 (6145MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)



802.11be-EHT80 Power Spectral Density- Ant 1 (Nss = 1)


Channel 151 (6705MHz)



Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)



802.11be-EHT160 Power Spectral Density- Ant 1 (Nss = 1)


Channel 15 (6025MHz)



Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)



Channel 143 (6665MHz)



Channel 175 (6825MHz)




802.11be-EHT160 Power Spectral Density- Ant 1 (Nss = 1)

Channel 207 (6985MHz)



802.11be-EHT320 Power Spectral Density- Ant 1 (Nss = 1)

Channel 31 (6105MHz)



Channel 63 (6265MHz)




Channel 95 (6425MHz)



Channel 127 (6585MHz)



Channel 159 (6745MHz)



Channel 191 (6905MHz)



Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2025-02-20 ~ 2025-02-25	Test Mode	Nss = 2

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE20	MCS0	1	5955	-3.113	-2.356	98.26	4.56	4.85	≤ 5.00
802.11ax-HE20	MCS0	45	6175	-2.699	-2.682	98.26	4.56	4.88	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-2.584	-2.967	98.26	4.56	4.80	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-2.359	-2.666	98.26	4.30	4.80	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-2.474	-2.540	98.26	4.30	4.80	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-2.427	-2.557	98.26	4.30	4.82	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-2.812	-2.847	98.26	4.69	4.87	≤ 5.00
802.11ax-HE20	MCS0	149	6695	-3.037	-2.826	98.26	4.69	4.77	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-2.930	-2.851	98.26	4.69	4.81	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-2.830	-3.059	98.26	4.69	4.76	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-2.472	-2.796	98.26	4.34	4.72	≤ 5.00
802.11ax-HE20	MCS0	213	7015	-2.317	-2.852	98.26	4.34	4.77	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-2.379	-2.819	98.26	4.34	4.76	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-3.109	-2.653	98.25	4.56	4.70	≤ 5.00
802.11ax-HE40	MCS0	43	6165	-2.933	-2.581	98.25	4.56	4.82	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-2.545	-3.036	98.25	4.56	4.79	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-2.357	-2.862	98.25	4.30	4.71	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-2.387	-2.786	98.25	4.30	4.73	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-2.739	-3.132	98.25	4.69	4.77	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-2.863	-3.034	98.25	4.69	4.75	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-2.793	-3.111	98.25	4.69	4.75	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-2.913	-2.814	98.25	4.69	4.84	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-2.943	-2.835	98.25	4.69	4.81	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-2.434	-2.825	98.25	4.34	4.73	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-2.456	-2.699	98.25	4.34	4.77	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-2.489	-2.830	98.25	4.34	4.69	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE80	MCS0	7	5985	-2.362	-3.019	98.30	4.56	4.89	≤ 5.00
802.11ax-HE80	MCS0	39	6145	-3.032	-2.526	98.30	4.56	4.80	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-2.428	-3.243	98.30	4.56	4.75	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-2.286	-2.960	98.30	4.30	4.70	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-2.859	-2.879	98.30	4.69	4.83	≤ 5.00
802.11ax-HE80	MCS0	135	6625	-2.724	-3.139	98.30	4.69	4.77	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-2.915	-3.099	98.30	4.69	4.69	≤ 5.00
802.11ax-HE80	MCS0	167	6785	-2.671	-3.095	98.30	4.69	4.82	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-2.909	-3.141	98.30	4.69	4.68	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-2.451	-2.839	98.30	4.34	4.71	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-2.467	-2.747	98.30	4.34	4.75	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-2.512	-2.866	98.03	4.56	4.88	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-2.685	-2.828	98.03	4.56	4.81	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-2.899	-2.728	98.03	4.56	4.76	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-2.880	-3.046	98.03	4.69	4.74	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-2.910	-2.844	98.03	4.69	4.82	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-2.841	-3.146	98.03	4.69	4.71	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-2.273	-3.015	98.03	4.34	4.72	≤ 5.00
802.11be-EHT20	MCS0	1	5955	-3.148	-2.552	98.39	4.56	4.73	≤ 5.00
802.11be-EHT20	MCS0	45	6175	-2.610	-2.780	98.39	4.56	4.88	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-2.347	-3.154	98.39	4.56	4.84	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-2.376	-2.776	98.39	4.30	4.74	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-2.325	-2.814	98.39	4.30	4.75	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-2.326	-2.685	98.39	4.30	4.81	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-2.845	-3.041	98.39	4.69	4.76	≤ 5.00
802.11be-EHT20	MCS0	149	6695	-2.940	-2.761	98.39	4.69	4.85	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-2.747	-3.239	98.39	4.69	4.71	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-3.072	-2.947	98.39	4.69	4.69	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-2.484	-2.690	98.39	4.34	4.76	≤ 5.00
802.11be-EHT20	MCS0	213	7015	-2.588	-2.710	98.39	4.34	4.70	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-2.438	-2.876	98.39	4.34	4.70	≤ 5.00


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT40	MCS0	3	5965	-2.911	-2.572	98.23	4.56	4.83	≤ 5.00
802.11be-EHT40	MCS0	43	6165	-2.603	-2.919	98.23	4.56	4.81	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-2.292	-3.280	98.23	4.56	4.81	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-2.383	-2.480	98.23	4.30	4.88	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-2.463	-2.841	98.23	4.30	4.66	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-2.784	-3.219	98.23	4.69	4.70	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-3.069	-2.898	98.23	4.69	4.72	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-2.699	-2.962	98.23	4.69	4.87	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-3.006	-2.941	98.23	4.69	4.73	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-2.712	-3.035	98.23	4.69	4.83	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-2.605	-2.672	98.23	4.34	4.71	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-2.421	-2.859	98.23	4.34	4.72	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-2.393	-2.864	98.23	4.34	4.73	≤ 5.00
802.11be-EHT80	MCS0	7	5985	-2.426	-3.022	98.31	4.56	4.86	≤ 5.00
802.11be-EHT80	MCS0	39	6145	-2.869	-2.805	98.31	4.56	4.73	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-2.277	-3.233	98.31	4.56	4.84	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-2.452	-2.582	98.31	4.30	4.79	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-2.944	-3.019	98.31	4.69	4.72	≤ 5.00
802.11be-EHT80	MCS0	135	6625	-2.740	-3.174	98.31	4.69	4.75	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-3.267	-2.869	98.31	4.69	4.64	≤ 5.00
802.11be-EHT80	MCS0	167	6785	-2.772	-3.231	98.31	4.69	4.70	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-2.896	-3.133	98.31	4.69	4.69	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-2.539	-2.842	98.31	4.34	4.66	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-2.416	-2.760	98.31	4.34	4.77	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-2.774	-2.956	98.14	4.56	4.71	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-2.864	-2.911	98.14	4.56	4.68	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-2.910	-2.821	98.14	4.56	4.71	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-2.756	-3.175	98.14	4.69	4.74	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-2.655	-2.962	98.14	4.69	4.89	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-2.834	-3.107	98.14	4.69	4.73	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-2.342	-2.963	98.14	4.34	4.71	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT320	MCS0	31	6105	-2.795	-2.832	98.04	4.56	4.76	≤ 5.00
802.11be-EHT320	MCS0	63	6265	-2.784	-2.905	98.04	4.56	4.73	≤ 5.00
802.11be-EHT320	MCS0	95	6425	-2.809	-3.072	98.04	4.69	4.76	≤ 5.00
802.11be-EHT320	MCS0	127	6585	-2.659	-3.264	98.04	4.69	4.75	≤ 5.00
802.11be-EHT320	MCS0	159	6745	-3.076	-2.827	98.04	4.69	4.75	≤ 5.00
802.11be-EHT320	MCS0	191	6905	-2.995	-3.018	98.04	4.69	4.69	≤ 5.00

Note: When EUT duty cycle < 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\}$ (dBm/MHz) + $10 \cdot \log (1/\text{Duty Cycle})$ + Antenna Gain (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0 (Nss = 2)

Channel 1 (5955MHz)




Channel 45 (6175MHz)



Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11ax-HE20 Power Spectral Density- Ant 0 (Nss = 2)

Channel 117 (6535MHz)



Channel 149 (6695MHz)



Channel 181 (6855MHz)



Channel 185 (6875MHz)




Channel 189 (6895MHz)




Channel 213 (7015MHz)






802.11ax-HE40 Power Spectral Density- Ant 0 (Nss = 2)


Channel 3 (5965MHz)



Channel 43 (6165MHz)



Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)




Channel 115 (6525MHz)



802.11ax-HE40 Power Spectral Density- Ant 0 (Nss = 2)

Channel 123 (6565MHz)



Channel 147 (6685MHz)




Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)




Channel 211 (7005MHz)





802.11ax-HE80 Power Spectral Density- Ant 0 (Nss = 2)


Channel 7 (5985MHz)



Channel 39 (6145MHz)



Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11ax-HE80 Power Spectral Density- Ant 0 (Nss = 2)

Channel 151 (6705MHz)



Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 Power Spectral Density- Ant 0 (Nss = 2)


Channel 15 (6025MHz)



Channel 47 (6185MHz)



Channel 79 (6345MHz)




Channel 111 (6505MHz)



Channel 143 (6665MHz)




Channel 175 (6825MHz)




802.11ax-HE160 Power Spectral Density- Ant 0 (Nss = 2)

Channel 207 (6985MHz)



802.11be-EHT20 Power Spectral Density- Ant 0 (Nss = 2)

Channel 1 (5955MHz)



Channel 45 (6175MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11be-EHT20 Power Spectral Density- Ant 0 (Nss = 2)

Channel 117 (6535MHz)



Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 213 (7015MHz)




802.11be-EHT20 Power Spectral Density- Ant 0 (Nss = 2)

Channel 229 (7095MHz)



802.11be-EHT40 Power Spectral Density- Ant 0 (Nss = 2)

Channel 3 (5965MHz)



Channel 43 (6165MHz)



Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)



Channel 115 (6525MHz)




802.11be-EHT40 Power Spectral Density- Ant 0 (Nss = 2)

Channel 123 (6565MHz)



Channel 147 (6685MHz)




Channel 179 (6845MHz)



Channel 187 (6885MHz)



Channel 195 (6925MHz)



Channel 211 (7005MHz)




802.11be-EHT40 Power Spectral Density- Ant 0 (Nss = 2)

Channel 227 (7085MHz)



802.11be-EHT80 Power Spectral Density- Ant 0 (Nss = 2)

Channel 7 (5985MHz)




Channel 39 (6145MHz)




Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11be-EHT80 Power Spectral Density- Ant 0 (Nss = 2)

Channel 151 (6705MHz)



Channel 167 (6785MHz)



Channel 183 (6865MHz)



Channel 199 (6945MHz)



Channel 215 (7025MHz)

