


Test Mode	IEEE 802.11n (HT40)	Test Date	2025/2/12
Test Frequency	5795MHz	Polarization	Vertical




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17388.0000	54.15	5.60	59.75	68.20	-8.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11n (HT40)	Test Date	2025/2/12
Test Frequency	5795MHz	Polarization	Horizontal




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17388.0000	57.31	5.60	62.91	68.20	-5.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

For Straddle Channel :

Test Mode	IEEE 802.11a	Test Date	2025/3/10
Test Frequency	5720MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17160.00	56.11	5.55	61.66	68.20	-6.54	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/3/10
Test Frequency	5720MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17160.00	57.66	5.55	63.21	68.20	-4.99	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11n (HT20)	Test Date	2025/3/10
Test Frequency	5720MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	17160.00	58.41	5.55	63.96	68.20	-4.24	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11n (HT20)	Test Date	2025/3/10
Test Frequency	5720MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	17160.00	57.57	5.55	63.12	68.20	-5.08	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11n (HT40)	Test Date	2025/3/10
Test Frequency	5710MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17130.00	54.85	5.54	60.39	68.20	-7.81	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11n (HT40)	Test Date	2025/3/10
Test Frequency	5710MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	17130.00	55.44	5.54	60.98	68.20	-7.22	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/2/13
Test Frequency	5180MHz	Polarization	Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	20720.0000	46.62	-9.03	37.59	74.00	-36.41	Peak	
2 *	20720.0000	35.87	-9.03	26.84	54.00	-27.16	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/2/13
Test Frequency	5180MHz	Polarization	Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	20720.0000	45.69	-9.03	36.66	74.00	-37.34	Peak	
2 *	20720.0000	35.14	-9.03	26.11	54.00	-27.89	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	40.688	25.200
40	5200	40.298	25.700
48	5240	42.589	28.500

CH36




Date: 14.FEB.2025 14:23:18

CH40
26 dB Bandwidth



Date: 14.FEB.2025 14:24:32

CH48




Date: 14.FEB.2025 14:25:43


99 % Occupied Bandwidth



Date: 14.FEB.2025 14:23:02



Date: 14.FEB.2025 14:24:16




Date: 14.FEB.2025 14:25:28


Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	28.150	18.200
40	5200	43.850	26.000
48	5240	46.190	29.100

CH36




Date: 14.FEB.2025 15:10:05

CH40
26 dB Bandwidth



Date: 14.FEB.2025 15:10:56

CH48




Date: 14.FEB.2025 15:11:25


99 % Occupied Bandwidth



Date: 14.FEB.2025 15:10:44



Date: 14.FEB.2025 15:10:43




Date: 14.FEB.2025 15:11:13


Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	38.800	52.000
46	5230	39.000	56.400

CH38




Date: 14.FEB.2025 15:57:14


CH46
26 dB Bandwidth


Date: 14.FEB.2025 16:40:21

99 % Occupied Bandwidth



Date: 14.FEB.2025 15:55:53




Date: 14.FEB.2025 15:59:19


Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	43.699	30.000
60	5300	43.550	29.800
64	5320	43.499	29.900

CH52




Date: 14.FEB.2025 14:28:49

CH60
26 dB Bandwidth



Date: 14.FEB.2025 14:30:33

CH64




Date: 14.FEB.2025 14:31:32


99 % Occupied Bandwidth



Date: 14.FEB.2025 14:29:59



Date: 14.FEB.2025 14:30:20




Date: 14.FEB.2025 14:31:18


Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	46.390	29.300
60	5300	46.089	29.200
64	5320	45.599	28.400

CH52




Date: 14.FEB.2025 15:12:10

CH60
26 dB Bandwidth



Date: 14.FEB.2025 15:13:02

CH64




Date: 14.FEB.2025 15:13:29


99 % Occupied Bandwidth



Date: 14.FEB.2025 15:12:19



Date: 14.FEB.2025 15:13:10




Date: 14.FEB.2025 15:13:16


Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	38.600	53.000
62	5310	38.800	52.800

CH54




Date: 14.FEB.2025 16:41:59


CH62
26 dB Bandwidth


Date: 14.FEB.2025 16:43:54

99 % Occupied Bandwidth



Date: 14.FEB.2025 16:00:39




Date: 14.FEB.2025 16:02:37


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	43.799	29.400
116	5580	43.400	29.800
140	5700	45.149	28.700

CH100




Date: 14.FEB.2025 14:36:02

CH116
26 dB Bandwidth



Date: 14.FEB.2025 14:39:16

CH140




Date: 14.FEB.2025 14:40:38


99 % Occupied Bandwidth



Date: 14.FEB.2025 14:38:25



Date: 14.FEB.2025 14:39:03




Date: 14.FEB.2025 14:44:46


Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	48.750	32.100
116	5580	46.090	28.400
140	5700	45.689	29.000

CH100




Date: 14.FEB.2025 15:33:38

CH116
26 dB Bandwidth



Date: 14.FEB.2025 15:38:15

CH140




Date: 14.FEB.2025 15:47:10


99 % Occupied Bandwidth



Date: 14.FEB.2025 15:33:38



Date: 14.FEB.2025 15:38:03




Date: 14.FEB.2025 15:46:57


Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.600	57.800
110	5550	38.798	55.200
134	5670	51.000	59.400

CH102




Date: 14.FEB.2025 16:15:10

CH110
26 dB Bandwidth



Date: 14.FEB.2025 16:15:13

CH134




Date: 14.FEB.2025 16:15:14


99 % Occupied Bandwidth



Date: 14.FEB.2025 16:15:10



Date: 14.FEB.2025 16:11:13




Date: 14.FEB.2025 16:11:26


Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.600	29.200	0.5	Complies
157	5785	16.600	27.800	0.5	Complies
165	5825	16.600	26.700	0.5	Complies

CH149




Date: 14.FEB.2025 14:45:58

CH157
6 dB Bandwidth



Date: 14.FEB.2025 14:47:22

CH165




Date: 14.FEB.2025 14:56:33


99 % Occupied Bandwidth



Date: 14.FEB.2025 14:45:31



Date: 14.FEB.2025 14:46:53




Date: 14.FEB.2025 14:56:05


Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.850	26.900	0.5	Complies
157	5785	17.850	25.900	0.5	Complies
165	5825	17.850	24.800	0.5	Complies

CH149




Date: 14.FEB.2025 15:50:31

CH157
6 dB Bandwidth



Date: 14.FEB.2025 15:51:06

CH165




Date: 14.FEB.2025 15:53:16


99 % Occupied Bandwidth



Date: 14.FEB.2025 15:50:04



Date: 14.FEB.2025 15:51:09




Date: 14.FEB.2025 15:52:48


Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	55.800	0.5	Complies
159	5795	36.500	55.000	0.5	Complies

CH151




Date: 14.FEB.2025 17:01:46


CH159
6 dB Bandwidth


Date: 14.FEB.2025 17:02:35

99 % Occupied Bandwidth



Date: 14.FEB.2025 16:17:37



Date: 14.FEB.2025 16:20:45

APPENDIX E OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.03	0.00	22.03	30.00	1.0000	Complies
40	5200	21.96	0.00	21.96	30.00	1.0000	Complies
48	5240	21.99	0.00	21.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.91	0.00	20.91	30.00	1.0000	Complies
40	5200	21.02	0.00	21.02	30.00	1.0000	Complies
48	5240	20.89	0.00	20.89	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.90	0.00	21.90	30.00	1.0000	Complies
46	5230	21.99	0.00	21.99	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.67	0.00	22.67	23.98	0.2500	Complies
60	5300	22.82	0.00	22.82	23.98	0.2500	Complies
64	5320	22.59	0.00	22.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.89	0.00	21.89	23.98	0.2500	Complies
60	5300	22.07	0.00	22.07	23.98	0.2500	Complies
64	5320	22.02	0.00	22.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.97	0.00	21.97	23.98	0.2500	Complies
62	5310	21.86	0.00	21.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.03	0.00	23.03	23.98	0.2500	Complies
116	5580	23.07	0.00	23.07	23.98	0.2500	Complies
140	5700	23.14	0.00	23.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.06	0.00	23.06	23.98	0.2500	Complies
116	5580	22.97	0.00	22.97	23.98	0.2500	Complies
140	5700	23.10	0.00	23.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1	Tested Date	2025/2/11
-----------	--------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.08	0.00	23.08	23.98	0.2500	Complies
110	5550	23.04	0.00	23.04	23.98	0.2500	Complies
134	5670	23.01	0.00	23.01	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.02	0.00	23.02	30.00	1.0000	Complies
157	5785	22.93	0.00	22.93	30.00	1.0000	Complies
165	5825	22.91	0.00	22.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.93	0.00	22.93	30.00	1.0000	Complies
157	5785	22.91	0.00	22.91	30.00	1.0000	Complies
165	5825	22.89	0.00	22.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1	Tested Date	2025/2/11
-----------	-------------------------------	-------------	-----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.91	0.00	22.91	30.00	1.0000	Complies
159	5795	22.96	0.00	22.96	30.00	1.0000	Complies

For Straddle Channel :

測試模式	IEEE 802.11a_Ant1	測試日期	2025/3/7
------	-------------------	------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	23.04	0.00	23.04	30.00	1.0000	Complies

測試模式	IEEE 802.11n (HT20)_Ant1	測試日期	2025/3/7
------	--------------------------	------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	23.02	0.00	23.02	30.00	1.0000	Complies


測試模式	IEEE 802.11n (HT40)_Ant1	測試日期	2025/3/7
------	--------------------------	------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	22.92	0.00	22.92	30.00	1.0000	Complies

APPENDIX F POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.00	0.00	7.00	17.00	Complies
40	5200	6.75	0.00	6.75	17.00	Complies
48	5240	6.72	0.00	6.72	17.00	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.09	0.00	2.09	17.00	Complies
40	5200	5.56	0.00	5.56	17.00	Complies
48	5240	5.85	0.00	5.85	17.00	Complies



Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.15	0.00	4.15	17.00	Complies
46	5230	3.93	0.00	3.93	17.00	Complies

CH38



Date: 14.FEB.2025 15:56:41


CH46



Date: 14.FEB.2025 15:59:41


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.48	0.00	7.48	11.00	Complies
60	5300	7.30	0.00	7.30	11.00	Complies
64	5320	6.97	0.00	6.97	11.00	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.85	0.00	5.85	11.00	Complies
60	5300	6.23	0.00	6.23	11.00	Complies
64	5320	5.63	0.00	5.63	11.00	Complies



Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.69	0.00	3.69	11.00	Complies
62	5310	3.26	0.00	3.26	11.00	Complies

CH54



Date: 14.FEB.2025 16:01:01


CH62



Date: 14.FEB.2025 16:02:59


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.81	0.00	6.81	11.00	Complies
116	5580	6.23	0.00	6.23	11.00	Complies
140	5700	6.03	0.00	6.03	11.00	Complies




Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.03	0.00	6.03	11.00	Complies
116	5580	4.48	0.00	4.48	11.00	Complies
140	5700	4.34	0.00	4.34	11.00	Complies




Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.73	0.00	3.73	11.00	Complies
110	5550	3.23	0.00	3.23	11.00	Complies
134	5670	3.36	0.00	3.36	11.00	Complies



Date: 14.FEB.2025 16:10:13




Date: 14.FEB.2025 16:11:35



Date: 14.FEB.2025 16:11:40


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.71	0.00	3.71	30.00	Complies
157	5785	3.42	0.00	3.42	30.00	Complies
165	5825	3.44	0.00	3.44	30.00	Complies



Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.22	0.00	2.22	30.00	Complies
157	5785	1.78	0.00	1.78	30.00	Complies
165	5825	2.01	0.00	2.01	30.00	Complies



Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.58	0.00	0.58	30.00	Complies
159	5795	0.37	0.00	0.37	30.00	Complies

CH151



Date: 14.FEB.2025 16:17:58

CH159




Date: 14.FEB.2025 16:21:08

For Straddle Channel :


Test Mode	TX A Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
144	5720	7.96	0.00	7.96	17.00	Complies




Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
144	5720	6.36	0.00	6.36	17.00	Complies



Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
142	5710	3.61	0.00	3.61	17.00	Complies



Date: 7-MAR-2025 15:02:37

End of Test Report