


Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5530MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	42.84	8.07	50.91	74.00	-23.09	Peak	
2 *	11060.0000	31.51	8.07	39.58	54.00	-14.42	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5610MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16830.0000	49.94	7.76	57.70	68.20	-10.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5610MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16830.0000	50.26	7.76	58.02	68.20	-10.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5775MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17325.0000	53.29	7.79	61.08	68.20	-7.12	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5775MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17325.0000	55.36	7.79	63.15	68.20	-5.05	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/6/2
Test Frequency	5795MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	20720.0000	45.18	-9.03	36.15	74.00	-37.85	Peak	
2 *	20720.0000	32.75	-9.03	23.72	54.00	-30.28	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/6/2
Test Frequency	5795MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	20720.0000	45.36	-9.03	36.33	74.00	-37.67	Peak	
2 *	20720.0000	32.71	-9.03	23.68	54.00	-30.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	IEEE 802.11a	Test Date	2025/5/29
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17167.00	60.01	7.71	67.72	68.20	-0.48	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/5/29
Test Frequency	5720MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17150.00	60.34	7.71	68.05	68.20	-0.15	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/5/29
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17167.00	59.30	7.71	67.01	68.20	-1.19	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/5/29
Test Frequency	5720MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17167.00	60.16	7.71	67.87	68.20	-0.33	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/6/2
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17130.00	55.11	7.70	62.81	68.20	-5.39	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/6/2
Test Frequency	5710MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17130.00	56.08	7.70	63.78	68.20	-4.42	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/6/2
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17070.00	52.59	7.67	60.26	68.20	-7.94	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/6/2
Test Frequency	5690MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17070.00	55.17	7.67	62.84	68.20	-5.36	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE20)	Test Date	2025/6/2
Test Frequency	5720MHz	Polarization	Vertical
Temp	°C	Hum.	%




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17100.00	58.15	7.69	65.84	68.20	-2.36	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE20)	Test Date	2025/6/2
Test Frequency	5720MHz	Polarization	Horizontal
Temp	°C	Hum.	%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17160.00	60.35	7.72	68.07	68.20	-0.13	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2025/6/2
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17130.00	54.84	7.70	62.54	68.20	-5.66	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2025/6/2
Test Frequency	5710MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17130.00	55.77	7.70	63.47	68.20	-4.73	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17070.00	52.55	7.67	60.22	68.20	-7.98	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/6/2
Test Frequency	5690MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17070.00	55.51	7.67	63.18	68.20	-5.02	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	27.989	16.600
40	5200	31.189	16.800
48	5240	31.897	16.400

CH36




Date: 6.MAY.2025 14:05:38

CH40
26 dB Bandwidth




Date: 6.MAY.2025 14:08:57

CH48




Date: 6.MAY.2025 14:09:48


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:05:16



Date: 6.MAY.2025 14:08:34




Date: 10.MAY.2025 00:24:15

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	26.300	17.700
40	5200	22.490	17.600
48	5240	22.299	17.600

CH36




Date: 6.MAY.2025 14:45:10

CH40
26 dB Bandwidth




Date: 6.MAY.2025 14:46:18

CH48




Date: 6.MAY.2025 14:47:19


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:44:40



Date: 6.MAY.2025 14:45:51




Date: 6.MAY.2025 14:46:55

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	55.300	36.800
46	5230	39.500	36.400

CH38




Date: 6.MAY.2025 15:14:27

CH46 26 dB Bandwidth




Date: 6.MAY.2025 15:16:44

99 % Occupied Bandwidth



Date: 6.MAY.2025 15:13:17




Date: 6.MAY.2025 15:16:07

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	171.400	76.400

CH42
26 dB Bandwidth



Date: 6.MAY.2025 15:29:52

99 % Occupied Bandwidth




Date: 6.MAY.2025 15:29:36

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	39.790	20.700
40	5200	31.298	19.000
48	5240	33.950	19.000

CH36




Date: 6.MAY.2025 16:03:13

CH40
26 dB Bandwidth




Date: 6.MAY.2025 16:05:02

CH48




Date: 6.MAY.2025 16:06:05


99 % Occupied Bandwidth



Date: 6.MAY.2025 16:02:56



Date: 6.MAY.2025 16:04:41




Date: 6.MAY.2025 16:05:47


Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	57.300	38.000
46	5230	39.900	38.000



CH38



CH46
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	119.400	78.000

CH42 26 dB Bandwidth



Date: 6.MAY.2025 16:52:39

99 % Occupied Bandwidth




Date: 6.MAY.2025 16:52:09

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.089	16.500
60	5300	21.990	16.500
64	5320	21.898	16.600

CH52




Date: 6.MAY.2025 14:13:44

CH60
26 dB Bandwidth




Date: 6.MAY.2025 14:15:18

CH64




Date: 6.MAY.2025 14:23:13


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:13:16



Date: 6.MAY.2025 14:14:49




Date: 6.MAY.2025 14:22:31

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.500	17.600
60	5300	21.489	17.600
64	5320	27.850	17.600

CH52




Date: 6.MAY.2025 14:48:18

CH60
26 dB Bandwidth




Date: 6.MAY.2025 14:51:37

CH64




Date: 6.MAY.2025 14:52:56


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:47:54



Date: 6.MAY.2025 14:51:01




Date: 6.MAY.2025 14:52:34

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.208	36.200
62	5310	39.000	36.200

CH54




Date: 6.MAY.2025 15:18:07

CH62
26 dB Bandwidth




Date: 6.MAY.2025 15:19:51

99 % Occupied Bandwidth



Date: 6.MAY.2025 15:17:32




Date: 6.MAY.2025 15:19:15

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	169.000	76.000

CH58 26 dB Bandwidth



Date: 6.MAY.2025 15:32:50

99 % Occupied Bandwidth




Date: 6.MAY.2025 15:32:33

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	35.990	19.100
60	5300	39.390	19.100
64	5320	34.590	19.000

CH52




Date: 6.MAY.2025 16:11:28

CH60
26 dB Bandwidth




Date: 6.MAY.2025 16:13:15

CH64




Date: 6.MAY.2025 16:14:55


99 % Occupied Bandwidth



Date: 6.MAY.2025 16:11:08



Date: 6.MAY.2025 16:12:57




Date: 6.MAY.2025 16:14:33

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.100	37.800
62	5310	41.500	37.800

CH54




Date: 6.MAY.2025 16:36:03

CH62
26 dB Bandwidth




Date: 6.MAY.2025 16:37:36

99 % Occupied Bandwidth



Date: 6.MAY.2025 16:35:26




Date: 6.MAY.2025 16:37:01

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	108.200	77.600

CH58 26 dB Bandwidth



Date: 6.MAY.2025 16:54:47

99 % Occupied Bandwidth




Date: 6.MAY.2025 16:53:42

Test Mode UNII-2C_TX A Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.000	16.400
116	5580	18.650	16.400
140	5700	18.599	16.400

CH100




Date: 6.MAY.2025 14:29:54

CH116
26 dB Bandwidth




Date: 6.MAY.2025 14:33:01

CH140




Date: 6.MAY.2025 14:34:45


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:29:26



Date: 6.MAY.2025 14:32:35




Date: 6.MAY.2025 14:34:19

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.550	17.500
116	5580	19.659	17.400
140	5700	19.490	17.400

CH100




Date: 6.MAY.2025 14:55:11

CH116
26 dB Bandwidth




Date: 6.MAY.2025 14:56:36

CH140




Date: 6.MAY.2025 14:57:39


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:54:45



Date: 6.MAY.2025 14:56:10




Date: 6.MAY.2025 14:57:13

Test Mode UNII-2C_TX AC(VHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.900	36.000
110	5550	39.000	36.000
134	5670	38.700	36.000

CH102




Date: 6.MAY.2025 15:21:38

CH110
26 dB Bandwidth




Date: 6.MAY.2025 15:22:59

CH134




Date: 6.MAY.2025 15:24:43


99 % Occupied Bandwidth



Date: 6.MAY.2025 15:20:59



Date: 6.MAY.2025 15:22:23




Date: 6.MAY.2025 15:24:05

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	116.000	75.200
122	5610	124.800	75.600

CH106




Date: 6.MAY.2025 15:41:46

CH122
26 dB Bandwidth




Date: 6.MAY.2025 15:56:36

99 % Occupied Bandwidth



Date: 6.MAY.2025 15:41:18




Date: 6.MAY.2025 15:56:10

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.600	18.800
116	5580	20.390	18.800
140	5700	20.550	18.800

CH100




Date: 6.MAY.2025 16:16:30

CH116
26 dB Bandwidth




Date: 6.MAY.2025 16:17:36

CH140




Date: 6.MAY.2025 16:19:01


99 % Occupied Bandwidth



Date: 6.MAY.2025 16:16:01



Date: 6.MAY.2025 16:17:10




Date: 6.MAY.2025 16:18:35

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.800	37.800
110	5550	39.700	37.800
134	5670	39.700	37.600

CH102




Date: 6.MAY.2025 16:41:05

CH110
26 dB Bandwidth




Date: 6.MAY.2025 16:43:15

CH134




Date: 6.MAY.2025 16:45:29


99 % Occupied Bandwidth



Date: 6.MAY.2025 16:40:27



Date: 6.MAY.2025 16:42:38




Date: 6.MAY.2025 16:44:52

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.200	77.200
122	5610	82.200	76.800

CH106




Date: 6.MAY.2025 16:58:02

CH122
26 dB Bandwidth




Date: 6.MAY.2025 17:01:12

99 % Occupied Bandwidth



Date: 6.MAY.2025 16:57:26




Date: 6.MAY.2025 17:00:39


Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.100	16.400	0.5	Complies
157	5785	13.800	16.400	0.5	Complies
165	5825	15.200	16.500	0.5	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Occupied Bandwidth



Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	14.389	17.400	0.5	Complies
157	5785	14.790	17.500	0.5	Complies
165	5825	15.200	17.500	0.5	Complies

CH149




Date: 6.MAY.2025 14:58:44

CH157
6 dB Bandwidth




Date: 6.MAY.2025 14:59:52

CH165




Date: 6.MAY.2025 15:02:05


99 % Occupied Bandwidth



Date: 6.MAY.2025 14:58:15



Date: 6.MAY.2025 14:59:21




Date: 6.MAY.2025 15:01:37

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.599	36.000	0.5	Complies
159	5795	35.300	36.000	0.5	Complies

CH151




Date: 6.MAY.2025 15:26:15

CH159
6 dB Bandwidth




Date: 6.MAY.2025 15:28:02

99 % Occupied Bandwidth



Date: 6.MAY.2025 15:25:37



Date: 6.MAY.2025 15:27:23