


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	61.990	75.600	0.5	Complies

CH155
6 dB Bandwidth



Date: 6.MAY.2025 15:47:17

99 % Occupied Bandwidth




Date: 6.MAY.2025 15:46:09

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.450	18.800	0.5	Complies
157	5785	17.599	18.800	0.5	Complies
165	5825	17.687	18.900	0.5	Complies

CH149




Date: 6.MAY.2025 16:20:25

CH157
6 dB Bandwidth




Date: 6.MAY.2025 16:21:43

CH165




Date: 6.MAY.2025 16:23:08


99 % Occupied Bandwidth



Date: 6.MAY.2025 16:19:58



Date: 6.MAY.2025 16:21:14




Date: 6.MAY.2025 16:22:40

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.190	37.600	0.5	Complies
159	5795	30.800	37.600	0.5	Complies

CH151




Date: 6.MAY.2025 16:48:00

CH159 6 dB Bandwidth




Date: 6.MAY.2025 16:50:35

99 % Occupied Bandwidth



Date: 6.MAY.2025 16:47:20




Date: 6.MAY.2025 16:49:51

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.608	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 6.MAY.2025 17:06:58

99 % Occupied Bandwidth



Date: 6.MAY.2025 17:06:21


Straddle Channel:

Test Mode	TX A Mode
-----------	-----------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	19.088	16.400

CH144

26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	TX AC(VHT20) Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	22.389	17.600

CH144

26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	TX AC(VHT40) Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
142	5710	38.790	36.400


CH142

26 dB Bandwidth



Date: 5.MAY.2025 23:39:21

99 % Occupied Bandwidth




Date: 5.MAY.2025 23:38:44

Test Mode	TX AC(VHT80) Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
138	5690	163.400	75.200


CH138

26 dB Bandwidth



Date: 5.MAY.2025 23:40:59

99 % Occupied Bandwidth




Date: 6.MAY.2025 17:37:38

Test Mode	TX AX(HE20) Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	20.350	18.800

CH144

26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	TX AX(HE40) Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
142	5710	39.508	37.800

CH142

26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	TX AX(HE80) Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
138	5690	183.998	77.600

CH138

26 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX E OUTPUT POWER

Test Mode	IEEE 802.11a_Ant.1	Test Date	2025/4/25
-----------	--------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.91	0.0618	23.98	0.2500	PASS
5200	20.09	0.1021	23.98	0.2500	PASS
5240	20.11	0.1026	23.98	0.2500	PASS
5260	19.91	0.0979	23.98	0.2500	PASS
5300	20.16	0.1038	23.98	0.2500	PASS
5320	19.96	0.0991	23.98	0.2500	PASS
5500	19.96	0.0991	23.98	0.2500	PASS
5580	20.05	0.1012	23.98	0.2500	PASS
5700	20.25	0.1059	23.98	0.2500	PASS
5720	20.12	0.0103	23.98	0.2500	PASS
5745	14.25	0.0266	30.00	1.0000	PASS
5785	14.78	0.0301	30.00	1.0000	PASS
5825	15.13	0.0326	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Ant.1	Test Date	2025/4/25
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.82	0.0605	23.98	0.2500	PASS
5200	19.93	0.0984	23.98	0.2500	PASS
5240	19.87	0.0971	23.98	0.2500	PASS
5260	19.97	0.0993	23.98	0.2500	PASS
5300	20.24	0.1057	23.98	0.2500	PASS
5320	19.96	0.0991	23.98	0.2500	PASS
5500	19.45	0.0881	23.98	0.2500	PASS
5580	20.03	0.1007	23.98	0.2500	PASS
5700	19.51	0.0893	23.98	0.2500	PASS
5720	19.83	0.0096	23.98	0.2500	PASS
5745	18.38	0.0689	30.00	1.0000	PASS
5785	17.29	0.0536	30.00	1.0000	PASS
5825	17.42	0.0552	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.1	Test Date	2025/4/25
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	16.00	0.0398	23.98	0.2500	PASS
5230	20.35	0.1084	23.98	0.2500	PASS
5270	20.27	0.1064	23.98	0.2500	PASS
5310	14.83	0.0304	23.98	0.2500	PASS
5510	18.38	0.0689	23.98	0.2500	PASS
5550	20.21	0.1050	23.98	0.2500	PASS
5670	20.26	0.1062	23.98	0.2500	PASS
5710	20.03	0.0101	23.98	0.2500	PASS
5755	20.34	0.1081	30.00	1.0000	PASS
5795	20.43	0.1104	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2025/4/25
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	15.36	0.0344	23.98	0.2500	PASS
5290	14.61	0.0289	23.98	0.2500	PASS
5530	16.12	0.0409	23.98	0.2500	PASS
5610	19.09	0.0811	23.98	0.2500	PASS
5690	20.14	0.0103	23.98	0.2500	PASS
5775	18.23	0.0665	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.1	Test Date	2025/4/25
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.52	0.0711	23.98	0.2500	PASS
5200	19.97	0.0993	23.98	0.2500	PASS
5240	20.05	0.1012	23.98	0.2500	PASS
5260	19.97	0.0993	23.98	0.2500	PASS
5300	20.08	0.1019	23.98	0.2500	PASS
5320	19.99	0.0998	23.98	0.2500	PASS
5500	18.52	0.0711	23.98	0.2500	PASS
5580	19.84	0.0964	23.98	0.2500	PASS
5700	18.32	0.0679	23.98	0.2500	PASS
5720	20.06	0.0101	23.98	0.2500	PASS
5745	18.21	0.0662	30.00	1.0000	PASS
5785	18.03	0.0635	30.00	1.0000	PASS
5825	18.55	0.0716	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40) _Ant.1	Test Date	2025/4/25
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	15.89	0.0388	23.98	0.2500	PASS
5230	19.77	0.0948	23.98	0.2500	PASS
5270	20.03	0.1007	23.98	0.2500	PASS
5310	15.40	0.0347	23.98	0.2500	PASS
5510	18.01	0.0632	23.98	0.2500	PASS
5550	20.22	0.1052	23.98	0.2500	PASS
5670	19.88	0.0973	23.98	0.2500	PASS
5710	19.78	0.0095	23.98	0.2500	PASS
5755	20.09	0.1021	30.00	1.0000	PASS
5795	20.18	0.1042	30.00	1.0000	PASS


Test Mode	IEEE 802.11ax (HE80)_Ant.1	Test Date	2025/4/25
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	15.60	0.0363	23.98	0.2500	PASS
5290	14.14	0.0259	23.98	0.2500	PASS
5530	15.69	0.0371	23.98	0.2500	PASS
5610	19.08	0.0809	23.98	0.2500	PASS
5690	20.03	0.0101	23.98	0.2500	PASS
5775	18.02	0.0634	30.00	1.0000	PASS


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.65	0.00	9.65	17.00	Complies
40	5200	10.05	0.00	10.05	17.00	Complies
48	5240	9.79	0.00	9.79	17.00	Complies



Date: 6.MAY.2025 14:05:53




Date: 6.MAY.2025 14:09:12




Date: 6.MAY.2025 14:10:04

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.50	0.11	9.61	17.00	Complies
40	5200	9.33	0.11	9.44	17.00	Complies
48	5240	8.91	0.11	9.02	17.00	Complies



Date: 6.MAY.2025 14:45:25



Date: 6.MAY.2025 14:46:14




Date: 6.MAY.2025 14:47:35

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.68	0.20	5.88	17.00	Complies
46	5230	5.39	0.20	5.59	17.00	Complies

CH38



Date: 6.MAY.2025 15:14:49

CH46




Date: 6.MAY.2025 15:17:06

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.79	0.20	2.99	17.00	Complies


CH42



Date: 6.MAY.2025 15:30:14


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.76	0.00	10.76	17.00	Complies
40	5200	9.86	0.00	9.86	17.00	Complies
48	5240	9.49	0.00	9.49	17.00	Complies




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.70	0.00	6.70	17.00	Complies
46	5230	6.01	0.00	6.01	17.00	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.67	0.00	2.67	17.00	Complies




Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.23	0.00	9.23	11.00	Complies
60	5300	9.21	0.00	9.21	11.00	Complies
64	5320	9.48	0.00	9.48	11.00	Complies



Date: 6.MAY.2025 14:14:09




Date: 6.MAY.2025 14:15:34




Date: 6.MAY.2025 14:23:28

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.80	0.11	8.91	11.00	Complies
60	5300	8.78	0.11	8.89	11.00	Complies
64	5320	9.28	0.11	9.39	11.00	Complies



Date: 6.MAY.2025 14:48:33



Date: 6.MAY.2025 14:51:53




Date: 6.MAY.2025 14:53:12

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.99	0.20	5.19	11.00	Complies
62	5310	5.15	0.20	5.35	11.00	Complies

CH54



Date: 6.MAY.2025 15:18:29

CH62




Date: 6.MAY.2025 15:20:12

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.32	0.20	2.52	11.00	Complies


CH58




Date: 6.MAY.2025 15:33:11

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.81	0.00	9.81	11.00	Complies
60	5300	10.04	0.00	10.04	11.00	Complies
64	5320	9.65	0.00	9.65	11.00	Complies



Date: 6.MAY.2025 16:11:43




Date: 6.MAY.2025 16:13:31




Date: 6.MAY.2025 16:15:11

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.68	0.00	5.68	11.00	Complies
62	5310	5.75	0.00	5.75	11.00	Complies




Date: 6.MAY.2025 16:36:25



Date: 6.MAY.2025 16:37:58




Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.34	0.00	2.34	11.00	Complies






Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.61	0.00	9.61	11.00	Complies
116	5580	9.22	0.00	9.22	11.00	Complies
140	5700	7.37	0.00	7.37	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.95	0.11	10.06	11.00	Complies
116	5580	9.07	0.11	9.18	11.00	Complies
140	5700	6.94	0.11	7.05	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.80	0.20	6.00	11.00	Complies
110	5550	5.84	0.20	6.04	11.00	Complies
134	5670	3.37	0.20	3.57	11.00	Complies

CH102




Date: 6.MAY.2025 15:22:09

CH110



Date: 6.MAY.2025 15:23:21

CH134




Date: 6.MAY.2025 15:25:05

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.92	0.20	3.12	11.00	Complies
122	5610	2.61	0.20	2.81	11.00	Complies

CH106



Date: 6.MAY.2025 15:42:08


CH122




Date: 6.MAY.2025 15:56:58

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.52	0.00	9.52	11.00	Complies
116	5580	8.51	0.00	8.51	11.00	Complies
140	5700	6.26	0.00	6.26	11.00	Complies



Date: 6.MAY.2025 16:16:45




Date: 6.MAY.2025 16:17:52




Date: 6.MAY.2025 16:19:17

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.95	0.00	5.95	11.00	Complies
110	5550	5.89	0.00	5.89	11.00	Complies
134	5670	3.44	0.00	3.44	11.00	Complies



Date: 6.MAY.2025 16:41:27



Date: 6.MAY.2025 16:43:36




Date: 6.MAY.2025 16:45:51

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.67	0.00	2.67	11.00	Complies
122	5610	1.34	0.00	1.34	11.00	Complies

CH106



Date: 6.MAY.2025 16:58:24

CH122




Date: 6.MAY.2025 17:01:34

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.20	0.00	5.20	30.00	Complies
157	5785	5.39	0.00	5.39	30.00	Complies
165	5825	5.73	0.00	5.73	30.00	Complies

CH149




Date: 6.MAY.2025 14:38:00

CH157



Date: 6.MAY.2025 14:39:33

CH165




Date: 6.MAY.2025 14:41:53

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.89	0.11	5.00	30.00	Complies
157	5785	4.70	0.11	4.81	30.00	Complies
165	5825	5.34	0.11	5.45	30.00	Complies

CH149




Date: 6.MAY.2025 14:58:59

CH157



Date: 6.MAY.2025 15:00:08


CH165




Date: 6.MAY.2025 15:02:21

Test Mode	UNII-3_TX AC(VHT40) Mode Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.10	0.20	0.30	30.00	Complies
159	5795	0.61	0.20	0.81	30.00	Complies




Date: 6.MAY.2025 15:26:37



Date: 6.MAY.2025 15:28:24

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.56	0.20	-2.36	30.00	Complies




Date: 6.MAY.2025 15:47:39

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.94	0.00	3.94	30.00	Complies
157	5785	4.04	0.00	4.04	30.00	Complies
165	5825	4.65	0.00	4.65	30.00	Complies

CH149




Date: 6.MAY.2025 16:20:41

CH157



Date: 6.MAY.2025 16:21:59

CH165




Date: 6.MAY.2025 16:23:24

Test Mode UNII-3_TX AX(HE40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.07	0.00	0.07	30.00	Complies
159	5795	0.00	0.00	0.00	30.00	Complies

CH151



Date: 6.MAY.2025 16:40:22


CH159



Date: 6.MAY.2025 16:50:57

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.46	0.00	-3.46	30.00	Complies



For Straddle Channel:

Test Mode	TX A Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
144	5720	8.21	0.00	8.21	11.00	Complies



Date: 6.MAY.2025 17:22:05

Test Mode	TX AC(VHT20) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
144	5720	7.71	0.11	7.82	11.00	Complies




Date: 6.MAY.2025 17:23:12

Test Mode	TX AC(VHT40) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
142	5710	4.98	0.20	5.18	11.00	Complies

CH142




Date: 6.MAY.2025 17:26:30

Test Mode	TX AC(VHT80) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
138	5690	0.82	0.20	1.02	11.00	Complies


CH138



Date: 6.MAY.2025 17:30:21

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
144	5720	8.17	0.00	8.17	11.00	Complies



Date: 6.MAY.2025 17:32:16

Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
142	5710	4.68	0.00	4.68	11.00	Complies



Date: 6.MAY.2025 17:33:17

Test Mode	TX AX(HE80) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
138	5690	1.33	0.00	1.33	11.00	Complies



Date: 6.MAY.2025 17:34:03

End of Test Report