


Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5755MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17265.0000	50.24	5.56	55.80	68.20	-12.40	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5795MHz	Polarization	Vertical

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17385.0000	52.10	5.54	57.64	68.20	-10.56	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5795MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17385.0000	51.14	5.54	56.68	68.20	-11.52	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5210MHz	Polarization	Vertical

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10420.0000	43.65	4.94	48.59	68.20	-19.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5210MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10420.0000	43.66	4.94	48.60	68.20	-19.60	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5290MHz	Polarization	Vertical

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10580.0000	41.39	4.89	46.28	68.20	-21.92	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5290MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10580.0000	41.44	4.89	46.33	68.20	-21.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5530MHz	Polarization	Vertical

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	42.47	4.91	47.38	74.00	-26.62	Peak	
2 *	11060.0000	36.15	4.91	41.06	54.00	-12.94	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5530MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	42.31	4.91	47.22	74.00	-26.78	Peak	
2 *	11060.0000	36.49	4.91	41.40	54.00	-12.60	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5610MHz	Polarization	Vertical

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.0000	41.74	5.07	46.81	74.00	-27.19	Peak	
2 *	11220.0000	36.19	5.07	41.26	54.00	-12.74	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5610MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.0000	42.03	5.07	47.10	74.00	-26.90	Peak	
2 *	11220.0000	36.05	5.07	41.12	54.00	-12.88	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5775MHz	Polarization	Vertical

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	42.74	5.32	48.06	74.00	-25.94	Peak	
2 *	11550.0000	36.49	5.32	41.81	54.00	-12.19	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5775MHz	Polarization	Horizontal

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	43.04	5.32	48.36	74.00	-25.64	Peak	
2 *	11550.0000	36.89	5.32	42.21	54.00	-11.79	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5755MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20840.00	44.18	-8.68	35.50	74.00	-38.50	peak	
2	*	20840.00	31.73	-8.68	23.05	54.00	-30.95	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5755MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20840.00	44.55	-8.68	35.87	74.00	-38.13	peak	
2	*	20840.00	31.78	-8.68	23.10	54.00	-30.90	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	IEEE 802.11a	Test Date	2025/2/7
Test Frequency	5720Hz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17167.00	51.84	5.57	57.41	68.20	-10.79	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/2/7
Test Frequency	5720Hz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17167.00	53.63	5.57	59.20	68.20	-9.00	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/2/7
Test Frequency	5720Hz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	49.46	5.28	54.74	74.00	-19.26	peak	
2	*	11440.00	40.63	5.28	45.91	54.00	-8.09	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/2/7
Test Frequency	5720Hz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11440.00	49.61	5.28	54.89	74.00	-19.11	peak	
2	*	11440.00	40.65	5.28	45.93	54.00	-8.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5710Hz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11420.00	49.05	5.27	54.32	74.00	-19.68	peak	
2	*	11420.00	39.74	5.27	45.01	54.00	-8.99	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/2/7
Test Frequency	5710Hz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11420.00	49.49	5.27	54.76	74.00	-19.24	peak	
2	*	11420.00	39.29	5.27	44.56	54.00	-9.44	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5690Hz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11380.00	42.10	5.21	47.31	74.00	-26.69	peak	
2	*	11380.00	36.45	5.21	41.66	54.00	-12.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/2/7
Test Frequency	5690Hz	Polarization	Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	42.93	5.21	48.14	74.00	-25.86	peak	
2	*	11380.00	36.94	5.21	42.15	54.00	-11.85	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH


Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	30.750	16.800
40	5200	26.090	16.700
48	5240	25.489	16.700

CH36




Date: 24.FEB.2025 15:35:13

CH40
26 dB Bandwidth



Date: 24.FEB.2025 15:44:24

CH48




Date: 24.FEB.2025 15:46:47


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:34:53




Date: 24.FEB.2025 15:43:50




Date: 24.FEB.2025 15:46:25

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.990	16.600
60	5300	21.499	16.600
64	5320	21.490	16.600

CH52




Date: 24.FEB.2025 15:49:53

CH60
26 dB Bandwidth



Date: 24.FEB.2025 15:51:23

CH64




Date: 24.FEB.2025 15:53:11


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:49:26




Date: 24.FEB.2025 15:50:50




Date: 24.FEB.2025 15:52:43

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.489	16.700
116	5580	28.050	16.800
140	5700	25.588	16.800
144	5720	30.687	16.900

CH100




Date: 24.FEB.2025 15:54:45

CH116
26 dB Bandwidth



Date: 24.FEB.2025 15:56:59

CH140




Date: 24.FEB.2025 15:58:52


99 % Occupied Bandwidth



Date: 24.FEB.2025 15:54:19




Date: 24.FEB.2025 15:56:37




Date: 24.FEB.2025 15:58:26

26 dB Bandwidth




Date: 24.FEB.2025 17:33:33

CH144
99 % Occupied Bandwidth



Date: 24.FEB.2025 17:33:13

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.600	19.400	0.5	Complies
157	5785	16.550	18.500	0.5	Complies
165	5825	16.450	17.800	0.5	Complies

CH149




Date: 24.FEB.2025 16:04:09

CH157
6 dB Bandwidth



Date: 24.FEB.2025 16:06:54

CH165




Date: 24.FEB.2025 16:08:25


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:03:42



Date: 24.FEB.2025 16:06:27




Date: 24.FEB.2025 16:07:58


Test Mode	IEEE 802.11ac (VHT20)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.288	17.700
40	5200	27.598	17.800
48	5240	26.998	17.800

CH36




Date: 24.FEB.2025 16:14:32

CH40
26 dB Bandwidth



Date: 24.FEB.2025 16:17:36

CH48




Date: 24.FEB.2025 16:19:17


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:14:08




Date: 24.FEB.2025 16:17:09




Date: 24.FEB.2025 16:18:53

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.850	17.700
60	5300	19.800	17.700
64	5320	19.890	17.700

CH52




Date: 24.FEB.2025 16:20:50

CH60
26 dB Bandwidth



Date: 24.FEB.2025 16:22:20

CH64




Date: 24.FEB.2025 16:24:03


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:20:25




Date: 24.FEB.2025 16:21:54



Date: 24.FEB.2025 16:23:35


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.809	17.700
116	5580	20.790	17.700
140	5700	20.709	17.700
144	5720	24.090	17.700

CH100




Date: 24.FEB.2025 16:25:48

CH116
26 dB Bandwidth




Date: 24.FEB.2025 16:27:11

CH140




Date: 24.FEB.2025 16:28:52


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:25:22




Date: 24.FEB.2025 16:26:44




Date: 24.FEB.2025 16:28:24

26 dB Bandwidth



Date: 24.FEB.2025 17:36:12


99 % Occupied Bandwidth




Date: 24.FEB.2025 17:35:49

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.800	20.600	0.5	Complies
157	5785	17.800	20.600	0.5	Complies
165	5825	17.800	19.000	0.5	Complies

CH149




Date: 24.FEB.2025 16:33:12

CH157
6 dB Bandwidth



Date: 24.FEB.2025 16:32:46

CH165




Date: 24.FEB.2025 16:34:39


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:33:45



Date: 24.FEB.2025 16:32:20




Date: 24.FEB.2025 16:34:14


Test Mode	IEEE 802.11ac (VHT40)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.900	36.400
46	5230	45.798	38.600

CH38




Date: 24.FEB.2025 16:42:51


CH46
26 dB Bandwidth


Date: 24.FEB.2025 17:06:16

99 % Occupied Bandwidth




Date: 24.FEB.2025 16:42:10



Date: 24.FEB.2025 16:45:04


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.906	36.600
62	5310	41.100	36.600

CH54




Date: 24.FEB.2025 16:50:36

CH62
26 dB Bandwidth




Date: 24.FEB.2025 16:53:03

99 % Occupied Bandwidth




Date: 24.FEB.2025 16:50:02




Date: 24.FEB.2025 16:52:28

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	41.308	36.600
110	5550	41.100	36.600
134	5670	41.599	36.800
142	5710	53.188	36.800

CH102




Date: 24.FEB.2025 16:55:33

CH110
26 dB Bandwidth



Date: 24.FEB.2025 16:57:08

CH134




Date: 24.FEB.2025 16:58:52


99 % Occupied Bandwidth



Date: 24.FEB.2025 16:54:58




Date: 24.FEB.2025 16:56:34




Date: 24.FEB.2025 16:58:19

26 dB Bandwidth




Date: 24.FEB.2025 17:38:55

99 % Occupied Bandwidth




Date: 24.FEB.2025 17:38:13


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.600	37.000	0.5	Complies
159	5795	36.500	37.800	0.5	Complies

CH151



Date: 24.FEB.2025 17:00:26

CH159
6 dB Bandwidth


Date: 24.FEB.2025 17:02:27

99 % Occupied Bandwidth


Date: 24.FEB.2025 16:59:50




Date: 24.FEB.2025 17:01:51

Test Mode	IEEE 802.11ac (VHT80)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	140.580	77.200

CH42
26 dB Bandwidth



Date: 24.FEB.2025 17:11:29


99 % Occupied Bandwidth



Date: 24.FEB.2025 17:10:07


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	91.986	75.200

CH58 26 dB Bandwidth



Date: 24.FEB.2025 17:15:22


99 % Occupied Bandwidth




Date: 24.FEB.2025 17:13:48

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	94.790	75.200
122	5610	91.800	75.200
138	5690	94.386	75.600

CH106




Date: 24.FEB.2025 17:11:17

CH122
26 dB Bandwidth



Date: 24.FEB.2025 17:22:10

CH138




Date: 24.FEB.2025 17:41:28


99 % Occupied Bandwidth



Date: 24.FEB.2025 17:11:01




Date: 24.FEB.2025 17:21:39



Date: 24.FEB.2025 17:40:50


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.586	87.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 24.FEB.2025 17:24:14

99 % Occupied Bandwidth



Date: 24.FEB.2025 17:23:37

APPENDIX E OUTPUT POWER

Test Mode	IEEE 802.11a_Ant.1	Test Date	2025/2/5
-----------	--------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	23.09	0.2037	23.98	0.2500	PASS
5200	22.95	0.1972	23.98	0.2500	PASS
5240	22.67	0.1849	23.98	0.2500	PASS
5260	21.95	0.1567	23.98	0.2500	PASS
5300	21.66	0.1466	23.98	0.2500	PASS
5320	21.49	0.1409	23.98	0.2500	PASS
5500	22.54	0.1795	23.98	0.2500	PASS
5580	23.14	0.2061	23.98	0.2500	PASS
5700	16.59	0.0456	23.98	0.2500	PASS
5720	23.12	0.2051	23.98	0.2500	PASS
5745	22.98	0.1986	30.00	1.0000	PASS
5785	22.79	0.1901	30.00	1.0000	PASS
5825	22.76	0.1888	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20) _Ant.1	Test Date	2025/2/5, 2025/5/13
-----------	------------------------------	-----------	------------------------

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	20.46	0.1112	23.98	0.2500	PASS
5200	20.67	0.1167	23.98	0.2500	PASS
5240	20.43	0.1104	23.98	0.2500	PASS
5260	19.11	0.0815	23.98	0.2500	PASS
5300	19.75	0.0944	23.98	0.2500	PASS
5320	18.78	0.0755	23.98	0.2500	PASS
5500	19.15	0.0822	23.98	0.2500	PASS
5580	19.71	0.0935	23.98	0.2500	PASS
5700	19.97	0.0993	23.98	0.2500	PASS
5720	20.41	0.1099	23.98	0.2500	PASS
5745	23.45	0.2213	30.00	1.0000	PASS
5785	23.44	0.2208	30.00	1.0000	PASS
5825	23.09	0.2037	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Ant.2	Test Date	2025/2/5, 2025/5/13
-----------	-----------------------------	-----------	------------------------

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	19.41	0.0873	23.98	0.2500	PASS
5200	20.94	0.1242	23.98	0.2500	PASS
5240	20.93	0.1239	23.98	0.2500	PASS
5260	21.19	0.1315	23.98	0.2500	PASS
5300	20.97	0.1250	23.98	0.2500	PASS
5320	20.91	0.1233	23.98	0.2500	PASS
5500	21.22	0.1324	23.98	0.2500	PASS
5580	20.39	0.1094	23.98	0.2500	PASS
5700	20.15	0.1035	23.98	0.2500	PASS
5720	19.83	0.0962	23.98	0.2500	PASS
5745	21.15	0.1303	30.00	1.0000	PASS
5785	21.17	0.1309	30.00	1.0000	PASS
5825	20.75	0.1189	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Total	Test Date	2025/2/5, 2025/5/13
-----------	-----------------------------	-----------	------------------------

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	22.98	0.1986	23.98	0.2500	PASS
5200	23.82	0.2410	23.98	0.2500	PASS
5240	23.70	0.2344	23.98	0.2500	PASS
5260	23.28	0.2128	23.98	0.2500	PASS
5300	23.41	0.2193	23.98	0.2500	PASS
5320	22.98	0.1986	23.98	0.2500	PASS
5500	23.32	0.2148	23.98	0.2500	PASS
5580	23.07	0.2028	23.98	0.2500	PASS
5700	23.07	0.2028	23.98	0.2500	PASS
5720	23.14	0.2061	23.98	0.2500	PASS
5745	25.46	0.3516	30.00	1.0000	PASS
5785	25.46	0.3516	30.00	1.0000	PASS
5825	25.09	0.3228	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.1	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	15.41	0.0348	23.98	0.2500	PASS
5230	20.46	0.1112	23.98	0.2500	PASS
5270	19.83	0.0962	23.98	0.2500	PASS
5310	15.40	0.0347	23.98	0.2500	PASS
5510	15.25	0.0335	23.98	0.2500	PASS
5550	19.98	0.0995	23.98	0.2500	PASS
5670	20.91	0.1233	23.98	0.2500	PASS
5710	21.13	0.1297	23.98	0.2500	PASS
5755	23.19	0.2084	30.00	1.0000	PASS
5795	23.35	0.2163	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.2	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	13.89	0.0245	23.98	0.2500	PASS
5230	20.33	0.1079	23.98	0.2500	PASS
5270	21.68	0.1472	23.98	0.2500	PASS
5310	17.35	0.0543	23.98	0.2500	PASS
5510	18.01	0.0632	23.98	0.2500	PASS
5550	21.25	0.1334	23.98	0.2500	PASS
5670	20.31	0.1074	23.98	0.2500	PASS
5710	20.74	0.1186	23.98	0.2500	PASS
5755	21.76	0.1500	30.00	1.0000	PASS
5795	21.01	0.1262	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Total	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	17.73	0.0593	23.98	0.2500	PASS
5230	23.41	0.2193	23.98	0.2500	PASS
5270	23.86	0.2432	23.98	0.2500	PASS
5310	19.49	0.0889	23.98	0.2500	PASS
5510	19.86	0.0968	23.98	0.2500	PASS
5550	23.67	0.2328	23.98	0.2500	PASS
5670	23.84	0.2421	23.98	0.2500	PASS
5710	23.75	0.2371	23.98	0.2500	PASS
5755	25.54	0.3581	30.00	1.0000	PASS
5795	25.35	0.3428	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	12.25	0.0168	23.98	0.2500	PASS
5290	14.52	0.0283	23.98	0.2500	PASS
5530	15.02	0.0318	23.98	0.2500	PASS
5610	19.56	0.0904	23.98	0.2500	PASS
5690	20.61	0.1151	23.98	0.2500	PASS
5775	23.18	0.2080	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	13.50	0.0224	23.98	0.2500	PASS
5290	16.03	0.0401	23.98	0.2500	PASS
5530	17.08	0.0511	23.98	0.2500	PASS
5610	20.91	0.1233	23.98	0.2500	PASS
5690	20.58	0.1143	23.98	0.2500	PASS
5775	21.62	0.1452	30.00	1.0000	PASS


Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2025/2/5
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	15.93	0.0392	23.98	0.2500	PASS
5290	18.35	0.0684	23.98	0.2500	PASS
5530	19.18	0.0828	23.98	0.2500	PASS
5610	23.30	0.2138	23.98	0.2500	PASS
5690	23.61	0.2296	23.98	0.2500	PASS
5775	25.48	0.3532	30.00	1.0000	PASS


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.83	0.00	6.83	11.00	Complies
40	5200	5.76	0.00	5.76	11.00	Complies
48	5240	4.98	0.00	4.98	11.00	Complies



Date: 24.FEB.2025 15:35:28




Date: 24.FEB.2025 15:44:40




Date: 24.FEB.2025 15:47:03


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.22	0.00	3.22	11.00	Complies
60	5300	3.89	0.00	3.89	11.00	Complies
64	5320	4.01	0.00	4.01	11.00	Complies



Date: 24.FEB.2025 15:50:09




Date: 24.FEB.2025 15:51:38



Date: 24.FEB.2025 15:53:27


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.61	0.00	4.61	11.00	Complies
116	5580	5.53	0.00	5.53	11.00	Complies
140	5700	5.10	0.00	5.10	11.00	Complies
144	5720	5.90	0.00	5.90	11.00	Complies

CH100




Date: 24.FEB.2025 15:55:00

CH116




Date: 24.FEB.2025 15:57:14

CH140




Date: 24.FEB.2025 15:59:08

CH144




Date: 24.FEB.2025 17:33:48


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.67	0.00	5.67	30.00	Complies
157	5785	5.55	0.00	5.55	30.00	Complies
165	5825	5.28	0.00	5.28	30.00	Complies



Date: 24.FEB.2025 16:04:24




Date: 24.FEB.2025 16:07:10




Date: 24.FEB.2025 16:08:41

Test Mode	IEEE 802.11ac (VHT20)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.07	0.00	5.07	11.00	Complies
40	5200	5.77	0.00	5.77	11.00	Complies
48	5240	5.33	0.00	5.33	11.00	Complies



Date: 24.FEB.2025 16:14:48




Date: 24.FEB.2025 16:17:51




Date: 24.FEB.2025 16:19:32


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.72	0.00	2.72	11.00	Complies
60	5300	3.23	0.00	3.23	11.00	Complies
64	5320	2.70	0.00	2.70	11.00	Complies



Date: 24.FEB.2025 16:21:06




Date: 24.FEB.2025 16:22:35



Date: 24.FEB.2025 16:24:18


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.46	0.00	4.46	11.00	Complies
116	5580	5.18	0.00	5.18	11.00	Complies
140	5700	4.61	0.00	4.61	11.00	Complies
144	5720	5.22	0.00	5.22	11.00	Complies

CH100




Date: 24.FEB.2025 16:26:03

CH116




Date: 24.FEB.2025 16:27:26

CH140



Date: 24.FEB.2025 16:29:07


CH144



Date: 24.FEB.2025 17:36:28


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.15	0.00	5.15	30.00	Complies
157	5785	5.03	0.00	5.03	30.00	Complies
165	5825	4.88	0.00	4.88	30.00	Complies

CH149




Date: 24.FEB.2025 16:31:27

CH157



Date: 24.FEB.2025 16:33:02

CH165




Date: 24.FEB.2025 16:34:55

Test Mode	IEEE 802.11ac (VHT20)_Ant.2
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.77	0.00	7.77	11.00	Complies
40	5200	8.62	0.00	8.62	11.00	Complies
48	5240	8.25	0.00	8.25	11.00	Complies

CH36




Date: 25.FEB.2025 10:20:46

CH40



Date: 25.FEB.2025 10:21:57


CH48



Date: 25.FEB.2025 10:22:24


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.07	0.00	6.07	11.00	Complies
60	5300	6.30	0.00	6.30	11.00	Complies
64	5320	5.93	0.00	5.93	11.00	Complies

CH52




Date: 25.FEB.2025 10:22:59

CH60



Date: 25.FEB.2025 10:23:38


CH64



Date: 25.FEB.2025 10:24:07


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.01	0.00	7.01	11.00	Complies
116	5580	6.73	0.00	6.73	11.00	Complies
140	5700	5.20	0.00	5.20	11.00	Complies
144	5720	5.28	0.00	5.28	11.00	Complies

CH100




Date: 25.FEB.2025 10:12:40

CH116




Date: 25.FEB.2025 10:12:50

CH140



Date: 25.FEB.2025 10:12:57


CH144



Date: 25.FEB.2025 10:12:28


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.10	0.00	4.10	30.00	Complies
157	5785	2.86	0.00	2.86	30.00	Complies
165	5825	3.01	0.00	3.01	30.00	Complies

CH149




Date: 25.FEB.2025 10:12:32

CH157



Date: 25.FEB.2025 10:12:32

CH165



Date: 25.FEB.2025 10:12:34

Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	9.64	11.00	Pass
5200	10.44	11.00	Pass
5240	10.04	11.00	Pass
5260	7.72	11.00	Pass
5300	8.04	11.00	Pass
5320	7.62	11.00	Pass
5500	7.67	11.00	Complies
5580	7.09	11.00	Complies
5700	7.06	11.00	Complies
5720	8.26	11.00	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.93	30.00	Complies
157	5785	9.03	30.00	Complies
165	5825	7.93	30.00	Complies

Test Mode	IEEE 802.11ac (VHT40)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.49	0.00	-2.49	11.00	Complies
46	5230	4.26	0.00	4.26	11.00	Complies

CH38



Date: 24.FEB.2025 16:43:13


CH46



Date: 24.FEB.2025 16:45:54


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.12	0.00	0.12	11.00	Complies
62	5310	0.87	0.00	0.87	11.00	Complies

CH54



Date: 24.FEB.2025 16:50:58


CH62



Date: 24.FEB.2025 16:53:24


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.50	0.00	1.50	11.00	Complies
110	5550	1.37	0.00	1.37	11.00	Complies
134	5670	2.10	0.00	2.10	11.00	Complies
142	5710	2.83	0.00	2.83	11.00	Complies

CH102




Date: 24.FEB.2025 16:55:55

CH110




Date: 24.FEB.2025 16:57:30

CH134



Date: 24.FEB.2025 16:59:13


CH142



Date: 24.FEB.2025 17:39:16


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.19	0.00	-0.19	30.00	Complies
159	5795	1.33	0.00	1.33	30.00	Complies

CH151



Date: 24.FEB.2025 17:00:47

CH159




Date: 24.FEB.2025 17:02:48

Test Mode	IEEE 802.11ac (VHT40)_Ant.2
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.06	0.00	-0.06	11.00	Complies
46	5230	6.46	0.00	6.46	11.00	Complies

CH38



Date: 25.FEB.2025 09:15:10


CH46



Date: 25.FEB.2025 09:15:52


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.41	0.00	3.41	11.00	Complies
62	5310	3.91	0.00	3.91	11.00	Complies

CH54



Date: 25.FEB.2025 09:15:14


CH62




Date: 25.FEB.2025 09:15:22

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.60	0.00	4.60	11.00	Complies
110	5550	4.65	0.00	4.65	11.00	Complies
134	5670	3.12	0.00	3.12	11.00	Complies
142	5710	2.81	0.00	2.81	11.00	Complies


CH102




CH110



CH134




CH142




Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.16	0.00	0.16	30.00	Complies
159	5795	-0.83	0.00	-0.83	30.00	Complies

CH151



CH159




Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5190	1.90	11.00	Pass
5230	8.51	11.00	Pass
5270	5.08	11.00	Pass
5310	5.66	11.00	Pass
5510	6.33	11.00	Pass
5550	6.32	11.00	Pass
5670	5.65	11.00	Pass
5710	5.83	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	3.00	30.00	Pass
5795	3.39	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.60	0.00	0.60	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.19	0.00	-2.19	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.12	0.00	-1.12	11.00	Complies
122	5610	-1.36	0.00	-1.36	11.00	Complies
138	5690	-1.44	0.00	-1.44	11.00	Complies



Date: 24.FEB.2025 17:18:36




Date: 24.FEB.2025 17:22:32



Date: 24.FEB.2025 17:41:49


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.07	0.00	-1.07	30.00	Complies




Date: 24.FEB.2025 17:24:36

Test Mode	IEEE 802.11ac (VHT80)_Ant.2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.95	0.00	2.95	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.95	0.00	0.95	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.66	0.00	1.66	11.00	Complies
122	5610	0.71	0.00	0.71	11.00	Complies
138	5690	-1.28	0.00	-1.28	11.00	Complies

CH106




Date: 25.FEB.2025 10:06:02

CH122



Date: 25.FEB.2025 10:06:50


CH138



Date: 25.FEB.2025 10:14:26

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.85	0.00	-2.85	30.00	Complies

CH155



Date: 25.FEB.2025 10:07:33

Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	4.94	11.00	Pass
5290	2.67	11.00	Pass
5530	3.50	11.00	Pass
5610	2.81	11.00	Pass
5690	1.65	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	1.14	30.00	Pass

End of Test Report