



Internal Photograph


(1) EUT Photo




(2) EUT Photo




(3) EUT Photo (Low Gain Antenna)




(4) EUT Photo (Low Gain Antenna)




(5) EUT Photo




(6) EUT Photo



(7) EUT Photo




(8) EUT Photo



A close-up photograph of a Qualcomm IPQ0518 001 processor mounted on a green printed circuit board (PCB). The processor is a black, square integrated circuit with the "Qualcomm" logo and "IPQ0518 001" printed on its top surface. Below the chip, the model "FE417M2F" is visible. The PCB is populated with various surface-mount components, including resistors (e.g., R1799, R1796, R29, R30, R27, R25, R43, R44, R42) and capacitors (e.g., C114, C160, C171, C173, C169, C113, C132, C133, C134, C150, C153, C175, C176, C36, C192, C193, C194, C195, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99, C100). The components are soldered onto the PCB pads, and the board's intricate circuitry is visible in the background.

R1723
 C3268
 C3269
 L406
 SM13
 J13
 R1738
 C3276
 C3275
 L347
 R1724
 C3271
 C3273
 R1726
 C3274
 C3406
 C3294
 C3292
 C3293
 U99
 823950
 818157
 FH2422
 C3270
 R1720
 C3598
 C3600
 C3599
 R1806
 C3291
 W100
 C3307
 R1732
 C3280
 R1879
 R1732
 C3284
 C3381
 R1804
 W102
 C3282
 C3380
 C3283
 R1731
 C3289
 C3281
 C3278

(21) EUT Photo (**High Gain Antenna**)



(22) EUT Photo (**High Gain Antenna**)

