CH03 – 10th Harmonic of the fundamental frequency



Date: 15.NOV.2024 17:07:54



Date: 15.NOV.2024 17:08:01



Date: 15.NOV.2024 17:08:09

CH06 – 10th Harmonic of the fundamental frequency



Date: 15.NOV.2024 17:19:08



Date: 15.NOV.2024 17:19:16



Date: 15.NOV.2024 17:19:24

CH09 – 10th Harmonic of the fundamental frequency



Date: 15.NOV.2024 17:25:05



Date: 15.NOV.2024 17:25:13



Date: 15.NOV.2024 17:25:21

APPENDIX H - POWER SPECTRAL DENSITY

Test Mode	TX B Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.27	8.00	Complies
06	2437	-1.83	8.00	Complies
11	2462	-6.32	8.00	Complies

CH01



Date: 15.NOV.2024 18:53:43

CH06



Date: 15.NOV.2024 18:55:36

CH11



Date: 15.NOV.2024 18:56:25

Test Mode	TX B Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.59	8.00	Complies
06	2437	-2.83	8.00	Complies
11	2462	-6.43	8.00	Complies

CH01



Date: 15.NOV.2024 18:53:51

CH06



Date: 15.NOV.2024 18:55:25

CH11



Date: 15.NOV.2024 18:56:37

Test Mode	TX B Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.74	8.00	Complies
06	2437	-3.27	8.00	Complies
11	2462	-6.45	8.00	Complies

CH01



CH06



CH11



Test Mode	TX B Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.96	8.00	Complies
06	2437	-3.10	8.00	Complies
11	2462	-6.37	8.00	Complies

CH01



CH06



CH11



Test Mode	TX B Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.93	5.99	Complies
06	2437	3.30	5.99	Complies
11	2462	-0.37	5.99	Complies

Test Mode	TX G Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.26	8.00	Complies
06	2437	-6.84	8.00	Complies
11	2462	-8.76	8.00	Complies

CH01



Date: 15.NOV.2024 19:01:19

CH06



Date: 15.NOV.2024 19:02:48

CH11



Date: 15.NOV.2024 19:05:32

Test Mode	TX G Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.20	8.00	Complies
06	2437	-6.29	8.00	Complies
11	2462	-9.85	8.00	Complies

CH01



Date: 15.NOV.2024 19:01:03

CH06



Date: 15.NOV.2024 19:03:01

CH11



Date: 15.NOV.2024 19:05:16

Test Mode	TX G Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.56	8.00	Complies
06	2437	-6.68	8.00	Complies
11	2462	-8.24	8.00	Complies

CH01



CH06



CH11



Test Mode	TX G Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.32	8.00	Complies
06	2437	-6.81	8.00	Complies
11	2462	-9.74	8.00	Complies

CH01



CH06



CH11



Test Mode	TX G Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.31	5.99	Complies
06	2437	-0.63	5.99	Complies
11	2462	-3.07	5.99	Complies

Test Mode	TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.35	8.00	Complies
06	2437	-5.86	8.00	Complies
11	2462	-10.18	8.00	Complies

CH01



Date: 15.NOV.2024 19:07:43

CH06



Date: 15.NOV.2024 19:10:27

CH11



Date: 15.NOV.2024 19:12:54

Test Mode	TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.12	8.00	Complies
06	2437	-6.01	8.00	Complies
11	2462	-10.67	8.00	Complies

CH01



Date: 15.NOV.2024 19:07:57

CH06



Date: 15.NOV.2024 19:10:13

CH11



Date: 15.NOV.2024 19:13:05

Test Mode	TX N(HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.29	8.00	Complies
06	2437	-5.46	8.00	Complies
11	2462	-10.58	8.00	Complies

CH01



CH06



CH11



Test Mode	TX N(HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.27	8.00	Complies
06	2437	-5.27	8.00	Complies
11	2462	-10.07	8.00	Complies

CH01



CH06



CH11



Test Mode	TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-4.24	5.99	Complies
06	2437	0.38	5.99	Complies
11	2462	-4.35	5.99	Complies

Test Mode	TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.94	8.00	Complies
06	2437	-11.64	8.00	Complies
09	2452	-14.13	8.00	Complies

CH03



Date: 15.NOV.2024 19:15:55

CH06



Date: 15.NOV.2024 19:18:50

CH09



Date: 15.NOV.2024 19:20:02

Test Mode	TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.89	8.00	Complies
06	2437	-11.35	8.00	Complies
09	2452	-14.42	8.00	Complies

CH03



Date: 15.NOV.2024 19:15:34

CH06



Date: 15.NOV.2024 19:18:22

CH09



Date: 15.NOV.2024 19:20:18

Test Mode	TX N(HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.37	8.00	Complies
06	2437	-11.01	8.00	Complies
09	2452	-14.16	8.00	Complies

CH03



CH06



CH09



Test Mode	TX N(HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.21	8.00	Complies
06	2437	-11.32	8.00	Complies
09	2452	-14.48	8.00	Complies

CH03



CH06



CH09



Test Mode	TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-8.57	5.99	Complies
06	2437	-8.48	5.99	Complies
09	2452	-8.27	5.99	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.92	8.00	Complies
06	2437	-5.89	8.00	Complies
11	2462	-11.06	8.00	Complies

CH01



Date: 15.NOV.2024 19:24:38

CH06



Date: 15.NOV.2024 19:25:42

CH11



Date: 15.NOV.2024 19:28:16

Test Mode	TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-8.77	8.00	Complies
06	2437	-5.78	8.00	Complies
11	2462	-11.24	8.00	Complies

CH01



Date: 15.NOV.2024 19:24:23

CH06



Date: 15.NOV.2024 19:26:01

CH11



Date: 15.NOV.2024 19:28:39

Test Mode	TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.46	8.00	Complies
06	2437	-6.27	8.00	Complies
11	2462	-10.56	8.00	Complies

CH01



CH06



CH11



Test Mode	TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.68	8.00	Complies
06	2437	-6.23	8.00	Complies
11	2462	-10.66	8.00	Complies

CH01



CH06



CH11



Test Mode	TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.42	5.99	Complies
06	2437	-0.02	5.99	Complies
11	2462	-4.85	5.99	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.74	8.00	Complies
06	2437	-12.65	8.00	Complies
09	2452	-14.23	8.00	Complies

CH03



CH06



CH09



Test Mode	TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.29	8.00	Complies
06	2437	-12.60	8.00	Complies
09	2452	-14.61	8.00	Complies

CH03



CH06



CH09



Test Mode	TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.66	8.00	Complies
06	2437	-12.82	8.00	Complies
09	2452	-14.14	8.00	Complies

CH03



CH06



CH09



Test Mode	TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.41	8.00	Complies
06	2437	-12.73	8.00	Complies
09	2452	-14.52	8.00	Complies

CH03



CH06



CH09



Test Mode	TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.24	5.99	Complies
06	2437	-6.68	5.99	Complies
09	2452	-8.35	5.99	Complies

Test Mode	TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.00	8.00	Complies
06	2437	-6.63	8.00	Complies
11	2462	-9.23	8.00	Complies

CH01



CH06



CH11



Test Mode	TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-10.02	8.00	Complies
06	2437	-6.56	8.00	Complies
11	2462	-9.54	8.00	Complies

CH01



CH06



CH11



Test Mode	TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.66	8.00	Complies
06	2437	-6.33	8.00	Complies
11	2462	-9.65	8.00	Complies

CH01



CH06



CH11



Test Mode	TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.66	8.00	Complies
06	2437	-5.94	8.00	Complies
11	2462	-9.15	8.00	Complies

CH01



CH06



CH11



Test Mode	TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.81	5.99	Complies
06	2437	-0.34	5.99	Complies
11	2462	-3.37	5.99	Complies

Test Mode	TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.11	8.00	Complies
06	2437	-11.25	8.00	Complies
09	2452	-13.20	8.00	Complies

CH03



CH06



CH09



Test Mode	TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-14.72	8.00	Complies
06	2437	-11.84	8.00	Complies
09	2452	-13.47	8.00	Complies

CH03



CH06



CH09



Test Mode	TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.51	8.00	Complies
06	2437	-11.08	8.00	Complies
09	2452	-13.74	8.00	Complies

CH03



CH06



CH09



Test Mode	TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-15.49	8.00	Complies
06	2437	-11.81	8.00	Complies
09	2452	-13.83	8.00	Complies

CH03



CH06



CH09



Test Mode	TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.17	5.99	Complies
06	2437	-5.46	5.99	Complies
09	2452	-7.53	5.99	Complies

APPENDIX I - NEW DATA

Test Mode	TX G Mode Channel 06	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	62.010	46.62	-12.12	34.50	40.00	-5.50	peak	
2		88.200	49.60	-16.69	32.91	43.50	-10.59	peak	
3		125.060	49.40	-13.03	36.37	43.50	-7.13	peak	
4		268.620	43.98	-11.55	32.43	46.00	-13.57	peak	
5		331.670	42.26	-9.50	32.76	46.00	-13.24	peak	
6		453.890	45.79	-6.52	39.27	46.00	-6.73	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX G Mode Channel 06	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		88.200	45.35	-16.69	28.66	43.50	-14.84	peak	
2		125.060	41.48	-13.03	28.45	43.50	-15.05	peak	
3		200.720	42.58	-14.28	28.30	43.50	-15.20	peak	
4		268.620	44.38	-11.55	32.83	46.00	-13.17	peak	
5		328.760	45.13	-9.57	35.56	46.00	-10.44	peak	
6	*	394.720	44.20	-8.16	36.04	46.00	-9.96	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX B Mode 2417 MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4833.980	38.62	2.65	41.27	74.00	-32.73	peak	
2	*	4834.000	32.15	2.65	34.80	54.00	-19.20	AVG	
3		7258.100	25.36	8.49	33.85	54.00	-20.15	AVG	
4		7259.880	35.59	8.49	44.08	74.00	-29.92	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT20) Mode 2412 MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2390.000	62.61	6.75	69.36	74.00	-4.64	peak	
2		2390.000	47.02	6.75	53.77	54.00	-0.23	AVG	
3	*	2410.500	97.31	6.80	104.11	54.00	50.11	AVG	
4	X	2411.200	104.92	6.80	111.72	74.00	37.72	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX G Mode Channel 06	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		18578.000	54.55	-1.54	53.01	83.50	-30.49	peak	
2	*	18578.000	46.36	-1.54	44.82	63.50	-18.68	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX G Mode Channel 06	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20983.500	53.14	-0.04	53.10	83.50	-30.40	peak	
2	*	20983.500	45.28	-0.04	45.24	63.50	-18.26	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.12	0.44	17.56	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.23	0.44	17.67	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.89	0.44	17.33	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.97	0.44	17.41	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	23.52	30.00	1.0000	Complies

End of Test Report