


|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6145                 | -10.76                                     | 0.10             | -1.65                               | 5.00                    | Pass   |
| 6225                 | -10.76                                     | 0.10             | -1.65                               | 5.00                    | Pass   |
| 6385                 | -10.92                                     | 0.10             | -1.81                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -10.79                                     | 0.10             | -1.68                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6545                 | -10.46                                     | 0.10             | -1.35                               | 5.00                    | Pass   |
| 6705                 | -10.48                                     | 0.10             | -1.37                               | 5.00                    | Pass   |
| 6865                 | -11.05                                     | 0.10             | -1.94                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6945                 | -10.22                                     | 0.10             | -1.11                               | 5.00                    | Pass   |
| 7025                 | -10.70                                     | 0.10             | -1.59                               | 5.00                    | Pass   |



|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.3 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6145                 | -10.79                                     | 0.10             | -1.68                               | 5.00                    | Pass   |
| 6225                 | -10.51                                     | 0.10             | -1.40                               | 5.00                    | Pass   |
| 6385                 | -10.99                                     | 0.10             | -1.88                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -10.94                                     | 0.10             | -1.83                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6545                 | -10.70                                     | 0.10             | -1.59                               | 5.00                    | Pass   |
| 6705                 | -10.43                                     | 0.10             | -1.32                               | 5.00                    | Pass   |
| 6865                 | -11.10                                     | 0.10             | -1.99                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6945                 | -10.49                                     | 0.10             | -1.38                               | 5.00                    | Pass   |
| 7025                 | -10.82                                     | 0.10             | -1.71                               | 5.00                    | Pass   |



|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.4 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6145                 | -10.35                                     | 0.10             | -1.24                               | 5.00                    | Pass   |
| 6225                 | -10.74                                     | 0.10             | -1.63                               | 5.00                    | Pass   |
| 6385                 | -10.51                                     | 0.10             | -1.40                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -11.35                                     | 0.10             | -2.24                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6545                 | -10.67                                     | 0.10             | -1.56                               | 5.00                    | Pass   |
| 6705                 | -10.24                                     | 0.10             | -1.13                               | 5.00                    | Pass   |
| 6865                 | -11.11                                     | 0.10             | -2.00                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6945                 | -10.44                                     | 0.10             | -1.33                               | 5.00                    | Pass   |
| 7025                 | -10.54                                     | 0.10             | -1.43                               | 5.00                    | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Total |
|-----------|----------------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 6145                 | 4.54                                | 5.00                    | Pass   |
| 6225                 | 4.58                                | 5.00                    | Pass   |
| 6385                 | 4.38                                | 5.00                    | Pass   |
| 6465                 | 4.03                                | 5.00                    | Pass   |
| 6545                 | 4.56                                | 5.00                    | Pass   |
| 6705                 | 4.75                                | 5.00                    | Pass   |
| 6865                 | 4.05                                | 5.00                    | Pass   |
| 6945                 | 4.66                                | 5.00                    | Pass   |
| 7025                 | 4.56                                | 5.00                    | Pass   |

|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.1 |
|-----------|-----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | -10.44                                     | 0.15             | -1.28                               | 5.00                    | Pass   |
| 6345                 | -10.35                                     | 0.15             | -1.19                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6505                 | -10.86                                     | 0.15             | -1.70                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6665                 | -11.05                                     | 0.15             | -1.89                               | 5.00                    | Pass   |
| 6825                 | -10.33                                     | 0.15             | -1.17                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6985                 | -10.52                                     | 0.15             | -1.36                               | 5.00                    | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.2 |
|-----------|-----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | -10.27                                     | 0.15             | -1.11                               | 5.00                    | Pass   |
| 6345                 | -10.40                                     | 0.15             | -1.24                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6505                 | -10.95                                     | 0.15             | -1.79                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6665                 | -10.84                                     | 0.15             | -1.68                               | 5.00                    | Pass   |
| 6825                 | -10.48                                     | 0.15             | -1.32                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6985                 | -10.11                                     | 0.15             | -0.95                               | 5.00                    | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.3 |
|-----------|-----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | -10.66                                     | 0.15             | -1.50                               | 5.00                    | Pass   |
| 6345                 | -10.66                                     | 0.15             | -1.50                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6505                 | -10.91                                     | 0.15             | -1.75                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6665                 | -10.36                                     | 0.15             | -1.20                               | 5.00                    | Pass   |
| 6825                 | -11.33                                     | 0.15             | -2.17                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6985                 | -10.19                                     | 0.15             | -1.03                               | 5.00                    | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.4 |
|-----------|-----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6185                 | -10.68                                     | 0.15             | -1.52                               | 5.00                    | Pass   |
| 6345                 | -10.45                                     | 0.15             | -1.29                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6505                 | -10.73                                     | 0.15             | -1.57                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6665                 | -10.74                                     | 0.15             | -1.58                               | 5.00                    | Pass   |
| 6825                 | -10.21                                     | 0.15             | -1.05                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6985                 | -10.21                                     | 0.15             | -1.05                               | 5.00                    | Pass   |




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Total |
|-----------|-----------------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 6185                 | 4.67                                | 5.00                    | Pass   |
| 6345                 | 4.72                                | 5.00                    | Pass   |
| 6505                 | 4.32                                | 5.00                    | Pass   |
| 6665                 | 4.44                                | 5.00                    | Pass   |
| 6825                 | 4.61                                | 5.00                    | Pass   |
| 6985                 | 4.93                                | 5.00                    | Pass   |

|           |                              |
|-----------|------------------------------|
| Test Mode | IEEE 802.11be(EHT320)_Ant. 1 |
|-----------|------------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6265                 | -10.39                                     | 0.13             | -1.25                               | 5.00                    | Pass   |

|                                                                                   |   |   |
|-----------------------------------------------------------------------------------|---|---|
| 6265MHz                                                                           | - | - |
|  | - | - |


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6425                 | -11.26                                     | 0.13             | -2.12                               | 5.00                    | Pass   |

|                                                                                     |   |   |
|-------------------------------------------------------------------------------------|---|---|
| 6425MHz                                                                             | - | - |
|  | - | - |

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6585                 | -10.61                                     | 0.13             | -1.47                               | 5.00                    | Pass   |
| 6745                 | -11.13                                     | 0.13             | -1.99                               | 5.00                    | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6905                 | -10.84                                     | 0.13             | -1.7                                | 5.00                    | Pass   |



|           |                              |
|-----------|------------------------------|
| Test Mode | IEEE 802.11be(EHT320)_Ant. 2 |
|-----------|------------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6265                 | -10.70                                     | 0.13             | -1.56                               | 5.00                    | Pass   |

|                                                                                   |   |   |
|-----------------------------------------------------------------------------------|---|---|
| 6265MHz                                                                           | - | - |
|  | - | - |

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6425                 | -11.27                                     | 0.13             | -2.13                               | 5.00                    | Pass   |

|                                                                                     |   |   |
|-------------------------------------------------------------------------------------|---|---|
| 6425MHz                                                                             | - | - |
|  | - | - |

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6585                 | -11.15                                     | 0.13             | -2.01                               | 5.00                    | Pass   |
| 6745                 | -10.01                                     | 0.13             | -0.87                               | 5.00                    | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6905                 | -11.00                                     | 0.13             | -1.86                               | 5.00                    | Pass   |

