


Test Mode	IEEE 802.11be(EHT320)_Ant. 3
-----------	------------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6265	-10.45	0.13	-1.31	5.00	Pass

6265MHz	-	-
	-	-


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6425	-11.49	0.13	-2.35	5.00	Pass

6425MHz	-	-
	-	-

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6585	-11.15	0.13	-2.01	5.00	Pass
6745	-11.15	0.13	-2.01	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6905	-10.93	0.13	-1.79	5.00	Pass




Test Mode	IEEE 802.11be(EHT320)_Ant. 4
-----------	------------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6265	-10.70	0.13	-1.56	5.00	Pass

6265MHz	-	-
	-	-


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6425	-11.55	0.13	-2.41	5.00	Pass

6425MHz	-	-
	-	-

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6585	-10.96	0.13	-1.82	5.00	Pass
6745	-10.36	0.13	-1.22	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6905	-10.69	0.13	-1.55	5.00	Pass




Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6265	4.73	5.00	Pass
6425	3.90	5.00	Pass
6585	4.33	5.00	Pass
6745	4.66	5.00	Pass
6905	4.43	5.00	Pass


NSS4

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-4.02	0.10	-0.93	5.00	Pass
6255	-4.71	0.10	-1.62	5.00	Pass
6415	-4.99	0.10	-1.90	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-4.15	0.10	-1.06	5.00	Pass
6475	-4.25	0.10	-1.16	5.00	Pass
6515	-4.56	0.10	-1.47	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-4.96	0.10	-1.87	5.00	Pass
6695	-4.75	0.10	-1.66	5.00	Pass
6855	-4.65	0.10	-1.56	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-3.92	0.10	-0.83	5.00	Pass
7015	-4.47	0.10	-1.38	5.00	Pass
7095	-4.61	0.10	-1.52	5.00	Pass




Test Mode IEEE 802.11ax(HE20)_Ant.2


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-4.77	0.10	-1.68	5.00	Pass
6255	-4.74	0.10	-1.65	5.00	Pass
6415	-4.99	0.10	-1.90	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-4.12	0.10	-1.03	5.00	Pass
6475	-4.92	0.10	-1.83	5.00	Pass
6515	-4.98	0.10	-1.89	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-5.48	0.10	-2.39	5.00	Pass
6695	-4.49	0.10	-1.40	5.00	Pass
6855	-4.79	0.10	-1.70	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-4.32	0.10	-1.23	5.00	Pass
7015	-4.62	0.10	-1.53	5.00	Pass
7095	-4.50	0.10	-1.41	5.00	Pass




Test Mode IEEE 802.11ax(HE20)_Ant.3


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-4.35	0.10	-1.26	5.00	Pass
6255	-4.78	0.10	-1.69	5.00	Pass
6415	-4.88	0.10	-1.79	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-4.34	0.10	-1.25	5.00	Pass
6475	-5.07	0.10	-1.98	5.00	Pass
6515	-4.85	0.10	-1.76	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-4.89	0.10	-1.80	5.00	Pass
6695	-4.55	0.10	-1.46	5.00	Pass
6855	-4.93	0.10	-1.84	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-4.16	0.10	-1.07	5.00	Pass
7015	-4.46	0.10	-1.37	5.00	Pass
7095	-4.76	0.10	-1.67	5.00	Pass




Test Mode	IEEE 802.11ax(HE20)_Ant.4
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-4.03	0.10	-0.94	5.00	Pass
6255	-5.03	0.10	-1.94	5.00	Pass
6415	-5.20	0.10	-2.11	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-4.48	0.10	-1.39	5.00	Pass
6475	-4.76	0.10	-1.67	5.00	Pass
6515	-4.80	0.10	-1.71	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-4.93	0.10	-1.84	5.00	Pass
6695	-4.70	0.10	-1.61	5.00	Pass
6855	-5.11	0.10	-2.02	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-4.10	0.10	-1.01	5.00	Pass
7015	-4.07	0.10	-0.98	5.00	Pass
7095	-4.40	0.10	-1.31	5.00	Pass



Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	4.83	5.00	Pass
6255	4.30	5.00	Pass
6415	4.10	5.00	Pass
6435	4.84	5.00	Pass
6475	4.37	5.00	Pass
6515	4.32	5.00	Pass
6535	4.05	5.00	Pass
6695	4.49	5.00	Pass
6855	4.24	5.00	Pass
6895	4.99	5.00	Pass
7015	4.71	5.00	Pass
7095	4.65	5.00	Pass