

SUCR240900032706 Report No.:

Rev.:

Appendix E

Conducted RF Output Power Table

| Measurement of RF conducted Power |
|---|
| 1 Conducted Power of LTE |
| 1.1 Conducted Power of LTE Band 2 |
| 1.2 Conducted Power of LTE Band 4 |
| 1.3 Conducted Power of LTE Band 5 |
| 1.4 Conducted Power of LTE Band 7 |
| 1.5 Conducted Power of LTE Band 12 |
| 1.6 Conducted Power of LTE Band 13 |
| 1.7 Conducted Power of LTE Band 14 |
| 1.8 Conducted Power of LTE Band 25 |
| 1.9 Conducted Power of LTE Band 26 |
| 1.10 Conducted Power of LTE Band 30 |
| 1.11 Conducted Power of LTE Band 41 PC3 |
| 1.12 Conducted Power of LTE Band 41 PC2 |
| 1.13 Conducted Power of LTE Band 48 |
| 1.14 Conducted Power of LTE Band 66 |
| 1.15 Conducted Power of LTE Band 71 |
| 2 Conducted Power of 5G NR |
| 2.1 Conducted Power of 5G NR n2 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| 2.2 Conducted Power of 5G NR n5 |
|--|
| 2.3 Conducted Power of 5G NR n12 |
| 2.4 Conducted Power of 5G NR n14 |
| 2.5 Conducted Power of 5G NR n25 |
| 2.6 Conducted Power of 5G NR n30 |
| 2.7 Conducted Power of 5G NR n41 PC2 |
| 2.8 Conducted Power of 5G NR n48 |
| 2.9 Conducted Power of 5G NR n66 |
| 2.10 Conducted Power of 5G NR n71 |
| 2.11 Conducted Power of 5G NR n77(3450-3550) |
| 2.12 Conducted Power of 5G NR n77(3700-3980) |
| 3 Conducted Power of WIFI |
| 3.1 Conducted Power of WIFI2.4G |
| 3.2 Conducted Power of WIFI5G |
| 3.3 Conducted Power of WIFI6E |
| 4 Conducted Power of LTE CA |
| 4.1 Conducted Power of UL CA |
| 4.2 Conducted Power of DL CA |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

1 Conducted Power of LTE

1.1 Conducted Power of LTE Band 2

| | LTE Band 2 A | nt.0 Full power | | Conducted Power(dBm) | | | |
|------------|--------------|-----------------|-----------|----------------------|---------|---------|---------|
| | | | 55 " | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 18607 | 18900 | 19193 | Tune up |
| | | 1 | 0 | 22.11 | 22.01 | 22.14 | 24.00 |
| | | 1 | 2 | 22.08 | 22.07 | 22.16 | 24.00 |
| | | 1 | 5 | 22.09 | 22.05 | 22.08 | 24.00 |
| | QPSK | 3 | 0 | 22.24 | 22.07 | 22.08 | 24.00 |
| | | 3 | 2 | 22.25 | 22.08 | 22.17 | 24.00 |
| | | 3 | 3 | 22.23 | 22.13 | 22.06 | 24.00 |
| | | 6 | 0 | 21.12 | 21.21 | 21.22 | 23.00 |
| | 16QAM | 1 | 0 | 21.45 | 21.41 | 21.47 | 23.00 |
| | | 1 | 2 | 21.33 | 21.43 | 21.41 | 23.00 |
| | | 1 | 5 | 21.56 | 21.46 | 21.42 | 23.00 |
| | | 3 | 0 | 21.17 | 21.27 | 21.32 | 23.00 |
| | | 3 | 2 | 21.40 | 21.35 | 21.27 | 23.00 |
| | | 3 | 3 | 21.39 | 21.51 | 21.32 | 23.00 |
| | | 6 | 0 | 20.12 | 20.22 | 20.26 | 22.00 |
| 1.4MHz | | 1 | 0 | 20.61 | 20.48 | 20.44 | 22.00 |
| | 64QAM | 1 | 2 | 20.30 | 20.37 | 20.34 | 22.00 |
| | | 1 | 5 | 20.77 | 20.80 | 20.74 | 22.00 |
| | | 3 | 0 | 20.69 | 20.62 | 20.55 | 22.00 |
| | | 3 | 2 | 20.64 | 20.62 | 20.57 | 22.00 |
| | | 3 | 3 | 20.67 | 20.56 | 20.60 | 22.00 |
| | | 6 | 0 | 19.73 | 19.70 | 19.63 | 21.00 |
| | | 1 | 0 | 17.53 | 17.48 | 17.50 | 19.00 |
| | | 1 | 2 | 17.45 | 17.38 | 17.46 | 19.00 |
| | | 1 | 5 | 17.73 | 17.63 | 17.67 | 19.00 |
| | 256QAM | 3 | 0 | 17.39 | 17.44 | 17.51 | 19.00 |
| | | 3 | 2 | 17.20 | 17.25 | 17.33 | 19.00 |
| | | 3 | 3 | 17.33 | 17.34 | 17.45 | 19.00 |
| | | 6 | 0 | 17.66 | 17.53 | 17.58 | 19.00 |
| Pand:::dtb | Modulation | DD size | DD c#sst | Channel | Channel | Channel | Tura |
| Bandwidth | Modulation | RB size | RB offset | 18615 | 18900 | 19185 | Tune up |
| 3MHz | QPSK | 1 | 0 | 22.24 | 22.43 | 22.34 | 24.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. es otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 7 | 22.04 | 22.16 | 22.20 | 24.00 |
|-----------|-------------|---------|-----------|---------|---------|---------|----------|
| | | 1 | 14 | 22.11 | 22.17 | 22.12 | 24.00 |
| | | 8 | 0 | 21.34 | 21.38 | 21.34 | 23.00 |
| | | 8 | 4 | 21.32 | 21.47 | 21.35 | 23.00 |
| | | 8 | 7 | 21.40 | 21.32 | 21.21 | 23.00 |
| | | 15 | 0 | 21.37 | 21.44 | 21.38 | 23.00 |
| | | 1 | 0 | 21.64 | 21.65 | 21.50 | 23.00 |
| | | 1 | 7 | 21.63 | 21.74 | 21.62 | 23.00 |
| | | 1 | 14 | 21.75 | 21.89 | 21.81 | 23.00 |
| | 16QAM | 8 | 0 | 20.37 | 20.36 | 20.30 | 22.00 |
| | | 8 | 4 | 20.28 | 20.31 | 20.09 | 22.00 |
| | | 8 | 7 | 20.22 | 20.32 | 20.32 | 22.00 |
| | | 15 | 0 | 20.38 | 20.45 | 20.30 | 22.00 |
| | | 1 | 0 | 20.65 | 20.50 | 20.34 | 22.00 |
| | 64QAM | 1 | 7 | 20.34 | 20.52 | 20.42 | 22.00 |
| | | 1 | 14 | 20.83 | 20.80 | 20.74 | 22.00 |
| | | 8 | 0 | 19.79 | 19.71 | 19.74 | 21.00 |
| | | 8 | 4 | 19.70 | 19.70 | 19.58 | 21.00 |
| | | 8 | 7 | 19.75 | 19.60 | 19.68 | 21.00 |
| | | 15 | 0 | 19.57 | 19.67 | 19.58 | 21.00 |
| | | 1 | 0 | 17.49 | 17.55 | 17.48 | 19.00 |
| | | 1 | 7 | 17.49 | 17.46 | 17.50 | 19.00 |
| | | 1 | 14 | 17.77 | 17.68 | 17.63 | 19.00 |
| | 256QAM | 8 | 0 | 17.53 | 17.43 | 17.34 | 19.00 |
| | | 8 | 4 | 17.26 | 17.30 | 17.31 | 19.00 |
| | | 8 | 7 | 17.31 | 17.25 | 17.34 | 19.00 |
| | | 15 | 0 | 17.61 | 17.59 | 17.51 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Bunawian | Wiodalation | ND 5120 | TO Olloct | 18625 | 18900 | 19175 | Turio up |
| | | 1 | 0 | 22.35 | 22.48 | 22.31 | 24.00 |
| | | 1 | 13 | 22.17 | 22.29 | 22.16 | 24.00 |
| | | 1 | 24 | 22.05 | 22.20 | 22.03 | 24.00 |
| | QPSK | 12 | 0 | 21.37 | 21.26 | 21.32 | 23.00 |
| 5MHz | | 12 | 6 | 21.39 | 21.36 | 21.33 | 23.00 |
| ÐIVIΠ∠ | | 12 | 13 | 21.33 | 21.34 | 21.12 | 23.00 |
| | | 25 | 0 | 21.46 | 21.40 | 21.28 | 23.00 |
| | | 1 | 0 | 21.62 | 21.72 | 21.57 | 23.00 |
| | 16QAM | 1 | 13 | 21.63 | 21.60 | 21.54 | 23.00 |
| | | 1 | 24 | 21.71 | 21.81 | 21.76 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory



SUCR240900032706 Report No.:

Rev.: 01

| | | 12 | 0 | 20.25 | 20.40 | 20.38 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|----------|
| | | 12 | 6 | 20.19 | 20.31 | 20.14 | 22.00 |
| | | 12 | 13 | 20.15 | 20.26 | 20.29 | 22.00 |
| | | 25 | 0 | 20.32 | 20.42 | 20.38 | 22.00 |
| | | 1 | 0 | 20.51 | 20.51 | 20.37 | 22.00 |
| | | 1 | 13 | 20.32 | 20.40 | 20.44 | 22.00 |
| | | 1 | 24 | 20.81 | 20.75 | 20.92 | 22.00 |
| | 64QAM | 12 | 0 | 19.70 | 19.75 | 19.63 | 21.00 |
| | | 12 | 6 | 19.66 | 19.76 | 19.60 | 21.00 |
| | | 12 | 13 | 19.66 | 19.61 | 19.66 | 21.00 |
| | | 25 | 0 | 19.62 | 19.69 | 19.67 | 21.00 |
| | | 1 | 0 | 17.49 | 17.40 | 17.47 | 19.00 |
| | | 1 | 13 | 17.54 | 17.55 | 17.45 | 19.00 |
| | | 1 | 24 | 17.72 | 17.68 | 17.71 | 19.00 |
| | 256QAM | 12 | 0 | 17.52 | 17.47 | 17.43 | 19.00 |
| | | 12 | 6 | 17.26 | 17.34 | 17.27 | 19.00 |
| | | 12 | 13 | 17.36 | 17.25 | 17.27 | 19.00 |
| | | 25 | 0 | 17.52 | 17.70 | 17.54 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Banawiath | Modulation | ND SIZE | KD onset | 18650 | 18900 | 19150 | Turie up |
| | QPSK | 1 | 0 | 22.32 | 22.32 | 22.39 | 24.00 |
| | | 1 | 25 | 22.11 | 22.19 | 22.23 | 24.00 |
| | | 1 | 49 | 22.07 | 22.10 | 22.22 | 24.00 |
| | | 25 | 0 | 21.38 | 21.32 | 21.46 | 23.00 |
| | | 25 | 13 | 21.32 | 21.43 | 21.19 | 23.00 |
| | | 25 | 25 | 21.39 | 21.37 | 21.08 | 23.00 |
| | | 50 | 0 | 21.41 | 21.31 | 21.36 | 23.00 |
| | | 1 | 0 | 21.73 | 21.75 | 21.67 | 23.00 |
| | | 1 | 25 | 21.57 | 21.83 | 21.52 | 23.00 |
| 10MHz | | 1 | 49 | 21.55 | 21.84 | 21.78 | 23.00 |
| TOWINZ | 16QAM | 25 | 0 | 20.32 | 20.32 | 20.35 | 22.00 |
| | | 25 | 13 | 20.26 | 20.31 | 20.22 | 22.00 |
| | | 25 | 25 | 20.19 | 20.36 | 20.35 | 22.00 |
| | | 50 | 0 | 20.28 | 20.43 | 20.40 | 22.00 |
| | | 1 | 0 | 20.44 | 20.56 | 20.41 | 22.00 |
| | | 1 | 25 | 20.27 | 20.48 | 20.39 | 22.00 |
| | 64QAM | 1 | 49 | 20.84 | 20.81 | 20.78 | 22.00 |
| | UHQAIVI | 25 | 0 | 19.86 | 19.74 | 19.59 | 21.00 |
| | | 25 | 13 | 19.46 | 19.65 | 19.57 | 21.00 |
| | | 25 | 25 | 19.73 | 19.66 | 19.64 | 21.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 50 | 0 | 19.73 | 19.64 | 19.56 | 21.00 |
|----------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 0 | 17.42 | 17.57 | 17.48 | 19.00 |
| | | 1 | 25 | 17.49 | 17.53 | 17.47 | 19.00 |
| | | 1 | 49 | 17.61 | 17.71 | 17.55 | 19.00 |
| | 256QAM | 25 | 0 | 17.49 | 17.53 | 17.38 | 19.00 |
| | | 25 | 13 | 17.25 | 17.25 | 17.22 | 19.00 |
| | | 25 | 25 | 17.35 | 17.33 | 17.26 | 19.00 |
| | | 50 | 0 | 17.65 | 17.55 | 17.62 | 19.00 |
| Domestral data | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Wodulation | RD SIZE | RD Ollset | 18675 | 18900 | 19125 | Tune up |
| | | 1 | 0 | 22.27 | 22.37 | 22.31 | 24.00 |
| | | 1 | 38 | 22.10 | 22.15 | 22.16 | 24.00 |
| | | 1 | 74 | 22.17 | 22.17 | 22.21 | 24.00 |
| | QPSK | 36 | 0 | 21.35 | 21.30 | 21.30 | 23.00 |
| | | 36 | 18 | 21.26 | 21.28 | 21.34 | 23.00 |
| | | 36 | 39 | 21.19 | 21.37 | 21.23 | 23.00 |
| | | 75 | 0 | 21.24 | 21.45 | 21.36 | 23.00 |
| | | 1 | 0 | 21.66 | 21.76 | 21.59 | 23.00 |
| | | 1 | 38 | 21.72 | 21.76 | 21.52 | 23.00 |
| | | 1 | 74 | 21.72 | 21.75 | 21.90 | 23.00 |
| | 16QAM | 36 | 0 | 20.36 | 20.41 | 20.31 | 22.00 |
| | | 36 | 18 | 20.32 | 20.45 | 20.14 | 22.00 |
| | | 36 | 39 | 20.08 | 20.47 | 20.21 | 22.00 |
| 45881- | | 75 | 0 | 20.35 | 20.41 | 20.41 | 22.00 |
| 15MHz | | 1 | 0 | 20.59 | 20.57 | 20.37 | 22.00 |
| | | 1 | 38 | 20.32 | 20.41 | 20.37 | 22.00 |
| | | 1 | 74 | 20.93 | 20.72 | 20.79 | 22.00 |
| | 64QAM | 36 | 0 | 19.72 | 19.83 | 19.58 | 21.00 |
| | | 36 | 18 | 19.52 | 19.72 | 19.61 | 21.00 |
| | | 36 | 39 | 19.78 | 19.57 | 19.55 | 21.00 |
| | | 75 | 0 | 19.56 | 19.68 | 19.41 | 21.00 |
| | | 1 | 0 | 17.50 | 17.51 | 17.40 | 19.00 |
| | | 1 | 38 | 17.49 | 17.49 | 17.40 | 19.00 |
| | | 1 | 74 | 17.74 | 17.72 | 17.64 | 19.00 |
| | 256QAM | 36 | 0 | 17.51 | 17.35 | 17.36 | 19.00 |
| | | 36 | 18 | 17.26 | 17.35 | 17.36 | 19.00 |
| | | 36 | 39 | 17.38 | 17.31 | 17.33 | 19.00 |
| | | 75 | 0 | 17.68 | 17.71 | 17.51 | 19.00 |
| B1 : 111 | March 1 di | DD : | DD . " | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 18700 | 18900 | 19100 | Tune up |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 0 | 22.43 | 22.51 | 22.39 | 24.00 |
|---------|--------|-----|----|-------|-------|-------|-------|
| | | 1 | 50 | 22.35 | 22.35 | 22.26 | 24.00 |
| | | 1 | 99 | 22.21 | 22.24 | 22.18 | 24.00 |
| | QPSK | 50 | 0 | 21.24 | 21.35 | 21.36 | 23.00 |
| | | 50 | 25 | 21.37 | 21.36 | 21.18 | 23.00 |
| | | 50 | 50 | 21.20 | 21.37 | 21.17 | 23.00 |
| | | 100 | 0 | 21.29 | 21.40 | 21.42 | 23.00 |
| | | 1 | 0 | 21.63 | 21.66 | 21.40 | 23.00 |
| | | 1 | 50 | 21.48 | 21.63 | 21.57 | 23.00 |
| | | 1 | 99 | 21.61 | 21.92 | 21.75 | 23.00 |
| | 16QAM | 50 | 0 | 20.31 | 20.40 | 20.20 | 22.00 |
| | | 50 | 25 | 20.29 | 20.24 | 20.12 | 22.00 |
| | | 50 | 50 | 20.13 | 20.34 | 20.20 | 22.00 |
| 20MHz | | 100 | 0 | 20.25 | 20.38 | 20.35 | 22.00 |
| ZUWIFIZ | | 1 | 0 | 20.43 | 20.50 | 20.27 | 22.00 |
| | | 1 | 50 | 20.26 | 20.36 | 20.44 | 22.00 |
| | | 1 | 99 | 20.75 | 20.63 | 20.88 | 22.00 |
| | 64QAM | 50 | 0 | 19.64 | 19.64 | 19.59 | 21.00 |
| | | 50 | 25 | 19.51 | 19.79 | 19.61 | 21.00 |
| | | 50 | 50 | 19.62 | 19.66 | 19.61 | 21.00 |
| | | 100 | 0 | 19.69 | 19.72 | 19.39 | 21.00 |
| | | 1 | 0 | 17.53 | 17.45 | 17.47 | 19.00 |
| | | 1 | 50 | 17.48 | 17.45 | 17.33 | 19.00 |
| | | 1 | 99 | 17.55 | 17.64 | 17.49 | 19.00 |
| | 256QAM | 50 | 0 | 17.39 | 17.41 | 17.40 | 19.00 |
| | | 50 | 25 | 17.13 | 17.21 | 17.14 | 19.00 |
| | | 50 | 50 | 17.23 | 17.15 | 17.25 | 19.00 |
| | | 100 | 0 | 17.48 | 17.61 | 17.49 | 19.00 |

| | LTE Band 2 A | nt.3 Full power | | Conducted Power(dBm) | | | |
|-----------|--------------|-----------------|-----------|----------------------|---------|---------|---------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Danawiain | Modulation | RD SIZE | RB offset | 18607 | 18900 | 19193 | Tune up |
| | QPSK | 1 | 0 | 22.29 | 22.22 | 22.24 | 24.00 |
| | | 1 | 2 | 22.28 | 22.33 | 22.32 | 24.00 |
| 1.4MHz | | 1 | 5 | 22.34 | 22.21 | 22.29 | 24.00 |
| 1.4WITZ | | 3 | 0 | 22.33 | 22.21 | 22.26 | 24.00 |
| | | 3 | 2 | 22.45 | 22.32 | 22.45 | 24.00 |
| | | 3 | 3 | 22.29 | 22.25 | 22.24 | 24.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| | | 6 | 0 | 21.28 | 21.32 | 21.40 | 23.00 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 0 | 21.58 | 21.51 | 21.58 | 23.00 |
| | | 1 | 2 | 21.51 | 21.60 | 21.72 | 23.00 |
| | | 1 | 5 | 21.69 | 21.66 | 21.58 | 23.00 |
| | 16QAM | 3 | 0 | 21.35 | 21.38 | 21.52 | 23.00 |
| | | 3 | 2 | 21.54 | 21.59 | 21.50 | 23.00 |
| | | 3 | 3 | 21.62 | 21.60 | 21.51 | 23.00 |
| | | 6 | 0 | 20.27 | 20.43 | 20.33 | 22.00 |
| | | 1 | 0 | 20.67 | 20.69 | 20.68 | 22.00 |
| | | 1 | 2 | 20.47 | 20.51 | 20.50 | 22.00 |
| | | 1 | 5 | 20.98 | 20.91 | 21.02 | 22.00 |
| | 64QAM | 3 | 0 | 20.80 | 20.81 | 20.68 | 22.00 |
| | | 3 | 2 | 20.92 | 20.76 | 20.70 | 22.00 |
| | | 3 | 3 | 20.90 | 20.64 | 20.74 | 22.00 |
| | | 6 | 0 | 19.88 | 19.87 | 19.79 | 21.00 |
| | | 1 | 0 | 17.66 | 17.56 | 17.77 | 19.00 |
| | | 1 | 2 | 17.71 | 17.55 | 17.56 | 19.00 |
| | | 1 | 5 | 17.92 | 17.83 | 17.88 | 19.00 |
| | 256QAM | 3 | 0 | 17.66 | 17.63 | 17.77 | 19.00 |
| | | 3 | 2 | 17.38 | 17.37 | 17.48 | 19.00 |
| | | 3 | 3 | 17.41 | 17.56 | 17.55 | 19.00 |
| | | 6 | 0 | 17.83 | 17.76 | 17.77 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Banawiatii | Woodiation | ND SIZE | ND 0113Ct | 18615 | 18900 | 19185 | rane ap |
| | | 1 | 0 | 22.32 | 22.38 | 22.48 | 24.00 |
| | | 1 | 7 | 22.22 | 22.41 | 22.36 | 24.00 |
| | | 1 | 14 | 22.24 | 22.32 | 22.28 | 24.00 |
| | QPSK | 8 | 0 | 21.50 | 21.62 | 21.44 | 23.00 |
| | | 8 | 4 | 21.51 | 21.54 | 21.43 | 23.00 |
| | | 8 | 7 | 21.59 | 21.47 | 21.40 | 23.00 |
| | | 15 | 0 | 21.54 | 21.64 | 21.57 | 23.00 |
| 3MHz | | 1 | 0 | 21.88 | 21.93 | 21.68 | 23.00 |
| | | 1 | 7 | 21.84 | 21.97 | 21.73 | 23.00 |
| | | 1 | 14 | 21.91 | 22.06 | 21.98 | 23.00 |
| | 16QAM | 8 | 0 | 20.60 | 20.52 | 20.38 | 22.00 |
| | | 8 | 4 | 20.37 | 20.45 | 20.39 | 22.00 |
| | | 8 | 7 | 20.31 | 20.52 | 20.51 | 22.00 |
| | | 15 | 0 | 20.47 | 20.56 | 20.44 | 22.00 |
| | 64QAM | 1 | 0 | 20.79 | 20.57 | 20.59 | 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 7 | 20.47 | 20.66 | 20.70 | 22.00 |
|-------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 14 | 20.90 | 21.00 | 21.03 | 22.00 |
| | | 8 | 0 | 19.94 | 19.96 | 19.93 | 21.00 |
| | | 8 | 4 | 19.85 | 19.80 | 19.65 | 21.00 |
| | | 8 | 7 | 19.91 | 19.83 | 19.82 | 21.00 |
| | | 15 | 0 | 19.70 | 19.96 | 19.67 | 21.00 |
| | | 1 | 0 | 17.56 | 17.70 | 17.66 | 19.00 |
| | | 1 | 7 | 17.67 | 17.67 | 17.61 | 19.00 |
| | | 1 | 14 | 17.88 | 17.88 | 17.87 | 19.00 |
| | 256QAM | 8 | 0 | 17.62 | 17.56 | 17.57 | 19.00 |
| | | 8 | 4 | 17.47 | 17.50 | 17.46 | 19.00 |
| | | 8 | 7 | 17.59 | 17.33 | 17.59 | 19.00 |
| | | 15 | 0 | 17.88 | 17.81 | 17.77 | 19.00 |
| Donal dille | Moduleties | DD -: | DD 6#==+ | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 18625 | 18900 | 19175 | Tune up |
| | | 1 | 0 | 22.45 | 22.44 | 22.49 | 24.00 |
| | QPSK | 1 | 13 | 22.35 | 22.35 | 22.36 | 24.00 |
| | | 1 | 24 | 22.21 | 22.37 | 22.24 | 24.00 |
| | | 12 | 0 | 21.53 | 21.45 | 21.60 | 23.00 |
| | | 12 | 6 | 21.57 | 21.55 | 21.57 | 23.00 |
| | | 12 | 13 | 21.56 | 21.50 | 21.30 | 23.00 |
| | | 25 | 0 | 21.56 | 21.49 | 21.49 | 23.00 |
| | 16QAM | 1 | 0 | 21.88 | 21.85 | 21.74 | 23.00 |
| | | 1 | 13 | 21.82 | 21.84 | 21.69 | 23.00 |
| | | 1 | 24 | 21.92 | 22.07 | 22.02 | 23.00 |
| | | 12 | 0 | 20.50 | 20.59 | 20.59 | 22.00 |
| | | 12 | 6 | 20.37 | 20.45 | 20.34 | 22.00 |
| 5MHz | | 12 | 13 | 20.34 | 20.50 | 20.50 | 22.00 |
| | | 25 | 0 | 20.49 | 20.56 | 20.62 | 22.00 |
| | | 1 | 0 | 20.66 | 20.70 | 20.63 | 22.00 |
| | | 1 | 13 | 20.56 | 20.56 | 20.55 | 22.00 |
| | | 1 | 24 | 20.96 | 20.94 | 21.09 | 22.00 |
| | 64QAM | 12 | 0 | 19.95 | 20.05 | 19.88 | 21.00 |
| | | 12 | 6 | 19.86 | 20.03 | 19.74 | 21.00 |
| | | 12 | 13 | 19.88 | 19.86 | 19.80 | 21.00 |
| | | 25 | 0 | 19.81 | 19.83 | 19.82 | 21.00 |
| | | 1 | 0 | 17.74 | 17.58 | 17.63 | 19.00 |
| | 2560 414 | 1 | 13 | 17.62 | 17.67 | 17.73 | 19.00 |
| | 256QAM | 1 | 24 | 17.89 | 17.79 | 17.87 | 19.00 |
| | | 12 | 0 | 17.79 | 17.62 | 17.54 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 12 | 6 | 17.41 | 17.38 | 17.36 | 19.00 |
|---------------|---------------|---------------|------------|---------|---------|---------|----------|
| | | 12 | 13 | 17.48 | 17.35 | 17.44 | 19.00 |
| | | 25 | 0 | 17.72 | 17.93 | 17.77 | 19.00 |
| Down dividely | NA advisation | RB size | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | ation RD Size | RB offset | 18650 | 18900 | 19150 | Tune up |
| | | 1 | 0 | 22.46 | 22.48 | 22.43 | 24.00 |
| | | 1 | 25 | 22.33 | 22.35 | 22.38 | 24.00 |
| | | 1 | 49 | 22.34 | 22.25 | 22.41 | 24.00 |
| | QPSK | 25 | 0 | 21.47 | 21.51 | 21.59 | 23.00 |
| | | 25 | 13 | 21.50 | 21.62 | 21.40 | 23.00 |
| | | 25 | 25 | 21.53 | 21.51 | 21.29 | 23.00 |
| | | 50 | 0 | 21.47 | 21.45 | 21.52 | 23.00 |
| | | 1 | 0 | 21.82 | 21.81 | 21.84 | 23.00 |
| | 16QAM | 1 | 25 | 21.75 | 21.99 | 21.68 | 23.00 |
| | | 1 | 49 | 21.80 | 22.02 | 22.00 | 23.00 |
| | | 25 | 0 | 20.53 | 20.56 | 20.56 | 22.00 |
| | | 25 | 13 | 20.49 | 20.62 | 20.38 | 22.00 |
| | | 25 | 25 | 20.36 | 20.50 | 20.66 | 22.00 |
| 10MHz | | 50 | 0 | 20.48 | 20.58 | 20.52 | 22.00 |
| TOWNIZ | | 1 | 0 | 20.66 | 20.75 | 20.65 | 22.00 |
| | | 1 | 25 | 20.44 | 20.63 | 20.60 | 22.00 |
| | | 1 | 49 | 20.99 | 21.01 | 20.97 | 22.00 |
| | 64QAM | 25 | 0 | 19.99 | 19.85 | 19.78 | 21.00 |
| | | 25 | 13 | 19.64 | 19.87 | 19.71 | 21.00 |
| | | 25 | 25 | 19.92 | 19.85 | 19.82 | 21.00 |
| | | 50 | 0 | 19.82 | 19.85 | 19.78 | 21.00 |
| | | 1 | 0 | 17.71 | 17.79 | 17.68 | 19.00 |
| | | 1 | 25 | 17.67 | 17.65 | 17.67 | 19.00 |
| | | 1 | 49 | 17.83 | 17.75 | 17.80 | 19.00 |
| | 256QAM | 25 | 0 | 17.73 | 17.72 | 17.59 | 19.00 |
| | | 25 | 13 | 17.39 | 17.50 | 17.41 | 19.00 |
| | | 25 | 25 | 17.56 | 17.50 | 17.57 | 19.00 |
| | | 50 | 0 | 17.86 | 17.76 | 17.88 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwiulii | Modulation | IVD SIZE | IVD Olloet | 18675 | 18900 | 19125 | Turie up |
| | | 1 | 0 | 22.43 | 22.52 | 22.50 | 24.00 |
| | | 1 | 38 | 22.20 | 22.30 | 22.31 | 24.00 |
| 15MHz | QPSK | 1 | 74 | 22.32 | 22.31 | 22.42 | 24.00 |
| | | 36 | 0 | 21.47 | 21.50 | 21.48 | 23.00 |
| | | 36 | 18 | 21.44 | 21.50 | 21.44 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 36 | 39 | 21.39 | 21.51 | 21.36 | 23.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 75 | 0 | 21.52 | 21.55 | 21.49 | 23.00 |
| | | 1 | 0 | 21.83 | 22.01 | 21.83 | 23.00 |
| | | 1 | 38 | 21.88 | 21.87 | 21.82 | 23.00 |
| | | 1 | 74 | 21.93 | 21.92 | 22.06 | 23.00 |
| | 16QAM | 36 | 0 | 20.56 | 20.47 | 20.50 | 22.00 |
| | | 36 | 18 | 20.45 | 20.56 | 20.42 | 22.00 |
| | | 36 | 39 | 20.36 | 20.62 | 20.45 | 22.00 |
| | | 75 | 0 | 20.42 | 20.58 | 20.64 | 22.00 |
| | | 1 | 0 | 20.64 | 20.73 | 20.49 | 22.00 |
| | | 1 | 38 | 20.54 | 20.70 | 20.63 | 22.00 |
| | | 1 | 74 | 20.96 | 20.90 | 20.95 | 22.00 |
| | 64QAM | 36 | 0 | 19.99 | 20.02 | 19.80 | 21.00 |
| | | 36 | 18 | 19.73 | 19.98 | 19.82 | 21.00 |
| | | 36 | 39 | 19.93 | 19.80 | 19.81 | 21.00 |
| | | 75 | 0 | 19.81 | 19.80 | 19.59 | 21.00 |
| | | 1 | 0 | 17.68 | 17.69 | 17.65 | 19.00 |
| | | 1 | 38 | 17.72 | 17.58 | 17.63 | 19.00 |
| | | 1 | 74 | 17.95 | 17.91 | 17.91 | 19.00 |
| | 256QAM | 36 | 0 | 17.76 | 17.56 | 17.59 | 19.00 |
| | | 36 | 18 | 17.47 | 17.52 | 17.55 | 19.00 |
| | | 36 | 39 | 17.55 | 17.44 | 17.50 | 19.00 |
| | | 75 | 0 | 17.85 | 17.85 | 17.81 | 19.00 |
| Bandwidth | Modulation | RB size | DD offeet | Channel | Channel | Channel | Tungun |
| Danawiath | Modulation | RD SIZE | RB offset | 18700 | 18900 | 19100 | Tune up |
| | | 1 | 0 | 22.54 | 22.55 | 22.48 | 24.00 |
| | | 1 | 50 | 22.35 | 22.44 | 22.31 | 24.00 |
| | | 1 | 99 | 22.24 | 22.34 | 22.28 | 24.00 |
| | QPSK | 50 | 0 | 21.54 | 21.57 | 21.65 | 23.00 |
| | | 50 | 25 | 21.52 | 21.53 | 21.51 | 23.00 |
| | | 50 | 50 | 21.40 | 21.62 | 21.39 | 23.00 |
| | | 100 | 0 | 21.54 | 21.58 | 21.61 | 23.00 |
| 20MHz | | 1 | 0 | 21.79 | 21.89 | 21.67 | 23.00 |
| | | 1 | 50 | 21.80 | 21.91 | 21.79 | 23.00 |
| | | 1 | 99 | 21.88 | 22.08 | 21.92 | 23.00 |
| | 16QAM | 50 | 0 | 20.51 | 20.63 | 20.49 | 22.00 |
| | | 50 | 25 | 20.44 | 20.51 | 20.38 | 22.00 |
| | | 50 | 50 | 20.33 | 20.57 | 20.52 | 22.00 |
| | | 100 | 0 | 20.49 | 20.58 | 20.66 | 22.00 |
| | 64QAM | 1 | 0 | 20.70 | 20.66 | 20.60 | 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | 1 | 50 | 20.53 | 20.55 | 20.55 | 22.00 |
|--------|-----|----|-------|-------|-------|-------|
| | ı ı | 50 | 20.55 | 20.55 | 20.55 | 22.00 |
| | 1 | 99 | 20.84 | 20.91 | 21.09 | 22.00 |
| | 50 | 0 | 19.82 | 19.91 | 19.80 | 21.00 |
| | 50 | 25 | 19.78 | 19.93 | 19.78 | 21.00 |
| | 50 | 50 | 19.79 | 19.85 | 19.84 | 21.00 |
| | 100 | 0 | 19.90 | 19.90 | 19.63 | 21.00 |
| | 1 | 0 | 17.76 | 17.70 | 17.69 | 19.00 |
| | 1 | 50 | 17.62 | 17.59 | 17.56 | 19.00 |
| | 1 | 99 | 17.81 | 17.88 | 17.82 | 19.00 |
| 256QAM | 50 | 0 | 17.59 | 17.61 | 17.59 | 19.00 |
| | 50 | 25 | 17.44 | 17.49 | 17.46 | 19.00 |
| | 50 | 50 | 17.51 | 17.49 | 17.52 | 19.00 |
| | 100 | 0 | 17.73 | 17.82 | 17.70 | 19.00 |

1.2 Conducted Power of LTE Band 4

| | LTE Band 4 Ant.0 Full power | | | | Conducted Power(dBm) | | | |
|-------------------|-----------------------------|---------|-----------|---------|----------------------|---------|---------|--|
| D d - d - d d - d | Modulation | DD -: | DD 2#224 | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 19957 | 20175 | 20393 | Tune up | |
| | | 1 | 0 | 22.17 | 22.08 | 22.14 | 24.00 | |
| | | 1 | 2 | 22.14 | 22.17 | 22.17 | 24.00 | |
| | | 1 | 5 | 22.15 | 22.19 | 22.16 | 24.00 | |
| | QPSK | 3 | 0 | 22.00 | 22.13 | 22.02 | 24.00 | |
| | | 3 | 2 | 22.08 | 22.14 | 22.10 | 24.00 | |
| | | 3 | 3 | 22.04 | 22.08 | 22.06 | 24.00 | |
| | | 6 | 0 | 21.05 | 21.13 | 21.02 | 23.00 | |
| | | 1 | 0 | 21.24 | 21.15 | 21.31 | 23.00 | |
| | | 1 | 2 | 21.19 | 21.24 | 21.16 | 23.00 | |
| 1.4MHz | | 1 | 5 | 21.12 | 21.11 | 21.36 | 23.00 | |
| | 16QAM | 3 | 0 | 21.07 | 21.14 | 21.02 | 23.00 | |
| | | 3 | 2 | 21.13 | 21.16 | 21.20 | 23.00 | |
| | | 3 | 3 | 21.24 | 21.24 | 21.36 | 23.00 | |
| | | 6 | 0 | 20.08 | 20.09 | 20.05 | 22.00 | |
| | | 1 | 0 | 20.31 | 20.28 | 20.08 | 22.00 | |
| | | 1 | 2 | 20.07 | 20.09 | 20.12 | 22.00 | |
| | 64QAM | 1 | 5 | 20.45 | 20.36 | 20.47 | 22.00 | |
| | | 3 | 0 | 20.45 | 20.36 | 20.33 | 22.00 | |
| | | 3 | 2 | 20.24 | 20.32 | 20.31 | 22.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 3 | 3 | 20.44 | 20.24 | 20.24 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 6 | 0 | 19.15 | 19.46 | 19.18 | 21.00 |
| | | 1 | 0 | 17.09 | 17.23 | 17.08 | 19.00 |
| | | 1 | 2 | 17.18 | 17.04 | 17.04 | 19.00 |
| | | 1 | 5 | 17.30 | 17.47 | 17.21 | 19.00 |
| | 256QAM | 3 | 0 | 17.22 | 17.10 | 17.19 | 19.00 |
| | | 3 | 2 | 17.06 | 17.05 | 17.04 | 19.00 |
| | | 3 | 3 | 17.04 | 17.02 | 17.08 | 19.00 |
| | | 6 | 0 | 17.29 | 17.15 | 17.27 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Wodulation | RD SIZE | RB oliset | 19965 | 20175 | 20385 | Tune up |
| | | 1 | 0 | 22.03 | 22.09 | 22.09 | 24.00 |
| | | 1 | 7 | 22.05 | 22.04 | 22.14 | 24.00 |
| | | 1 | 14 | 22.03 | 22.08 | 22.13 | 24.00 |
| | QPSK | 8 | 0 | 21.00 | 21.17 | 21.08 | 23.00 |
| | | 8 | 4 | 21.24 | 21.12 | 21.08 | 23.00 |
| | | 8 | 7 | 21.08 | 21.06 | 21.06 | 23.00 |
| | | 15 | 0 | 21.05 | 21.02 | 21.11 | 23.00 |
| | | 1 | 0 | 21.37 | 21.34 | 21.17 | 23.00 |
| | | 1 | 7 | 21.30 | 21.41 | 21.29 | 23.00 |
| | | 1 | 14 | 21.18 | 21.64 | 21.65 | 23.00 |
| | 16QAM | 8 | 0 | 20.04 | 20.06 | 20.05 | 22.00 |
| | | 8 | 4 | 20.01 | 20.07 | 20.03 | 22.00 |
| | | 8 | 7 | 20.02 | 20.01 | 20.27 | 22.00 |
| | | 15 | 0 | 20.01 | 20.09 | 20.09 | 22.00 |
| 3MHz | | 1 | 0 | 20.32 | 20.22 | 20.01 | 22.00 |
| | | 1 | 7 | 20.09 | 20.16 | 20.13 | 22.00 |
| | | 1 | 14 | 20.47 | 20.43 | 20.55 | 22.00 |
| | 64QAM | 8 | 0 | 19.36 | 19.46 | 19.43 | 21.00 |
| | | 8 | 4 | 19.37 | 19.52 | 19.35 | 21.00 |
| | | 8 | 7 | 19.28 | 19.35 | 19.32 | 21.00 |
| | | 15 | 0 | 19.26 | 19.26 | 19.23 | 21.00 |
| | | 1 | 0 | 17.27 | 17.24 | 17.18 | 19.00 |
| | | 1 | 7 | 17.07 | 17.30 | 17.26 | 19.00 |
| | | 1 | 14 | 17.27 | 17.30 | 17.18 | 19.00 |
| | 256QAM | 8 | 0 | 17.27 | 17.15 | 17.12 | 19.00 |
| | | 8 | 4 | 17.06 | 17.03 | 17.09 | 19.00 |
| | | 8 | 7 | 17.04 | 17.02 | 17.00 | 19.00 |
| | | 15 | 0 | 17.37 | 17.32 | 17.46 | 19.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| Donadoui déb | Madulatian | DD size | DD -#+ | Channel | Channel | Channel | T |
|--------------|------------|---------|-----------|---------|---------|---------|---------|
| Bandwidth | Modulation | RB size | RB offset | 19975 | 20175 | 20375 | Tune up |
| | | 1 | 0 | 22.03 | 22.13 | 22.12 | 24.00 |
| | | 1 | 13 | 22.04 | 22.06 | 22.03 | 24.00 |
| | | 1 | 24 | 22.08 | 22.09 | 22.07 | 24.00 |
| | QPSK | 12 | 0 | 21.09 | 21.03 | 21.29 | 23.00 |
| | | 12 | 6 | 21.13 | 21.20 | 21.09 | 23.00 |
| | | 12 | 13 | 21.06 | 21.13 | 21.06 | 23.00 |
| | | 25 | 0 | 21.09 | 21.12 | 21.07 | 23.00 |
| | | 1 | 0 | 21.31 | 21.44 | 21.23 | 23.00 |
| | 16QAM | 1 | 13 | 21.15 | 21.42 | 21.16 | 23.00 |
| | | 1 | 24 | 21.34 | 21.53 | 21.48 | 23.00 |
| | | 12 | 0 | 20.07 | 20.07 | 20.07 | 22.00 |
| | | 12 | 6 | 20.02 | 20.01 | 20.10 | 22.00 |
| | | 12 | 13 | 20.09 | 20.16 | 20.18 | 22.00 |
| ENALL- | | 25 | 0 | 20.05 | 20.12 | 20.13 | 22.00 |
| 5MHz | | 1 | 0 | 20.10 | 20.12 | 20.18 | 22.00 |
| | | 1 | 13 | 20.05 | 20.12 | 20.17 | 22.00 |
| | | 1 | 24 | 20.49 | 20.44 | 20.54 | 22.00 |
| | 64QAM | 12 | 0 | 19.51 | 19.54 | 19.27 | 21.00 |
| | | 12 | 6 | 19.21 | 19.29 | 19.19 | 21.00 |
| | | 12 | 13 | 19.27 | 19.37 | 19.12 | 21.00 |
| | | 25 | 0 | 19.13 | 19.36 | 19.31 | 21.00 |
| | | 1 | 0 | 17.27 | 17.19 | 17.09 | 19.00 |
| | | 1 | 13 | 17.19 | 17.19 | 17.15 | 19.00 |
| | | 1 | 24 | 17.19 | 17.25 | 17.27 | 19.00 |
| | 256QAM | 12 | 0 | 17.29 | 17.28 | 17.02 | 19.00 |
| | | 12 | 6 | 17.09 | 17.05 | 17.05 | 19.00 |
| | | 12 | 13 | 17.08 | 17.11 | 17.10 | 19.00 |
| | | 25 | 0 | 17.36 | 17.21 | 17.27 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Danawiath | Modulation | RD SIZE | RD Ollset | 20000 | 20175 | 20350 | Tune up |
| | | 1 | 0 | 22.09 | 22.10 | 22.02 | 24.00 |
| | | 1 | 25 | 22.03 | 22.04 | 22.07 | 24.00 |
| | | 1 | 49 | 22.09 | 22.08 | 22.09 | 24.00 |
| 10MHz | QPSK | 25 | 0 | 21.04 | 21.16 | 21.07 | 23.00 |
| IUIVITZ | | 25 | 13 | 21.13 | 21.03 | 21.09 | 23.00 |
| | | 25 | 25 | 21.03 | 21.09 | 21.08 | 23.00 |
| | | 50 | 0 | 21.11 | 21.15 | 21.04 | 23.00 |
| | 16QAM | 1 | 0 | 21.28 | 21.34 | 21.08 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 25 | 21.27 | 21.33 | 21.28 | 23.00 |
|-----------|---------------|---|--|--|---|--|---|
| | | 1 | 49 | 21.28 | 21.60 | 21.44 | 23.00 |
| | | 25 | 0 | 20.07 | 20.09 | 20.03 | 22.00 |
| | | 25 | 13 | 20.08 | 20.09 | 20.03 | 22.00 |
| | | 25 | 25 | 20.01 | 20.03 | 20.16 | 22.00 |
| | | 50 | 0 | 20.09 | 20.12 | 20.03 | 22.00 |
| | | 1 | 0 | 20.26 | 20.21 | 20.05 | 22.00 |
| | | 1 | 25 | 20.11 | 20.14 | 20.08 | 22.00 |
| | | 1 | 49 | 20.47 | 20.61 | 20.57 | 22.00 |
| | 64QAM | 25 | 0 | 19.38 | 19.47 | 19.48 | 21.00 |
| | | 25 | 13 | 19.11 | 19.45 | 19.18 | 21.00 |
| | | 25 | 25 | 19.31 | 19.22 | 19.46 | 21.00 |
| | | 50 | 0 | 19.41 | 19.29 | 19.10 | 21.00 |
| | | 1 | 0 | 17.01 | 17.27 | 17.17 | 19.00 |
| | | 1 | 25 | 17.12 | 17.23 | 17.08 | 19.00 |
| | | 1 | 49 | 17.42 | 17.34 | 17.20 | 19.00 |
| | 256QAM | 25 | 0 | 17.17 | 17.07 | 17.13 | 19.00 |
| | | 25 | 13 | 17.13 | 17.08 | 17.05 | 19.00 |
| | | 25 | 25 | 17.09 | 17.03 | 17.11 | 19.00 |
| | | 50 | 0 | 17.24 | 17.49 | 17.30 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | ND SIZE | ND ollset | 20025 | 20175 | 20325 | Tune up |
| | | 1 | 0 | 22.09 | 22.20 | 22.07 | 24.00 |
| | | | | | | | |
| | | 1 | 38 | 22.02 | 22.01 | 22.03 | 24.00 |
| | | 1 | 38 74 | 22.02 22.06 | 22.01 22.07 | 22.03 22.09 | 24.00 24.00 |
| | QPSK | • | | | | | |
| | QPSK | 1 | 74 | 22.06 | 22.07 | 22.09 | 24.00 |
| | QPSK | 1 36 | 74 0 | 22.06 21.06 | 22.07 21.07 | 22.09 22.08 | 24.00 23.00 |
| | QPSK | 1 36 36 | 74 0 18 | 22.06 21.06 21.03 | 22.07 21.07 21.14 | 22.09 22.08 21.02 | 24.00 23.00 23.00 |
| | QPSK | 1 36 36 36 | 74 0 18 39 | 22.06 21.06 21.03 21.02 | 22.07 21.07 21.14 21.00 | 22.09 22.08 21.02 21.06 | 24.00 23.00 23.00 23.00 |
| 45844- | QPSK | 1 36 36 36 36 75 | 74 0 18 39 0 | 22.06 21.06 21.03 21.02 21.27 | 22.07 21.07 21.14 21.00 21.02 | 22.09 22.08 21.02 21.06 21.06 | 24.00 23.00 23.00 23.00 23.00 |
| 15MHz | QPSK | 1 36 36 36 36 75 | 74 0 18 39 0 | 22.06 21.06 21.03 21.02 21.27 21.27 | 22.07 21.07 21.14 21.00 21.02 21.26 | 22.09 22.08 21.02 21.06 21.06 21.14 | 24.00 23.00 23.00 23.00 23.00 23.00 |
| 15MHz | QPSK 16QAM | 1 36 36 36 36 75 1 | 74 0 18 39 0 0 38 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 |
| 15MHz | | 1 36 36 36 75 1 1 | 74 0 18 39 0 0 38 74 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 21.60 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 |
| 15MHz | | 1 36 36 36 75 1 1 1 36 | 74 0 18 39 0 0 38 74 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 20.02 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 20.19 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 21.60 20.03 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 |
| 15MHz | | 1 36 36 36 75 1 1 1 36 36 | 74 0 18 39 0 0 0 38 74 0 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 20.02 20.00 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 20.19 20.07 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 21.60 20.03 20.09 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 |
| 15MHz | | 1 36 36 36 75 1 1 1 36 36 36 | 74 0 18 39 0 0 38 74 0 18 39 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 20.02 20.00 20.08 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 20.19 20.07 20.12 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 21.60 20.03 20.09 20.22 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 |
| 15MHz | 16QAM | 1 36 36 36 75 1 1 1 36 36 36 36 | 74 0 18 39 0 0 0 38 74 0 18 39 0 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 20.02 20.00 20.08 20.01 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 20.19 20.07 20.12 20.08 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 21.60 20.03 20.09 20.22 20.06 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 |
| 15MHz | | 1 36 36 36 75 1 1 1 36 36 36 75 1 | 74 0 18 39 0 0 38 74 0 18 39 0 | 22.06 21.06 21.03 21.02 21.27 21.27 21.23 21.34 20.02 20.00 20.08 20.01 | 22.07 21.07 21.14 21.00 21.02 21.26 21.21 21.66 20.19 20.07 20.12 20.08 20.29 | 22.09 22.08 21.02 21.06 21.06 21.14 21.26 20.03 20.09 20.22 20.06 20.03 | 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 36 | 18 | 19.18 | 19.33 | 19.26 | 21.00 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 36 | 39 | 19.36 | 19.38 | 19.31 | 21.00 |
| | | 75 | 0 | 19.26 | 19.44 | 19.16 | 21.00 |
| | | 1 | 0 | 17.31 | 17.18 | 17.14 | 19.00 |
| | | 1 | 38 | 17.34 | 17.21 | 17.11 | 19.00 |
| | | 1 | 74 | 17.37 | 17.25 | 17.40 | 19.00 |
| | 256QAM | 36 | 0 | 17.00 | 17.19 | 17.17 | 19.00 |
| | | 36 | 18 | 17.03 | 17.06 | 17.09 | 19.00 |
| | | 36 | 39 | 17.09 | 17.01 | 17.02 | 19.00 |
| | | 75 | 0 | 17.13 | 17.24 | 17.35 | 19.00 |
| Dondwidth. | Modulation | DD oize | DD offeet | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 20050 | 20175 | 20300 | Tune up |
| | | 1 | 0 | 22.21 | 22.35 | 22.19 | 24.00 |
| | | 1 | 50 | 22.07 | 22.19 | 22.17 | 24.00 |
| | | 1 | 99 | 22.03 | 22.08 | 22.04 | 24.00 |
| | QPSK | 50 | 0 | 21.07 | 21.05 | 21.16 | 23.00 |
| | | 50 | 25 | 21.18 | 21.10 | 21.06 | 23.00 |
| | | 50 | 50 | 21.02 | 21.07 | 21.04 | 23.00 |
| | | 100 | 0 | 21.03 | 21.07 | 21.17 | 23.00 |
| | | 1 | 0 | 21.42 | 21.26 | 21.21 | 23.00 |
| | | 1 | 50 | 21.26 | 21.43 | 21.19 | 23.00 |
| | 16QAM | 1 | 99 | 21.36 | 21.57 | 21.48 | 23.00 |
| | | 50 | 0 | 20.07 | 20.10 | 20.03 | 22.00 |
| | | 50 | 25 | 20.02 | 20.01 | 20.04 | 22.00 |
| | | 50 | 50 | 20.07 | 20.06 | 20.06 | 22.00 |
| 20MHz | | 100 | 0 | 20.08 | 20.07 | 20.11 | 22.00 |
| ZUIVITIZ | | 1 | 0 | 20.21 | 20.26 | 20.07 | 22.00 |
| | | 1 | 50 | 20.08 | 20.04 | 20.14 | 22.00 |
| | | 1 | 99 | 20.51 | 20.62 | 20.45 | 22.00 |
| | 64QAM | 50 | 0 | 19.39 | 19.58 | 19.34 | 21.00 |
| | | 50 | 25 | 19.22 | 19.41 | 19.10 | 21.00 |
| | | 50 | 50 | 19.29 | 19.21 | 19.22 | 21.00 |
| | | 100 | 0 | 19.33 | 19.40 | 19.33 | 21.00 |
| | | 1 | 0 | 17.04 | 17.34 | 17.20 | 19.00 |
| | | 1 | 50 | 17.25 | 17.03 | 17.09 | 19.00 |
| | | 1 | 99 | 17.43 | 17.25 | 17.33 | 19.00 |
| | 256QAM | 50 | 0 | 17.10 | 17.11 | 17.08 | 19.00 |
| | | 50 | 25 | 17.06 | 17.02 | 17.07 | 19.00 |
| | | 50 | 50 | 17.01 | 17.02 | 17.19 | 19.00 |
| | | 100 | 0 | 17.27 | 17.29 | 17.20 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | LTE Band 4 A | nt.3 Full power | | Conducted Power(dBm) | | | | |
|-----------|--------------|-----------------|-----------|----------------------|---------|---------|---------|--|
| | | | 55 " | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size | RB offset | 19957 | 20175 | 20393 | Tune up | |
| | | 1 | 0 | 22.08 | 22.18 | 22.03 | 24.00 | |
| | | 1 | 2 | 22.08 | 22.07 | 22.06 | 24.00 | |
| | | 1 | 5 | 22.05 | 22.09 | 22.09 | 24.00 | |
| | QPSK | 3 | 0 | 22.17 | 22.12 | 22.02 | 24.00 | |
| | | 3 | 2 | 22.11 | 22.01 | 22.12 | 24.00 | |
| | | 3 | 3 | 22.14 | 22.16 | 22.04 | 24.00 | |
| | | 6 | 0 | 21.06 | 21.18 | 21.16 | 23.00 | |
| | | 1 | 0 | 21.49 | 21.31 | 21.51 | 23.00 | |
| | | 1 | 2 | 21.49 | 21.38 | 21.45 | 23.00 | |
| | | 1 | 5 | 21.39 | 21.39 | 21.35 | 23.00 | |
| | 16QAM | 3 | 0 | 21.30 | 21.33 | 21.22 | 23.00 | |
| | | 3 | 2 | 21.34 | 21.24 | 21.21 | 23.00 | |
| | | 3 | 3 | 21.37 | 21.41 | 21.44 | 23.00 | |
| | | 6 | 0 | 20.12 | 20.27 | 20.14 | 22.00 | |
| 1.4MHz | | 1 | 0 | 20.49 | 20.43 | 20.31 | 22.00 | |
| | | 1 | 2 | 20.11 | 20.23 | 20.27 | 22.00 | |
| | 64QAM | 1 | 5 | 20.55 | 20.63 | 20.78 | 22.00 | |
| | | 3 | 0 | 20.02 | 20.11 | 20.01 | 22.00 | |
| | | 3 | 2 | 20.03 | 20.10 | 20.09 | 22.00 | |
| | | 3 | 3 | 20.10 | 20.04 | 20.07 | 22.00 | |
| | | 6 | 0 | 19.44 | 19.49 | 19.39 | 21.00 | |
| | | 1 | 0 | 17.33 | 17.34 | 17.38 | 19.00 | |
| | | 1 | 2 | 17.45 | 17.33 | 17.23 | 19.00 | |
| | | 1 | 5 | 17.41 | 17.46 | 17.52 | 19.00 | |
| | 256QAM | 3 | 0 | 17.33 | 17.32 | 17.30 | 19.00 | |
| | | 3 | 2 | 17.01 | 17.11 | 17.03 | 19.00 | |
| | | 3 | 3 | 17.08 | 17.04 | 17.06 | 19.00 | |
| | | 6 | 0 | 17.41 | 17.50 | 17.45 | 19.00 | |
| Pandwidth | Modulation | DP size | DP offset | Channel | Channel | Channel | Tung up | |
| Bandwidth | Modulation | RB size | RB offset | 19965 | 20175 | 20385 | Tune up | |
| | | 1 | 0 | 22.07 | 22.24 | 22.11 | 24.00 | |
| 3MHz | QPSK | 1 | 7 | 22.15 | 22.21 | 22.01 | 24.00 | |
| | | 1 | 14 | 22.01 | 22.07 | 22.09 | 24.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 8 | 0 | 21.03 | 21.39 | 21.34 | 23.00 |
|--------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 8 | 4 | 21.27 | 21.28 | 21.29 | 23.00 |
| | | 8 | 7 | 21.25 | 21.05 | 21.08 | 23.00 |
| | | 15 | 0 | 21.23 | 21.30 | 21.32 | 23.00 |
| | | 1 | 0 | 21.51 | 21.60 | 21.30 | 23.00 |
| | | 1 | 7 | 21.37 | 21.51 | 21.39 | 23.00 |
| | | 1 | 14 | 21.42 | 21.74 | 21.73 | 23.00 |
| | 16QAM | 8 | 0 | 20.16 | 20.21 | 20.09 | 22.00 |
| | | 8 | 4 | 20.07 | 20.30 | 20.09 | 22.00 |
| | | 8 | 7 | 20.18 | 20.14 | 20.39 | 22.00 |
| | | 15 | 0 | 20.00 | 20.16 | 20.20 | 22.00 |
| | | 1 | 0 | 20.41 | 20.39 | 20.25 | 22.00 |
| | | 1 | 7 | 20.15 | 20.31 | 20.23 | 22.00 |
| | | 1 | 14 | 20.57 | 20.73 | 20.64 | 22.00 |
| | 64QAM | 8 | 0 | 19.57 | 19.60 | 19.59 | 21.00 |
| | | 8 | 4 | 19.47 | 19.66 | 19.37 | 21.00 |
| | | 8 | 7 | 19.54 | 19.37 | 19.35 | 21.00 |
| | | 15 | 0 | 19.61 | 19.43 | 19.32 | 21.00 |
| | | 1 | 0 | 17.35 | 17.34 | 17.24 | 19.00 |
| | | 1 | 7 | 17.30 | 17.32 | 17.32 | 19.00 |
| | | 1 | 14 | 17.59 | 17.51 | 17.38 | 19.00 |
| | 256QAM | 8 | 0 | 17.31 | 17.42 | 17.26 | 19.00 |
| | | 8 | 4 | 17.02 | 17.07 | 17.18 | 19.00 |
| | | 8 | 7 | 17.24 | 17.17 | 17.18 | 19.00 |
| | | 15 | 0 | 17.45 | 17.36 | 17.50 | 19.00 |
| Dan desi déb | Madulatian | DD size | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 19975 | 20175 | 20375 | Tune up |
| | | 1 | 0 | 22.10 | 22.13 | 22.11 | 24.00 |
| | | 1 | 13 | 22.07 | 22.11 | 22.12 | 24.00 |
| | | 1 | 24 | 22.09 | 22.08 | 22.03 | 24.00 |
| | QPSK | 12 | 0 | 21.17 | 21.32 | 21.42 | 23.00 |
| | | 12 | 6 | 21.32 | 21.35 | 21.10 | 23.00 |
| EMU- | | 12 | 13 | 21.20 | 21.15 | 21.00 | 23.00 |
| SIVITZ | 5MHz | 25 | 0 | 21.29 | 21.19 | 21.17 | 23.00 |
| | | 1 | 0 | 21.64 | 21.54 | 21.45 | 23.00 |
| | | 1 | 13 | 21.48 | 21.63 | 21.32 | 23.00 |
| | 16QAM | 1 | 24 | 21.55 | 21.81 | 21.65 | 23.00 |
| | | 12 | 0 | 20.28 | 20.32 | 20.27 | 22.00 |
| | | 12 | 6 | 20.06 | 20.22 | 20.13 | 22.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 12 | 13 | 20.10 | 20.30 | 20.22 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 25 | 0 | 20.15 | 20.38 | 20.18 | 22.00 |
| | | 1 | 0 | 20.44 | 20.42 | 20.31 | 22.00 |
| | | 1 | 13 | 20.17 | 20.25 | 20.32 | 22.00 |
| | | 1 | 24 | 20.75 | 20.56 | 20.85 | 22.00 |
| | 64QAM | 12 | 0 | 19.64 | 19.57 | 19.49 | 21.00 |
| | | 12 | 6 | 19.47 | 19.49 | 19.45 | 21.00 |
| | | 12 | 13 | 19.41 | 19.50 | 19.39 | 21.00 |
| | | 25 | 0 | 19.38 | 19.54 | 19.37 | 21.00 |
| | | 1 | 0 | 17.32 | 17.30 | 17.35 | 19.00 |
| | | 1 | 13 | 17.32 | 17.40 | 17.32 | 19.00 |
| | | 1 | 24 | 17.41 | 17.42 | 17.51 | 19.00 |
| | 256QAM | 12 | 0 | 17.37 | 17.39 | 17.31 | 19.00 |
| | | 12 | 6 | 17.03 | 17.08 | 17.08 | 19.00 |
| | | 12 | 13 | 17.25 | 17.05 | 17.21 | 19.00 |
| | | 25 | 0 | 17.45 | 17.38 | 17.33 | 19.00 |
| | | | 55 " . | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 20000 | 20175 | 20350 | Tune up |
| _ | | 1 | 0 | 22.13 | 22.17 | 22.12 | 24.00 |
| | | 1 | 25 | 22.08 | 22.07 | 22.05 | 24.00 |
| | QPSK | 1 | 49 | 22.10 | 22.10 | 22.09 | 24.00 |
| | | 25 | 0 | 21.17 | 21.33 | 21.27 | 23.00 |
| | | 25 | 13 | 21.36 | 21.30 | 21.15 | 23.00 |
| | | 25 | 25 | 21.21 | 21.27 | 21.07 | 23.00 |
| | | 50 | 0 | 21.23 | 21.32 | 21.20 | 23.00 |
| | | 1 | 0 | 21.54 | 21.52 | 21.44 | 23.00 |
| | | 1 | 25 | 21.36 | 21.49 | 21.46 | 23.00 |
| | | 1 | 49 | 21.53 | 21.73 | 21.57 | 23.00 |
| | 16QAM | 25 | 0 | 20.17 | 20.25 | 20.14 | 22.00 |
| 10MHz | | 25 | 13 | 20.15 | 20.20 | 20.03 | 22.00 |
| | | 25 | 25 | 20.11 | 20.24 | 20.35 | 22.00 |
| | | 50 | 0 | 20.09 | 20.32 | 20.20 | 22.00 |
| | | 1 | 0 | 20.38 | 20.41 | 20.20 | 22.00 |
| | | 1 | 25 | 20.10 | 20.38 | 20.29 | 22.00 |
| | | 1 | 49 | 20.60 | 20.73 | 20.80 | 22.00 |
| | 64QAM | 25 | 0 | 19.56 | 19.63 | 19.63 | 21.00 |
| | | 25 | 13 | 19.44 | 19.63 | 19.29 | 21.00 |
| | | 25 | 25 | 19.51 | 19.48 | 19.57 | 21.00 |
| | 1 | | <u> </u> | | | | 04.00 |
| | | 50 | 0 | 19.45 | 19.49 | 19.37 | 21.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 25 | 17.25 | 17.24 | 17.26 | 19.00 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 49 | 17.56 | 17.59 | 17.46 | 19.00 |
| | | 25 | 0 | 17.30 | 17.34 | 17.24 | 19.00 |
| | | 25 | 13 | 17.09 | 17.08 | 17.09 | 19.00 |
| | | 25 | 25 | 17.19 | 17.11 | 17.06 | 19.00 |
| | | 50 | 0 | 17.46 | 17.56 | 17.41 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Danuwiutii | Modulation | RD SIZE | RB Ollset | 20025 | 20175 | 20325 | Tune up |
| | | 1 | 0 | 22.08 | 22.18 | 22.14 | 24.00 |
| | | 1 | 38 | 22.15 | 22.11 | 22.09 | 24.00 |
| | | 1 | 74 | 22.05 | 22.09 | 22.01 | 24.00 |
| | QPSK | 36 | 0 | 21.17 | 21.24 | 21.19 | 23.00 |
| | | 36 | 18 | 21.23 | 21.39 | 21.22 | 23.00 |
| | | 36 | 39 | 21.27 | 21.08 | 21.06 | 23.00 |
| | | 75 | 0 | 21.39 | 21.17 | 21.24 | 23.00 |
| | | 1 | 0 | 21.52 | 21.54 | 21.35 | 23.00 |
| | | 1 | 38 | 21.47 | 21.51 | 21.41 | 23.00 |
| | | 1 | 74 | 21.49 | 21.78 | 21.75 | 23.00 |
| | 16QAM | 36 | 0 | 20.20 | 20.33 | 20.14 | 22.00 |
| | | 36 | 18 | 20.07 | 20.16 | 20.08 | 22.00 |
| | | 36 | 39 | 20.09 | 20.32 | 20.26 | 22.00 |
| 45881- | | 75 | 0 | 20.03 | 20.26 | 20.19 | 22.00 |
| 15MHz | | 1 | 0 | 20.42 | 20.41 | 20.19 | 22.00 |
| | | 1 | 38 | 20.10 | 20.17 | 20.22 | 22.00 |
| | | 1 | 74 | 20.77 | 20.51 | 20.65 | 22.00 |
| | 64QAM | 36 | 0 | 19.53 | 19.67 | 19.50 | 21.00 |
| | | 36 | 18 | 19.47 | 19.45 | 19.46 | 21.00 |
| | | 36 | 39 | 19.57 | 19.52 | 19.46 | 21.00 |
| | | 75 | 0 | 19.45 | 19.40 | 19.37 | 21.00 |
| | | 1 | 0 | 17.32 | 17.32 | 17.29 | 19.00 |
| | | 1 | 38 | 17.44 | 17.30 | 17.16 | 19.00 |
| | | 1 | 74 | 17.48 | 17.55 | 17.49 | 19.00 |
| | 256QAM | 36 | 0 | 17.28 | 17.37 | 17.29 | 19.00 |
| | | 36 | 18 | 17.01 | 17.15 | 17.11 | 19.00 |
| | | 36 | 39 | 17.23 | 17.05 | 17.17 | 19.00 |
| | | 75 | 0 | 17.40 | 17.53 | 17.40 | 19.00 |
| | | 55 | DD " | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 20050 | 20175 | 20300 | Tune up |
| | 0.5 | 1 | 0 | 22.17 | 22.27 | 22.13 | 24.00 |
| 20MHz | QPSK | 1 | 50 | 22.09 | 22.15 | 22.09 | 24.00 |
| 1 | | l | 1 | | 1 | | 1 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 00 | 00.00 | 00.04 | 22.27 | 0.4.00 |
|--------|-----|----|-------|-------|-------|--------|
| | 1 | 99 | 22.03 | 22.01 | 22.07 | 24.00 |
| | 50 | 0 | 21.21 | 21.22 | 21.20 | 23.00 |
| | 50 | 25 | 21.30 | 21.40 | 21.18 | 23.00 |
| | 50 | 50 | 21.23 | 21.17 | 21.08 | 23.00 |
| | 100 | 0 | 21.23 | 21.25 | 21.26 | 23.00 |
| | 1 | 0 | 21.50 | 21.48 | 21.46 | 23.00 |
| | 1 | 50 | 21.55 | 21.55 | 21.45 | 23.00 |
| | 1 | 99 | 21.48 | 21.71 | 21.67 | 23.00 |
| 16QAM | 50 | 0 | 20.21 | 20.28 | 20.17 | 22.00 |
| | 50 | 25 | 20.03 | 20.15 | 20.09 | 22.00 |
| | 50 | 50 | 20.06 | 20.27 | 20.39 | 22.00 |
| | 100 | 0 | 20.04 | 20.36 | 20.29 | 22.00 |
| | 1 | 0 | 20.40 | 20.38 | 20.18 | 22.00 |
| | 1 | 50 | 20.11 | 20.11 | 20.22 | 22.00 |
| | 1 | 99 | 20.65 | 20.67 | 20.63 | 22.00 |
| 64QAM | 50 | 0 | 19.58 | 19.68 | 19.48 | 21.00 |
| | 50 | 25 | 19.40 | 19.58 | 19.38 | 21.00 |
| | 50 | 50 | 19.46 | 19.43 | 19.42 | 21.00 |
| | 100 | 0 | 19.43 | 19.53 | 19.39 | 21.00 |
| | 1 | 0 | 17.34 | 17.45 | 17.32 | 19.00 |
| | 1 | 50 | 17.38 | 17.30 | 17.27 | 19.00 |
| | 1 | 99 | 17.58 | 17.49 | 17.50 | 19.00 |
| 256QAM | 50 | 0 | 17.29 | 17.40 | 17.26 | 19.00 |
| | 50 | 25 | 17.07 | 17.07 | 17.00 | 19.00 |
| | 50 | 50 | 17.16 | 17.15 | 17.07 | 19.00 |
| | 100 | 0 | 17.36 | 17.56 | 17.39 | 19.00 |

1.3 Conducted Power of LTE Band 5

| | LTE Band 5 A | nt.0 Full power | | Conducted Power(dBm) | | | |
|-----------|--------------|-------------------|-----------|----------------------|---------|---------|--------|
| Bandwidth | Modulation | DP size | RB offset | Channel | Channel | Channel | Tungun |
| | Modulation | RB size RB offset | 20407 | 20525 | 20643 | Tune up | |
| | QPSK | 1 | 0 | 22.66 | 22.61 | 22.69 | 24.50 |
| | | 1 | 2 | 22.58 | 22.70 | 22.76 | 24.50 |
| 1.4MHz | | 1 | 5 | 22.77 | 22.58 | 22.82 | 24.50 |
| 1.4111172 | | 3 | 0 | 22.84 | 22.70 | 22.66 | 24.50 |
| | | 3 | 2 | 22.85 | 22.63 | 22.78 | 24.50 |
| | | 3 | 3 | 22.71 | 22.70 | 22.81 | 24.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 6 | 0 | 21.87 | 21.72 | 21.72 | 23.50 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 0 | 22.01 | 22.17 | 22.10 | 23.50 |
| | | 1 | 2 | 21.99 | 22.03 | 21.79 | 23.50 |
| | | 1 | 5 | 22.14 | 21.92 | 22.13 | 23.50 |
| | 16QAM | 3 | 0 | 21.89 | 21.90 | 21.90 | 23.50 |
| | | 3 | 2 | 21.72 | 21.85 | 21.97 | 23.50 |
| | | 3 | 3 | 21.83 | 21.94 | 21.82 | 23.50 |
| | | 6 | 0 | 20.75 | 20.78 | 20.81 | 22.00 |
| | | 1 | 0 | 21.20 | 21.16 | 21.19 | 22.00 |
| | | 1 | 2 | 21.02 | 21.17 | 21.06 | 22.00 |
| | | 1 | 5 | 21.46 | 21.59 | 21.67 | 22.00 |
| | 64QAM | 3 | 0 | 20.45 | 20.60 | 20.33 | 22.00 |
| | | 3 | 2 | 20.25 | 20.44 | 20.27 | 22.00 |
| | | 3 | 3 | 20.35 | 20.41 | 20.28 | 22.00 |
| | | 6 | 0 | 20.42 | 20.44 | 20.44 | 21.50 |
| | | 1 | 0 | 18.23 | 18.36 | 18.14 | 19.50 |
| | | 1 | 2 | 18.28 | 18.15 | 18.21 | 19.50 |
| | | 1 | 5 | 18.39 | 18.50 | 18.31 | 19.50 |
| | 256QAM | 3 | 0 | 18.19 | 18.32 | 18.22 | 19.50 |
| | | 3 | 2 | 17.93 | 17.92 | 18.06 | 19.50 |
| | | 3 | 3 | 18.06 | 17.88 | 18.07 | 19.50 |
| | | 6 | 0 | 18.37 | 18.36 | 18.34 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Banawiatii | Woodiation | ND SIZE | ND 0113Ct | 20415 | 20525 | 20635 | rane ap |
| | | 1 | 0 | 22.83 | 22.84 | 22.80 | 24.50 |
| | | 1 | 7 | 22.56 | 22.68 | 22.59 | 24.50 |
| | | 1 | 14 | 22.57 | 22.67 | 22.57 | 24.50 |
| | QPSK | 8 | 0 | 21.81 | 21.94 | 21.90 | 23.50 |
| | | 8 | 4 | 21.82 | 21.74 | 21.74 | 23.50 |
| | | 8 | 7 | 21.94 | 21.74 | 21.54 | 23.50 |
| | | 15 | 0 | 22.00 | 21.70 | 21.72 | 23.50 |
| 3MHz | | 1 | 0 | 22.01 | 22.23 | 22.11 | 23.50 |
| | | 1 | 7 | 22.09 | 22.16 | 22.13 | 23.50 |
| | | 1 | 14 | 22.13 | 22.28 | 22.27 | 23.50 |
| | 16QAM | 8 | 0 | 20.99 | 21.01 | 20.83 | 22.00 |
| | | 8 | 4 | 20.69 | 20.84 | 20.72 | 22.00 |
| | | 8 | 7 | 20.63 | 20.70 | 20.85 | 22.00 |
| | | 15 | 0 | 20.76 | 20.82 | 20.79 | 22.00 |
| | 64QAM | 1 | 0 | 21.29 | 21.21 | 21.12 | 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | | 1 | 1 | 1 | | |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 7 | 21.07 | 21.05 | 21.22 | 22.00 |
| | | 1 | 14 | 21.53 | 21.38 | 21.54 | 22.00 |
| | | 8 | 0 | 20.61 | 20.50 | 20.41 | 21.50 |
| | | 8 | 4 | 20.33 | 20.54 | 20.38 | 21.50 |
| | | 8 | 7 | 20.38 | 20.31 | 20.37 | 21.50 |
| | | 15 | 0 | 20.39 | 20.35 | 20.31 | 21.50 |
| | | 1 | 0 | 18.28 | 18.33 | 18.30 | 19.50 |
| | | 1 | 7 | 18.21 | 18.23 | 18.20 | 19.50 |
| | | 1 | 14 | 18.37 | 18.38 | 18.32 | 19.50 |
| | 256QAM | 8 | 0 | 18.29 | 18.32 | 18.22 | 19.50 |
| | | 8 | 4 | 17.98 | 17.91 | 17.90 | 19.50 |
| | | 8 | 7 | 18.06 | 18.02 | 18.01 | 19.50 |
| | | 15 | 0 | 18.48 | 18.47 | 18.42 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tupo up |
| Danuwium | เพอนแสแอก | ND SIZE | KD Ullset | 20425 | 20525 | 20625 | Tune up |
| | | 1 | 0 | 22.79 | 22.93 | 22.83 | 24.50 |
| | | 1 | 13 | 22.64 | 22.68 | 22.60 | 24.50 |
| | QPSK | 1 | 24 | 22.67 | 22.65 | 22.72 | 24.50 |
| | | 12 | 0 | 21.82 | 21.82 | 21.92 | 23.50 |
| | | 12 | 6 | 21.76 | 21.80 | 21.94 | 23.50 |
| | | 12 | 13 | 21.82 | 21.87 | 21.58 | 23.50 |
| | | 25 | 0 | 21.80 | 21.72 | 21.89 | 23.50 |
| | | 1 | 0 | 22.17 | 22.26 | 22.17 | 23.50 |
| | | 1 | 13 | 22.14 | 22.11 | 22.16 | 23.50 |
| | | 1 | 24 | 22.16 | 22.30 | 22.20 | 23.50 |
| | 16QAM | 12 | 0 | 21.00 | 20.99 | 20.60 | 22.00 |
| | | 12 | 6 | 20.78 | 20.89 | 20.72 | 22.00 |
| 5MHz | | 12 | 13 | 20.80 | 20.70 | 20.89 | 22.00 |
| | | 25 | 0 | 20.75 | 20.94 | 20.86 | 22.00 |
| | | 1 | 0 | 21.21 | 21.19 | 21.09 | 22.00 |
| | | 1 | 13 | 21.17 | 21.18 | 21.19 | 22.00 |
| | | 1 | 24 | 21.46 | 21.52 | 21.50 | 22.00 |
| | 64QAM | 12 | 0 | 20.56 | 20.47 | 20.50 | 21.50 |
| | | 12 | 6 | 20.42 | 20.43 | 20.39 | 21.50 |
| | | 12 | 13 | 20.38 | 20.37 | 20.37 | 21.50 |
| | | 25 | 0 | 20.36 | 20.40 | 20.31 | 21.50 |
| | | 1 | 0 | 18.23 | 18.37 | 18.14 | 19.50 |
| | 2560 ^ 14 | 1 | 13 | 18.32 | 18.25 | 18.17 | 19.50 |
| | 256QAM | 1 | 24 | 18.49 | 18.32 | 18.42 | 19.50 |
| | | 12 | 0 | 18.18 | 18.13 | 18.04 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 12 | 6 | 17.88 | 18.03 | 18.06 | 19.50 |
|-------------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 12 | 13 | 18.09 | 17.94 | 18.02 | 19.50 |
| | | 25 | 0 | 18.45 | 18.44 | 18.25 | 19.50 |
| Dan desidab | Ma dulatia a | DD size | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 20450 | 20525 | 20600 | Tune up |
| | | 1 | 0 | 22.74 | 22.95 | 22.80 | 24.50 |
| | | 1 | 25 | 22.65 | 22.88 | 22.73 | 24.50 |
| | | 1 | 49 | 22.53 | 22.72 | 22.74 | 24.50 |
| | QPSK | 25 | 0 | 21.77 | 21.88 | 21.93 | 23.50 |
| | | 25 | 13 | 21.76 | 21.77 | 21.85 | 23.50 |
| | | 25 | 25 | 21.76 | 21.72 | 21.61 | 23.50 |
| | | 50 | 0 | 21.99 | 21.98 | 21.76 | 23.50 |
| | | 1 | 0 | 22.19 | 22.19 | 22.14 | 23.50 |
| | | 1 | 25 | 22.14 | 22.29 | 22.17 | 23.50 |
| | | 1 | 49 | 22.08 | 22.38 | 22.28 | 23.50 |
| | 16QAM | 25 | 0 | 21.05 | 21.04 | 20.81 | 22.00 |
| | | 25 | 13 | 20.86 | 20.80 | 20.80 | 22.00 |
| | | 25 | 25 | 20.67 | 20.83 | 20.77 | 22.00 |
| 10MHz | | 50 | 0 | 20.73 | 20.96 | 20.83 | 22.00 |
| 10111112 | | 1 | 0 | 21.32 | 21.25 | 21.15 | 22.00 |
| | | 1 | 25 | 21.02 | 21.08 | 21.16 | 22.00 |
| | | 1 | 49 | 21.47 | 21.50 | 21.60 | 22.00 |
| | 64QAM | 25 | 0 | 20.58 | 20.57 | 20.34 | 21.50 |
| | | 25 | 13 | 20.41 | 20.52 | 20.41 | 21.50 |
| | | 25 | 25 | 20.34 | 20.40 | 20.34 | 21.50 |
| | | 50 | 0 | 20.39 | 20.41 | 20.39 | 21.50 |
| | | 1 | 0 | 18.21 | 18.34 | 18.25 | 19.50 |
| | | 1 | 25 | 18.31 | 18.15 | 18.21 | 19.50 |
| | | 1 | 49 | 18.41 | 18.44 | 18.38 | 19.50 |
| | 256QAM | 25 | 0 | 18.32 | 18.23 | 18.09 | 19.50 |
| | | 25 | 13 | 17.99 | 18.12 | 18.04 | 19.50 |
| | | 25 | 25 | 18.03 | 18.01 | 18.04 | 19.50 |
| | | 50 | 0 | 18.38 | 18.33 | 18.41 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| | LTE Band 5 A | nt.3 Full power | | Conducted Power(dBm) | | | |
|--------------|--------------|-----------------|-----------|----------------------|---------|---------|---------|
| | | | 55 " | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 20407 | 20525 | 20643 | Tune up |
| | | 1 | 0 | 22.70 | 22.72 | 22.76 | 24.50 |
| | | 1 | 2 | 22.61 | 22.85 | 22.83 | 24.50 |
| | | 1 | 5 | 22.75 | 22.73 | 22.77 | 24.50 |
| | QPSK | 3 | 0 | 22.88 | 22.77 | 22.69 | 24.50 |
| | | 3 | 2 | 22.89 | 22.76 | 22.85 | 24.50 |
| | | 3 | 3 | 22.84 | 22.78 | 22.82 | 24.50 |
| | | 6 | 0 | 21.92 | 21.78 | 21.82 | 23.50 |
| | | 1 | 0 | 22.13 | 22.20 | 22.12 | 23.50 |
| | | 1 | 2 | 22.10 | 22.07 | 21.92 | 23.50 |
| | | 1 | 5 | 22.18 | 22.07 | 22.09 | 23.50 |
| | 16QAM | 3 | 0 | 21.87 | 21.94 | 22.03 | 23.50 |
| | | 3 | 2 | 21.81 | 21.98 | 21.98 | 23.50 |
| | | 3 | 3 | 21.85 | 22.11 | 21.93 | 23.50 |
| | | 6 | 0 | 20.79 | 20.76 | 20.83 | 22.00 |
| 1.4MHz | | 1 | 0 | 21.29 | 21.17 | 21.14 | 22.00 |
| | | 1 | 2 | 21.20 | 21.22 | 21.14 | 22.00 |
| | | 1 | 5 | 21.64 | 21.64 | 21.78 | 22.00 |
| | 64QAM | 3 | 0 | 21.08 | 21.08 | 20.93 | 22.00 |
| | | 3 | 2 | 20.78 | 20.98 | 20.82 | 22.00 |
| | | 3 | 3 | 20.98 | 20.96 | 20.89 | 22.00 |
| | | 6 | 0 | 20.46 | 20.52 | 20.44 | 21.50 |
| | | 1 | 0 | 18.19 | 18.38 | 18.24 | 19.50 |
| | | 1 | 2 | 18.25 | 18.20 | 18.23 | 19.50 |
| | | 1 | 5 | 18.43 | 18.46 | 18.45 | 19.50 |
| | 256QAM | 3 | 0 | 18.22 | 18.35 | 18.27 | 19.50 |
| | | 3 | 2 | 18.03 | 17.96 | 18.11 | 19.50 |
| | | 3 | 3 | 18.12 | 18.00 | 18.11 | 19.50 |
| | | 6 | 0 | 18.44 | 18.53 | 18.31 | 19.50 |
| Domain delle | Moduleties | DD -: | DD 6#554 | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 20415 | 20525 | 20635 | Tune up |
| | | 1 | 0 | 22.79 | 23.89 | 22.79 | 24.50 |
| | | 1 | 7 | 22.59 | 22.74 | 22.65 | 24.50 |
| 3MHz | QPSK | 1 | 14 | 22.53 | 22.74 | 22.61 | 24.50 |
| | | 8 | 0 | 21.84 | 21.98 | 21.96 | 23.50 |
| | | 8 | 4 | 21.80 | 21.79 | 21.84 | 23.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory



Report No.: SUCR240900032706

Rev.: 01

| | | 8 | 7 | 21.96 | 21.82 | 21.68 | 23.50 |
|-------------|------------|---------|-----------|---------|---------|---------|----------|
| | | 15 | 0 | 22.02 | 21.75 | 21.90 | 23.50 |
| | | 1 | 0 | 22.15 | 22.31 | 22.25 | 23.50 |
| | | 1 | 7 | 22.21 | 22.21 | 22.06 | 23.50 |
| | | 1 | 14 | 22.14 | 22.40 | 22.24 | 23.50 |
| | 16QAM | 8 | 0 | 21.11 | 21.04 | 20.77 | 22.00 |
| | | 8 | 4 | 20.80 | 20.86 | 20.73 | 22.00 |
| | | 8 | 7 | 20.65 | 20.77 | 20.94 | 22.00 |
| | | 15 | 0 | 20.84 | 20.94 | 20.95 | 22.00 |
| | | 1 | 0 | 21.36 | 21.26 | 21.29 | 22.00 |
| | | 1 | 7 | 21.16 | 21.09 | 21.28 | 22.00 |
| | _ | 1 | 14 | 21.61 | 21.51 | 21.60 | 22.00 |
| | 64QAM | 8 | 0 | 20.63 | 20.52 | 20.49 | 21.50 |
| | | 8 | 4 | 20.40 | 20.52 | 20.40 | 21.50 |
| | | 8 | 7 | 20.55 | 20.39 | 20.49 | 21.50 |
| | | 15 | 0 | 20.43 | 20.45 | 20.34 | 21.50 |
| | | 1 | 0 | 18.43 | 18.34 | 18.25 | 19.50 |
| | | 1 | 7 | 18.30 | 18.28 | 18.17 | 19.50 |
| | | 1 | 14 | 18.37 | 18.34 | 18.41 | 19.50 |
| | 256QAM | 8 | 0 | 18.34 | 18.23 | 18.25 | 19.50 |
| | | 8 | 4 | 18.01 | 18.05 | 17.95 | 19.50 |
| | | 8 | 7 | 18.10 | 18.01 | 18.13 | 19.50 |
| | | 15 | 0 | 18.44 | 18.49 | 18.48 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Balluwiutii | Modulation | RD SIZE | RB oliset | 20425 | 20525 | 20625 | Turie up |
| | | 1 | 0 | 22.80 | 22.95 | 22.87 | 24.50 |
| | | 1 | 13 | 22.60 | 22.77 | 22.72 | 24.50 |
| | | 1 | 24 | 22.63 | 22.64 | 22.73 | 24.50 |
| | QPSK | 12 | 0 | 21.86 | 21.88 | 21.96 | 23.50 |
| | | 12 | 6 | 21.76 | 21.86 | 21.90 | 23.50 |
| | | 12 | 13 | 21.81 | 21.89 | 21.71 | 23.50 |
| 5MHz | | 25 | 0 | 21.90 | 21.80 | 21.95 | 23.50 |
| SIVITIZ | | 1 | 0 | 22.21 | 22.29 | 22.24 | 23.50 |
| | | 1 | 13 | 22.11 | 22.20 | 22.09 | 23.50 |
| | | 1 | 24 | 22.22 | 22.49 | 22.36 | 23.50 |
| | 16QAM | 12 | 0 | 21.07 | 21.10 | 20.67 | 22.00 |
| | | 12 | 6 | 20.85 | 20.82 | 20.78 | 22.00 |
| | | 12 | 13 | 20.79 | 20.86 | 20.82 | 22.00 |
| | | 25 | 0 | 20.83 | 21.06 | 20.81 | 22.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS-CSTC Standards Technical Services (Subtree Co., Ltd.)
Wireless Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 0 | 21.35 | 21.36 | 21.18 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 13 | 21.25 | 21.19 | 21.25 | 22.00 |
| | | 1 | 24 | 21.58 | 21.66 | 21.54 | 22.00 |
| | 64QAM | 12 | 0 | 20.58 | 20.55 | 20.53 | 21.50 |
| | | 12 | 6 | 20.49 | 20.45 | 20.36 | 21.50 |
| | | 12 | 13 | 20.35 | 20.54 | 20.35 | 21.50 |
| | | 25 | 0 | 20.42 | 20.46 | 20.43 | 21.50 |
| | | 1 | 0 | 18.31 | 18.40 | 18.20 | 19.50 |
| | | 1 | 13 | 18.37 | 18.34 | 18.26 | 19.50 |
| | | 1 | 24 | 18.44 | 18.50 | 18.47 | 19.50 |
| | 256QAM | 12 | 0 | 18.27 | 18.20 | 18.17 | 19.50 |
| | | 12 | 6 | 17.95 | 18.11 | 18.15 | 19.50 |
| | | 12 | 13 | 18.13 | 18.12 | 18.08 | 19.50 |
| | | 25 | 0 | 18.46 | 18.41 | 18.39 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Dandwidth | Modulation | RD SIZE | RD Ollset | 20450 | 20525 | 20600 | Tune up |
| | | 1 | 0 | 22.71 | 22.98 | 22.82 | 24.50 |
| | | 1 | 25 | 22.63 | 22.92 | 22.66 | 24.50 |
| | | 1 | 49 | 22.53 | 22.77 | 22.75 | 24.50 |
| | QPSK | 25 | 0 | 21.79 | 21.93 | 21.92 | 23.50 |
| | | 25 | 13 | 21.75 | 21.72 | 21.97 | 23.50 |
| | | 25 | 25 | 21.85 | 21.84 | 21.65 | 23.50 |
| | | 50 | 0 | 21.98 | 21.71 | 21.89 | 23.50 |
| | | 1 | 0 | 22.27 | 22.22 | 22.14 | 23.50 |
| | | 1 | 25 | 22.12 | 22.22 | 22.10 | 23.50 |
| | | 1 | 49 | 22.19 | 22.50 | 22.39 | 23.50 |
| | 16QAM | 25 | 0 | 21.10 | 21.07 | 20.85 | 22.00 |
| 10MHz | | 25 | 13 | 20.90 | 20.91 | 20.87 | 22.00 |
| TUNIHZ | | 25 | 25 | 20.77 | 20.83 | 20.89 | 22.00 |
| | | 50 | 0 | 20.78 | 21.01 | 20.91 | 22.00 |
| | | 1 | 0 | 21.48 | 21.30 | 21.12 | 22.00 |
| | | 1 | 25 | 21.11 | 21.18 | 21.22 | 22.00 |
| | 64QAM | 1 | 49 | 21.61 | 21.56 | 21.67 | 22.00 |
| | | 25 | 0 | 20.58 | 20.59 | 20.43 | 21.50 |
| | | 25 | 13 | 20.44 | 20.54 | 20.37 | 21.50 |
| | | 25 | 25 | 20.49 | 20.46 | 20.41 | 21.50 |
| | | 50 | 0 | 20.45 | 20.51 | 20.36 | 21.50 |
| | | 1 | 0 | 18.26 | 18.40 | 18.34 | 19.50 |
| | 256QAM | 1 | 25 | 18.35 | 18.15 | 18.21 | 19.50 |
| | | 1 | 49 | 18.38 | 18.49 | 18.40 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | 25 | 0 | 18.33 | 18.20 | 18.11 | 19.50 |
|--|----|----|-------|-------|-------|-------|
| | 25 | 13 | 17.98 | 18.12 | 18.17 | 19.50 |
| | 25 | 25 | 18.20 | 18.01 | 18.07 | 19.50 |
| | 50 | 0 | 18.41 | 18.43 | 18.47 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SUCR240900032706 Report No.:

Rev.: 01

1.4 Conducted Power of LTE Band 7

| | LTE Band 7 Ar | nt.3 Full power | | Conducted Power(dBm) | | | | |
|--------------|---------------|-----------------|-----------|----------------------|---------|---------|---------|--|
| | | | 55 % | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size | RB offset | 20775 | 21100 | 21425 | Tune up | |
| | | 1 | 0 | 21.07 | 21.18 | 21.11 | 22.50 | |
| | | 1 | 13 | 20.95 | 21.08 | 20.95 | 22.50 | |
| | | 1 | 24 | 20.74 | 20.96 | 20.98 | 22.50 | |
| | QPSK | 12 | 0 | 19.78 | 20.08 | 20.10 | 21.50 | |
| | | 12 | 6 | 19.64 | 20.12 | 20.12 | 21.50 | |
| | | 12 | 13 | 19.75 | 20.22 | 19.98 | 21.50 | |
| | | 25 | 0 | 19.89 | 20.23 | 20.21 | 21.50 | |
| | | 1 | 0 | 20.10 | 20.72 | 20.65 | 21.50 | |
| | | 1 | 13 | 20.10 | 20.69 | 20.60 | 21.50 | |
| | | 1 | 24 | 19.96 | 20.57 | 20.55 | 21.50 | |
| | 16QAM | 12 | 0 | 18.90 | 19.45 | 19.21 | 20.50 | |
| | | 12 | 6 | 18.94 | 19.14 | 19.09 | 20.50 | |
| | | 12 | 13 | 18.63 | 19.17 | 19.29 | 20.50 | |
| | | 25 | 0 | 18.84 | 19.28 | 19.17 | 20.50 | |
| 5MHz | | 1 | 0 | 19.45 | 19.42 | 19.23 | 20.50 | |
| | 64QAM | 1 | 13 | 19.15 | 19.30 | 19.34 | 20.50 | |
| | | 1 | 24 | 19.76 | 19.59 | 19.75 | 20.50 | |
| | | 12 | 0 | 18.75 | 18.72 | 18.68 | 19.50 | |
| | | 12 | 6 | 18.45 | 18.56 | 18.49 | 19.50 | |
| | | 12 | 13 | 18.49 | 18.55 | 18.41 | 19.50 | |
| | | 25 | 0 | 18.57 | 18.53 | 18.53 | 19.50 | |
| | | 1 | 0 | 16.50 | 16.33 | 16.44 | 17.50 | |
| | | 1 | 13 | 16.39 | 16.41 | 16.29 | 17.50 | |
| | | 1 | 24 | 16.56 | 16.68 | 16.54 | 17.50 | |
| | 256QAM | 12 | 0 | 16.41 | 16.26 | 16.34 | 17.50 | |
| | | 12 | 6 | 16.09 | 16.16 | 16.13 | 17.50 | |
| | | 12 | 13 | 16.17 | 16.12 | 16.24 | 17.50 | |
| | | 25 | 0 | 16.56 | 16.56 | 16.38 | 17.50 | |
| Domain della | Modulatian | DD -: | DD 6#554 | Channel | Channel | Channel | Tuna | |
| Bandwidth | Modulation | RB size | RB offset | 20800 | 21100 | 21400 | Tune up | |
| | | 1 | 0 | 21.22 | 21.35 | 21.26 | 22.50 | |
| 10MHz | QPSK | 1 | 25 | 21.04 | 21.08 | 21.05 | 22.50 | |
| | | 1 | 49 | 20.89 | 21.08 | 21.05 | 22.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 0 | 19.70 | 20.15 | 20.26 | 21.50 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 25 | 13 | 19.60 | 20.25 | 20.09 | 21.50 |
| | | 25 | 25 | 19.68 | 20.15 | 20.04 | 21.50 |
| | | 50 | 0 | 19.89 | 20.09 | 20.20 | 21.50 |
| | | 1 | 0 | 20.03 | 20.56 | 20.48 | 21.50 |
| | | 1 | 25 | 19.98 | 20.56 | 20.46 | 21.50 |
| | | 1 | 49 | 20.16 | 20.70 | 20.56 | 21.50 |
| | 16QAM | 25 | 0 | 18.94 | 19.33 | 19.17 | 20.50 |
| | | 25 | 13 | 18.72 | 19.16 | 19.03 | 20.50 |
| | | 25 | 25 | 18.51 | 19.24 | 19.31 | 20.50 |
| | | 50 | 0 | 18.82 | 19.30 | 19.24 | 20.50 |
| | | 1 | 0 | 19.44 | 19.30 | 19.35 | 20.50 |
| | | 1 | 25 | 19.29 | 19.32 | 19.40 | 20.50 |
| | | 1 | 49 | 19.65 | 19.80 | 19.66 | 20.50 |
| | 64QAM | 25 | 0 | 18.67 | 18.64 | 18.58 | 19.50 |
| | | 25 | 13 | 18.48 | 18.67 | 18.43 | 19.50 |
| | | 25 | 25 | 18.55 | 18.53 | 18.60 | 19.50 |
| | | 50 | 0 | 18.55 | 18.45 | 18.31 | 19.50 |
| | | 1 | 0 | 16.44 | 16.29 | 16.37 | 17.50 |
| | | 1 | 25 | 16.48 | 16.54 | 16.24 | 17.50 |
| | | 1 | 49 | 16.47 | 16.57 | 16.64 | 17.50 |
| | 256QAM | 25 | 0 | 16.28 | 16.37 | 16.21 | 17.50 |
| | | 25 | 13 | 16.11 | 16.03 | 16.19 | 17.50 |
| | | 25 | 25 | 16.26 | 16.07 | 16.12 | 17.50 |
| | | 50 | 0 | 16.53 | 16.64 | 16.53 | 17.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Bandwidth | Modulation | RD SIZE | KD Ollset | 20825 | 21100 | 21375 | rune up |
| | | 1 | 0 | 21.16 | 21.25 | 21.17 | 22.50 |
| | | 1 | 38 | 20.99 | 21.02 | 20.86 | 22.50 |
| | | 1 | 74 | 20.91 | 20.99 | 21.02 | 22.50 |
| | QPSK | 36 | 0 | 19.93 | 20.17 | 20.31 | 21.50 |
| | | 36 | 18 | 19.68 | 20.02 | 20.17 | 21.50 |
| 1EMU- | 15MHz | 36 | 39 | 19.80 | 20.10 | 19.93 | 21.50 |
| I DIVITZ | | 75 | 0 | 19.99 | 20.22 | 20.13 | 21.50 |
| | | 1 | 0 | 20.03 | 20.55 | 20.66 | 21.50 |
| | | 1 | 38 | 19.93 | 20.57 | 20.66 | 21.50 |
| | 16QAM | 1 | 74 | 19.96 | 20.69 | 20.57 | 21.50 |
| | | 36 | 0 | 18.98 | 19.29 | 19.14 | 20.50 |
| | | 36 | 18 | 18.73 | 19.25 | 19.07 | 20.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 36 | 39 | 18.68 | 19.06 | 19.30 | 20.50 |
|-----------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 75 | 0 | 18.83 | 19.31 | 19.17 | 20.50 |
| | | 1 | 0 | 19.43 | 19.50 | 19.28 | 20.50 |
| | | 1 | 38 | 19.10 | 19.46 | 19.20 | 20.50 |
| | | 1 | 74 | 19.60 | 19.76 | 19.80 | 20.50 |
| | 64QAM | 36 | 0 | 18.72 | 18.61 | 18.61 | 19.50 |
| | | 36 | 18 | 18.54 | 18.59 | 18.47 | 19.50 |
| | | 36 | 39 | 18.56 | 18.50 | 18.38 | 19.50 |
| | | 75 | 0 | 18.54 | 18.66 | 18.33 | 19.50 |
| | | 1 | 0 | 16.32 | 16.47 | 16.39 | 17.50 |
| | | 1 | 38 | 16.33 | 16.45 | 16.32 | 17.50 |
| | | 1 | 74 | 16.67 | 16.53 | 16.51 | 17.50 |
| | 256QAM | 36 | 0 | 16.36 | 16.37 | 16.29 | 17.50 |
| | | 36 | 18 | 16.10 | 16.20 | 16.23 | 17.50 |
| | | 36 | 39 | 16.32 | 16.10 | 16.15 | 17.50 |
| | | 75 | 0 | 16.52 | 16.64 | 16.52 | 17.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tupo up |
| Danuwium | iviodulation | VD 2156 | KB oliset | 20850 | 21100 | 21350 | Tune up |
| | | 1 | 0 | 21.22 | 21.31 | 21.12 | 22.50 |
| | | 1 | 50 | 21.09 | 21.23 | 21.01 | 22.50 |
| | | 1 | 99 | 20.85 | 20.96 | 21.08 | 22.50 |
| | QPSK | 50 | 0 | 19.70 | 20.19 | 20.18 | 21.50 |
| | | 50 | 25 | 19.66 | 20.09 | 20.16 | 21.50 |
| | | 50 | 50 | 19.70 | 20.11 | 19.96 | 21.50 |
| | | 100 | 0 | 19.87 | 20.17 | 20.11 | 21.50 |
| | | 1 | 0 | 20.04 | 20.60 | 20.65 | 21.50 |
| | | 1 | 50 | 20.11 | 20.63 | 20.52 | 21.50 |
| | | 1 | 99 | 19.98 | 20.63 | 20.48 | 21.50 |
| 20MHz | 16QAM | 50 | 0 | 18.90 | 19.56 | 19.23 | 20.50 |
| ZUIVITZ | | 50 | 25 | 18.83 | 19.22 | 19.12 | 20.50 |
| | | 50 | 50 | 18.73 | 19.24 | 19.27 | 20.50 |
| | | 100 | 0 | 18.81 | 19.28 | 19.17 | 20.50 |
| | 64QAM | 1 | 0 | 19.32 | 19.31 | 19.31 | 20.50 |
| | | 1 | 50 | 19.25 | 19.26 | 19.30 | 20.50 |
| | | 1 | 99 | 19.67 | 19.75 | 19.79 | 20.50 |
| | | 50 | 0 | 18.63 | 18.66 | 18.62 | 19.50 |
| | | 50 | 25 | 18.41 | 18.59 | 18.40 | 19.50 |
| | | 50 | 50 | 18.58 | 18.44 | 18.47 | 19.50 |
| | | 100 | 0 | 18.66 | 18.50 | 18.49 | 19.50 |
| | 256QAM | 1 | 0 | 16.42 | 16.37 | 16.41 | 17.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| 1 | 50 | 16.48 | 16.32 | 16.20 | 17.50 |
|-----|----|-------|-------|-------|-------|
| 1 | 99 | 16.53 | 16.54 | 16.49 | 17.50 |
| 50 | 0 | 16.35 | 16.43 | 16.14 | 17.50 |
| 50 | 25 | 16.05 | 16.07 | 16.12 | 17.50 |
| 50 | 50 | 16.21 | 16.04 | 16.21 | 17.50 |
| 100 | 0 | 16.58 | 16.64 | 16.52 | 17.50 |

| | LTE Band 7 Ar | nt.3 Sensor on | | Conducted Power(dBm) | | | | |
|-----------|---------------|----------------|-----------|----------------------|---------|---------|---------|--|
| | | | | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size | RB offset | 20775 | 21100 | 21425 | Tune up | |
| | | 1 | 0 | 20.23 | 20.49 | 20.10 | 21.50 | |
| | | 1 | 13 | 20.02 | 20.19 | 20.00 | 21.50 | |
| | | 1 | 24 | 20.21 | 20.19 | 20.47 | 21.50 | |
| | QPSK | 12 | 0 | 19.95 | 20.38 | 20.31 | 21.50 | |
| | | 12 | 6 | 20.04 | 20.42 | 20.44 | 21.50 | |
| | | 12 | 13 | 20.04 | 20.44 | 20.31 | 21.50 | |
| | | 25 | 0 | 20.25 | 20.46 | 20.38 | 21.50 | |
| | | 1 | 0 | 20.10 | 20.32 | 20.25 | 21.50 | |
| | | 1 | 13 | 20.10 | 20.18 | 20.40 | 21.50 | |
| | | 1 | 24 | 19.96 | 20.37 | 20.35 | 21.50 | |
| | 16QAM | 12 | 0 | 18.90 | 19.45 | 19.21 | 20.50 | |
| 5MHz | | 12 | 6 | 18.94 | 19.14 | 19.09 | 20.50 | |
| SIVINZ | | 12 | 13 | 18.63 | 19.17 | 19.29 | 20.50 | |
| | | 25 | 0 | 18.84 | 19.28 | 19.17 | 20.50 | |
| | | 1 | 0 | 19.45 | 19.42 | 19.23 | 20.50 | |
| | | 1 | 13 | 19.15 | 19.30 | 19.34 | 20.50 | |
| | | 1 | 24 | 19.76 | 19.59 | 19.75 | 20.50 | |
| | 64QAM | 12 | 0 | 18.75 | 18.72 | 18.68 | 19.50 | |
| | | 12 | 6 | 18.45 | 18.56 | 18.49 | 19.50 | |
| | | 12 | 13 | 18.49 | 18.55 | 18.41 | 19.50 | |
| | | 25 | 0 | 18.57 | 18.53 | 18.53 | 19.50 | |
| | | 1 | 0 | 16.50 | 16.33 | 16.44 | 17.50 | |
| | 256QAM | 1 | 13 | 16.39 | 16.41 | 16.29 | 17.50 | |
| | | 1 | 24 | 16.56 | 16.68 | 16.54 | 17.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 12 | 0 | 16.41 | 16.26 | 16.34 | 17.50 |
|-----------|---------------------|---------|-----------|---------|---------|---------|---------|
| | | 12 | 6 | 16.09 | 16.16 | 16.13 | 17.50 |
| | | 12 | 13 | 16.17 | 16.12 | 16.24 | 17.50 |
| | | 25 | 0 | 16.56 | 16.56 | 16.38 | 17.50 |
| | andwidth Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Bandwidth | | | | 20800 | 21100 | 21400 | |
| | | 1 | 0 | 20.25 | 20.53 | 20.08 | 21.50 |
| | | 1 | 25 | 20.13 | 20.24 | 20.07 | 21.50 |
| | | 1 | 49 | 20.20 | 20.19 | 20.45 | 21.50 |
| | QPSK | 25 | 0 | 20.00 | 20.52 | 20.44 | 21.50 |
| | | 25 | 13 | 20.01 | 20.43 | 20.50 | 21.50 |
| | | 25 | 25 | 20.02 | 20.49 | 20.31 | 21.50 |
| | | 50 | 0 | 20.23 | 20.43 | 20.46 | 21.50 |
| | 16QAM | 1 | 0 | 20.03 | 20.50 | 20.48 | 21.50 |
| | | 1 | 25 | 19.98 | 20.42 | 20.46 | 21.50 |
| | | 1 | 49 | 20.16 | 20.51 | 20.44 | 21.50 |
| | | 25 | 0 | 18.94 | 19.33 | 19.17 | 20.50 |
| | | 25 | 13 | 18.72 | 19.16 | 19.03 | 20.50 |
| | | 25 | 25 | 18.51 | 19.24 | 19.31 | 20.50 |
| 10MHz | | 50 | 0 | 18.82 | 19.30 | 19.24 | 20.50 |
| TOWINZ | 64QAM | 1 | 0 | 19.44 | 19.30 | 19.35 | 20.50 |
| | | 1 | 25 | 19.29 | 19.32 | 19.40 | 20.50 |
| | | 1 | 49 | 19.65 | 19.80 | 19.66 | 20.50 |
| | | 25 | 0 | 18.67 | 18.64 | 18.58 | 19.50 |
| | | 25 | 13 | 18.48 | 18.67 | 18.43 | 19.50 |
| | | 25 | 25 | 18.55 | 18.53 | 18.60 | 19.50 |
| | | 50 | 0 | 18.55 | 18.45 | 18.31 | 19.50 |
| | 256QAM | 1 | 0 | 16.44 | 16.29 | 16.37 | 17.50 |
| | | 1 | 25 | 16.48 | 16.54 | 16.24 | 17.50 |
| | | 1 | 49 | 16.47 | 16.57 | 16.64 | 17.50 |
| | | 25 | 0 | 16.28 | 16.37 | 16.21 | 17.50 |
| | | 25 | 13 | 16.11 | 16.03 | 16.19 | 17.50 |
| | | 25 | 25 | 16.26 | 16.07 | 16.12 | 17.50 |
| | | 50 | 0 | 16.53 | 16.64 | 16.53 | 17.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | - Tune up |
|------------|------------|-----------|-----------|---------|---------|---------|-----------|
| | | | | 20825 | 21100 | 21375 | |
| | | 1 | 0 | 20.25 | 20.55 | 20.14 | 21.50 |
| | | 1 | 38 | 20.13 | 20.22 | 20.00 | 21.50 |
| | | 1 | 74 | 20.30 | 20.27 | 20.38 | 21.50 |
| | QPSK | 36 | 0 | 20.06 | 20.41 | 20.44 | 21.50 |
| | | 36 | 18 | 19.97 | 20.44 | 20.53 | 21.50 |
| | | 36 | 39 | 20.09 | 20.38 | 20.32 | 21.50 |
| | | 75 | 0 | 20.13 | 20.49 | 20.37 | 21.50 |
| | | 1 | 0 | 20.03 | 20.51 | 20.46 | 21.50 |
| | | 1 | 38 | 19.93 | 20.47 | 20.32 | 21.50 |
| | | 1 | 74 | 19.96 | 20.44 | 20.52 | 21.50 |
| | 16QAM | 36 | 0 | 18.98 | 19.29 | 19.14 | 20.50 |
| | | 36 | 18 | 18.73 | 19.25 | 19.07 | 20.50 |
| | | 36 | 39 | 18.68 | 19.06 | 19.30 | 20.50 |
| 15MHz | | 75 | 0 | 18.83 | 19.31 | 19.17 | 20.50 |
| TOWINZ | 64QAM | 1 | 0 | 19.43 | 19.50 | 19.28 | 20.50 |
| | | 1 | 38 | 19.10 | 19.46 | 19.20 | 20.50 |
| | | 1 | 74 | 19.60 | 19.76 | 19.80 | 20.50 |
| | | 36 | 0 | 18.72 | 18.61 | 18.61 | 19.50 |
| | | 36 | 18 | 18.54 | 18.59 | 18.47 | 19.50 |
| | | 36 | 39 | 18.56 | 18.50 | 18.38 | 19.50 |
| | | 75 | 0 | 18.54 | 18.66 | 18.33 | 19.50 |
| | 256QAM | 1 | 0 | 16.32 | 16.47 | 16.39 | 17.50 |
| | | 1 | 38 | 16.33 | 16.45 | 16.32 | 17.50 |
| | | 1 | 74 | 16.67 | 16.53 | 16.51 | 17.50 |
| | | 36 | 0 | 16.36 | 16.37 | 16.29 | 17.50 |
| | | 36 | 18 | 16.10 | 16.20 | 16.23 | 17.50 |
| | | 36 | 39 | 16.32 | 16.10 | 16.15 | 17.50 |
| | | 75 | 0 | 16.52 | 16.64 | 16.52 | 17.50 |
| Bandwidth | Modulation | n RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danawiatii | | | | 20850 | 21100 | 21350 | rune up |
| 20MHz | QPSK | 1 | 0 | 20.57 | 20.69 | 20.48 | 21.50 |
| ZUWITZ | | 1 | 50 | 20.21 | 20.44 | 19.93 | 21.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Lth.)
Weeters Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 99 | 20.22 | 20.32 | 20.47 | 21.50 |
|--|--------|-----|----|-------|-------|-------|-------|
| | | 50 | 0 | 20.10 | 20.57 | 20.53 | 21.50 |
| | | 50 | 25 | 19.96 | 20.35 | 20.52 | 21.50 |
| | | 50 | 50 | 19.99 | 20.50 | 20.24 | 21.50 |
| | | 100 | 0 | 20.20 | 20.43 | 20.43 | 21.50 |
| | | 1 | 0 | 20.04 | 20.60 | 20.65 | 21.50 |
| | | 1 | 50 | 20.11 | 20.63 | 20.52 | 21.50 |
| | | 1 | 99 | 19.98 | 20.63 | 20.48 | 21.50 |
| | 16QAM | 50 | 0 | 18.90 | 19.56 | 19.23 | 20.50 |
| | | 50 | 25 | 18.83 | 19.22 | 19.23 | 20.50 |
| | | 50 | 50 | 18.73 | 19.24 | 19.12 | 20.50 |
| | | 100 | 0 | 18.81 | 19.24 | 19.27 | 20.50 |
| | | | | | | | |
| | 64QAM | 1 | 0 | 19.32 | 19.31 | 19.31 | 20.50 |
| | | 1 | 50 | 19.25 | 19.26 | 19.30 | 20.50 |
| | | 1 | 99 | 19.67 | 19.75 | 19.79 | 20.50 |
| | | 50 | 0 | 18.63 | 18.66 | 18.62 | 19.50 |
| | | 50 | 25 | 18.41 | 18.59 | 18.40 | 19.50 |
| | | 50 | 50 | 18.58 | 18.44 | 18.47 | 19.50 |
| | | 100 | 0 | 18.66 | 18.50 | 18.49 | 19.50 |
| | 256QAM | 1 | 0 | 16.42 | 16.37 | 16.41 | 17.50 |
| | | 1 | 50 | 16.48 | 16.32 | 16.20 | 17.50 |
| | | 1 | 99 | 16.53 | 16.54 | 16.49 | 17.50 |
| | | 50 | 0 | 16.35 | 16.43 | 16.14 | 17.50 |
| | | 50 | 25 | 16.05 | 16.07 | 16.12 | 17.50 |
| | | 50 | 50 | 16.21 | 16.04 | 16.21 | 17.50 |
| | | 100 | 0 | 16.58 | 16.64 | 16.52 | 17.50 |
| | | | t | | | t | • |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

1.5 Conducted Power of LTE Band 12

| LTE FDD Band 12 Ant.0 Full power | | | | Conducted Power(dBm) | | | |
|----------------------------------|------------|---------|-----------|----------------------|------------------|------------------|----------|
| Bandwidth | Modulation | RB size | RB offset | Channel 23017 | Channel 23095 | Channel 23173 | Tune up |
| | | 1 | 0 | 22.66 | 22.56 | 22.57 | 24.50 |
| | | 1 | 2 | 22.56 | 22.57 | 22.52 | 24.50 |
| | | 1 | 5 | 22.61 | 22.53 | 22.51 | 24.50 |
| | QPSK | 3 | 0 | 22.53 | 22.56 | 22.54 | 24.50 |
| | Q. 5.1 | 3 | 2 | 22.50 | 22.63 | 22.55 | 24.50 |
| | | 3 | 3 | 22.51 | 22.52 | 22.54 | 24.50 |
| | | 6 | 0 | 21.57 | 21.51 | 22.55 | 23.50 |
| | | 1 | 0 | 21.84 | 21.62 | 21.63 | 23.50 |
| | | 1 | 2 | 21.72 | 21.70 | 21.53 | 23.50 |
| | | 1 | 5 | 21.71 | 21.58 | 21.55 | 23.50 |
| | 16QAM | 3 | 0 | 21.60 | 21.57 | 21.67 | 23.50 |
| | 100 | 3 | 2 | 21.64 | 21.61 | 21.56 | 23.50 |
| | | 3 | 3 | 21.56 | 21.59 | 21.63 | 23.50 |
| | | 6 | 0 | 20.53 | 20.56 | 20.53 | 22.50 |
| 1.4MHz | 64QAM | 1 | 0 | 20.83 | 20.88 | 20.59 | 22.50 |
| | | 1 | 2 | 20.58 | 20.80 | 20.61 | 22.50 |
| | | 1 | 5 | 21.10 | 21.19 | 21.20 | 22.50 |
| | | 3 | 0 | 20.71 | 20.56 | 20.50 | 22.50 |
| | | 3 | 2 | 20.54 | 20.59 | 20.53 | 22.50 |
| | | 3 | 3 | 20.52 | 20.54 | 20.57 | 22.50 |
| | | 6 | 0 | 19.86 | 20.06 | 19.83 | 21.50 |
| | 256QAM | 1 | 0 | 17.91 | 17.84 | 17.81 | 19.50 |
| | | 1 | 2 | 17.84 | 17.71 | 17.79 | 19.50 |
| | | 1 | 5 | 17.79 | 17.86 | 17.90 | 19.50 |
| | | 3 | 0 | 17.69 | 17.82 | 17.70 | 19.50 |
| | | 3 | 2 | 17.50 | 17.50 | 17.58 | 19.50 |
| | | 3 | 3 | 17.57 | 17.57 | 17.54 | 19.50 |
| 1 | | 6 | 0 | 17.85 | 17.97 | 17.87 | 19.50 |
| Dandidtle | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Bandwidth | Modulation | KD SIZE | KD Ullset | 23025 | 23095 | 23165 | Turie up |
| | QPSK | 1 | 0 | 23.05 | 23.03 | 23.00 | 24.50 |
| | | 1 | 7 | 22.70 | 22.72 | 22.61 | 24.50 |
| ЗМНz | | 1 | 14 | 22.62 | 22.80 | 22.74 | 24.50 |
| | | 8 | 0 | 21.85 | 21.72 | 21.78 | 23.50 |
| | | 8 | 4 | 21.63 | 21.86 | 21.82 | 23.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| 15 | | | | | | | | |
|--|-------------|--------------|---------|-----------|---------|---------|---------|---------|
| 1 | | | 8 | 7 | 21.75 | 21.80 | 21.54 | 23.50 |
| 1 7 21.89 22.17 22.14 23.50 1 144 22.15 22.36 22.41 23.50 1 144 22.15 22.36 22.41 23.50 8 0 20.95 20.92 20.81 22.50 8 7 20.68 20.62 20.84 22.50 15 0 20.68 20.96 20.80 22.55 1 0 20.68 20.96 20.80 22.55 1 1 7 20.61 20.70 20.75 22.50 1 1 14 21.10 21.05 21.09 22.50 1 1 14 21.10 21.05 21.09 22.50 8 7 19.98 19.86 19.80 21.50 8 7 19.98 19.86 19.80 21.50 15 0 19.88 19.90 19.75 21.50 1 1 7 17.81 17.77 17.61 19.50 1 1 14 17.87 18.02 17.89 19.50 1 1 14 17.87 18.02 17.89 19.50 1 1 14 17.87 17.61 19.50 1 1 14 17.87 17.62 17.58 19.50 1 1 17 17.81 17.77 18.00 19.50 1 1 17 17.81 17.77 18.00 19.50 1 1 17 17.81 17.77 17.61 19.50 1 1 14 17.87 18.02 17.89 19.50 1 1 17 17.81 17.77 17.61 19.50 1 1 14 17.87 18.02 17.89 19.50 1 1 17.74 17.58 17.62 17.58 19.50 1 1 1 14 17.53 17.62 17.58 19.50 1 1 0 23.00 23.04 22.93 24.50 1 1 24 22.58 22.80 22.55 24.50 1 24 22.58 22.80 22.55 24.50 1 2 0 21.81 21.93 21.80 23.50 | | | 15 | 0 | 21.80 | 21.67 | 21.86 | 23.50 |
| 1 | | | 1 | 0 | 22.19 | 22.27 | 22.05 | 23.50 |
| 16QAM | | | 1 | 7 | 21.89 | 22.17 | 22.14 | 23.50 |
| B | | | 1 | 14 | 22.15 | 22.36 | 22.41 | 23.50 |
| B | | 16QAM | 8 | 0 | 20.95 | 20.92 | 20.81 | 22.50 |
| 15 | | | 8 | 4 | 20.58 | 20.87 | 20.75 | 22.50 |
| 1 | | | 8 | 7 | 20.68 | 20.62 | 20.84 | 22.50 |
| 1 | | | 15 | 0 | 20.68 | 20.96 | 20.80 | 22.50 |
| 1 | | | 1 | 0 | 20.77 | 20.72 | 20.64 | 22.50 |
| Bandwidth Modulation RB size RB offset RB offset RB offset QPSK 12 00 11.90 20.04 19.95 21.50 21.5 | | | 1 | 7 | 20.61 | 20.70 | 20.75 | 22.50 |
| B | | | 1 | 14 | 21.10 | 21.05 | 21.09 | 22.50 |
| Bandwidth Modulation RB size RB offset RB offset Tune u | | 64QAM | 8 | 0 | 19.90 | 20.04 | 19.95 | 21.50 |
| 15 | | | 8 | 4 | 19.94 | 20.09 | 19.92 | 21.50 |
| 1 | | | 8 | 7 | 19.98 | 19.86 | 19.80 | 21.50 |
| 1 | | | 15 | 0 | 19.88 | 19.90 | 19.75 | 21.50 |
| 1 | | | 1 | 0 | 17.64 | 17.75 | 17.80 | 19.50 |
| Bandwidth RB size RB offset Tune u | | | 1 | 7 | 17.81 | 17.77 | 17.61 | 19.50 |
| Bandwidth Modulation RB size RB offset Channel 23035 Channel 23095 Channel 23155 Tune u 1 0 23.00 23.04 22.93 24.50 1 1 24 22.58 22.80 22.55 24.50 1 0 21.81 21.93 21.80 23.50 1 2 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | Donah, idah | | 1 | 14 | 17.87 | 18.02 | 17.89 | 19.50 |
| Bandwidth Modulation RB size RB offset Channel Chan | | 256QAM | 8 | 0 | 17.78 | 17.68 | 17.78 | 19.50 |
| Bandwidth Modulation RB size RB offset Channel Channel | | | 8 | 4 | 17.53 | 17.62 | 17.58 | 19.50 |
| Bandwidth Modulation RB size RB offset Channel Channel Channel Tune u 1 0 23.035 23.04 22.93 24.50 1 13 22.76 22.77 22.77 24.50 1 24 22.58 22.80 22.55 24.50 QPSK 12 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | | | 8 | 7 | 17.74 | 17.58 | 17.55 | 19.50 |
| Bandwidth Modulation RB size RB offset 23035 23095 23155 Tune of the original original of the original o | | | 15 | 0 | 17.94 | 17.77 | 18.00 | 19.50 |
| 1 0 23.035 23.04 22.93 24.50 1 13 22.76 22.77 22.77 24.50 1 24 22.58 22.80 22.55 24.50 QPSK 12 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | | NA - ded - C | DD -i | DD - # | Channel | Channel | Channel | T |
| 1 13 22.76 22.77 22.77 24.50 1 24 22.58 22.80 22.55 24.50 QPSK 12 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | Bandwidth | Modulation | KB SIZE | RB offset | 23035 | 23095 | 23155 | Tune up |
| QPSK 1 24 22.58 22.80 22.55 24.50 12 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | | | 1 | 0 | 23.00 | 23.04 | 22.93 | 24.50 |
| QPSK 12 0 21.81 21.93 21.80 23.50 12 6 21.69 21.84 21.79 23.50 | | | 1 | 13 | 22.76 | 22.77 | 22.77 | 24.50 |
| 12 6 21.69 21.84 21.79 23.50 | | | 1 | 24 | 22.58 | 22.80 | 22.55 | 24.50 |
| | | QPSK | 12 | 0 | 21.81 | 21.93 | 21.80 | 23.50 |
| 12 12 21 72 21 72 21 74 22 50 | 5MHz | | 12 | 6 | 21.69 | 21.84 | 21.79 | 23.50 |
| 12 13 21.73 21.93 21.71 23.30 | | | 12 | 13 | 21.73 | 21.93 | 21.71 | 23.50 |
| 25 0 21.84 21.58 21.79 23.50 | | | 25 | 0 | 21.84 | 21.58 | 21.79 | 23.50 |
| 5MHz 1 0 22.15 22.24 22.17 23.50 | | | 1 | 0 | 22.15 | 22.24 | 22.17 | 23.50 |
| 1 13 22.00 22.21 22.12 23.50 | | | 1 | 13 | 22.00 | 22.21 | 22.12 | 23.50 |
| 1 24 22.02 22.31 22.24 23.50 | | | 1 | 24 | 22.02 | 22.31 | 22.24 | 23.50 |
| 16QAM 12 0 21.03 20.98 20.78 22.50 | | 16QAM | 12 | 0 | 21.03 | 20.98 | 20.78 | 22.50 |
| 12 6 20.71 21.00 20.84 22.50 | | | 12 | 6 | 20.71 | 21.00 | 20.84 | 22.50 |
| 12 13 20.67 20.57 20.92 22.50 | | | | 40 | 20.67 | 20.57 | 20.92 | 22 50 |
| 25 0 20.71 21.01 20.87 22.50 | | | 12 | 13 | 20.07 | 20.57 | 20.52 | 22.00 |
| 64QAM 1 0 20.79 20.76 20.61 22.50 | | | | | | | | 22.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 13 | 20.62 | 20.56 | 20.65 | 22.50 |
|-----------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 24 | 21.13 | 21.14 | 21.13 | 22.50 |
| | | 12 | 0 | 20.04 | 20.11 | 19.90 | 21.50 |
| | | 12 | 6 | 20.01 | 19.86 | 19.75 | 21.50 |
| | | 12 | 13 | 19.96 | 19.94 | 19.89 | 21.50 |
| | | 25 | 0 | 19.93 | 19.95 | 19.79 | 21.50 |
| | | 1 | 0 | 17.69 | 17.69 | 17.73 | 19.50 |
| | | 1 | 13 | 17.74 | 17.74 | 17.67 | 19.50 |
| | | 1 | 24 | 17.81 | 17.99 | 17.96 | 19.50 |
| | 256QAM | 12 | 0 | 17.73 | 17.71 | 17.75 | 19.50 |
| | | 12 | 6 | 17.57 | 17.52 | 17.52 | 19.50 |
| | | 12 | 13 | 17.59 | 17.61 | 17.57 | 19.50 |
| | | 25 | 0 | 17.93 | 17.84 | 17.77 | 19.50 |
| Don de ci ditto | Modulatian | DD -: | DD 6#==+ | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 23060 | 23095 | 23130 | Tune up |
| | | 1 | 0 | 23.10 | 23.11 | 23.01 | 24.50 |
| | | 1 | 25 | 22.94 | 22.93 | 22.86 | 24.50 |
| | | 1 | 49 | 22.89 | 22.98 | 22.80 | 24.50 |
| | QPSK | 25 | 0 | 22.04 | 21.87 | 21.96 | 23.50 |
| | | 25 | 13 | 21.85 | 22.12 | 22.20 | 23.50 |
| | | 25 | 25 | 21.95 | 21.98 | 21.71 | 23.50 |
| | | 50 | 0 | 21.89 | 21.84 | 22.00 | 23.50 |
| | | 1 | 0 | 22.42 | 22.33 | 22.39 | 23.50 |
| | 16QAM | 1 | 25 | 22.32 | 22.47 | 22.38 | 23.50 |
| | | 1 | 49 | 22.38 | 22.58 | 22.53 | 23.50 |
| | | 25 | 0 | 21.17 | 21.12 | 20.89 | 22.50 |
| | | 25 | 13 | 20.90 | 21.00 | 20.90 | 22.50 |
| 10MHz | | 25 | 25 | 20.97 | 20.88 | 20.92 | 22.50 |
| | | 50 | 0 | 20.99 | 21.16 | 21.00 | 22.50 |
| | | 1 | 0 | 20.86 | 20.79 | 20.71 | 22.50 |
| | | 1 | 25 | 20.54 | 20.64 | 20.68 | 22.50 |
| | | 1 | 49 | 21.04 | 21.20 | 21.18 | 22.50 |
| | 64QAM | 25 | 0 | 20.12 | 20.07 | 20.05 | 21.50 |
| | | 25 | 13 | 19.86 | 19.91 | 19.82 | 21.50 |
| | | 25 | 25 | 19.83 | 19.99 | 19.87 | 21.50 |
| | | 50 | 0 | 19.99 | 19.78 | 19.81 | 21.50 |
| | | 1 | 0 | 17.67 | 17.75 | 17.88 | 19.50 |
| | 0500 | 1 | 25 | 17.77 | 17.74 | 17.78 | 19.50 |
| | 256QAM | 1 | 49 | 17.94 | 17.86 | 17.82 | 19.50 |
| | | 25 | 0 | 17.77 | 17.80 | 17.70 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 25 | 13 | 17.54 | 17.54 | 17.66 | 19.50 |
|----|----|-------|-------|-------|-------|
| 25 | 25 | 17.72 | 17.51 | 17.57 | 19.50 |
| 50 | 0 | 17.90 | 18.02 | 17.73 | 19.50 |

| ι | TE FDD Band 12 | 2 Ant.0 Sensor o | n | Conducted Power(dBm) | | | | |
|-----------|----------------|------------------|-----------|----------------------|---------|---------|---------|--|
| 5 | | | 55 " | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size RB o | RB offset | 23017 | 23095 | 23173 | Tune up | |
| | | 1 | 0 | 20.51 | 20.65 | 20.52 | 21.50 | |
| | | 1 | 2 | 20.41 | 20.43 | 20.47 | 21.50 | |
| | | 1 | 5 | 20.43 | 20.50 | 20.37 | 21.50 | |
| | QPSK | 3 | 0 | 20.60 | 20.50 | 20.49 | 21.50 | |
| | | 3 | 2 | 20.35 | 20.36 | 20.50 | 21.50 | |
| | | 3 | 3 | 20.45 | 20.53 | 20.28 | 21.50 | |
| | | 6 | 0 | 20.38 | 20.52 | 20.49 | 21.50 | |
| | | 1 | 0 | 20.41 | 20.46 | 20.36 | 21.50 | |
| | | 1 | 2 | 20.42 | 20.31 | 20.38 | 21.50 | |
| | | 1 | 5 | 20.59 | 20.52 | 20.53 | 21.50 | |
| | 16QAM | 3 | 0 | 20.36 | 20.38 | 20.29 | 21.50 | |
| | | 3 | 2 | 20.23 | 20.41 | 20.53 | 21.50 | |
| 1.4MHz | | 3 | 3 | 20.51 | 20.52 | 20.45 | 21.50 | |
| 1.4МПZ | | 6 | 0 | 20.44 | 20.39 | 20.13 | 21.50 | |
| | 64QAM | 1 | 0 | 20.30 | 20.49 | 20.37 | 21.50 | |
| | | 1 | 2 | 20.60 | 20.61 | 20.45 | 21.50 | |
| | | 1 | 5 | 20.42 | 20.39 | 20.31 | 21.50 | |
| | | 3 | 0 | 20.41 | 20.31 | 20.44 | 21.50 | |
| | | 3 | 2 | 20.66 | 20.55 | 20.54 | 21.50 | |
| | | 3 | 3 | 20.38 | 20.26 | 20.32 | 21.50 | |
| | | 6 | 0 | 20.42 | 20.34 | 20.43 | 21.50 | |
| | | 1 | 0 | 17.88 | 17.86 | 17.72 | 19.50 | |
| | | 1 | 2 | 17.82 | 17.72 | 17.80 | 19.50 | |
| | 256QAM | 1 | 5 | 17.77 | 17.85 | 17.88 | 19.50 | |
| | | 3 | 0 | 17.64 | 17.80 | 17.63 | 19.50 | |
| | | 3 | 2 | 17.58 | 17.54 | 17.60 | 19.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Stantons (Os., Ltd.)
Wireless Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 3 | 3 | 17.54 | 17.58 | 17.52 | 19.50 |
|-------------------|-----------------|---------|------------|---------|---------|---------|---------|
| | | 6 | 0 | 17.78 | 18.02 | 17.79 | 19.50 |
| Down alterial the | NA o de dotio a | DD size | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 23025 | 23095 | 23165 | Tune up |
| | | 1 | 0 | 20.56 | 20.68 | 20.62 | 21.50 |
| | | 1 | 7 | 20.48 | 20.49 | 20.39 | 21.50 |
| | | 1 | 14 | 20.39 | 20.56 | 20.36 | 21.50 |
| | QPSK | 8 | 0 | 20.54 | 20.42 | 20.63 | 21.50 |
| | | 8 | 4 | 20.46 | 20.41 | 20.38 | 21.50 |
| | | 8 | 7 | 20.51 | 20.67 | 20.26 | 21.50 |
| | | 15 | 0 | 20.39 | 20.52 | 20.41 | 21.50 |
| | | 1 | 0 | 20.57 | 20.49 | 20.60 | 21.50 |
| | | 1 | 7 | 20.44 | 20.41 | 20.29 | 21.50 |
| | | 1 | 14 | 20.64 | 20.67 | 20.61 | 21.50 |
| ЗМНZ | 16QAM | 8 | 0 | 20.37 | 20.52 | 20.31 | 21.50 |
| | | 8 | 4 | 20.43 | 20.56 | 20.19 | 21.50 |
| | | 8 | 7 | 20.64 | 20.49 | 20.66 | 21.50 |
| | | 15 | 0 | 20.48 | 20.44 | 20.32 | 21.50 |
| | | 1 | 0 | 20.62 | 20.63 | 20.41 | 21.50 |
| | | 1 | 7 | 20.48 | 20.73 | 20.49 | 21.50 |
| | 64QAM | 1 | 14 | 20.39 | 20.36 | 20.51 | 21.50 |
| | | 8 | 0 | 20.49 | 20.43 | 20.52 | 21.50 |
| | | 8 | 4 | 20.68 | 20.62 | 20.48 | 21.50 |
| | | 8 | 7 | 20.56 | 20.33 | 20.36 | 21.50 |
| | | 15 | 0 | 20.54 | 20.56 | 20.40 | 21.50 |
| | | 1 | 0 | 17.62 | 17.68 | 17.82 | 19.50 |
| | | 1 | 7 | 17.77 | 17.84 | 17.66 | 19.50 |
| | | 1 | 14 | 17.86 | 17.97 | 17.82 | 19.50 |
| | 256QAM | 8 | 0 | 17.71 | 17.61 | 17.72 | 19.50 |
| | | 8 | 4 | 17.51 | 17.55 | 17.52 | 19.50 |
| | | 8 | 7 | 17.74 | 17.59 | 17.53 | 19.50 |
| | | 15 | 0 | 17.94 | 17.78 | 18.02 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danawiutii | Wodulation | ND SIZE | IVD Olloct | 23035 | 23095 | 23155 | rune up |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 0 | 20.59 | 20.67 | 20.52 | 21.50 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 13 | 20.52 | 20.27 | 20.26 | 21.50 |
| | | 1 | 24 | 20.38 | 20.43 | 20.28 | 21.50 |
| | QPSK | 12 | 0 | 20.51 | 20.55 | 20.49 | 21.50 |
| | | 12 | 6 | 20.28 | 20.37 | 20.41 | 21.50 |
| | | 12 | 13 | 20.38 | 20.54 | 20.29 | 21.50 |
| | | 25 | 0 | 20.56 | 20.56 | 20.58 | 21.50 |
| | | 1 | 0 | 20.42 | 20.49 | 20.34 | 21.50 |
| | | 1 | 13 | 20.49 | 20.47 | 20.39 | 21.50 |
| | | 1 | 24 | 20.47 | 20.51 | 20.53 | 21.50 |
| | 16QAM | 12 | 0 | 20.37 | 20.40 | 20.38 | 21.50 |
| | | 12 | 6 | 20.32 | 20.27 | 20.41 | 21.50 |
| | | 12 | 13 | 20.62 | 20.44 | 20.58 | 21.50 |
| 5MHz | | 25 | 0 | 20.41 | 20.37 | 20.37 | 21.50 |
| SWITZ | | 1 | 0 | 20.49 | 20.43 | 20.31 | 21.50 |
| | | 1 | 13 | 20.48 | 20.62 | 20.48 | 21.50 |
| | | 1 | 24 | 20.49 | 20.50 | 20.37 | 21.50 |
| | 64QAM | 12 | 0 | 20.45 | 20.48 | 20.35 | 21.50 |
| | | 12 | 6 | 20.44 | 20.43 | 20.43 | 21.50 |
| | | 12 | 13 | 20.56 | 20.37 | 20.36 | 21.50 |
| | | 25 | 0 | 20.40 | 20.41 | 20.32 | 21.50 |
| | | 1 | 0 | 17.75 | 17.72 | 17.68 | 19.50 |
| | | 1 | 13 | 17.69 | 17.79 | 17.64 | 19.50 |
| | | 1 | 24 | 17.82 | 17.95 | 17.90 | 19.50 |
| | 256QAM | 12 | 0 | 17.68 | 17.64 | 17.68 | 19.50 |
| | | 12 | 6 | 17.55 | 17.52 | 17.57 | 19.50 |
| | | 12 | 13 | 17.56 | 17.64 | 17.63 | 19.50 |
| | | 25 | 0 | 17.91 | 17.87 | 17.75 | 19.50 |
| Pandidth | Modulation | DD oine | RB offset | Channel | Channel | Channel | Tung |
| Bandwidth | Modulation | RB size | ND Ullset | 23060 | 23095 | 23130 | Tune up |
| | | 1 | 0 | 20.65 | 20.71 | 20.62 | 21.50 |
| 10MHz | OBSK | 1 | 25 | 20.63 | 20.51 | 20.57 | 21.50 |
| TUWITZ | QPSK | 1 | 49 | 20.64 | 20.68 | 20.47 | 21.50 |
| | | 25 | 0 | 20.55 | 20.51 | 20.62 | 21.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 13 | 20.56 | 20.53 | 20.42 | 21.50 |
|--|-----------------|----|----|-------|-------|-------|-------|
| | | 25 | 25 | 20.67 | 20.56 | 20.41 | 21.50 |
| | | 50 | 0 | 20.67 | 20.39 | 20.66 | 21.50 |
| | | 1 | 0 | 20.61 | 20.66 | 20.62 | 21.50 |
| | | 1 | 25 | 20.57 | 20.63 | 20.51 | 21.50 |
| | | 1 | 49 | 20.61 | 20.66 | 20.65 | 21.50 |
| | 16QAM | 25 | 0 | 20.42 | 20.53 | 20.56 | 21.50 |
| | | 25 | 13 | 20.51 | 20.55 | 20.53 | 21.50 |
| | | 25 | 25 | 20.62 | 20.67 | 20.57 | 21.50 |
| | | 50 | 0 | 20.63 | 20.55 | 20.59 | 21.50 |
| | | 1 | 0 | 20.60 | 20.67 | 20.40 | 21.50 |
| | 64QAM 256QAM | 1 | 25 | 20.65 | 20.84 | 20.53 | 21.50 |
| | | 1 | 49 | 20.54 | 20.46 | 20.50 | 21.50 |
| | | 25 | 0 | 20.56 | 20.43 | 20.52 | 21.50 |
| | | 25 | 13 | 20.70 | 20.70 | 20.55 | 21.50 |
| | | 25 | 25 | 20.59 | 20.48 | 20.50 | 21.50 |
| | | 50 | 0 | 20.53 | 20.56 | 20.63 | 21.50 |
| | | 1 | 0 | 17.62 | 17.71 | 17.93 | 19.50 |
| | | 1 | 25 | 17.77 | 17.75 | 17.71 | 19.50 |
| | | 1 | 49 | 17.87 | 17.87 | 17.89 | 19.50 |
| | | 25 | 0 | 17.81 | 17.74 | 17.67 | 19.50 |
| | | 25 | 13 | 17.53 | 17.51 | 17.62 | 19.50 |
| | | 25 | 25 | 17.74 | 17.51 | 17.57 | 19.50 |
| | | 50 | 0 | 17.85 | 17.96 | 17.70 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.6 Conducted Power of LTE Band 13

| L | LTE FDD Band 13 Ant.0 Full power | | | | Conducted Power(dBm) | | | | |
|-----------|----------------------------------|---------|-----------|---------|----------------------|---------|---------|--|--|
| 5 | NA - ded - Com | DD -: | DD - "1 | Channel | Channel | Channel | T | | |
| Bandwidth | Modulation | RB size | RB offset | 23205 | 23230 | 23255 | Tune up | | |
| | | 1 | 0 | 22.76 | 22.73 | 22.81 | 24.50 | | |
| | | 1 | 13 | 22.74 | 22.77 | 22.63 | 24.50 | | |
| | | 1 | 24 | 22.63 | 22.92 | 22.78 | 24.50 | | |
| | QPSK | 12 | 0 | 22.00 | 21.89 | 21.88 | 23.50 | | |
| | | 12 | 6 | 21.51 | 21.86 | 21.99 | 23.50 | | |
| | | 12 | 13 | 21.78 | 21.83 | 21.81 | 23.50 | | |
| | | 25 | 0 | 21.89 | 21.78 | 21.92 | 23.50 | | |
| | | 1 | 0 | 22.09 | 22.22 | 22.19 | 23.50 | | |
| | | 1 | 13 | 22.12 | 22.38 | 22.10 | 23.50 | | |
| | | 1 | 24 | 22.06 | 22.46 | 22.41 | 23.50 | | |
| | 16QAM | 12 | 0 | 20.93 | 20.91 | 21.02 | 22.50 | | |
| | | 12 | 6 | 20.91 | 20.95 | 20.76 | 22.50 | | |
| | | 12 | 13 | 20.71 | 20.70 | 20.91 | 22.50 | | |
| 5MHz | | 25 | 0 | 20.91 | 20.99 | 20.95 | 22.50 | | |
| SIVIFIZ | | 1 | 0 | 21.13 | 21.12 | 21.06 | 22.50 | | |
| | | 1 | 13 | 20.77 | 21.04 | 20.84 | 22.50 | | |
| | | 1 | 24 | 21.50 | 21.44 | 21.49 | 22.50 | | |
| | 64QAM | 12 | 0 | 20.39 | 20.51 | 20.36 | 21.50 | | |
| | | 12 | 6 | 20.32 | 20.37 | 20.16 | 21.50 | | |
| | | 12 | 13 | 20.24 | 20.24 | 20.29 | 21.50 | | |
| | | 25 | 0 | 20.26 | 20.25 | 20.01 | 21.50 | | |
| | | 1 | 0 | 18.04 | 18.10 | 18.14 | 19.50 | | |
| | | 1 | 13 | 18.16 | 18.17 | 17.88 | 19.50 | | |
| | | 1 | 24 | 18.24 | 18.21 | 18.35 | 19.50 | | |
| | 256QAM | 12 | 0 | 18.17 | 18.06 | 17.98 | 19.50 | | |
| | | 12 | 6 | 17.83 | 17.88 | 17.78 | 19.50 | | |
| | | 12 | 13 | 17.81 | 17.84 | 17.86 | 19.50 | | |
| | | 25 | 0 | 18.36 | 18.31 | 18.15 | 19.50 | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun | | |
| Bandwidth | iviouulatiofi | KD SIZE | KD UIISEL | / | 23230 | / | Tune up | | |
| | | 1 | 0 | / | 23.26 | / | 24.50 | | |
| | | 1 | 25 | / | 22.64 | / | 24.50 | | |
| 10MHz | QPSK | 1 | 49 | / | 22.73 | / | 24.50 | | |
| | | 25 | 0 | / | 21.92 | / | 23.50 | | |
| | | 25 | 13 | / | 21.83 | / | 23.50 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 25 | / | 21.69 | / | 23.50 |
|--|-----------------|----|----|---|-------|---|-------|
| | | 50 | 0 | / | 21.93 | / | 23.50 |
| | | 1 | 0 | / | 22.15 | / | 23.50 |
| | | 1 | 25 | / | 22.20 | / | 23.50 |
| | | 1 | 49 | / | 22.53 | / | 23.50 |
| | 16QAM | 25 | 0 | / | 20.79 | / | 22.50 |
| | | 25 | 13 | / | 20.64 | / | 22.50 |
| | | 25 | 25 | / | 20.79 | / | 22.50 |
| | | 50 | 0 | / | 21.09 | / | 22.50 |
| | | 1 | 0 | / | 21.20 | / | 22.50 |
| | | 1 | 25 | / | 21.00 | / | 22.50 |
| | 64QAM 256QAM | 1 | 49 | / | 21.29 | / | 22.50 |
| | | 25 | 0 | / | 20.41 | / | 21.50 |
| | | 25 | 13 | / | 20.44 | / | 21.50 |
| | | 25 | 25 | / | 20.35 | / | 21.50 |
| | | 50 | 0 | / | 20.40 | / | 21.50 |
| | | 1 | 0 | / | 18.13 | / | 19.50 |
| | | 1 | 25 | / | 18.16 | / | 19.50 |
| | | 1 | 49 | / | 18.28 | / | 19.50 |
| | | 25 | 0 | / | 18.22 | / | 19.50 |
| | | 25 | 13 | / | 17.99 | 1 | 19.50 |
| | | 25 | 25 | / | 17.90 | 1 | 19.50 |
| | | 50 | 0 | / | 18.32 | / | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.7 Conducted Power of LTE Band 14

| ı | LTE FDD Band 14 An.0 Full power | | | | Conducted Power(dBm) | | | | |
|------------|---------------------------------|---------|-----------|---------|----------------------|---------|---------|--|--|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | | |
| Bandwidth | Woddiation | ND SIZE | ND onset | 23305 | 23330 | 23355 | rune up | | |
| | | 1 | 0 | 22.61 | 22.78 | 22.72 | 24.50 | | |
| | | 1 | 13 | 22.84 | 22.57 | 22.63 | 24.50 | | |
| | | 1 | 24 | 22.52 | 22.72 | 22.68 | 24.50 | | |
| | QPSK | 12 | 0 | 21.88 | 21.96 | 21.83 | 23.50 | | |
| | | 12 | 6 | 21.51 | 21.60 | 21.90 | 23.50 | | |
| | | 12 | 13 | 21.94 | 21.76 | 21.55 | 23.50 | | |
| | | 25 | 0 | 21.86 | 21.53 | 21.65 | 23.50 | | |
| | | 1 | 0 | 22.16 | 22.20 | 22.18 | 23.50 | | |
| | | 1 | 13 | 21.91 | 22.16 | 22.19 | 23.50 | | |
| | | 1 | 24 | 21.91 | 22.39 | 22.21 | 23.50 | | |
| | 16QAM | 12 | 0 | 20.86 | 20.99 | 20.75 | 22.50 | | |
| | | 12 | 6 | 20.58 | 20.79 | 20.60 | 22.50 | | |
| | | 12 | 13 | 20.71 | 20.67 | 20.70 | 22.50 | | |
| | | 25 | 0 | 20.80 | 21.06 | 20.74 | 22.50 | | |
| 5MHz | | 1 | 0 | 20.88 | 20.82 | 20.61 | 22.50 | | |
| | | 1 | 13 | 20.61 | 20.73 | 20.61 | 22.50 | | |
| | | 1 | 24 | 20.91 | 20.93 | 21.10 | 22.50 | | |
| | 64QAM | 12 | 0 | 19.97 | 19.89 | 19.82 | 21.50 | | |
| | | 12 | 6 | 19.86 | 19.85 | 19.86 | 21.50 | | |
| | | 12 | 13 | 19.81 | 19.86 | 19.70 | 21.50 | | |
| | | 25 | 0 | 19.74 | 19.75 | 19.79 | 21.50 | | |
| | | 1 | 0 | 17.68 | 17.72 | 17.78 | 19.50 | | |
| | | 1 | 13 | 17.87 | 17.90 | 17.70 | 19.50 | | |
| | | 1 | 24 | 17.89 | 17.92 | 18.00 | 19.50 | | |
| | 256QAM | 12 | 0 | 17.83 | 17.73 | 17.54 | 19.50 | | |
| | | 12 | 6 | 17.59 | 17.69 | 17.51 | 19.50 | | |
| | | 12 | 13 | 17.65 | 17.52 | 17.62 | 19.50 | | |
| | | 25 | 0 | 17.85 | 17.88 | 17.78 | 19.50 | | |
| _ , | | 55 | DD " | Channel | Channel | Channel | _ | | |
| Bandwidth | Modulation | RB size | RB offset | / | 23330 | / | Tune up | | |
| | | 1 | 0 | / | 23.23 | / | 24.50 | | |
| | | 1 | 25 | / | 22.58 | / | 24.50 | | |
| 10MHz | QPSK | 1 | 49 | / | 22.75 | / | 24.50 | | |
| | | 25 | 0 | / | 21.81 | / | 23.50 | | |
| | | 25 | 13 | / | 21.66 | / | 23.50 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 25 | / | 21.78 | / | 23.50 |
|--|-----------------|----|----|---|-------|---|-------|
| | | 50 | 0 | / | 21.73 | / | 23.50 |
| | | 1 | 0 | / | 22.14 | / | 23.50 |
| | | 1 | 25 | / | 22.06 | / | 23.50 |
| | | 1 | 49 | / | 22.32 | / | 23.50 |
| | 16QAM | 25 | 0 | / | 20.94 | / | 22.50 |
| | | 25 | 13 | / | 20.80 | / | 22.50 |
| | | 25 | 25 | / | 20.53 | / | 22.50 |
| | | 50 | 0 | / | 20.92 | / | 22.50 |
| | | 1 | 0 | / | 20.63 | / | 22.50 |
| | | 1 | 25 | / | 20.56 | / | 22.50 |
| | | 1 | 49 | / | 21.11 | / | 22.50 |
| | 64QAM 256QAM | 25 | 0 | / | 19.99 | / | 21.50 |
| | | 25 | 13 | / | 20.06 | / | 21.50 |
| | | 25 | 25 | / | 19.81 | / | 21.50 |
| | | 50 | 0 | / | 19.84 | / | 21.50 |
| | | 1 | 0 | / | 17.91 | / | 19.50 |
| | | 1 | 25 | / | 17.78 | / | 19.50 |
| | | 1 | 49 | / | 17.95 | 1 | 19.50 |
| | | 25 | 0 | / | 17.57 | 1 | 19.50 |
| | | 25 | 13 | / | 17.54 | 1 | 19.50 |
| | | 25 | 25 | / | 17.51 | 1 | 19.50 |
| | | 50 | 0 | / | 17.90 | 1 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.8 Conducted Power of LTE Band 25

| | LTE Band 25 A | nt.0 Full power | | Conducted Power(dBm) | | | | |
|------------|---------------|-----------------|-----------|----------------------|------------------|------------------|----------|--|
| Bandwidth | Modulation | RB size | RB offset | Channel 26047 | Channel 26365 | Channel 26683 | Tune up | |
| | | 1 | 0 | 22.26 | 22.32 | 22.49 | 24.00 | |
| | | 1 | 2 | 22.33 | 22.38 | 22.51 | 24.00 | |
| | | 1 | 5 | 22.34 | 22.23 | 22.39 | 24.00 | |
| | QPSK | 3 | 0 | 22.53 | 22.34 | 22.42 | 24.00 | |
| | | 3 | 2 | 22.64 | 22.41 | 22.51 | 24.00 | |
| | | 3 | 3 | 22.53 | 22.44 | 22.34 | 24.00 | |
| | | 6 | 0 | 21.49 | 21.60 | 21.43 | 23.00 | |
| | | 1 | 0 | 21.76 | 21.74 | 21.85 | 23.00 | |
| | | 1 | 2 | 21.71 | 21.84 | 21.63 | 23.00 | |
| | | 1 | 5 | 21.92 | 21.66 | 21.56 | 23.00 | |
| | 16QAM | 3 | 0 | 21.69 | 21.67 | 21.65 | 23.00 | |
| | | 3 | 2 | 21.46 | 21.77 | 21.58 | 23.00 | |
| | | 3 | 3 | 21.65 | 21.57 | 21.64 | 23.00 | |
| | | 6 | 0 | 20.45 | 20.39 | 20.64 | 22.00 | |
| 1.4MHz | | 1 | 0 | 20.71 | 20.64 | 20.67 | 22.00 | |
| | | 1 | 2 | 20.46 | 20.74 | 20.61 | 22.00 | |
| | | 1 | 5 | 20.88 | 20.94 | 21.17 | 22.00 | |
| | 64QAM | 3 | 0 | 20.36 | 20.39 | 20.25 | 22.00 | |
| | | 3 | 2 | 20.41 | 20.34 | 20.36 | 22.00 | |
| | | 3 | 3 | 20.40 | 20.36 | 20.26 | 22.00 | |
| | | 6 | 0 | 19.95 | 19.87 | 19.76 | 21.00 | |
| | | 1 | 0 | 17.64 | 17.56 | 17.60 | 19.00 | |
| | | 1 | 2 | 17.74 | 17.66 | 17.72 | 19.00 | |
| | | 1 | 5 | 17.94 | 17.93 | 17.95 | 19.00 | |
| | 256QAM | 3 | 0 | 17.69 | 17.72 | 17.57 | 19.00 | |
| | | 3 | 2 | 17.30 | 17.49 | 17.37 | 19.00 | |
| | | 3 | 3 | 17.42 | 17.38 | 17.57 | 19.00 | |
| | | 6 | 0 | 17.86 | 17.88 | 17.90 | 19.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Balluwiuth | Modulation | KD SIZE | KD UIISEL | 26055 | 26365 | 26675 | Turie up | |
| | | 1 | 0 | 22.49 | 22.58 | 22.31 | 24.00 | |
| | | 1 | 7 | 22.32 | 22.16 | 22.32 | 24.00 | |
| 3MHz | QPSK | 1 | 14 | 22.21 | 22.19 | 22.41 | 24.00 | |
| | | 8 | 0 | 21.29 | 21.50 | 21.43 | 23.00 | |
| | | 8 | 4 | 21.42 | 21.60 | 21.49 | 23.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 15 | | | | | | | | |
|--|-----------|------------|---------|-----------|----------|---------|---------|--------------|
| 1 | | | 8 | 7 | 21.46 | 21.41 | 21.22 | 23.00 |
| 1 | | | 15 | 0 | 21.55 | 21.63 | 21.45 | 23.00 |
| 1 | | | 1 | 0 | 21.74 | 21.89 | 21.64 | 23.00 |
| Bandwidth Band | | | 1 | 7 | 21.65 | 22.06 | 21.58 | 23.00 |
| B | | | 1 | 14 | 21.71 | 21.97 | 21.89 | 23.00 |
| B | | 16QAM | 8 | 0 | 20.54 | 20.44 | 20.58 | 22.00 |
| 15 | | | 8 | 4 | 20.42 | 20.59 | 20.14 | 22.00 |
| 1 | | | 8 | 7 | 20.33 | 20.49 | 20.50 | 22.00 |
| 1 | | | 15 | 0 | 20.39 | 20.51 | 20.44 | 22.00 |
| 1 | | | 1 | 0 | 20.90 | 20.59 | 20.69 | 22.00 |
| Bandwidth Section Se | | | 1 | 7 | 20.56 | 20.58 | 20.72 | 22.00 |
| Bandwidth Band | | | 1 | 14 | 20.99 | 20.84 | 21.04 | 22.00 |
| Bandwidth Modulation RB size RB offset Channel | | 64QAM | 8 | 0 | 19.91 | 19.97 | 19.98 | 21.00 |
| 15 | | | 8 | 4 | 19.94 | 19.91 | 19.77 | 21.00 |
| 1 | | | 8 | 7 | 19.81 | 19.85 | 19.64 | 21.00 |
| 1 | | | 15 | 0 | 19.68 | 19.88 | 19.70 | 21.00 |
| 1 | | | 1 | 0 | 17.57 | 17.73 | 17.59 | 19.00 |
| Bandwidth Band | | | 1 | 7 | 17.66 | 17.79 | 17.55 | 19.00 |
| Bandwidth Modulation RB size RB offset Channel | | | 1 | 14 | 17.91 | 17.87 | 17.81 | 19.00 |
| Bandwidth Modulation RB size RB offset Channel | | 256QAM | 8 | 0 | 17.68 | 17.68 | 17.50 | 19.00 |
| Bandwidth Modulation RB size RB offset Channel | | | 8 | 4 | 17.43 | 17.41 | 17.41 | 19.00 |
| Bandwidth Modulation RB size RB offset Channel Channel Channel Channel Tune 1 0 22.37 22.61 22.33 24. 1 13 22.25 22.40 22.41 24. 1 24 22.15 22.31 22.33 24. 12 0 21.42 21.45 21.52 23. 12 6 21.19 21.73 21.58 23. 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 8 | 7 | 17.47 | 17.46 | 17.58 | 19.00 |
| Bandwidth Modulation RB size RB offset 26065 26365 26665 Tune 1 0 22.37 22.61 22.33 24. 1 13 22.25 22.40 22.41 24. 1 24 22.15 22.31 22.33 24. 12 0 21.42 21.45 21.52 23. 12 6 21.19 21.73 21.58 23. 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 15 | 0 | 17.64 | 17.93 | 17.88 | 19.00 |
| PSK 1 0 26065 26365 26665 26365 26665 26365 26665 2636 | | | | | Channel | Channel | Channel | _ |
| QPSK 1 13 22.25 22.40 22.41 24 1 24 22.15 22.31 22.33 24 12 0 21.42 21.45 21.52 23 12 6 21.19 21.73 21.58 23 12 13 21.35 21.52 21.30 23 25 0 21.52 21.60 21.59 23 5MHz 1 0 21.62 21.87 21.54 23 | Bandwidth | Modulation | RB size | RB offset | 26065 | 26365 | 26665 | Tune up |
| QPSK 1 24 22.15 22.31 22.33 24. 12 0 21.42 21.45 21.52 23. 12 6 21.19 21.73 21.58 23. 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 1 | 0 | 22.37 | 22.61 | 22.33 | 24.00 |
| QPSK 12 0 21.42 21.45 21.52 23. 12 6 21.19 21.73 21.58 23. 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 1 | 13 | 22.25 | 22.40 | 22.41 | 24.00 |
| 12 6 21.19 21.73 21.58 23. 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 1 | 24 | 22.15 | 22.31 | 22.33 | 24.00 |
| 12 13 21.35 21.52 21.30 23. 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | QPSK | 12 | 0 | 21.42 | 21.45 | 21.52 | 23.00 |
| 25 0 21.52 21.60 21.59 23. 5MHz 1 0 21.62 21.87 21.54 23. | | | 12 | 6 | 21.19 | 21.73 | 21.58 | 23.00 |
| 5MHz 1 0 21.62 21.87 21.54 23. | | | 12 | 13 | 21.35 | 21.52 | 21.30 | 23.00 |
| | | | 25 | 0 | 21.52 | 21.60 | 21.59 | 23.00 |
| 1 13 21.84 22.02 21.63 23 | 5MHz | 5MHz | 1 | 0 | 21.62 | 21.87 | 21.54 | 23.00 |
| 1 13 21.04 22.02 21.03 23. | ····- | | 1 | 13 | 21.84 | 22.02 | 21.63 | 23.00 |
| 1 24 21.68 22.07 21.85 23. | | | 1 | 24 | 21.68 | 22.07 | 21.85 | 23.00 |
| 16QAM 12 0 20.58 20.58 20.50 22. | | 16QAM | 12 | 0 | 20.58 | 20.58 | 20.50 | 22.00 |
| 12 6 20.46 20.40 20.18 22. | | | 12 | 6 | 20.46 | 20.40 | 20.18 | 22.00 |
| 12 13 20.45 20.40 20.53 22. | | | 12 | 13 | 20.45 | 20.40 | 20.53 | 22.00 |
| 25 0 20.57 20.66 20.41 22. | | | 25 | 0 | 20.57 | 20.66 | 20.41 | 22.00 |
| 64QAM 1 0 20.84 20.69 20.58 22. | 1 | | | l | † | 1 | i e | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 13 | 20.40 | 20.60 | 20.64 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 24 | 20.95 | 20.95 | 21.10 | 22.00 |
| | | 12 | 0 | 20.03 | 19.94 | 19.72 | 21.00 |
| | | 12 | 6 | 19.69 | 19.81 | 19.77 | 21.00 |
| | | 12 | 13 | 19.86 | 19.94 | 19.91 | 21.00 |
| | | 25 | 0 | 19.72 | 19.76 | 19.70 | 21.00 |
| | | 1 | 0 | 17.61 | 17.68 | 17.73 | 19.00 |
| | | 1 | 13 | 17.85 | 17.68 | 17.69 | 19.00 |
| | | 1 | 24 | 17.71 | 17.80 | 17.64 | 19.00 |
| | 256QAM | 12 | 0 | 17.72 | 17.64 | 17.65 | 19.00 |
| | | 12 | 6 | 17.32 | 17.44 | 17.47 | 19.00 |
| | | 12 | 13 | 17.49 | 17.40 | 17.58 | 19.00 |
| | | 25 | 0 | 17.78 | 17.72 | 17.64 | 19.00 |
| Donal dtl | Moduleties | DD -: | DD 6#==+ | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 26090 | 26365 | 26640 | Tune up |
| | | 1 | 0 | 22.37 | 22.44 | 22.30 | 24.00 |
| | QPSK | 1 | 25 | 22.28 | 22.33 | 22.36 | 24.00 |
| | | 1 | 49 | 22.25 | 22.32 | 22.29 | 24.00 |
| | | 25 | 0 | 21.43 | 21.60 | 21.35 | 23.00 |
| | | 25 | 13 | 21.34 | 21.54 | 21.53 | 23.00 |
| | | 25 | 25 | 21.58 | 21.40 | 21.20 | 23.00 |
| | | 50 | 0 | 21.46 | 21.59 | 21.42 | 23.00 |
| | 16QAM | 1 | 0 | 21.73 | 21.90 | 21.52 | 23.00 |
| | | 1 | 25 | 21.80 | 22.10 | 21.52 | 23.00 |
| | | 1 | 49 | 21.67 | 21.99 | 21.86 | 23.00 |
| | | 25 | 0 | 20.58 | 20.72 | 20.38 | 22.00 |
| | | 25 | 13 | 20.55 | 20.44 | 20.19 | 22.00 |
| 10MHz | | 25 | 25 | 20.38 | 20.46 | 20.54 | 22.00 |
| | | 50 | 0 | 20.55 | 20.44 | 20.48 | 22.00 |
| | | 1 | 0 | 20.91 | 20.64 | 20.60 | 22.00 |
| | | 1 | 25 | 20.42 | 20.54 | 20.59 | 22.00 |
| | | 1 | 49 | 20.97 | 21.05 | 20.95 | 22.00 |
| | 64QAM | 25 | 0 | 19.85 | 19.99 | 19.90 | 21.00 |
| | | 25 | 13 | 19.81 | 19.80 | 19.78 | 21.00 |
| | | 25 | 25 | 19.90 | 19.80 | 19.76 | 21.00 |
| | | 50 | 0 | 19.69 | 19.87 | 19.62 | 21.00 |
| | | 1 | 0 | 17.70 | 17.71 | 17.65 | 19.00 |
| | 2560 414 | 1 | 25 | 17.67 | 17.75 | 17.52 | 19.00 |
| | 256QAM | 1 | 49 | 17.77 | 17.74 | 17.72 | 19.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 13 | 17.51 | 17.44 | 17.46 | 19.00 |
|------------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 25 | 25 | 17.58 | 17.42 | 17.44 | 19.00 |
| | | 50 | 0 | 17.62 | 17.73 | 17.85 | 19.00 |
| Daniel del | NA data | DD -i | DD - # | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 26115 | 26365 | 26615 | Tune up |
| | | 1 | 0 | 22.43 | 22.50 | 22.51 | 24.00 |
| | | 1 | 38 | 22.26 | 22.49 | 22.37 | 24.00 |
| | | 1 | 74 | 22.09 | 22.18 | 22.19 | 24.00 |
| | QPSK | 36 | 0 | 21.44 | 21.55 | 21.43 | 23.00 |
| | | 36 | 18 | 21.32 | 21.64 | 21.55 | 23.00 |
| | | 36 | 39 | 21.37 | 21.54 | 21.30 | 23.00 |
| | | 75 | 0 | 21.44 | 21.72 | 21.57 | 23.00 |
| | | 1 | 0 | 21.70 | 22.01 | 21.64 | 23.00 |
| | | 1 | 38 | 21.82 | 22.03 | 21.57 | 23.00 |
| | | 1 | 74 | 21.76 | 22.02 | 21.86 | 23.00 |
| | 16QAM | 36 | 0 | 20.65 | 20.43 | 20.42 | 22.00 |
| | | 36 | 18 | 20.41 | 20.51 | 20.38 | 22.00 |
| | | 36 | 39 | 20.38 | 20.58 | 20.50 | 22.00 |
| 15MHz | | 75 | 0 | 20.55 | 20.46 | 20.47 | 22.00 |
| TOWINZ | | 1 | 0 | 20.85 | 20.73 | 20.49 | 22.00 |
| | | 1 | 38 | 20.45 | 20.71 | 20.66 | 22.00 |
| | | 1 | 74 | 20.95 | 20.99 | 21.08 | 22.00 |
| | 64QAM | 36 | 0 | 19.93 | 19.94 | 19.80 | 21.00 |
| | | 36 | 18 | 19.76 | 19.76 | 19.63 | 21.00 |
| | | 36 | 39 | 19.79 | 19.73 | 19.74 | 21.00 |
| | | 75 | 0 | 19.81 | 19.88 | 19.77 | 21.00 |
| | | 1 | 0 | 17.77 | 17.75 | 17.81 | 19.00 |
| | | 1 | 38 | 17.90 | 17.63 | 17.62 | 19.00 |
| | | 1 | 74 | 17.88 | 17.85 | 17.84 | 19.00 |
| | 256QAM | 36 | 0 | 17.59 | 17.69 | 17.55 | 19.00 |
| | | 36 | 18 | 17.41 | 17.40 | 17.42 | 19.00 |
| | | 36 | 39 | 17.45 | 17.30 | 17.57 | 19.00 |
| | | 75 | 0 | 17.84 | 17.86 | 17.69 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwiutii | iviouulation | KD SIZE | KD Ollset | 26140 | 26365 | 26590 | rune up |
| | | 1 | 0 | 22.64 | 22.68 | 22.61 | 24.00 |
| | | 1 | 50 | 22.48 | 22.52 | 22.57 | 24.00 |
| 20MHz | QPSK | 1 | 99 | 22.53 | 22.57 | 22.59 | 24.00 |
| | | 50 | 0 | 21.72 | 21.77 | 21.79 | 23.00 |
| | | 50 | 25 | 21.63 | 21.83 | 21.73 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 50 | 50 | 21.86 | 21.79 | 21.59 | 23.00 |
|--|--------|-----|----|-------|-------|-------|-------|
| | | 100 | 0 | 21.73 | 21.73 | 21.75 | 23.00 |
| | | 1 | 0 | 22.14 | 22.13 | 21.95 | 23.00 |
| | | 1 | 50 | 22.12 | 22.13 | 21.91 | 23.00 |
| | | 1 | 99 | 22.04 | 22.21 | 22.16 | 23.00 |
| | 16QAM | 50 | 0 | 20.79 | 20.87 | 20.69 | 22.00 |
| | | 50 | 25 | 20.82 | 20.68 | 20.48 | 22.00 |
| | | 50 | 50 | 20.80 | 20.79 | 20.87 | 22.00 |
| | | 100 | 0 | 20.72 | 20.86 | 20.69 | 22.00 |
| | | 1 | 0 | 20.76 | 20.65 | 20.76 | 22.00 |
| | | 1 | 50 | 20.51 | 20.52 | 20.56 | 22.00 |
| | | 1 | 99 | 21.02 | 21.00 | 21.02 | 22.00 |
| | 64QAM | 50 | 0 | 19.79 | 19.91 | 19.86 | 21.00 |
| | | 50 | 25 | 19.69 | 19.84 | 19.67 | 21.00 |
| | | 50 | 50 | 19.88 | 19.67 | 19.69 | 21.00 |
| | 256QAM | 100 | 0 | 19.76 | 19.92 | 19.77 | 21.00 |
| | | 1 | 0 | 17.81 | 17.69 | 17.61 | 19.00 |
| | | 1 | 50 | 17.64 | 17.66 | 17.57 | 19.00 |
| | | 1 | 99 | 17.92 | 17.87 | 17.84 | 19.00 |
| | | 50 | 0 | 17.64 | 17.58 | 17.49 | 19.00 |
| | | 50 | 25 | 17.41 | 17.52 | 17.31 | 19.00 |
| | | 50 | 50 | 17.50 | 17.35 | 17.54 | 19.00 |
| | | 100 | 0 | 17.82 | 17.84 | 17.83 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | LTE Band 25 A | nt.3 Full power | | | Conducted Power(dBm) | | | |
|------------|---------------|-----------------|-----------|---------|----------------------|---------|---------|--|
| Daniel del | Madulada | DD -: | DD - "1 | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 26047 | 26365 | 26683 | Tune up | |
| | | 1 | 0 | 22.28 | 22.24 | 22.42 | 24.00 | |
| | | 1 | 2 | 22.42 | 22.40 | 22.35 | 24.00 | |
| | | 1 | 5 | 22.40 | 22.34 | 22.46 | 24.00 | |
| | QPSK | 3 | 0 | 22.56 | 22.43 | 22.29 | 24.00 | |
| | | 3 | 2 | 22.60 | 22.42 | 22.52 | 24.00 | |
| | | 3 | 3 | 22.40 | 22.43 | 22.39 | 24.00 | |
| | | 6 | 0 | 21.49 | 21.45 | 21.43 | 23.00 | |
| | | 1 | 0 | 21.64 | 21.76 | 21.71 | 23.00 | |
| | | 1 | 2 | 21.75 | 21.83 | 21.64 | 23.00 | |
| | | 1 | 5 | 21.79 | 21.69 | 21.52 | 23.00 | |
| 16QAM | 16QAM | 3 | 0 | 21.58 | 21.70 | 21.67 | 23.00 | |
| | | 3 | 2 | 21.57 | 21.67 | 21.48 | 23.00 | |
| | | 3 | 3 | 21.61 | 21.67 | 21.64 | 23.00 | |
| | | 6 | 0 | 20.39 | 20.41 | 20.43 | 22.00 | |
| 1.4MHz | | 1 | 0 | 20.63 | 20.58 | 20.61 | 22.00 | |
| | | 1 | 2 | 20.45 | 20.55 | 20.64 | 22.00 | |
| | | 1 | 5 | 20.92 | 20.86 | 21.02 | 22.00 | |
| | 64QAM | 3 | 0 | 20.41 | 20.45 | 20.29 | 22.00 | |
| | | 3 | 2 | 20.21 | 20.39 | 20.30 | 22.00 | |
| | | 3 | 3 | 20.23 | 20.25 | 20.16 | 22.00 | |
| | | 6 | 0 | 19.79 | 19.81 | 19.66 | 21.00 | |
| | | 1 | 0 | 17.72 | 17.68 | 17.71 | 19.00 | |
| | | 1 | 2 | 17.71 | 17.57 | 17.67 | 19.00 | |
| | | 1 | 5 | 17.81 | 17.87 | 17.89 | 19.00 | |
| | 256QAM | 3 | 0 | 17.66 | 17.57 | 17.53 | 19.00 | |
| | | 3 | 2 | 17.31 | 17.35 | 17.46 | 19.00 | |
| | | 3 | 3 | 17.56 | 17.33 | 17.47 | 19.00 | |
| | | 6 | 0 | 17.86 | 17.74 | 17.76 | 19.00 | |
| B1 : 111 | Marala d | DD : | DD " . | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 26055 | 26365 | 26675 | Tune up | |
| | | 1 | 0 | 22.55 | 22.58 | 22.44 | 24.00 | |
| | | 1 | 7 | 22.46 | 22.24 | 22.48 | 24.00 | |
| | 0.0014 | 1 | 14 | 22.34 | 22.27 | 22.37 | 24.00 | |
| 3MHz | QPSK | 8 | 0 | 21.38 | 21.43 | 21.32 | 23.00 | |
| | | 8 | 4 | 21.39 | 21.55 | 21.56 | 23.00 | |
| | | 8 | 7 | 21.46 | 21.47 | 21.20 | 23.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Signification Standards Technical Standards Te



Report No.: SUCR240900032706

Rev.: 01

| | | 15 | 0 | 21.41 | 21.46 | 21.44 | 23.00 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 0 | 21.58 | 21.86 | 21.52 | 23.00 |
| | | 1 | 7 | 21.73 | 22.00 | 21.50 | 23.00 |
| | | 1 | 14 | 21.73 | 21.93 | 21.91 | 23.00 |
| | 16QAM | 8 | 0 | 20.57 | 20.48 | 20.51 | 22.00 |
| | | 8 | 4 | 20.36 | 20.53 | 20.16 | 22.00 |
| | | 8 | 7 | 20.33 | 20.50 | 20.40 | 22.00 |
| | | 15 | 0 | 20.45 | 20.51 | 20.40 | 22.00 |
| | | 1 | 0 | 20.78 | 20.61 | 20.54 | 22.00 |
| | | 1 | 7 | 20.49 | 20.53 | 20.55 | 22.00 |
| | | 1 | 14 | 21.02 | 20.90 | 21.07 | 22.00 |
| | 64QAM | 8 | 0 | 19.91 | 19.96 | 19.87 | 21.00 |
| | | 8 | 4 | 19.89 | 19.84 | 19.69 | 21.00 |
| | | 8 | 7 | 19.79 | 19.79 | 19.73 | 21.00 |
| | | 15 | 0 | 19.78 | 19.94 | 19.61 | 21.00 |
| | | 1 | 0 | 17.65 | 17.66 | 17.57 | 19.00 |
| | | 1 | 7 | 17.74 | 17.65 | 17.56 | 19.00 |
| | | 1 | 14 | 17.93 | 17.79 | 17.80 | 19.00 |
| | 256QAM | 8 | 0 | 17.66 | 17.75 | 17.62 | 19.00 |
| | 2000, 1111 | 8 | 4 | 17.45 | 17.47 | 17.39 | 19.00 |
| | | 8 | 7 | 17.37 | 17.41 | 17.39 | 19.00 |
| | | 15 | 0 | 17.68 | 17.89 | 17.82 | 19.00 |
| 5 1 1 1111 | | 55 : | 55 " . | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 26065 | 26365 | 26665 | Tune up |
| | | 1 | 0 | 22.50 | 22.51 | 22.39 | 24.00 |
| | | 1 | 13 | 22.52 | 22.24 | 22.52 | 24.00 |
| | | 1 | 24 | 22.31 | 22.25 | 22.33 | 24.00 |
| | QPSK | 12 | 0 | 21.46 | 21.50 | 21.44 | 23.00 |
| | | 12 | 6 | 21.26 | 21.66 | 21.45 | 23.00 |
| | | 12 | 13 | 21.34 | 21.47 | 21.16 | 23.00 |
| | | 25 | 0 | 21.62 | 21.58 | 21.51 | 23.00 |
| F. 41.1 | | 1 | 0 | 21.75 | 21.81 | 21.57 | 23.00 |
| 5MHz | | 1 | 13 | 21.73 | 21.83 | 21.55 | 23.00 |
| 1 | | 1 | 24 | 21.62 | 22.08 | 21.87 | 23.00 |
| | 16QAM | 12 | 0 | 20.58 | 20.56 | 20.36 | 22.00 |
| | | 12 | 6 | 20.46 | 20.40 | 20.24 | 22.00 |
| | | 12 | 13 | 20.42 | 20.49 | 20.45 | 22.00 |
| | | 25 | 0 | 20.44 | 20.50 | 20.43 | 22.00 |
| | 040414 | 1 | 0 | 20.64 | 20.71 | 20.62 | 22.00 |
| | 64QAM | 1 | 13 | 20.36 | 20.52 | 20.59 | 22.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Signification Standards Technical Standards Te



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 24 | 20.98 | 20.88 | 21.05 | 22.00 |
|---------------|---------------------|---------|-----------|---------|---------|---------|---------|
| | | 12 | 0 | 20.03 | 19.98 | 19.76 | 21.00 |
| | | 12 | 6 | 19.69 | 19.85 | 19.71 | 21.00 |
| | | 12 | 13 | 19.86 | 19.81 | 19.88 | 21.00 |
| | | 25 | 0 | 19.78 | 19.85 | 19.72 | 21.00 |
| | | 1 | 0 | 17.55 | 17.59 | 17.77 | 19.00 |
| | | 1 | 13 | 17.69 | 17.72 | 17.55 | 19.00 |
| | | 1 | 24 | 17.76 | 17.73 | 17.78 | 19.00 |
| | 256QAM | 12 | 0 | 17.62 | 17.59 | 17.61 | 19.00 |
| | | 12 | 6 | 17.37 | 17.36 | 17.43 | 19.00 |
| | | 12 | 13 | 17.57 | 17.42 | 17.52 | 19.00 |
| | | 25 | 0 | 17.84 | 17.78 | 17.64 | 19.00 |
| Donah wi alth | andwidth Modulation | DD oize | DD offeet | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 26090 | 26365 | 26640 | Tune up |
| | QPSK | 1 | 0 | 22.53 | 22.51 | 22.40 | 24.00 |
| | | 1 | 25 | 22.53 | 22.35 | 22.43 | 24.00 |
| | | 1 | 49 | 22.37 | 22.33 | 22.40 | 24.00 |
| | | 25 | 0 | 21.36 | 21.49 | 21.34 | 23.00 |
| | | 25 | 13 | 21.31 | 21.62 | 21.49 | 23.00 |
| | | 25 | 25 | 21.44 | 21.52 | 21.26 | 23.00 |
| | | 50 | 0 | 21.42 | 21.56 | 21.43 | 23.00 |
| | 16QAM | 1 | 0 | 21.69 | 21.84 | 21.55 | 23.00 |
| | | 1 | 25 | 21.80 | 21.99 | 21.46 | 23.00 |
| | | 1 | 49 | 21.65 | 22.01 | 21.94 | 23.00 |
| | | 25 | 0 | 20.59 | 20.56 | 20.37 | 22.00 |
| 10MHz | | 25 | 13 | 20.49 | 20.54 | 20.28 | 22.00 |
| | | 25 | 25 | 20.34 | 20.38 | 20.57 | 22.00 |
| | | 50 | 0 | 20.36 | 20.43 | 20.41 | 22.00 |
| | | 1 | 0 | 20.76 | 20.58 | 20.64 | 22.00 |
| | | 1 | 25 | 20.40 | 20.55 | 20.60 | 22.00 |
| | | 1 | 49 | 21.02 | 20.96 | 21.09 | 22.00 |
| | 64QAM | 25 | 0 | 19.81 | 19.97 | 19.87 | 21.00 |
| | | 25 | 13 | 19.77 | 19.84 | 19.67 | 21.00 |
| | | 25 | 25 | 19.87 | 19.80 | 19.75 | 21.00 |
| | | 50 | 0 | 19.74 | 19.76 | 19.75 | 21.00 |
| | | 1 | 0 | 17.68 | 17.66 | 17.63 | 19.00 |
| | | 1 | 25 | 17.66 | 17.66 | 17.50 | 19.00 |
| | 256QAM | 1 | 49 | 17.85 | 17.80 | 17.73 | 19.00 |
| | | 25 | 0 | 17.66 | 17.69 | 17.48 | 19.00 |
| | | 25 | 13 | 17.49 | 17.43 | 17.50 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 25 | 17.46 | 17.37 | 17.40 | 19.00 |
|------------|------------|----------|------------|---------|---------|---------|----------|
| | | 50 | 0 | 17.75 | 17.74 | 17.70 | 19.00 |
| | | | 55 " | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 26115 | 26365 | 26615 | Tune up |
| | | 1 | 0 | 22.50 | 22.49 | 22.50 | 24.00 |
| | | 1 | 38 | 22.35 | 22.40 | 22.43 | 24.00 |
| | | 1 | 74 | 22.35 | 22.22 | 22.30 | 24.00 |
| | QPSK | 36 | 0 | 21.37 | 21.52 | 21.36 | 23.00 |
| | | 36 | 18 | 21.33 | 21.57 | 21.46 | 23.00 |
| | | 36 | 39 | 21.49 | 21.47 | 21.28 | 23.00 |
| | | 75 | 0 | 21.45 | 21.56 | 21.46 | 23.00 |
| | | 1 | 0 | 21.80 | 21.98 | 21.62 | 23.00 |
| | | 1 | 38 | 21.89 | 22.07 | 21.61 | 23.00 |
| | | 1 | 74 | 21.81 | 22.01 | 21.90 | 23.00 |
| | 16QAM | 36 | 0 | 20.60 | 20.52 | 20.45 | 22.00 |
| | | 36 | 18 | 20.43 | 20.44 | 20.21 | 22.00 |
| | | 36 | 39 | 20.31 | 20.51 | 20.36 | 22.00 |
| 15MHz | | 75 | 0 | 20.47 | 20.50 | 20.43 | 22.00 |
| ISMITZ | | 1 | 0 | 20.68 | 20.66 | 20.55 | 22.00 |
| | | 1 | 38 | 20.48 | 20.59 | 20.56 | 22.00 |
| | | 1 | 74 | 21.04 | 20.90 | 21.07 | 22.00 |
| | 64QAM | 36 | 0 | 20.00 | 19.99 | 19.82 | 21.00 |
| | | 36 | 18 | 19.75 | 19.85 | 19.70 | 21.00 |
| | | 36 | 39 | 19.86 | 19.75 | 19.71 | 21.00 |
| | | 75 | 0 | 19.83 | 19.84 | 19.82 | 21.00 |
| | | 1 | 0 | 17.58 | 17.62 | 17.68 | 19.00 |
| | | 1 | 38 | 17.79 | 17.71 | 17.57 | 19.00 |
| | | 1 | 74 | 17.90 | 17.65 | 17.90 | 19.00 |
| | 256QAM | 36 | 0 | 17.57 | 17.63 | 17.55 | 19.00 |
| | | 36 | 18 | 17.44 | 17.41 | 17.37 | 19.00 |
| | | 36 | 39 | 17.50 | 17.29 | 17.46 | 19.00 |
| | | 75 | 0 | 17.77 | 17.82 | 17.75 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danawiatii | Wodulation | IVD SIZE | IVD Ollset | 26140 | 26365 | 26590 | Turie up |
| | | 1 | 0 | 22.58 | 22.62 | 22.55 | 24.00 |
| | | 1 | 50 | 22.48 | 22.60 | 22.51 | 24.00 |
| 20MHz | QPSK | 1 | 99 | 22.37 | 22.57 | 22.56 | 24.00 |
| ZVIVITZ | Qi Sit | 50 | 0 | 21.80 | 21.87 | 21.74 | 23.00 |
| | | 50 | 25 | 21.74 | 21.84 | 21.67 | 23.00 |
| | | 50 | 50 | 21.72 | 21.73 | 21.49 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 100 | 0 | 21.66 | 21.83 | 21.62 | 23.00 |
|--|--------|-----|-------|-------|-------|-------|-------|
| | 1 | 0 | 22.06 | 22.13 | 21.96 | 23.00 | |
| | | 1 | 50 | 22.12 | 22.13 | 21.77 | 23.00 |
| | | 1 | 99 | 22.06 | 22.15 | 22.10 | 23.00 |
| | 16QAM | 50 | 0 | 20.88 | 20.86 | 20.65 | 22.00 |
| | | 50 | 25 | 20.65 | 20.60 | 20.43 | 22.00 |
| | | 50 | 50 | 20.74 | 20.83 | 20.73 | 22.00 |
| | | 100 | 0 | 20.62 | 20.89 | 20.67 | 22.00 |
| | | 1 | 0 | 20.71 | 20.55 | 20.62 | 22.00 |
| | | 1 | 50 | 20.55 | 20.43 | 20.61 | 22.00 |
| | | 1 | 99 | 20.92 | 20.99 | 20.91 | 22.00 |
| | 64QAM | 50 | 0 | 19.80 | 19.97 | 19.79 | 21.00 |
| | | 50 | 25 | 19.67 | 19.94 | 19.71 | 21.00 |
| | 256QAM | 50 | 50 | 19.89 | 19.68 | 19.64 | 21.00 |
| | | 100 | 0 | 19.77 | 19.86 | 19.63 | 21.00 |
| | | 1 | 0 | 17.78 | 17.54 | 17.67 | 19.00 |
| | | 1 | 50 | 17.71 | 17.66 | 17.51 | 19.00 |
| | | 1 | 99 | 17.82 | 17.86 | 17.75 | 19.00 |
| | | 50 | 0 | 17.54 | 17.55 | 17.53 | 19.00 |
| | | 50 | 25 | 17.43 | 17.40 | 17.33 | 19.00 |
| | | 50 | 50 | 17.47 | 17.38 | 17.47 | 19.00 |
| | | 100 | 0 | 17.80 | 17.86 | 17.77 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.9 Conducted Power of LTE Band 26

| | LTE Band 26 A | nt.0 Full power | | | Conducted | Power(dBm) | |
|-------------|---------------|-----------------|-----------|---------|-----------|------------|---------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Balluwidili | Wodulation | KD SIZE | KB oliset | 26697 | 26865 | 27033 | rune up |
| | | 1 | 0 | 22.54 | 22.58 | 22.54 | 24.50 |
| | | 1 | 2 | 22.52 | 22.51 | 22.63 | 24.50 |
| | | 1 | 5 | 22.69 | 22.65 | 22.59 | 24.50 |
| | QPSK | 3 | 0 | 22.51 | 22.53 | 22.54 | 24.50 |
| | | 3 | 2 | 22.78 | 22.51 | 22.88 | 24.50 |
| | | 3 | 3 | 22.55 | 22.51 | 22.54 | 24.50 |
| | | 6 | 0 | 21.65 | 21.54 | 21.75 | 23.50 |
| | | 1 | 0 | 21.92 | 21.94 | 21.94 | 23.50 |
| | 16QAM | 1 | 2 | 21.74 | 21.98 | 21.67 | 23.50 |
| | | 1 | 5 | 21.82 | 21.84 | 21.99 | 23.50 |
| | | 3 | 0 | 21.78 | 21.75 | 21.97 | 23.50 |
| | | 3 | 2 | 21.73 | 21.56 | 21.92 | 23.50 |
| | | 3 | 3 | 21.73 | 22.09 | 21.95 | 23.50 |
| 1.4MHz | | 6 | 0 | 20.51 | 20.67 | 20.67 | 22.50 |
| 1.4WHZ | | 1 | 0 | 21.06 | 21.03 | 20.98 | 22.50 |
| | | 1 | 2 | 20.88 | 20.97 | 20.91 | 22.50 |
| | | 1 | 5 | 21.21 | 21.20 | 21.39 | 22.50 |
| | 64QAM | 3 | 0 | 20.69 | 20.73 | 20.68 | 22.50 |
| | | 3 | 2 | 20.52 | 20.71 | 20.52 | 22.50 |
| | | 3 | 3 | 20.68 | 20.52 | 20.73 | 22.50 |
| | | 6 | 0 | 20.11 | 20.17 | 19.92 | 21.50 |
| | | 1 | 0 | 18.03 | 17.93 | 18.15 | 19.50 |
| | | 1 | 2 | 18.05 | 18.02 | 17.99 | 19.50 |
| | | 1 | 5 | 18.19 | 18.09 | 18.23 | 19.50 |
| | 256QAM | 3 | 0 | 17.99 | 17.94 | 17.85 | 19.50 |
| | | 3 | 2 | 17.65 | 17.73 | 17.66 | 19.50 |
| | | 3 | 3 | 17.79 | 17.71 | 17.89 | 19.50 |
| | | 6 | 0 | 18.09 | 18.17 | 18.19 | 19.50 |
| Downstald! | NA - duda Ca | DD -: | DD - " | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 26705 | 26865 | 27025 | Tune up |
| | | 1 | 0 | 22.87 | 22.90 | 22.88 | 24.50 |
| | | 1 | 7 | 22.63 | 22.75 | 22.58 | 24.50 |
| 3MHz | QPSK | 1 | 14 | 22.72 | 22.67 | 22.52 | 24.50 |
| | | 8 | 0 | 21.88 | 21.84 | 21.86 | 23.50 |
| | | 8 | 4 | 21.87 | 21.75 | 21.92 | 23.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 1 | | 1 | 1 | 1 |
|---------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 8 | 7 | 21.89 | 21.74 | 21.66 | 23.50 |
| | | 15 | 0 | 21.94 | 21.73 | 21.86 | 23.50 |
| | | 1 | 0 | 22.24 | 22.26 | 22.05 | 23.50 |
| | | 1 | 7 | 22.01 | 22.14 | 22.02 | 23.50 |
| | | 1 | 14 | 22.16 | 22.43 | 22.24 | 23.50 |
| | 16QAM | 8 | 0 | 20.95 | 20.80 | 20.78 | 22.50 |
| | | 8 | 4 | 20.73 | 20.72 | 20.74 | 22.50 |
| | | 8 | 7 | 20.63 | 20.64 | 20.93 | 22.50 |
| | | 15 | 0 | 20.62 | 20.93 | 20.87 | 22.50 |
| | | 1 | 0 | 20.95 | 20.97 | 21.03 | 22.50 |
| | | 1 | 7 | 20.85 | 20.90 | 21.00 | 22.50 |
| | | 1 | 14 | 21.24 | 21.34 | 21.43 | 22.50 |
| | 64QAM | 8 | 0 | 20.21 | 20.15 | 20.28 | 21.50 |
| | | 8 | 4 | 20.11 | 20.14 | 19.93 | 21.50 |
| | | 8 | 7 | 20.16 | 20.08 | 20.08 | 21.50 |
| | | 15 | 0 | 20.23 | 20.20 | 19.92 | 21.50 |
| | | 1 | 0 | 18.00 | 17.91 | 18.01 | 19.50 |
| | | 1 | 7 | 18.04 | 18.05 | 17.76 | 19.50 |
| | | 1 | 14 | 18.25 | 18.22 | 18.20 | 19.50 |
| | 256QAM | 8 | 0 | 17.99 | 18.07 | 17.89 | 19.50 |
| | | 8 | 4 | 17.58 | 17.73 | 17.88 | 19.50 |
| | | 8 | 7 | 18.03 | 17.78 | 17.96 | 19.50 |
| | | 15 | 0 | 18.15 | 18.13 | 18.11 | 19.50 |
| Dan desi dala | Madulatian | DD sins | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 26715 | 26865 | 27015 | Tune up |
| | | 1 | 0 | 22.97 | 22.89 | 22.78 | 24.50 |
| | | 1 | 13 | 22.65 | 22.72 | 22.51 | 24.50 |
| | | 1 | 24 | 22.70 | 22.73 | 22.59 | 24.50 |
| | QPSK | 12 | 0 | 21.71 | 21.87 | 21.99 | 23.50 |
| | | 12 | 6 | 21.64 | 21.81 | 21.75 | 23.50 |
| | | 12 | 13 | 21.78 | 21.83 | 21.54 | 23.50 |
| | | 25 | 0 | 22.05 | 21.68 | 21.96 | 23.50 |
| 5MHz | 5MHz | 1 | 0 | 22.11 | 22.23 | 22.16 | 23.50 |
| | | 1 | 13 | 22.05 | 22.16 | 21.96 | 23.50 |
| | | 1 | 24 | 22.09 | 22.38 | 22.20 | 23.50 |
| | 16QAM | 12 | 0 | 21.03 | 21.01 | 20.69 | 22.50 |
| | | 12 | 6 | 20.77 | 20.81 | 20.66 | 22.50 |
| | | 12 | 13 | 20.58 | 20.82 | 20.74 | 22.50 |
| | | 25 | 0 | 20.69 | 20.76 | 20.82 | 22.50 |
| | 64QAM | 1 | 0 | 21.24 | 21.05 | 20.99 | 22.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Lth.)
Weeters Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 13 | 20.82 | 21.02 | 20.90 | 22.50 |
|--------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 24 | 21.39 | 21.35 | 21.44 | 22.50 |
| | | 12 | 0 | 20.46 | 20.28 | 20.31 | 21.50 |
| | | 12 | 6 | 20.22 | 20.23 | 20.07 | 21.50 |
| | | 12 | 13 | 20.16 | 20.22 | 20.02 | 21.50 |
| | | 25 | 0 | 20.25 | 20.15 | 20.07 | 21.50 |
| | | 1 | 0 | 18.00 | 18.07 | 17.96 | 19.50 |
| | | 1 | 13 | 18.00 | 18.01 | 17.94 | 19.50 |
| | | 1 | 24 | 18.06 | 18.16 | 18.08 | 19.50 |
| | 256QAM | 12 | 0 | 17.97 | 18.02 | 17.93 | 19.50 |
| | | 12 | 6 | 17.71 | 17.81 | 17.78 | 19.50 |
| | | 12 | 13 | 17.80 | 17.78 | 17.87 | 19.50 |
| | | 25 | 0 | 17.99 | 18.08 | 18.01 | 19.50 |
| Donal wielth | Modulatian | DD -: | DD 6#==+ | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 26750 | 26865 | 26990 | Tune up |
| | | 1 | 0 | 22.92 | 22.91 | 22.92 | 24.50 |
| | QPSK | 1 | 25 | 22.74 | 22.74 | 22.54 | 24.50 |
| | | 1 | 49 | 22.60 | 22.73 | 22.55 | 24.50 |
| | | 25 | 0 | 21.78 | 21.93 | 21.81 | 23.50 |
| | | 25 | 13 | 21.69 | 21.78 | 21.93 | 23.50 |
| | | 25 | 25 | 21.77 | 21.83 | 21.56 | 23.50 |
| | | 50 | 0 | 21.97 | 21.82 | 21.91 | 23.50 |
| | 16QAM | 1 | 0 | 22.06 | 22.35 | 22.13 | 23.50 |
| | | 1 | 25 | 22.17 | 22.25 | 21.97 | 23.50 |
| | | 1 | 49 | 21.97 | 22.53 | 22.23 | 23.50 |
| 10MHz | | 25 | 0 | 21.03 | 20.80 | 20.64 | 22.50 |
| | | 25 | 13 | 20.72 | 20.67 | 20.81 | 22.50 |
| | | 25 | 25 | 20.75 | 20.70 | 20.93 | 22.50 |
| | | 50 | 0 | 20.66 | 20.92 | 20.83 | 22.50 |
| | | 1 | 0 | 21.12 | 20.85 | 21.03 | 22.50 |
| | | 1 | 25 | 20.87 | 20.78 | 20.82 | 22.50 |
| | | 1 | 49 | 21.28 | 21.20 | 21.27 | 22.50 |
| | 64QAM | 25 | 0 | 20.29 | 20.25 | 20.25 | 21.50 |
| | | 25 | 13 | 20.15 | 20.30 | 20.07 | 21.50 |
| | | 25 | 25 | 20.22 | 20.14 | 20.05 | 21.50 |
| | | 25 | 25 | 20.10 | 20.31 | 19.97 | 21.50 |
| | | 1 | 0 | 18.07 | 17.96 | 17.95 | 19.50 |
| | 0500444 | 1 | 25 | 18.09 | 18.00 | 17.89 | 19.50 |
| | 256QAM | 1 | 49 | 18.25 | 18.12 | 18.04 | 19.50 |
| | | 25 | 0 | 17.96 | 17.99 | 18.01 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 13 | 17.90 | 17.77 | 17.86 | 19.50 |
|-----------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 25 | 25 | 17.90 | 17.70 | 17.75 | 19.50 |
| | | 25 | 25 | 18.18 | 18.13 | 18.08 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Danuwium | iviodulation | KD Size | RD Ollset | 26775 | 26865 | 26965 | Tune up |
| | | 1 | 0 | 23.16 | 23.24 | 23.09 | 24.50 |
| | | 1 | 38 | 22.87 | 22.92 | 22.88 | 24.50 |
| | | 1 | 74 | 22.92 | 22.85 | 22.84 | 24.50 |
| | QPSK | 36 | 0 | 21.94 | 21.74 | 21.86 | 23.50 |
| | | 36 | 18 | 21.83 | 21.68 | 21.81 | 23.50 |
| | | 36 | 39 | 21.83 | 21.79 | 21.65 | 23.50 |
| | | 75 | 0 | 21.81 | 21.73 | 21.84 | 23.50 |
| | | 1 | 0 | 22.14 | 22.10 | 22.12 | 23.50 |
| | 16QAM | 1 | 38 | 22.00 | 22.18 | 22.02 | 23.50 |
| | | 1 | 74 | 22.06 | 22.42 | 22.17 | 23.50 |
| | | 36 | 0 | 21.11 | 20.82 | 20.73 | 22.50 |
| | | 36 | 18 | 20.68 | 20.84 | 20.62 | 22.50 |
| | | 36 | 39 | 20.70 | 20.72 | 20.81 | 22.50 |
| 15MHz | | 75 | 0 | 20.60 | 20.83 | 20.78 | 22.50 |
| ISWIFIZ | | 1 | 0 | 20.99 | 21.00 | 21.10 | 22.50 |
| | | 1 | 38 | 20.86 | 20.91 | 20.94 | 22.50 |
| | | 1 | 74 | 21.23 | 21.39 | 21.40 | 22.50 |
| | 64QAM | 36 | 0 | 20.26 | 20.11 | 20.23 | 21.50 |
| | | 36 | 18 | 19.99 | 20.15 | 20.07 | 21.50 |
| | | 36 | 39 | 20.11 | 20.10 | 20.10 | 21.50 |
| | | 75 | 0 | 20.17 | 20.26 | 19.90 | 21.50 |
| | | 1 | 0 | 17.91 | 17.90 | 18.01 | 19.50 |
| | | 1 | 38 | 18.16 | 17.84 | 17.90 | 19.50 |
| | | 1 | 74 | 18.17 | 18.09 | 18.04 | 19.50 |
| | 256QAM | 36 | 0 | 17.94 | 18.04 | 17.93 | 19.50 |
| | | 36 | 18 | 17.69 | 17.65 | 17.59 | 19.50 |
| | | 36 | 39 | 17.82 | 17.54 | 17.88 | 19.50 |
| | | 75 | 0 | 18.12 | 18.11 | 18.06 | 19.50 |

| | LTE Band 26 A | nt.3 Full power | | | Conducted l | Power(dBm) | | | |
|-------------|---------------|-----------------|-----------|---------|-------------------------|------------|---------|--|--|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel Channel Channel | | | | |
| Bandwidth | Modulation | ND SIZE | KD Ollset | 26697 | 26865 | 27033 | Tune up | | |
| 4 4MU- ODCK | | 1 | 0 | 22.71 | 22.65 | 22.62 | 24.50 | | |
| 1.4MHz | QPSK - | 1 | 2 | 22.53 | 22.68 | 22.69 | 24.50 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 5 | 22.77 | 22.69 | 22.66 | 24.50 |
|-------------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 3 | 0 | 22.55 | 22.60 | 22.73 | 24.50 |
| | | 3 | 2 | 22.62 | 22.59 | 22.79 | 24.50 |
| | | 3 | 3 | 22.70 | 22.66 | 22.64 | 24.50 |
| | | 6 | 0 | 21.68 | 21.64 | 21.79 | 23.50 |
| | | 1 | 0 | 21.90 | 21.99 | 22.11 | 23.50 |
| | | 1 | 2 | 21.87 | 22.04 | 21.83 | 23.50 |
| | | 1 | 5 | 21.95 | 21.82 | 22.07 | 23.50 |
| | 16QAM | 3 | 0 | 21.80 | 21.81 | 22.03 | 23.50 |
| | | 3 | 2 | 21.80 | 21.71 | 21.90 | 23.50 |
| | | 3 | 3 | 21.87 | 21.99 | 21.98 | 23.50 |
| | | 6 | 0 | 20.66 | 20.77 | 20.82 | 22.50 |
| | | 1 | 0 | 21.01 | 21.13 | 21.00 | 22.50 |
| | | 1 | 2 | 20.94 | 20.95 | 21.02 | 22.50 |
| | | 1 | 5 | 21.31 | 21.34 | 21.32 | 22.50 |
| | 64QAM | 3 | 0 | 20.76 | 20.85 | 20.82 | 22.50 |
| | | 3 | 2 | 20.59 | 20.85 | 20.57 | 22.50 |
| | | 3 | 3 | 20.72 | 20.67 | 20.76 | 22.50 |
| | | 6 | 0 | 20.16 | 20.28 | 20.00 | 21.50 |
| | | 1 | 0 | 18.06 | 18.07 | 18.20 | 19.50 |
| | | 1 | 2 | 18.07 | 18.15 | 18.02 | 19.50 |
| | 256QAM | 1 | 5 | 18.18 | 18.10 | 18.26 | 19.50 |
| | | 3 | 0 | 18.07 | 17.94 | 17.95 | 19.50 |
| | | 3 | 2 | 17.75 | 17.74 | 17.83 | 19.50 |
| | | 3 | 3 | 18.00 | 17.91 | 18.03 | 19.50 |
| | | 6 | 0 | 18.16 | 18.24 | 18.13 | 19.50 |
| Dan desidab | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | iviodulation | RD SIZE | KD Ollset | 26705 | 26865 | 27025 | Tune up |
| | | 1 | 0 | 22.96 | 22.97 | 22.96 | 24.50 |
| | | 1 | 7 | 22.63 | 22.85 | 22.59 | 24.50 |
| | | 1 | 14 | 22.75 | 22.72 | 22.61 | 24.50 |
| | QPSK | 8 | 0 | 21.90 | 21.96 | 21.97 | 23.50 |
| | | 8 | 4 | 21.85 | 21.88 | 22.00 | 23.50 |
| 3MHz | | 8 | 7 | 21.80 | 21.90 | 21.71 | 23.50 |
| SIVITZ | | 15 | 0 | 21.92 | 21.87 | 21.89 | 23.50 |
| | | 1 | 0 | 22.25 | 22.20 | 22.20 | 23.50 |
| | | 1 | 7 | 22.11 | 22.19 | 22.16 | 23.50 |
| | 16QAM | 1 | 14 | 22.22 | 22.51 | 22.31 | 23.50 |
| | | 8 | 0 | 21.06 | 20.92 | 20.81 | 22.50 |
| | | 8 | 4 | 20.80 | 20.87 | 20.83 | 22.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 8 | 7 | 20.82 | 20.91 | 20.93 | 22.50 |
|---------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 15 | 0 | 20.73 | 20.91 | 20.91 | 22.50 |
| | | 1 | 0 | 21.09 | 21.05 | 21.07 | 22.50 |
| | | 1 | 7 | 20.80 | 20.93 | 21.10 | 22.50 |
| | | 1 | 14 | 21.33 | 21.37 | 21.47 | 22.50 |
| | 64QAM | 8 | 0 | 20.23 | 20.25 | 20.18 | 21.50 |
| | | 8 | 4 | 20.23 | 20.29 | 20.06 | 21.50 |
| | | 8 | 7 | 20.23 | 20.21 | 20.15 | 21.50 |
| | | 15 | 0 | 20.33 | 20.17 | 20.07 | 21.50 |
| | | 1 | 0 | 18.15 | 18.09 | 18.11 | 19.50 |
| | | 1 | 7 | 18.16 | 18.06 | 17.98 | 19.50 |
| | | 1 | 14 | 18.32 | 18.25 | 18.24 | 19.50 |
| | 256QAM | 8 | 0 | 18.10 | 18.09 | 17.96 | 19.50 |
| | | 8 | 4 | 17.77 | 17.86 | 17.87 | 19.50 |
| | | 8 | 7 | 17.99 | 17.88 | 17.98 | 19.50 |
| | | 15 | 0 | 18.30 | 18.22 | 18.22 | 19.50 |
| Donadoui déla | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RD SIZE | RD Ollset | 26715 | 26865 | 27015 | Tune up |
| | | 1 | 0 | 23.02 | 22.97 | 22.87 | 24.50 |
| | | 1 | 13 | 22.64 | 22.86 | 22.54 | 24.50 |
| | | 1 | 24 | 22.66 | 22.83 | 22.68 | 24.50 |
| | QPSK | 12 | 0 | 21.83 | 21.89 | 21.94 | 23.50 |
| | | 12 | 6 | 21.79 | 21.89 | 21.83 | 23.50 |
| | | 12 | 13 | 21.95 | 22.00 | 21.67 | 23.50 |
| | | 25 | 0 | 22.00 | 21.78 | 22.05 | 23.50 |
| | | 1 | 0 | 22.23 | 22.21 | 22.22 | 23.50 |
| | | 1 | 13 | 22.11 | 22.27 | 21.97 | 23.50 |
| | | 1 | 24 | 22.19 | 22.51 | 22.45 | 23.50 |
| 5MHz | 16QAM | 12 | 0 | 21.16 | 20.99 | 20.81 | 22.50 |
| SIVIFIZ | | 12 | 6 | 20.90 | 20.91 | 20.79 | 22.50 |
| | | 12 | 13 | 20.80 | 20.84 | 20.93 | 22.50 |
| | | 25 | 0 | 20.80 | 20.95 | 20.87 | 22.50 |
| | | 1 | 0 | 21.21 | 21.04 | 21.03 | 22.50 |
| | | 1 | 13 | 20.92 | 21.02 | 20.88 | 22.50 |
| | | 1 | 24 | 21.37 | 21.45 | 21.39 | 22.50 |
| | 64QAM | 12 | 0 | 20.46 | 20.32 | 20.36 | 21.50 |
| | | 12 | 6 | 20.22 | 20.38 | 20.08 | 21.50 |
| | | 12 | 13 | 20.27 | 20.24 | 20.12 | 21.50 |
| | | 25 | 0 | 20.31 | 20.31 | 20.16 | 21.50 |
| | 256QAM | 1 | 0 | 18.11 | 18.20 | 17.94 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 13 | 18.20 | 17.99 | 17.95 | 19.50 |
|--------------|---------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 24 | 18.22 | 18.18 | 18.22 | 19.50 |
| | | 12 | 0 | 18.12 | 18.02 | 17.97 | 19.50 |
| | | 12 | 6 | 17.66 | 17.89 | 17.90 | 19.50 |
| | | 12 | 13 | 17.96 | 17.79 | 17.91 | 19.50 |
| | | 25 | 0 | 18.22 | 18.27 | 18.13 | 19.50 |
| Donadoui déb | Madulatian | DD sins | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 26750 | 26865 | 26990 | Tune up |
| | | 1 | 0 | 22.95 | 23.04 | 22.95 | 24.50 |
| | | 1 | 25 | 22.67 | 22.84 | 22.55 | 24.50 |
| | | 1 | 49 | 22.64 | 22.81 | 22.71 | 24.50 |
| | QPSK | 25 | 0 | 21.79 | 21.89 | 21.88 | 23.50 |
| | | 25 | 13 | 21.71 | 21.94 | 21.96 | 23.50 |
| | | 25 | 25 | 21.89 | 21.89 | 21.74 | 23.50 |
| | | 50 | 0 | 21.93 | 21.86 | 21.95 | 23.50 |
| | | 1 | 0 | 22.28 | 22.41 | 22.17 | 23.50 |
| | | 1 | 25 | 22.09 | 22.22 | 22.14 | 23.50 |
| | | 1 | 49 | 22.20 | 22.53 | 22.30 | 23.50 |
| | 16QAM | 25 | 0 | 21.08 | 21.02 | 20.74 | 22.50 |
| | | 25 | 13 | 20.83 | 20.79 | 20.88 | 22.50 |
| | | 25 | 25 | 20.68 | 20.69 | 20.91 | 22.50 |
| 40001- | | 50 | 0 | 20.78 | 20.92 | 20.88 | 22.50 |
| 10MHz | | 1 | 0 | 21.18 | 21.10 | 21.08 | 22.50 |
| | | 1 | 25 | 20.95 | 20.86 | 21.00 | 22.50 |
| | | 1 | 49 | 21.45 | 21.35 | 21.40 | 22.50 |
| | 64QAM | 25 | 0 | 20.45 | 20.33 | 20.32 | 21.50 |
| | | 25 | 13 | 20.13 | 20.26 | 20.09 | 21.50 |
| | | 25 | 25 | 20.29 | 20.30 | 20.15 | 21.50 |
| | | 25 | 25 | 20.16 | 20.37 | 20.11 | 21.50 |
| | | 1 | 0 | 18.05 | 18.00 | 18.12 | 19.50 |
| | | 1 | 25 | 18.05 | 18.01 | 17.90 | 19.50 |
| | | 1 | 49 | 18.27 | 18.32 | 18.14 | 19.50 |
| | 256QAM | 25 | 0 | 18.00 | 18.04 | 18.09 | 19.50 |
| | | 25 | 13 | 17.89 | 17.80 | 17.89 | 19.50 |
| | | 25 | 25 | 18.02 | 17.75 | 17.92 | 19.50 |
| | | 25 | 25 | 18.19 | 18.25 | 18.11 | 19.50 |
| | NA - de de Ca | DD -: | DD - " | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 26775 | 26865 | 26965 | Tune up |
| 45841- | ODOK | 1 | 0 | 23.04 | 23.12 | 23.10 | 24.50 |
| 15MHz | QPSK | 1 | 38 | 22.65 | 22.91 | 22.62 | 24.50 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 74 | 22.71 | 22.91 | 22.71 | 24.50 |
|--|--------|----|----|-------|-------|-------|-------|
| | | 36 | 0 | 21.95 | 21.91 | 22.06 | 23.50 |
| | | 36 | 18 | 21.75 | 21.82 | 21.95 | 23.50 |
| | | 36 | 39 | 21.82 | 21.90 | 21.72 | 23.50 |
| | | 75 | 0 | 21.95 | 21.87 | 21.92 | 23.50 |
| | | 1 | 0 | 22.17 | 22.27 | 22.26 | 23.50 |
| | | 1 | 38 | 22.09 | 22.15 | 22.14 | 23.50 |
| | | 1 | 74 | 22.13 | 22.45 | 22.29 | 23.50 |
| | 16QAM | 36 | 0 | 21.08 | 20.99 | 20.76 | 22.50 |
| | | 36 | 18 | 20.72 | 20.81 | 20.86 | 22.50 |
| | | 36 | 39 | 20.75 | 20.82 | 20.96 | 22.50 |
| | | 75 | 0 | 20.68 | 20.94 | 20.93 | 22.50 |
| | | 1 | 0 | 21.12 | 21.07 | 21.03 | 22.50 |
| | | 1 | 38 | 20.88 | 21.03 | 21.08 | 22.50 |
| | | 1 | 74 | 21.45 | 21.31 | 21.49 | 22.50 |
| | 64QAM | 36 | 0 | 20.26 | 20.35 | 20.29 | 21.50 |
| | | 36 | 18 | 20.17 | 20.21 | 20.10 | 21.50 |
| | | 36 | 39 | 20.27 | 20.14 | 20.09 | 21.50 |
| | | 75 | 0 | 20.21 | 20.28 | 20.11 | 21.50 |
| | | 1 | 0 | 18.07 | 17.97 | 18.09 | 19.50 |
| | | 1 | 38 | 18.16 | 18.06 | 18.06 | 19.50 |
| | 256QAM | 1 | 74 | 18.16 | 18.22 | 18.13 | 19.50 |
| | | 36 | 0 | 17.99 | 18.08 | 18.04 | 19.50 |
| | | 36 | 18 | 17.79 | 17.82 | 17.78 | 19.50 |
| | | 36 | 39 | 17.89 | 17.65 | 17.91 | 19.50 |
| | | 75 | 0 | 18.30 | 18.21 | 18.09 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

1.10 Conducted Power of LTE Band 30

| L | TE FDD Band 30 | Ant.3 Full pow | er | Conducted Power(dBm) | | | | |
|-----------|----------------|----------------|-----------|----------------------|---------|---------|---------|--|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Banawian | | . 12 0.20 | 112 0001 | 27685 | 27710 | 27735 | 1 ao ap | |
| | | 1 | 0 | 21.25 | 21.36 | 21.18 | 23.00 | |
| | | 1 | 13 | 21.01 | 21.04 | 21.11 | 23.00 | |
| | | 1 | 24 | 21.08 | 21.03 | 21.09 | 23.00 | |
| | QPSK | 12 | 0 | 20.06 | 20.08 | 20.19 | 22.00 | |
| | | 12 | 6 | 20.05 | 20.11 | 20.27 | 22.00 | |
| | | 12 | 13 | 20.06 | 20.13 | 20.04 | 22.00 | |
| | | 25 | 0 | 20.32 | 20.13 | 20.06 | 22.00 | |
| | | 1 | 0 | 20.34 | 20.49 | 20.60 | 22.00 | |
| | | 1 | 13 | 20.31 | 20.67 | 20.49 | 22.00 | |
| | | 1 | 24 | 20.58 | 20.69 | 20.64 | 22.00 | |
| | 16QAM | 12 | 0 | 19.35 | 19.37 | 19.02 | 21.00 | |
| | | 12 | 6 | 19.07 | 19.01 | 19.06 | 21.00 | |
| | | 12 | 13 | 19.11 | 19.08 | 19.08 | 21.00 | |
| EMU- | | 25 | 0 | 19.09 | 19.12 | 19.04 | 21.00 | |
| 5MHz | | 1 | 0 | 19.48 | 19.48 | 19.51 | 21.00 | |
| | | 1 | 13 | 19.34 | 19.45 | 19.44 | 21.00 | |
| | | 1 | 24 | 19.85 | 19.69 | 19.83 | 21.00 | |
| | 64QAM | 12 | 0 | 18.76 | 18.74 | 18.57 | 20.00 | |
| | | 12 | 6 | 18.58 | 18.69 | 18.57 | 20.00 | |
| | | 12 | 13 | 18.76 | 18.74 | 18.65 | 20.00 | |
| | | 25 | 0 | 18.64 | 18.75 | 18.61 | 20.00 | |
| | | 1 | 0 | 16.41 | 16.50 | 16.29 | 18.00 | |
| | | 1 | 13 | 16.62 | 16.49 | 16.40 | 18.00 | |
| | | 1 | 24 | 16.77 | 16.69 | 16.52 | 18.00 | |
| | 256QAM | 12 | 0 | 16.58 | 16.58 | 16.32 | 18.00 | |
| | | 12 | 6 | 16.14 | 16.25 | 16.32 | 18.00 | |
| | | 12 | 13 | 16.33 | 16.14 | 16.27 | 18.00 | |
| | | 25 | 0 | 16.77 | 16.72 | 16.54 | 18.00 | |
| | | | 55 " | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size | RB offset | / | 27710 | / | Tune up | |
| | | 1 | 0 | / | 21.43 | / | 23.00 | |
| | | 1 | 25 | / | 21.08 | / | 23.00 | |
| 10MHz | QPSK | 1 | 49 | / | 21.09 | / | 23.00 | |
| | | 25 | 0 | / | 20.19 | / | 22.00 | |
| | | 25 | 13 | / | 20.09 | 1 | 22.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 25 | / | 20.04 | / | 22.00 |
|--|--------|----|----|---|-------|---|-------|
| | | 50 | 0 | / | 20.09 | / | 22.00 |
| | | 1 | 0 | / | 20.56 | / | 22.00 |
| | | 1 | 25 | / | 20.69 | / | 22.00 |
| | | 1 | 49 | / | 20.66 | / | 22.00 |
| | 16QAM | 25 | 0 | / | 19.40 | / | 21.00 |
| | | 25 | 13 | / | 19.10 | / | 21.00 |
| | | 25 | 25 | / | 19.09 | / | 21.00 |
| | | 50 | 0 | / | 19.39 | / | 21.00 |
| | | 1 | 0 | / | 19.44 | / | 21.00 |
| | | 1 | 25 | / | 19.50 | / | 21.00 |
| | | 1 | 49 | / | 19.75 | / | 21.00 |
| | 64QAM | 25 | 0 | / | 18.66 | / | 20.00 |
| | | 25 | 13 | / | 18.81 | / | 20.00 |
| | | 25 | 25 | / | 18.61 | / | 20.00 |
| | | 50 | 0 | / | 18.70 | / | 20.00 |
| | | 1 | 0 | / | 16.51 | / | 18.00 |
| | 256QAM | 1 | 25 | / | 16.34 | / | 18.00 |
| | | 1 | 49 | / | 16.66 | / | 18.00 |
| | | 25 | 0 | / | 16.49 | / | 18.00 |
| | | 25 | 13 | / | 16.24 | / | 18.00 |
| | | 25 | 25 | / | 16.11 | / | 18.00 |
| | | 50 | 0 | / | 16.62 | / | 18.00 |

| L | TE FDD Band 30 |) Ant.3 Sensor o | n | Conducted Power(dBm) | | | | |
|-----------|----------------|------------------|-----------|----------------------|---------------------|-------|---------|--|
| Bandwidth | Modulation | RB size | RB offset | Channel | nel Channel Channel | | Tungun | |
| | Modulation | KD SIZE | RD Ollset | 27685 | 27710 | 27735 | Tune up | |
| | | 1 | 0 | 19.94 | 20.05 | 20.01 | 21.00 | |
| | QPSK | 1 | 13 | 19.89 | 19.92 | 19.86 | 21.00 | |
| | | 1 | 24 | 19.87 | 19.96 | 19.87 | 21.00 | |
| | | 12 | 0 | 19.83 | 19.94 | 19.90 | 21.00 | |
| 5MHz | | 12 | 6 | 19.75 | 19.89 | 19.80 | 21.00 | |
| | | 12 | 13 | 19.77 | 19.88 | 19.85 | 21.00 | |
| | | 25 | 0 | 19.61 | 19.72 | 19.58 | 21.00 | |
| | 16QAM | 1 | 0 | 19.75 | 19.85 | 19.79 | 21.00 | |
| | | 1 | 13 | 19.79 | 19.91 | 19.95 | 21.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Signification Standards Technical Standards Te



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 24 | 19.86 | 20.00 | 19.87 | 21.00 |
|--------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 12 | 0 | 19.94 | 19.84 | 19.74 | 21.00 |
| | | 12 | 6 | 19.86 | 19.87 | 19.68 | 21.00 |
| | | 12 | 13 | 19.78 | 19.71 | 19.75 | 21.00 |
| | | 25 | 0 | 19.83 | 19.85 | 19.81 | 21.00 |
| | | 1 | 0 | 19.94 | 20.02 | 19.90 | 21.00 |
| | | 1 | 13 | 19.84 | 19.85 | 19.84 | 21.00 |
| | | 1 | 24 | 19.88 | 19.82 | 19.71 | 21.00 |
| | 64QAM | 12 | 0 | 19.76 | 19.79 | 19.81 | 21.00 |
| | | 12 | 6 | 19.68 | 19.59 | 19.73 | 21.00 |
| | | 12 | 13 | 19.68 | 19.65 | 19.55 | 21.00 |
| | | 25 | 0 | 19.48 | 19.58 | 19.49 | 21.00 |
| | | 1 | 0 | 16.38 | 16.45 | 16.24 | 18.00 |
| | | 1 | 13 | 16.60 | 16.51 | 16.40 | 18.00 |
| | | 1 | 24 | 16.80 | 16.66 | 16.43 | 18.00 |
| | 256QAM | 12 | 0 | 16.57 | 16.58 | 16.35 | 18.00 |
| | | 12 | 6 | 16.09 | 16.27 | 16.28 | 18.00 |
| | | 12 | 13 | 16.32 | 16.13 | 16.23 | 18.00 |
| | | 25 | 0 | 16.78 | 16.74 | 16.54 | 18.00 |
| Davido della | Madulatian | DD size | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | / | 27710 | / | Tune up |
| | | 1 | 0 | / | 20.13 | / | 21.00 |
| | | 1 | 25 | 1 | 19.80 | / | 21.00 |
| | | 1 | 49 | 1 | 19.97 | / | 21.00 |
| | QPSK | 25 | 0 | / | 20.06 | / | 21.00 |
| | | 25 | 13 | / | 20.03 | / | 21.00 |
| | | 25 | 25 | / | 19.92 | / | 21.00 |
| 10MHz | 10MHz | | 0 | 1 | 19.74 | / | 21.00 |
| | | 1 | 0 | / | 20.05 | / | 21.00 |
| | | 1 | 25 | 1 | 19.90 | / | 21.00 |
| | 16QAM | 1 | 49 | 1 | 19.86 | / | 21.00 |
| | IOQAW | 25 | 0 | 1 | 19.97 | / | 21.00 |
| | | 25 | 13 | 1 | 19.88 | / | 21.00 |
| | | 25 | 25 | 1 | 19.83 | / | 21.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Lth.)
Weeters Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 50 | 0 | / | 19.85 | / | 21.00 |
|--|--------|----|----|-------|-------|-------|-------|
| | | 1 | 0 | / | 19.98 | / | 21.00 |
| | | 1 | 25 | / | 19.89 | / | 21.00 |
| | | 1 | 49 | / | 19.99 | / | 21.00 |
| | 64QAM | 25 | 0 | / | 19.73 | / | 21.00 |
| | | 25 | 13 | / | 19.86 | / | 21.00 |
| | | 25 | 25 | / | 19.73 | / | 21.00 |
| | | 50 | 0 | / | 19.71 | / | 21.00 |
| | | 1 | 0 | / | 16.43 | / | 18.00 |
| | | 1 | 25 | / | 16.30 | / | 18.00 |
| | | 1 | 49 | / | 16.56 | / | 18.00 |
| | 256QAM | 25 | 0 | / | 16.49 | / | 18.00 |
| | 25 | 13 | / | 16.27 | / | 18.00 | |
| | | 25 | 25 | 1 | 16.16 | / | 18.00 |
| | | 50 | 0 | 1 | 16.55 | 1 | 18.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.11 Conducted Power of LTE Band 41 PC3

| LTE | Band 41_PC3 | Ant.3 Full p | ower | | | Conducted | Power(dBm) | | |
|-------------|---------------|--------------|-----------|---------|---------|-----------|------------|---------|---------|
| Dan dud did | Madulation | DD oizo | DD offeet | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 39675 | 40148 | 40620 | 41093 | 41565 | Tune up |
| | | 1 | 0 | 22.12 | 22.18 | 22.14 | 22.19 | 22.13 | 23.50 |
| | | 1 | 13 | 22.09 | 22.19 | 22.18 | 22.13 | 22.16 | 23.50 |
| | QPSK | 1 | 24 | 22.02 | 22.08 | 22.12 | 22.04 | 22.06 | 23.50 |
| | | 12 | 0 | 21.21 | 21.45 | 21.19 | 21.41 | 21.41 | 22.50 |
| | | 12 | 6 | 21.14 | 21.36 | 21.33 | 21.29 | 21.33 | 22.50 |
| | | 12 | 13 | 21.3 | 21.5 | 21.2 | 21.25 | 21.26 | 22.50 |
| | | 25 | 0 | 21.42 | 21.35 | 21.18 | 21.28 | 21.3 | 22.50 |
| | | 1 | 0 | 21.64 | 21.67 | 21.78 | 21.61 | 21.71 | 22.50 |
| | | 1 | 13 | 21.57 | 21.66 | 21.79 | 21.66 | 21.66 | 22.50 |
| | | 1 | 24 | 21.52 | 21.86 | 21.7 | 21.93 | 21.83 | 22.50 |
| | 16QAM | 12 | 0 | 20.39 | 20.43 | 20.38 | 20.32 | 20.4 | 21.50 |
| | | 12 | 6 | 20.08 | 20.39 | 20.29 | 20.48 | 20.49 | 21.50 |
| | | 12 | 13 | 20.24 | 20.43 | 20.27 | 20.28 | 20.42 | 21.50 |
| 5MHz | | 25 | 0 | 20.34 | 20.37 | 20.38 | 20.48 | 20.49 | 21.50 |
| SIVIEZ | | 1 | 0 | 20.48 | 20.30 | 20.28 | 20.46 | 20.49 | 21.50 |
| | | 1 | 13 | 20.18 | 20.34 | 20.37 | 20.21 | 20.15 | 21.50 |
| | | 1 | 24 | 20.64 | 20.70 | 20.80 | 20.67 | 20.68 | 21.50 |
| | 64QAM | 12 | 0 | 19.64 | 19.63 | 19.43 | 19.65 | 19.66 | 20.50 |
| | | 12 | 6 | 19.40 | 19.63 | 19.32 | 19.46 | 19.58 | 20.50 |
| | | 12 | 13 | 19.51 | 19.59 | 19.37 | 19.53 | 19.53 | 20.50 |
| | | 25 | 0 | 19.47 | 19.61 | 19.38 | 19.45 | 19.53 | 20.50 |
| | | 1 | 0 | 17.37 | 17.38 | 17.26 | 17.35 | 17.29 | 18.50 |
| | | 1 | 13 | 17.42 | 17.28 | 17.30 | 17.43 | 17.29 | 18.50 |
| | | 1 | 24 | 17.49 | 17.52 | 17.48 | 17.63 | 17.45 | 18.50 |
| | 256QAM | 12 | 0 | 17.39 | 17.29 | 17.32 | 17.26 | 17.35 | 18.50 |
| | | 12 | 6 | 17.06 | 17.17 | 17.13 | 17.11 | 17.13 | 18.50 |
| | | 12 | 13 | 17.22 | 16.95 | 17.10 | 17.11 | 17.02 | 18.50 |
| | | 25 | 0 | 17.38 | 17.39 | 17.40 | 17.44 | 17.44 | 18.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiuiii | IVIOGUIALIOIT | KD SIZE | KD UIISEL | 39700 | 40160 | 40620 | 41080 | 41540 | rune up |
| | | 1 | 0 | 22.12 | 22.19 | 22.17 | 22.16 | 22.08 | 23.50 |
| | | 1 | 25 | 22.15 | 22.13 | 22.12 | 22.09 | 22.13 | 23.50 |
| 10MHz | QPSK | 1 | 49 | 22.17 | 22.07 | 22.05 | 22.04 | 22.14 | 23.50 |
| | | 25 | 0 | 21.34 | 21.48 | 21.25 | 21.34 | 21.48 | 22.50 |
| | | 25 | 13 | 21.3 | 21.17 | 21.25 | 21.33 | 21.21 | 22.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 25 | 21.39 | 21.36 | 21.15 | 21.3 | 21.38 | 22.50 |
|------------|------------|---------|-----------|---------|---------|---------|---------|---------|---------|
| | | 50 | 0 | 21.36 | 21.41 | 21.27 | 21.19 | 21.21 | 22.50 |
| | 16QAM | 1 | 0 | 21.8 | 21.87 | 21.76 | 21.62 | 21.79 | 22.50 |
| | | 1 | 25 | 21.51 | 21.71 | 21.71 | 21.61 | 21.59 | 22.50 |
| | | 1 | 49 | 21.5 | 21.71 | 21.71 | 21.99 | 21.98 | 22.50 |
| | | 25 | 0 | 20.47 | 20.47 | 20.21 | 20.29 | 20.46 | 21.50 |
| | | 25 | 13 | 20.3 | 20.52 | 20.3 | 20.34 | 20.51 | 21.50 |
| | | 25 | 25 | 20.21 | 20.39 | 20.24 | 20.25 | 20.4 | 21.50 |
| | | 50 | 0 | 20.25 | 20.56 | 20.29 | 20.43 | 20.46 | 21.50 |
| | | 1 | 0 | 20.28 | 20.43 | 20.21 | 20.32 | 20.23 | 21.50 |
| | 64QAM | 1 | 25 | 20.04 | 20.27 | 20.35 | 20.16 | 20.31 | 21.50 |
| | | 1 | 49 | 20.65 | 20.49 | 20.79 | 20.74 | 20.67 | 21.50 |
| | | 25 | 0 | 19.52 | 19.51 | 19.60 | 19.64 | 19.62 | 20.50 |
| | | 25 | 13 | 19.45 | 19.58 | 19.41 | 19.43 | 19.57 | 20.50 |
| | | 25 | 25 | 19.56 | 19.56 | 19.50 | 19.57 | 19.56 | 20.50 |
| | | 50 | 0 | 19.41 | 19.45 | 19.39 | 19.44 | 19.41 | 20.50 |
| | | 1 | 0 | 17.41 | 17.43 | 17.37 | 17.28 | 17.29 | 18.50 |
| | | 1 | 25 | 17.39 | 17.43 | 17.30 | 17.43 | 17.24 | 18.50 |
| | | 1 | 49 | 17.55 | 17.40 | 17.41 | 17.59 | 17.57 | 18.50 |
| | 256QAM | 25 | 0 | 17.40 | 17.30 | 17.19 | 17.30 | 17.31 | 18.50 |
| | | 25 | 13 | 17.05 | 17.02 | 17.19 | 17.17 | 17.14 | 18.50 |
| | | 25 | 25 | 17.28 | 17.11 | 17.23 | 17.17 | 17.08 | 18.50 |
| | | 50 | 0 | 17.48 | 17.54 | 17.35 | 17.42 | 17.50 | 18.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danawiatii | | | | 39725 | 40173 | 40620 | 41068 | 41515 | |
| | | 1 | 0 | 22.13 | 22.16 | 22.17 | 22.16 | 22.09 | 23.50 |
| | QPSK | 1 | 38 | 22.11 | 22.11 | 22.11 | 22.07 | 22.07 | 23.50 |
| | | 1 | 74 | 22.16 | 22.12 | 22.18 | 22.05 | 22.15 | 23.50 |
| | | 36 | 0 | 21.34 | 21.56 | 21.25 | 21.42 | 21.35 | 22.50 |
| | | 36 | 18 | 21.24 | 21.31 | 21.28 | 21.35 | 21.34 | 22.50 |
| | | 36 | 39 | 21.26 | 21.4 | 21.19 | 21.22 | 21.35 | 22.50 |
| | | 75 | 0 | 21.33 | 21.25 | 21.27 | 21.13 | 21.23 | 22.50 |
| 15MHz | | 1 | 0 | 21.64 | 21.76 | 21.79 | 21.77 | 21.67 | 22.50 |
| | 16QAM | 1 | 38 | 21.64 | 21.69 | 21.73 | 21.62 | 21.7 | 22.50 |
| | | 1 | 74 | 21.48 | 21.84 | 21.63 | 21.87 | 21.96 | 22.50 |
| | | 36 | 0 | 20.35 | 20.35 | 20.14 | 20.32 | 20.33 | 21.50 |
| | | 36 | 18 | 20.13 | 20.43 | 20.2 | 20.31 | 20.44 | 21.50 |
| | | 36 | 39 | 20.18 | 20.32 | 20.19 | 20.25 | 20.35 | 21.50 |
| | | 75 | 0 | 20.33 | 20.47 | 20.4 | 20.48 | 20.58 | 21.50 |
| | 64QAM | 1 | 0 | 20.39 | 20.24 | 20.34 | 20.45 | 20.31 | 21.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Signification Standards Technical Standards Te



SUCR240900032706 Report No.:

Rev.: 01

| 1 74 20.54 20.73 20.73 20.68 2 36 0 19.66 19.50 19.50 19.55 1 36 18 19.44 19.50 19.34 19.32 1 36 39 19.49 19.49 19.42 19.47 1 | 20.27 20.71 19.66 19.70 19.48 19.54 | 21.50 21.50 20.50 20.50 |
|--|--|----------------------------------|
| 36 0 19.66 19.50 19.50 19.55 1 36 18 19.44 19.50 19.34 19.32 1 36 39 19.49 19.49 19.42 19.47 1 | 19.66 19.70 19.48 | 20.50 20.50 |
| 36 18 19.44 19.50 19.34 19.32 1 36 39 19.49 19.49 19.42 19.47 1 | 19.70 19.48 | 20.50 |
| 36 39 19.49 19.49 19.42 19.47 1 | 19.48 | |
| | | |
| | 10.54 | 20.50 |
| 75 0 19.39 19.50 19.31 19.45 1 | 19.54 | 20.50 |
| 1 0 17.38 17.35 17.45 17.38 1 | 17.39 | 18.50 |
| 1 38 17.34 17.46 17.26 17.35 1 | 17.22 | 18.50 |
| 1 74 17.47 17.42 17.42 17.55 1 | 17.64 | 18.50 |
| 256QAM 36 0 17.27 17.41 17.22 17.42 1 | 17.32 | 18.50 |
| 36 18 17.12 17.13 17.18 17.04 1 | 17.02 | 18.50 |
| 36 39 17.12 17.02 17.10 17.17 1 | 17.09 | 18.50 |
| 75 0 17.48 17.41 17.40 17.53 1 | 17.48 | 18.50 |
| Bandwidth Modulation RB size RB offset Channel | hannel . | Tune up |
| 39750 40185 40620 41055 4 | 41490 | rune up |
| 1 0 22.18 22.19 22.21 22.12 2 | 22.11 | 23.50 |
| 1 50 22.13 22.18 22.15 22.07 2 | 22.08 | 23.50 |
| 1 99 22.03 22.12 22.08 22.02 2 | 22.07 | 23.50 |
| QPSK 50 0 21.22 21.55 21.39 21.33 2 | 21.44 | 22.50 |
| 50 25 21.25 21.34 21.35 21.27 2 | 21.17 | 22.50 |
| 50 50 21.33 21.46 21.21 21.27 2 | 21.33 | 22.50 |
| 100 0 21.23 21.28 21.24 21.14 2 | 21.25 | 22.50 |
| 1 0 21.71 21.66 21.82 21.65 2 | 21.73 | 22.50 |
| 1 50 21.53 21.76 21.85 21.54 2 | 21.62 | 22.50 |
| 1 99 21.62 21.73 21.82 21.99 2 | 21.99 | 22.50 |
| 16QAM 50 0 20.36 20.39 20.29 20.31 2 | 20.38 | 21.50 |
| 50 25 20.28 20.41 20.34 20.42 2 | 20.44 | 21.50 |
| 20MHz 50 50 20.28 20.38 20.24 20.16 2 | 20.45 | 21.50 |
| 100 0 20.45 20.47 20.34 20.48 2 | 20.51 | 21.50 |
| 1 0 20.37 20.46 20.27 20.43 2 | 20.32 | 21.50 |
| 1 50 20.09 20.38 20.37 20.25 2 | 20.21 | 21.50 |
| 1 99 20.70 20.55 20.77 20.66 2 | 20.61 | 21.50 |
| 64QAM 50 0 19.68 19.62 19.51 19.60 1 | 19.65 | 20.50 |
| 50 25 19.38 19.55 19.46 19.38 1 | 19.57 | 20.50 |
| 50 50 19.55 19.46 19.54 19.53 1 | 19.37 | 20.50 |
| 100 0 19.39 19.54 19.37 19.42 1 | 19.44 | 20.50 |
| 1 0 17.38 17.29 17.39 17.29 1 | 17.33 | 18.50 |
| 1 50 17.37 17.33 17.22 17.33 1 | 17.32 | 18.50 |
| 256QAM 1 99 17.54 17.44 17.52 17.50 1 | 17.58 | 18.50 |
| 50 0 17.33 17.29 17.24 17.30 1 | 17.30 | 18.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Signification Standards Technical Standards Te



Report No.: SUCR240900032706

Rev.: 01

| 50 | 25 | 17.11 | 17.12 | 17.10 | 17.04 | 17.08 | 18.50 |
|-----|----|-------|-------|-------|-------|-------|-------|
| 50 | 50 | 17.27 | 17.02 | 17.07 | 17.16 | 17.19 | 18.50 |
| 100 | 0 | 17.48 | 17.51 | 17.45 | 17.43 | 17.57 | 18.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

1.12 Conducted Power of LTE Band 41 PC2

| LTE | Band 41_PC2 | Ant.3 Full po | ower | | | Conducted | Power(dBm) | | |
|------------|-------------|---------------|-----------|---------|---------|-----------|------------|---------|----------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danawiath | Modulation | RD SIZE | RB ollset | 39675 | 40148 | 40620 | 41093 | 41565 | Tune up |
| | | 1 | 0 | 23.67 | 23.59 | 23.58 | 23.53 | 23.6 | 25.50 |
| | | 1 | 13 | 23.59 | 23.56 | 23.58 | 23.57 | 23.56 | 25.50 |
| | | 1 | 24 | 23.64 | 23.57 | 23.76 | 23.56 | 23.55 | 25.50 |
| | QPSK | 12 | 0 | 22.66 | 22.85 | 22.55 | 22.75 | 22.85 | 24.50 |
| | | 12 | 6 | 22.56 | 22.66 | 22.57 | 22.73 | 22.57 | 24.50 |
| | | 12 | 13 | 22.6 | 22.78 | 22.64 | 22.67 | 22.67 | 24.50 |
| | | 25 | 0 | 22.74 | 22.68 | 22.58 | 22.66 | 22.73 | 24.50 |
| | | 1 | 0 | 23.01 | 23.08 | 23.24 | 22.96 | 23.16 | 24.50 |
| | | 1 | 13 | 23 | 23.08 | 23.21 | 22.93 | 22.99 | 24.50 |
| | | 1 | 24 | 22.84 | 23.25 | 23.08 | 23.31 | 23.23 | 24.50 |
| | 16QAM | 12 | 0 | 21.69 | 21.69 | 21.68 | 21.68 | 21.72 | 23.50 |
| | | 12 | 6 | 21.58 | 21.84 | 21.54 | 21.83 | 21.92 | 23.50 |
| | | 12 | 13 | 21.64 | 21.74 | 21.71 | 21.68 | 21.85 | 23.50 |
| 5MHz | | 25 | 0 | 21.67 | 21.74 | 21.68 | 21.76 | 21.97 | 23.50 |
| JIVII IZ | | 1 | 0 | 21.75 | 21.67 | 21.68 | 21.85 | 21.87 | 23.50 |
| | | 1 | 13 | 21.51 | 21.61 | 21.78 | 21.61 | 21.53 | 23.50 |
| | | 1 | 24 | 21.94 | 22.05 | 22.02 | 22.06 | 22.09 | 23.50 |
| | 64QAM | 12 | 0 | 20.95 | 21.05 | 20.74 | 20.95 | 20.99 | 22.50 |
| | | 12 | 6 | 20.77 | 20.88 | 20.71 | 20.90 | 21.03 | 22.50 |
| | | 12 | 13 | 20.77 | 20.92 | 20.71 | 20.89 | 20.83 | 22.50 |
| | | 25 | 0 | 20.95 | 20.95 | 20.70 | 20.78 | 20.86 | 22.50 |
| | | 1 | 0 | 18.74 | 18.78 | 18.68 | 18.78 | 18.70 | 20.50 |
| | | 1 | 13 | 18.72 | 18.54 | 18.60 | 18.67 | 18.65 | 20.50 |
| | | 1 | 24 | 19.03 | 18.81 | 18.86 | 19.01 | 18.83 | 20.50 |
| | 256QAM | 12 | 0 | 18.70 | 18.63 | 18.61 | 18.75 | 18.58 | 20.50 |
| | | 12 | 6 | 18.56 | 18.57 | 18.50 | 18.52 | 18.62 | 20.50 |
| | | 12 | 13 | 18.61 | 18.52 | 18.53 | 18.56 | 18.53 | 20.50 |
| | | 25 | 0 | 18.72 | 18.81 | 18.67 | 18.82 | 18.91 | 20.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Bunuwiatii | Wioddiation | 110 0120 | ND onset | 39700 | 40160 | 40620 | 41080 | 41540 | Turio up |
| | | 1 | 0 | 23.6 | 23.64 | 23.64 | 23.63 | 23.59 | 25.50 |
| | | 1 | 25 | 23.79 | 23.59 | 23.56 | 23.55 | 23.57 | 25.50 |
| | | 1 | 49 | 23.69 | 23.67 | 23.59 | 23.56 | 23.58 | 25.50 |
| 10MHz | QPSK | 25 | 0 | 22.79 | 22.82 | 22.61 | 22.72 | 22.8 | 24.50 |
| 10.01112 | | 25 | 13 | 22.63 | 22.63 | 22.74 | 22.65 | 22.54 | 24.50 |
| | | 25 | 25 | 22.84 | 22.69 | 22.57 | 22.77 | 22.71 | 24.50 |
| | | 50 | 0 | 22.77 | 22.71 | 22.68 | 22.67 | 22.57 | 24.50 |
| | 16QAM | 1 | 0 | 22.96 | 23.19 | 23.05 | 22.97 | 23.11 | 24.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 25 | 22.99 | 23.14 | 23.18 | 23.13 | 23 | 24.50 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|---------|---------|
| | | 1 | 49 | 22.83 | 23.25 | 23.12 | 23.3 | 23.3 | 24.50 |
| | | 25 | 0 | 21.72 | 21.82 | 21.65 | 21.69 | 21.83 | 23.50 |
| | | 25 | 13 | 21.62 | 21.87 | 21.71 | 21.66 | 21.81 | 23.50 |
| | | 25 | 25 | 21.63 | 21.81 | 21.69 | 21.61 | 21.75 | 23.50 |
| | | 50 | 0 | 21.74 | 21.92 | 21.72 | 21.84 | 21.94 | 23.50 |
| | | 1 | 0 | 21.70 | 21.70 | 21.71 | 21.65 | 21.57 | 23.50 |
| | | 1 | 25 | 21.59 | 21.70 | 21.62 | 21.50 | 21.67 | 23.50 |
| | | 1 | 49 | 22.08 | 21.91 | 22.19 | 22.13 | 21.99 | 23.50 |
| | 64QAM | 25 | 0 | 21.01 | 20.85 | 20.98 | 21.08 | 20.89 | 22.50 |
| | | 25 | 13 | 20.87 | 20.94 | 20.95 | 20.77 | 20.98 | 22.50 |
| | | 25 | 25 | 20.99 | 20.90 | 20.76 | 20.96 | 20.90 | 22.50 |
| | | 50 | 0 | 20.74 | 20.77 | 20.82 | 20.93 | 20.80 | 22.50 |
| | | 1 | 0 | 18.79 | 18.79 | 18.72 | 18.82 | 18.65 | 20.50 |
| | | 1 | 25 | 18.78 | 18.74 | 18.56 | 18.75 | 18.61 | 20.50 |
| | | 1 | 49 | 18.87 | 18.79 | 18.89 | 18.93 | 19.00 | 20.50 |
| | 256QAM | 25 | 0 | 18.69 | 18.67 | 18.53 | 18.73 | 18.71 | 20.50 |
| | | 25 | 13 | 18.54 | 18.51 | 18.52 | 18.56 | 18.54 | 20.50 |
| | | 25 | 25 | 18.53 | 18.50 | 18.54 | 18.52 | 18.59 | 20.50 |
| | | 50 | 0 | 18.76 | 18.91 | 18.88 | 18.81 | 18.94 | 20.50 |
| Bandwidth | Madulation | DD circ | DD offeet | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danawidin | Modulation | RB size | RB offset | 39725 | 40173 | 40620 | 41068 | 41515 | Tune up |
| | | 1 | 0 | 23.63 | 23.57 | 23.67 | 23.53 | 23.6 | 25.50 |
| | | 1 | 38 | 23.69 | 23.61 | 23.55 | 23.53 | 23.61 | 25.50 |
| | | 1 | 74 | 23.59 | 23.65 | 23.55 | 23.51 | 23.52 | 25.50 |
| | QPSK | 36 | 0 | 22.76 | 22.74 | 22.76 | 22.88 | 22.85 | 24.50 |
| | | 36 | 18 | 22.59 | 22.66 | 22.8 | 22.68 | 22.68 | 24.50 |
| | | 36 | 39 | 22.66 | 22.77 | 22.56 | 22.6 | 22.68 | 24.50 |
| | | 75 | 0 | 22.63 | 22.68 | 22.64 | 22.52 | 22.62 | 24.50 |
| | | 1 | 0 | 22.97 | 23.18 | 23.25 | 23.15 | 23.14 | 24.50 |
| | | 1 | 38 | 22.92 | 23.12 | 23.06 | 22.89 | 23.14 | 24.50 |
| | | 1 | 74 | 22.75 | 23.15 | 23.08 | 23.33 | 23.31 | 24.50 |
| 15MHz | 16QAM | 36 | 0 | 21.71 | 21.65 | 21.55 | 21.71 | 21.81 | 23.50 |
| ISIVINZ | | 36 | 18 | 21.65 | 21.95 | 21.71 | 21.75 | 21.82 | 23.50 |
| | | 36 | 39 | 21.64 | 21.78 | 21.55 | 21.73 | 21.7 | 23.50 |
| | | 75 | 0 | 21.71 | 21.88 | 21.75 | 21.87 | 21.9 | 23.50 |
| | | 1 | 0 | 21.80 | 21.56 | 21.78 | 21.79 | 21.56 | 23.50 |
| | | 1 | 38 | 21.58 | 21.60 | 21.66 | 21.58 | 21.60 | 23.50 |
| | | 1 | 74 | 21.92 | 21.94 | 22.08 | 22.06 | 22.04 | 23.50 |
| | 64QAM | 36 | 0 | 20.94 | 20.90 | 20.75 | 21.05 | 20.97 | 22.50 |
| | | 36 | 18 | 20.68 | 20.84 | 20.79 | 20.73 | 21.07 | 22.50 |
| | | 36 | 39 | 20.86 | 20.90 | 20.74 | 20.83 | 21.01 | 22.50 |
| | | 75 | 0 | 20.83 | 20.88 | 20.81 | 20.85 | 20.74 | 22.50 |
| | 256QAM | 1 | 0 | 18.69 | 18.76 | 18.73 | 18.69 | 18.61 | 20.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | 1 | | | 40.50 | 40.07 | 40.70 | 40.07 | 40.04 | 00.50 |
|------------|------------|----------|-----------|---------|---------|---------|---------|---------|---------|
| | | 1 | 38 | 18.58 | 18.67 | 18.78 | 18.67 | 18.61 | 20.50 |
| | | 1 | 74 | 18.87 | 18.70 | 18.90 | 18.96 | 19.05 | 20.50 |
| | | 36 | 0 | 18.59 | 18.67 | 18.55 | 18.85 | 18.72 | 20.50 |
| | | 36 | 18 | 18.57 | 18.54 | 18.53 | 18.50 | 18.59 | 20.50 |
| | | 36 | 39 | 18.63 | 18.59 | 18.53 | 18.56 | 18.51 | 20.50 |
| | | 75 | 0 | 18.93 | 18.78 | 18.72 | 18.83 | 18.94 | 20.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Banawiatii | Woddiation | IVD SIZE | RB oliset | 39750 | 40185 | 40620 | 41055 | 41490 | rune up |
| | | 1 | 0 | 23.71 | 23.74 | 23.79 | 23.61 | 23.72 | 25.50 |
| | | 1 | 50 | 23.88 | 23.66 | 23.83 | 23.71 | 23.55 | 25.50 |
| | | 1 | 99 | 23.83 | 23.87 | 23.65 | 23.63 | 23.52 | 25.50 |
| | QPSK | 50 | 0 | 22.94 | 23 | 22.97 | 22.92 | 22.99 | 24.50 |
| | | 50 | 25 | 22.76 | 22.92 | 22.74 | 22.97 | 22.89 | 24.50 |
| | | 50 | 50 | 22.93 | 22.95 | 22.69 | 22.9 | 22.94 | 24.50 |
| | | 100 | 0 | 22.86 | 22.77 | 22.64 | 22.79 | 22.86 | 24.50 |
| | | 1 | 0 | 23.29 | 23.23 | 23.24 | 23.27 | 23.35 | 24.50 |
| | | 1 | 50 | 23.29 | 23.24 | 23.4 | 23.2 | 23.14 | 24.50 |
| | | 1 | 99 | 23.21 | 23.22 | 23.32 | 23.54 | 23.57 | 24.50 |
| | 16QAM | 50 | 0 | 21.9 | 21.87 | 21.81 | 21.99 | 22.06 | 23.50 |
| | | 50 | 25 | 21.66 | 21.89 | 21.77 | 21.95 | 22.06 | 23.50 |
| | | 50 | 50 | 21.8 | 21.94 | 21.9 | 21.78 | 21.95 | 23.50 |
| | | 100 | 0 | 21.92 | 22.01 | 21.98 | 22.11 | 22.08 | 23.50 |
| 20MHz | | 1 | 0 | 21.94 | 22.03 | 21.98 | 21.95 | 21.86 | 23.50 |
| | | 1 | 50 | 21.64 | 21.90 | 21.94 | 21.78 | 21.87 | 23.50 |
| | | 1 | 99 | 22.29 | 22.15 | 22.31 | 22.23 | 22.24 | 23.50 |
| | 64QAM | 50 | 0 | 21.26 | 21.18 | 21.14 | 21.15 | 21.19 | 22.50 |
| | | 50 | 25 | 20.98 | 21.31 | 21.01 | 20.96 | 21.07 | 22.50 |
| | | 50 | 50 | 21.03 | 20.95 | 21.10 | 21.03 | 21.00 | 22.50 |
| | | 100 | 0 | 20.90 | 21.05 | 21.03 | 21.09 | 21.16 | 22.50 |
| | | 1 | 0 | 19.13 | 18.95 | 19.02 | 18.95 | 18.97 | 20.50 |
| | | 1 | 50 | 18.87 | 19.04 | 18.80 | 19.02 | 18.89 | 20.50 |
| | | 1 | 99 | 19.14 | 18.94 | 19.07 | 19.10 | 19.17 | 20.50 |
| | 256QAM | 50 | 0 | 18.93 | 18.78 | 18.71 | 19.06 | 18.85 | 20.50 |
| | | 50 | 25 | 18.74 | 18.85 | 18.64 | 18.60 | 18.76 | 20.50 |
| | | 50 | 50 | 18.70 | 18.57 | 18.78 | 18.83 | 18.66 | 20.50 |
| | | 100 | 0 | 19.10 | 19.10 | 18.93 | 19.04 | 19.13 | 20.50 |
| | 1 | | 1 | | | 1 | 1 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

1.13 Conducted Power of LTE Band 48

| 1 | LTE Band 48 A | nt.0 Full powe | r | | Cond | ducted Power(| dBm) | |
|-----------|---------------|----------------|-----------|---------|---------|---------------|--|---|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RD SIZE | RB oliset | 55265 | 55810 | 56170 | 56715 | Tune up |
| | | 1 | 0 | 20.73 | 20.64 | 20.78 | 20.72 | 22.00 |
| | | 1 | 13 | 20.53 | 20.62 | 20.47 | 20.61 | 22.00 |
| | | 1 | 24 | 20.55 | 20.60 | 20.63 | 20.60 | 22.00 |
| | QPSK | 12 | 0 | 19.57 | 19.81 | 19.55 | 19.60 | 20.61 22.00 20.60 22.00 19.60 21.00 19.39 21.00 19.46 21.00 19.55 21.00 19.43 21.00 19.47 21.00 19.41 21.00 18.63 20.00 18.73 20.00 18.71 20.00 18.38 20.00 18.21 20.00 18.35 20.00 17.67 19.00 17.51 19.00 17.54 19.00 17.54 19.00 15.61 17.00 |
| | | 12 | 6 | 19.45 | 19.62 | 19.57 | Channel Tune 56715 20.72 22.0 20.61 22.0 22.0 19.60 21.0 19.39 21.0 19.46 21.0 19.47 21.0 19.47 21.0 19.47 21.0 19.41 21.0 18.63 20.0 18.73 20.0 18.71 20.0 18.38 20.0 18.38 20.0 17.67 19.0 17.51 19.0 17.51 19.0 17.54 19.0 17.54 19.0 17.54 19.0 17.54 19.0 17.54 19.0 15.45 17.0 15.37 17.0 15.37 17.0 15.23 17.0 15.46 17.0 17.0 17.0 15.46 17.0 17.0 17.0 15.46 17.0 17.0 17.0 15.46 17.0 17.0 17.0 15.46 17.0 <td< td=""><td>21.00</td></td<> | 21.00 |
| | | 12 | 13 | 19.50 | 19.52 | 19.51 | 19.46 | 21.00 |
| | | 25 | 0 | 19.59 | 19.65 | 19.50 | 19.55 | 21.00 |
| | | 1 | 0 | 19.60 | 19.47 | 19.49 | 19.43 | 21.00 |
| | | 1 | 13 | 19.55 | 19.53 | 19.49 | 19.47 | 21.00 |
| | | 1 | 24 | 19.63 | 19.57 | 19.54 | 19.41 | 21.00 |
| | 16QAM | 12 | 0 | 18.70 | 18.62 | 18.71 | 18.63 | 20.00 |
| | | 12 | 6 | 18.78 | 18.80 | 18.73 | 18.73 | 20.00 |
| | | 12 | 13 | 18.65 | 18.67 | 18.58 | 18.53 | 20.00 |
| 5MHz | | 25 | 0 | 18.57 | 18.68 | 18.60 | 18.71 | 20.00 |
| SIVIFIZ | | 1 | 0 | 18.49 | 18.49 | 18.39 | 18.38 | 20.00 |
| | | 1 | 13 | 18.21 | 18.28 | 18.28 | 18.21 | 20.00 |
| | | 1 | 24 | 18.47 | 18.31 | 18.31 | 18.35 | 20.00 |
| | 64QAM | 12 | 0 | 17.72 | 17.64 | 17.70 | 17.67 | 19.00 |
| | | 12 | 6 | 17.54 | 17.56 | 17.71 | 17.51 | 19.00 |
| | | 12 | 13 | 17.67 | 17.62 | 17.65 | 17.60 | 19.00 |
| | | 25 | 0 | 17.66 | 17.66 | 17.46 | 17.54 | 19.00 |
| | | 1 | 0 | 15.49 | 15.38 | 15.35 | 15.61 | 17.00 |
| | | 1 | 13 | 15.53 | 15.48 | 15.45 | 15.45 | 17.00 |
| | | 1 | 24 | 15.76 | 15.64 | 15.55 | 15.53 | 17.00 |
| | 256QAM | 12 | 0 | 15.31 | 15.51 | 15.40 | 15.37 | 17.00 |
| | | 12 | 6 | 15.17 | 15.21 | 15.17 | 15.23 | 17.00 |
| | | 12 | 13 | 15.17 | 15.24 | 15.15 | 15.27 | 17.00 |
| | | 25 | 0 | 15.53 | 15.39 | 15.29 | 15.46 | 17.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Tune up |
| Danawidii | Wodulation | ND SIZE | ND onset | 55290 | 55815 | 56165 | 56690 | Turie up |
| | | 1 | 0 | 20.86 | 20.87 | 20.89 | 20.76 | 22.00 |
| | | 1 | 25 | 20.72 | 20.71 | 20.65 | 20.84 | 22.00 |
| 10MHz | QPSK | 1 | 49 | 20.87 | 20.88 | 20.83 | 20.82 | 22.00 |
| | | 25 | 0 | 19.80 | 19.86 | 19.89 | 19.80 | 21.00 |
| | | 25 | 13 | 19.70 | 19.81 | 19.84 | 19.62 | 21.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Report No.: SUCR240900032706

Rev.: 01

| | | 25 | 25 | 19.68 | 19.84 | 19.68 | 19.72 | 21.00 |
|--------------|--------------|---------|-----------|---------|---------|---------|---------|---------|
| | | 50 | 0 | 19.81 | 19.87 | 19.80 | 19.77 | 21.00 |
| | | 1 | 0 | 19.85 | 19.73 | 19.79 | 19.66 | 21.00 |
| | | 1 | 25 | 19.73 | 19.76 | 19.65 | 19.68 | 21.00 |
| | | 1 | 49 | 19.82 | 19.84 | 19.81 | 19.64 | 21.00 |
| | 16QAM | 25 | 0 | 18.87 | 18.81 | 18.77 | 18.85 | 20.00 |
| | | 25 | 13 | 18.83 | 18.93 | 18.91 | 18.97 | 20.00 |
| | | 25 | 25 | 18.79 | 18.91 | 18.74 | 18.74 | 20.00 |
| | | 50 | 0 | 18.93 | 18.86 | 18.94 | 18.92 | 20.00 |
| | | 1 | 0 | 18.65 | 18.65 | 18.66 | 18.60 | 20.00 |
| | | 1 | 25 | 18.51 | 18.39 | 18.58 | 18.53 | 20.00 |
| | | 1 | 49 | 18.68 | 18.70 | 18.66 | 18.67 | 20.00 |
| | 64QAM | 25 | 0 | 17.94 | 17.96 | 17.88 | 17.88 | 19.00 |
| | | 25 | 13 | 17.72 | 17.85 | 17.84 | 17.72 | 19.00 |
| | | 25 | 25 | 17.85 | 17.85 | 17.87 | 17.83 | 19.00 |
| | | 50 | 0 | 17.86 | 17.86 | 17.86 | 17.64 | 19.00 |
| | | 1 | 0 | 15.68 | 15.60 | 15.64 | 15.71 | 17.00 |
| | | 1 | 25 | 15.73 | 15.81 | 15.64 | 15.69 | 17.00 |
| | | 1 | 49 | 15.85 | 15.88 | 15.82 | 15.90 | 17.00 |
| | 256QAM | 25 | 0 | 15.70 | 15.72 | 15.69 | 15.70 | 17.00 |
| | | 25 | 13 | 15.45 | 15.43 | 15.49 | 15.34 | 17.00 |
| | | 25 | 25 | 15.47 | 15.57 | 15.35 | 15.50 | 17.00 |
| | | 50 | 0 | 15.66 | 15.67 | 15.72 | 15.67 | 17.00 |
| Daniel delle | NA - ded - C | DD -: | DD - (() | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 55315 | 55820 | 56160 | 56665 | Tune up |
| | | 1 | 0 | 20.64 | 20.82 | 20.75 | 20.59 | 22.00 |
| | | 1 | 38 | 20.50 | 20.51 | 20.43 | 20.67 | 22.00 |
| | | 1 | 74 | 20.62 | 20.61 | 20.66 | 20.65 | 22.00 |
| | QPSK | 36 | 0 | 19.56 | 19.65 | 19.51 | 19.46 | 21.00 |
| | | 36 | 18 | 19.48 | 19.45 | 19.57 | 19.47 | 21.00 |
| | | 36 | 39 | 19.59 | 19.58 | 19.63 | 19.62 | 21.00 |
| | | 75 | 0 | 19.62 | 19.63 | 19.48 | 19.55 | 21.00 |
| 15MHz | | 1 | 0 | 19.73 | 19.61 | 19.61 | 19.49 | 21.00 |
| | | 1 | 38 | 19.50 | 19.52 | 19.49 | 19.51 | 21.00 |
| | | 1 | 74 | 19.63 | 19.54 | 19.46 | 19.45 | 21.00 |
| | 16QAM | 36 | 0 | 18.72 | 18.72 | 18.69 | 18.53 | 20.00 |
| | | 36 | 18 | 18.73 | 18.80 | 18.81 | 18.69 | 20.00 |
| | | 36 | 39 | 18.63 | 18.61 | 18.54 | 18.48 | 20.00 |
| | | 75 | 0 | 18.69 | 18.65 | 18.72 | 18.62 | 20.00 |
| | 64QAM | 1 | 0 | 18.39 | 18.52 | 18.41 | 18.31 | 20.00 |
| _ | | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 38 | 18.23 | 18.25 | 18.31 | 18.23 | 20.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---|---------|
| | | 1 | 74 | 18.49 | 18.49 | 18.42 | 18.39 | 20.00 |
| | | 36 | 0 | 17.71 | 17.79 | 17.69 | 17.78 | 19.00 |
| | | 36 | 18 | 17.50 | 17.58 | 17.56 | 17.64 | 19.00 |
| | | 36 | 39 | 17.50 | 17.55 | 17.54 | 17.54 | 19.00 |
| | | 75 | 0 | 17.71 | 17.59 | 17.55 | 17.46 | 19.00 |
| | | 1 | 0 | 15.36 | 15.30 | 15.57 | 15.58 | 17.00 |
| | | 1 | 38 | 15.48 | 15.51 | 15.34 | 15.43 | 17.00 |
| | | 1 | 74 | 15.69 | 15.67 | 15.49 | 15.62 | 17.00 |
| | 256QAM | 36 | 0 | 15.42 | 15.36 | 15.38 | 15.47 | 17.00 |
| | | 36 | 18 | 15.12 | 15.29 | 15.16 | 15.24 | 17.00 |
| | | 36 | 39 | 15.30 | 15.23 | 15.08 | 15.27 | 17.00 |
| | | 75 | 0 | 15.53 | 15.44 | 15.34 | 15.40 | 17.00 |
| Bandwidth | Madulation | DD eize | DD offeet | Channel | Channel | Channel | Channel | Tungun |
| Danawiath | Modulation | RB size | RB offset | 55340 | 55830 | 56150 | 56640 | Tune up |
| | | 1 | 0 | 20.86 | 20.90 | 20.73 | 20.88 | 22.00 |
| | | 1 | 50 | 20.65 | 20.78 | 20.68 | 20.84 | 22.00 |
| | | 1 | 99 | 20.85 | 20.85 | 20.82 | 20.80 | 22.00 |
| | QPSK | 50 | 0 | 19.64 | 19.87 | 19.79 | 19.67 | 21.00 |
| | | 50 | 25 | 19.58 | 19.69 | 19.80 | 19.77 | 21.00 |
| | | 50 | 50 | 19.69 | 19.87 | 19.71 | 15.43 17 15.62 17 15.47 17 15.47 17 15.24 17 15.27 17 15.40 17 Channel Tun 56640 20.88 22 20.84 22 20.80 22 19.67 21 19.77 21 19.70 21 19.78 21 19.60 21 19.67 21 19.62 21 18.79 20 18.74 20 18.74 20 18.77 20 18.63 20 18.50 20 18.55 20 | 21.00 |
| | | 100 | 0 | 19.74 | 19.78 | 19.74 | 19.78 | 21.00 |
| | | 1 | 0 | 19.82 | 19.72 | 19.70 | 19.60 | 21.00 |
| | | 1 | 50 | 19.75 | 19.76 | 19.73 | 19.67 | 21.00 |
| | | 1 | 99 | 19.69 | 19.71 | 19.71 | 19.62 | 21.00 |
| | 16QAM | 50 | 0 | 18.82 | 18.77 | 18.74 | 18.79 | 20.00 |
| | | 50 | 25 | 18.75 | 18.92 | 18.99 | 18.91 | 20.00 |
| 20MHz | | 50 | 50 | 18.80 | 18.84 | 18.80 | 18.74 | 20.00 |
| | | 100 | 0 | 18.82 | 18.85 | 18.90 | 18.77 | 20.00 |
| | | 1 | 0 | 18.56 | 18.59 | 18.76 | 18.63 | 20.00 |
| | | 1 | 50 | 18.47 | 18.50 | 18.53 | 18.50 | 20.00 |
| | | 1 | 99 | 18.67 | 18.68 | 18.53 | 18.55 | 20.00 |
| | 64QAM | 50 | 0 | 17.97 | 17.89 | 17.86 | 17.97 | 19.00 |
| | | 50 | 25 | 17.75 | 17.89 | 17.73 | 17.65 | 19.00 |
| | | 50 | 50 | 17.78 | 17.73 | 17.87 | 17.80 | 19.00 |
| | | 100 | 0 | 17.79 | 17.86 | 17.75 | 17.64 | 19.00 |
| | | 1 | 0 | 15.57 | 15.71 | 15.69 | 15.74 | 17.00 |
| | 0560 444 | 1 | 50 | 15.65 | 15.70 | 15.70 | 15.62 | 17.00 |
| | 256QAM | 1 | 99 | 15.87 | 15.95 | 15.80 | 15.83 | 17.00 |
| 1 | | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 50 | 25 | 15.40 | 15.41 | 15.39 | 15.40 | 17.00 |
|-----|----|-------|-------|-------|-------|-------|
| 50 | 50 | 15.42 | 15.51 | 15.48 | 15.47 | 17.00 |
| 100 | 0 | 15.63 | 15.64 | 15.66 | 15.68 | 17.00 |

| ı | LTE Band 48 A | nt.3 Full powe | r | | Cond | ducted Power(| dBm) | |
|------------|---------------|----------------|------------|---------|---------|---------------|---------|---|
| | | | 55 " | Channel | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 55265 | 55810 | 56170 | 56715 | Tune up |
| | | 1 | 0 | 20.93 | 20.91 | 20.95 | 20.86 | 22.00 |
| | | 1 | 13 | 20.76 | 20.84 | 20.68 | 20.79 | 22.00 |
| | | 1 | 24 | 20.74 | 20.78 | 20.89 | 20.73 | 22.00 |
| | QPSK | 12 | 0 | 19.78 | 19.99 | 19.83 | 19.76 | 21.00 |
| | | 12 | 6 | 19.70 | 19.74 | 19.80 | 19.68 | 21.00 |
| | | 12 | 13 | 19.73 | 19.76 | 19.67 | 19.72 | 21.00 |
| | | 25 | 0 | 19.87 | 19.84 | 19.83 | 19.78 | 21.00 |
| | | 1 | 0 | 19.79 | 19.73 | 19.76 | 19.64 | 21.00 |
| | | 1 | 13 | 19.75 | 19.89 | 19.76 | 19.64 | 21.00 |
| | | 1 | 24 | 19.77 | 19.87 | 19.76 | 19.70 | 21.00 |
| | 16QAM | 12 | 0 | 18.97 | 18.78 | 18.82 | 18.78 | 20.00 |
| | | 12 | 6 | 18.91 | 19.03 | 18.89 | 19.05 | 20.00 |
| | | 12 | 13 | 18.78 | 18.80 | 18.83 | 18.67 | 20.00 |
| 5MHz | | 25 | 0 | 18.87 | 18.87 | 18.81 | 18.92 | 20.00 |
| SIVITIZ | | 1 | 0 | 18.74 | 18.71 | 18.73 | 18.54 | Tune up 20.86 22.00 20.79 22.00 20.73 22.00 19.76 21.00 19.68 21.00 19.72 21.00 19.64 21.00 19.64 21.00 19.70 21.00 18.78 20.00 18.67 20.00 18.67 20.00 18.54 20.00 18.48 20.00 18.62 20.00 17.79 19.00 17.69 19.00 17.64 19.00 15.72 17.00 15.72 17.00 15.78 17.00 15.49 17.00 15.49 17.00 15.49 17.00 15.49 17.00 15.49 17.00 15.49 17.00 15.71 17.00 |
| | | 1 | 13 | 18.45 | 18.46 | 18.59 | 18.48 | 20.00 |
| | | 1 | 24 | 18.71 | 18.58 | 18.55 | 18.62 | 20.00 |
| | 64QAM | 12 | 0 | 17.89 | 17.90 | 17.92 | 17.79 | 19.00 |
| | | 12 | 6 | 17.70 | 17.84 | 17.87 | 17.69 | 19.00 |
| | | 12 | 13 | 17.79 | 17.77 | 17.85 | 17.89 | 19.00 |
| | | 25 | 0 | 17.84 | 17.87 | 17.73 | 17.64 | 19.00 |
| | | 1 | 0 | 15.63 | 15.49 | 15.70 | 15.72 | 17.00 |
| | | 1 | 13 | 15.68 | 15.68 | 15.67 | 15.60 | 17.00 |
| | | 1 | 24 | 15.95 | 15.93 | 15.82 | 15.78 | 17.00 |
| | 256QAM | 12 | 0 | 15.52 | 15.70 | 15.67 | 15.60 | 17.00 |
| | | 12 | 6 | 15.33 | 15.50 | 15.37 | 15.36 | 17.00 |
| | | 12 | 13 | 15.50 | 15.45 | 15.36 | 15.49 | 17.00 |
| | | 25 | 0 | 15.71 | 15.67 | 15.59 | 15.71 | 17.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Tungun |
| Danuwiulii | Woddiation | VD 2176 | IND Offset | 55290 | 55815 | 56165 | 56690 | Turie up |
| 10MHz | QPSK | 1 | 0 | 20.91 | 20.93 | 20.84 | 20.92 | 22.00 |
| IVIVITIZ | QF SIX | 1 | 25 | 20.65 | 20.70 | 20.65 | 20.81 | 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Stantons (Os., Ltd.)
Wireless Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 49 | 20.92 | 20.88 | 20.79 | 20.83 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|---------|
| | | 25 | 0 | 19.85 | 19.81 | 19.86 | 19.76 | 21.00 |
| | | 25 | 13 | 19.64 | 19.84 | 19.88 | 19.66 | 21.00 |
| | | 25 | 25 | 19.64 | 19.82 | 19.71 | 19.76 | 21.00 |
| | | 50 | 0 | 19.76 | 19.82 | 19.78 | 19.82 | 21.00 |
| | | 1 | 0 | 19.83 | 19.73 | 19.78 | 19.73 | 21.00 |
| | | 1 | 25 | 19.80 | 19.74 | 19.69 | 19.63 | 21.00 |
| | | 1 | 49 | 19.84 | 19.81 | 19.76 | 19.70 | 21.00 |
| | 16QAM | 25 | 0 | 18.84 | 18.83 | 18.78 | 18.80 | 20.00 |
| | | 25 | 13 | 18.78 | 18.97 | 18.88 | 18.94 | 20.00 |
| | | 25 | 25 | 18.80 | 18.91 | 18.67 | 18.67 | 20.00 |
| | | 50 | 0 | 18.86 | 18.83 | 18.88 | 18.90 | 20.00 |
| | | 1 | 0 | 18.60 | 18.58 | 18.66 | 18.65 | 20.00 |
| | | 1 | 25 | 18.50 | 18.37 | 18.57 | 18.56 | 20.00 |
| | | 1 | 49 | 18.63 | 18.64 | 18.64 | 18.66 | 20.00 |
| | 64QAM | 25 | 0 | 17.89 | 17.95 | 17.82 | 17.93 | 19.00 |
| | | 25 | 13 | 17.65 | 17.85 | 17.88 | 17.68 | 19.00 |
| | | 25 | 25 | 17.87 | 17.80 | 17.90 | 17.84 | 19.00 |
| | | 50 | 0 | 17.91 | 17.83 | 17.80 | 17.60 | 19.00 |
| | | 1 | 0 | 15.71 | 15.64 | 15.67 | 15.68 | 17.00 |
| | | 1 | 25 | 15.75 | 15.86 | 15.70 | 15.65 | 17.00 |
| | | 1 | 49 | 15.80 | 15.80 | 15.81 | 15.87 | 17.00 |
| | 256QAM | 25 | 0 | 15.62 | 15.71 | 15.67 | 15.72 | 17.00 |
| | | 25 | 13 | 15.45 | 15.36 | 15.53 | 15.28 | 17.00 |
| | | 25 | 25 | 15.46 | 15.58 | 15.28 | 15.55 | 17.00 |
| | | 50 | 0 | 15.60 | 15.63 | 15.69 | 15.74 | 17.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Tune up |
| Danawidin | Woddiation | TO SIZE | ND onset | 55315 | 55820 | 56160 | 56665 | rune up |
| | | 1 | 0 | 20.92 | 20.96 | 20.86 | 20.93 | 22.00 |
| | | 1 | 38 | 20.72 | 20.68 | 20.60 | 20.83 | 22.00 |
| | | 1 | 74 | 20.77 | 20.87 | 20.83 | 20.91 | 22.00 |
| | QPSK | 36 | 0 | 19.76 | 19.93 | 19.77 | 19.78 | 21.00 |
| | | 36 | 18 | 19.60 | 19.76 | 19.75 | 19.74 | 21.00 |
| 15MHz | | 36 | 39 | 19.87 | 19.81 | 19.80 | 19.83 | 21.00 |
| 10.41112 | | 75 | 0 | 19.85 | 19.88 | 19.71 | 19.75 | 21.00 |
| | | 1 | 0 | 19.81 | 19.81 | 19.69 | 19.70 | 21.00 |
| | | 1 | 38 | 19.79 | 19.83 | 19.69 | 19.72 | 21.00 |
| | 16QAM | 1 | 74 | 19.82 | 19.73 | 19.69 | 19.60 | 21.00 |
| | | 36 | 0 | 19.01 | 18.97 | 18.82 | 18.76 | 20.00 |
| | | 36 | 18 | 18.88 | 19.03 | 19.06 | 18.89 | 20.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 36 | 39 | 18.91 | 18.96 | 18.83 | 18.76 | 20.00 |
|----------------|------------|---------|-----------|---------|---------|---------|---------|---------|
| | | 75 | 0 | 18.82 | 18.81 | 18.87 | 18.85 | 20.00 |
| | | 1 | 0 | 18.61 | 18.83 | 18.57 | 18.62 | 20.00 |
| | | 1 | 38 | 18.43 | 18.47 | 18.45 | 18.51 | 20.00 |
| | | 1 | 74 | 18.65 | 18.69 | 18.65 | 18.72 | 20.00 |
| | 64QAM | 36 | 0 | 17.93 | 18.03 | 17.98 | 17.93 | 19.00 |
| | | 36 | 18 | 17.78 | 17.82 | 17.83 | 17.82 | 19.00 |
| | | 36 | 39 | 17.81 | 17.69 | 17.74 | 17.87 | 19.00 |
| | | 75 | 0 | 17.84 | 17.78 | 17.83 | 17.73 | 19.00 |
| | | 1 | 0 | 15.58 | 15.48 | 15.77 | 15.72 | 17.00 |
| | | 1 | 38 | 15.79 | 15.67 | 15.59 | 15.56 | 17.00 |
| | | 1 | 74 | 15.90 | 15.87 | 15.66 | 15.88 | 17.00 |
| | 256QAM | 36 | 0 | 15.71 | 15.56 | 15.72 | 15.66 | 17.00 |
| | | 36 | 18 | 15.39 | 15.41 | 15.37 | 15.42 | 17.00 |
| | | 36 | 39 | 15.56 | 15.50 | 15.38 | 15.51 | 17.00 |
| | | 75 | 0 | 15.74 | 15.76 | 15.60 | 15.75 | 17.00 |
| Downsky i déla | Madulation | DD size | DD offeet | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 55340 | 55830 | 56150 | 56640 | Tune up |
| | | 1 | 0 | 20.96 | 21.03 | 20.83 | 20.91 | 22.00 |
| | | 1 | 50 | 20.74 | 20.95 | 20.73 | 20.86 | 22.00 |
| | | 1 | 99 | 20.94 | 20.84 | 20.93 | 20.93 | 22.00 |
| | QPSK | 50 | 0 | 19.71 | 19.92 | 19.87 | 19.84 | 21.00 |
| | | 50 | 25 | 19.78 | 19.89 | 19.98 | 19.94 | 21.00 |
| | | 50 | 50 | 19.89 | 19.94 | 19.78 | 19.86 | 21.00 |
| | | 100 | 0 | 19.94 | 19.91 | 19.83 | 19.91 | 21.00 |
| | | 1 | 0 | 19.91 | 19.91 | 19.87 | 19.69 | 21.00 |
| | | 1 | 50 | 19.82 | 19.86 | 19.84 | 19.74 | 21.00 |
| | | 1 | 99 | 19.76 | 19.90 | 19.84 | 19.73 | 21.00 |
| 208411- | 16QAM | 50 | 0 | 18.95 | 18.84 | 18.84 | 18.98 | 20.00 |
| 20MHz | | 50 | 25 | 18.93 | 19.03 | 19.09 | 18.99 | 20.00 |
| | | 50 | 50 | 18.86 | 18.97 | 18.93 | 18.90 | 20.00 |
| | | 100 | 0 | 18.90 | 19.03 | 18.96 | 18.96 | 20.00 |
| | | 1 | 0 | 18.74 | 18.76 | 18.96 | 18.77 | 20.00 |
| | | 1 | 50 | 18.65 | 18.59 | 18.65 | 18.67 | 20.00 |
| | | 1 | 99 | 18.75 | 18.75 | 18.63 | 18.62 | 20.00 |
| | 64QAM | 50 | 0 | 18.16 | 18.02 | 18.01 | 18.02 | 19.00 |
| | | 50 | 25 | 17.84 | 18.02 | 17.90 | 17.71 | 19.00 |
| | | 50 | 50 | 17.97 | 17.79 | 17.99 | 17.96 | 19.00 |
| | | 100 | 0 | 17.95 | 17.96 | 17.84 | 17.78 | 19.00 |
| | 256QAM | 1 | 0 | 15.63 | 15.83 | 15.83 | 15.93 | 17.00 |
| | | | <u> </u> | | | | | 1 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 1 | 50 | 15.79 | 15.80 | 15.82 | 15.81 | 17.00 |
|-----|----|-------|-------|-------|-------|-------|
| 1 | 99 | 15.96 | 16.02 | 15.93 | 15.92 | 17.00 |
| 50 | 0 | 15.74 | 15.65 | 15.65 | 15.81 | 17.00 |
| 50 | 25 | 15.51 | 15.48 | 15.57 | 15.50 | 17.00 |
| 50 | 50 | 15.59 | 15.59 | 15.64 | 15.56 | 17.00 |
| 100 | 0 | 15.71 | 15.81 | 15.74 | 15.74 | 17.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

1.14 Conducted Power of LTE Band 66

| | LTE Band 66 A | nt.0 Full power | | | Conducted | Power(dBm) | |
|-----------|---------------|-----------------|-----------|---------|-----------|------------|-------------------------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 131979 | 132322 | 132665 | • |
| | | 1 | 0 | 22.05 | 22.11 | 22.17 | 24.00 |
| | | 1 | 2 | 22.12 | 22.04 | 22.09 | 24.00 |
| | | 1 | 5 | 22.05 | 22.07 | 22.05 | 24.00 |
| | QPSK | 3 | 0 | 22.21 | 22.08 | 22.22 | 24.00 |
| | | 3 | 1 | 22.03 | 22.23 | 22.08 | 24.00 |
| | | 3 | 3 | 22.05 | 22.27 | 22.06 | 24.00 |
| | | 6 | 0 | 21.27 | 21.37 | 21.32 | 23.00 |
| | | 1 | 0 | 21.78 | 21.69 | 21.45 | 23.00 |
| | | 1 | 2 | 21.41 | 21.48 | 21.48 | 23.00 |
| | | 1 | 5 | 21.52 | 21.41 | 21.46 | 23.00 |
| | 16QAM | 3 | 0 | 21.51 | 21.37 | 21.49 | 23.00 |
| | | 3 | 1 | 21.35 | 21.40 | 21.36 | 23.00 |
| | | 3 | 3 | 21.51 | 21.23 | 21.40 | 23.00 |
| 1.4MHz | | 6 | 0 | 20.09 | 20.12 | 20.55 | 22.00 |
| 1.4WHZ | | 1 | 0 | 20.50 | 20.49 | 20.24 | 22.00 |
| | | 1 | 2 | 20.26 | 20.22 | 20.39 | 22.00 |
| | | 1 | 5 | 20.74 | 20.74 | 20.75 | 22.00 |
| | 64QAM | 3 | 0 | 20.29 | 20.05 | 20.09 | 22.00 22.00 22.00 |
| | | 3 | 1 | 20.10 | 20.07 | 20.03 | 22.00 |
| | | 3 | 3 | 20.09 | 20.06 | 20.13 | 22.00 |
| | | 6 | 0 | 19.43 | 19.64 | 19.51 | 21.00 |
| | | 1 | 0 | 17.31 | 17.37 | 17.35 | 19.00 |
| | | 1 | 2 | 17.52 | 17.33 | 17.44 | 19.00 |
| | | 1 | 5 | 17.62 | 17.49 | 17.50 | 19.00 |
| | 256QAM | 3 | 0 | 17.36 | 17.46 | 17.28 | 19.00 |
| | | 3 | 1 | 17.04 | 17.25 | 17.24 | 19.00 |
| | | 3 | 3 | 17.23 | 17.07 | 17.33 | 19.00 |
| | | 6 | 0 | 17.61 | 17.63 | 17.49 | 19.00 |
| _ , | | DD : | 55 % | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 131987 | 132322 | 132657 | Tune up |
| | | 1 | 0 | 22.25 | 22.33 | 22.27 | 24.00 |
| | | 1 | 7 | 22.14 | 22.13 | 22.08 | 24.00 |
| 3MHz | QPSK | 1 | 14 | 22.00 | 22.08 | 22.00 | 24.00 |
| | | 8 | 0 | 21.24 | 21.49 | 21.13 | 23.00 |
| | | 8 | 4 | 21.07 | 21.18 | 21.33 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 8 | 7 | 21.16 | 21.05 | 21.06 | 23.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 15 | 0 | 21.31 | 21.13 | 21.24 | 23.00 |
| | | 1 | 0 | 21.58 | 21.51 | 21.66 | 23.00 |
| | | 1 | 7 | 21.40 | 21.60 | 21.53 | 23.00 |
| | | 1 | 14 | 21.22 | 21.81 | 21.72 | 23.00 |
| | 16QAM | 8 | 0 | 20.22 | 20.30 | 20.18 | 22.00 |
| | | 8 | 4 | 20.10 | 20.32 | 20.24 | 22.00 |
| | | 8 | 7 | 20.12 | 20.16 | 20.04 | 22.00 |
| | | 15 | 0 | 20.15 | 20.34 | 20.25 | 22.00 |
| | | 1 | 0 | 20.44 | 20.38 | 20.25 | 22.00 |
| | | 1 | 7 | 20.26 | 20.34 | 20.30 | 22.00 |
| | | 1 | 14 | 20.79 | 20.68 | 20.79 | 22.00 |
| | 64QAM | 8 | 0 | 19.67 | 19.81 | 19.59 | 21.00 |
| | | 8 | 4 | 19.45 | 19.78 | 19.57 | 21.00 |
| | | 8 | 7 | 19.60 | 19.55 | 19.47 | 21.00 |
| | | 15 | 0 | 19.50 | 19.61 | 19.47 | 21.00 |
| | | 1 | 0 | 17.51 | 17.51 | 17.32 | 19.00 |
| | | 1 | 7 | 17.53 | 17.33 | 17.43 | 19.00 |
| | | 1 | 14 | 17.52 | 17.53 | 17.47 | 19.00 |
| | 256QAM | 8 | 0 | 17.39 | 17.35 | 17.39 | 19.00 |
| | | 8 | 4 | 17.17 | 17.06 | 17.30 | 19.00 |
| | | 8 | 7 | 17.22 | 17.20 | 17.27 | 19.00 |
| | | 15 | 0 | 17.65 | 17.65 | 17.41 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RD SIZE | KD Ollset | 131997 | 132322 | 132647 | Tune up |
| | | 1 | 0 | 22.23 | 22.26 | 22.27 | 24.00 |
| | | 1 | 13 | 22.10 | 22.10 | 22.13 | 24.00 |
| | | 1 | 24 | 22.05 | 22.04 | 22.00 | 24.00 |
| | QPSK | 12 | 0 | 21.23 | 21.32 | 21.14 | 23.00 |
| | | 12 | 6 | 21.06 | 21.18 | 21.26 | 23.00 |
| | | 12 | 13 | 21.09 | 21.14 | 21.07 | 23.00 |
| | | 25 | 0 | 21.31 | 21.13 | 21.07 | 23.00 |
| 5MHz | | 1 | 0 | 21.55 | 21.57 | 21.64 | 23.00 |
| | | 1 | 13 | 21.37 | 21.54 | 21.55 | 23.00 |
| | | 1 | 24 | 21.33 | 21.78 | 21.70 | 23.00 |
| | 16QAM | 12 | 0 | 20.39 | 20.38 | 20.21 | 22.00 |
| | | 12 | 6 | 20.03 | 20.33 | 20.18 | 22.00 |
| | | 12 | 13 | 20.14 | 20.22 | 20.01 | 22.00 |
| | | 25 | 0 | 20.25 | 20.28 | 20.05 | 22.00 |
| | 64QAM | 1 | 0 | 20.46 | 20.31 | 20.36 | 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 13 | 20.19 | 20.36 | 20.19 | 22.00 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 24 | 20.70 | 20.84 | 20.72 | 22.00 |
| | | 12 | 0 | 19.58 | 19.63 | 19.67 | 21.00 |
| | | 12 | 6 | 19.53 | 19.73 | 19.55 | 21.00 |
| | | 12 | 13 | 19.72 | 19.58 | 19.54 | 21.00 |
| | | 25 | 0 | 19.48 | 19.73 | 19.46 | 21.00 |
| | | 1 | 0 | 17.36 | 17.43 | 17.40 | 19.00 |
| | | 1 | 13 | 17.46 | 17.33 | 17.37 | 19.00 |
| | | 1 | 24 | 17.75 | 17.52 | 17.53 | 19.00 |
| | 256QAM | 12 | 0 | 17.36 | 17.42 | 17.27 | 19.00 |
| | | 12 | 6 | 17.20 | 17.24 | 17.27 | 19.00 |
| | | 12 | 13 | 17.30 | 17.08 | 17.27 | 19.00 |
| | | 25 | 0 | 17.41 | 17.57 | 17.66 | 19.00 |
| Randwidth | Modulation | DR oizo | DR offeet | Channel | Channel | Channel | Tupo up |
| Bandwidth | Modulation | RB size | RB offset | 132022 | 132322 | 132622 | Tune up |
| | | 1 | 0 | 22.24 | 22.24 | 22.27 | 24.00 |
| | | 1 | 25 | 22.07 | 22.18 | 22.02 | 24.00 |
| | QPSK | 1 | 49 | 22.03 | 22.03 | 22.04 | 24.00 |
| | | 25 | 0 | 21.32 | 21.24 | 21.09 | 23.00 |
| | | 25 | 13 | 21.09 | 21.21 | 21.16 | 23.00 |
| | | 25 | 25 | 21.19 | 21.14 | 21.04 | 23.00 |
| | | 50 | 0 | 21.36 | 21.04 | 21.13 | 23.00 |
| | | 1 | 0 | 21.38 | 21.63 | 21.61 | 23.00 |
| | | 1 | 25 | 21.50 | 21.59 | 21.56 | 23.00 |
| | | 1 | 49 | 21.13 | 21.68 | 21.56 | 23.00 |
| | 16QAM | 25 | 0 | 20.20 | 20.48 | 20.15 | 22.00 |
| | | 25 | 13 | 20.04 | 20.17 | 20.11 | 22.00 |
| 10MHz | | 25 | 25 | 20.10 | 20.07 | 20.03 | 22.00 |
| | | 50 | 0 | 20.22 | 20.26 | 20.10 | 22.00 |
| | | 1 | 0 | 20.09 | 20.34 | 20.32 | 22.00 |
| | | 1 | 25 | 20.24 | 20.27 | 20.34 | 22.00 |
| | | 1 | 49 | 20.25 | 20.11 | 20.40 | 22.00 |
| | 64QAM | 25 | 0 | 19.13 | 19.11 | 19.11 | 21.00 |
| | | 25 | 13 | 19.47 | 19.15 | 19.07 | 21.00 |
| | | 25 | 25 | 19.09 | 19.01 | 19.00 | 21.00 |
| | | 50 | 0 | 19.48 | 19.21 | 19.04 | 21.00 |
| | | 1 | 0 | 17.43 | 17.08 | 17.32 | 19.00 |
| | 0500444 | 1 | 25 | 17.02 | 17.32 | 17.35 | 19.00 |
| | 256QAM | 1 | 49 | 17.47 | 17.50 | 17.46 | 19.00 |
| | | 25 | 0 | 17.25 | 17.32 | 17.39 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 13 | 17.09 | 17.23 | 17.22 | 19.00 |
|------------|--------------|---------|-----------|---------|---------|---------|---------|
| | | 25 | 25 | 17.16 | 17.18 | 17.19 | 19.00 |
| | | 50 | 0 | 17.37 | 17.48 | 17.63 | 19.00 |
| Daniel del | NA dela Cara | DD -i | DD - # | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 132047 | 132322 | 132597 | Tune up |
| | | 1 | 0 | 22.26 | 22.33 | 22.35 | 24.00 |
| | | 1 | 38 | 22.20 | 22.27 | 22.04 | 24.00 |
| | | 1 | 74 | 22.09 | 22.11 | 22.06 | 24.00 |
| | QPSK | 36 | 0 | 21.35 | 21.35 | 21.24 | 23.00 |
| | | 36 | 18 | 21.02 | 21.19 | 21.24 | 23.00 |
| | | 36 | 39 | 21.19 | 21.13 | 21.14 | 23.00 |
| | 75 | 0 | 21.21 | 21.01 | 21.26 | 23.00 | |
| | | 1 | 0 | 21.57 | 21.43 | 21.61 | 23.00 |
| | | 1 | 38 | 21.38 | 21.61 | 21.47 | 23.00 |
| | | 1 | 74 | 21.35 | 21.73 | 21.63 | 23.00 |
| | 16QAM | 36 | 0 | 20.23 | 20.38 | 20.12 | 22.00 |
| | | 36 | 18 | 20.05 | 20.16 | 20.09 | 22.00 |
| | | 36 | 39 | 20.11 | 20.07 | 20.06 | 22.00 |
| 15MHz | | 75 | 0 | 20.31 | 20.25 | 20.15 | 22.00 |
| TOWINZ | | 1 | 0 | 20.12 | 20.03 | 20.36 | 22.00 |
| | | 1 | 38 | 20.36 | 20.43 | 20.28 | 22.00 |
| | 64QAM | 1 | 74 | 20.08 | 20.33 | 20.36 | 22.00 |
| | | 36 | 0 | 19.16 | 19.03 | 19.20 | 21.00 |
| | | 36 | 18 | 19.62 | 19.17 | 19.04 | 21.00 |
| | | 36 | 39 | 19.12 | 19.08 | 19.46 | 21.00 |
| | | 75 | 0 | 19.04 | 19.23 | 19.48 | 21.00 |
| | | 1 | 0 | 17.39 | 17.43 | 17.41 | 19.00 |
| | | 1 | 38 | 17.49 | 17.44 | 17.41 | 19.00 |
| | | 1 | 74 | 17.19 | 17.11 | 17.12 | 19.00 |
| | 256QAM | 36 | 0 | 17.23 | 17.49 | 17.38 | 19.00 |
| | | 36 | 18 | 17.17 | 17.22 | 17.24 | 19.00 |
| | | 36 | 39 | 17.32 | 17.13 | 17.31 | 19.00 |
| | | 75 | 0 | 17.73 | 17.49 | 17.63 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | KD SIZE | KD UIISEL | 132072 | 132322 | 132572 | Tune up |
| | | 1 | 0 | 22.39 | 22.45 | 22.35 | 24.00 |
| | | 1 | 50 | 22.13 | 22.15 | 22.09 | 24.00 |
| 20MHz | QPSK | 1 | 99 | 22.08 | 22.03 | 22.19 | 24.00 |
| | | 50 | 0 | 21.34 | 21.23 | 21.02 | 23.00 |
| | | 50 | 25 | 21.09 | 21.15 | 21.29 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | 50 | 50 | 21.17 | 21.11 | 21.08 | 23.00 |
|--------|-----|----|-------|-------|-------|-------|
| | 100 | 0 | 21.39 | 21.04 | 21.04 | 23.00 |
| | 1 | 0 | 21.52 | 21.51 | 21.49 | 23.00 |
| | 1 | 50 | 21.40 | 21.50 | 21.42 | 23.00 |
| | 1 | 99 | 21.28 | 21.85 | 21.70 | 23.00 |
| 16QAM | 50 | 0 | 20.29 | 20.30 | 20.18 | 22.00 |
| | 50 | 25 | 20.10 | 20.22 | 20.01 | 22.00 |
| | 50 | 50 | 20.02 | 20.14 | 20.02 | 22.00 |
| | 100 | 0 | 20.18 | 20.37 | 20.13 | 22.00 |
| | 1 | 0 | 20.44 | 20.43 | 20.41 | 22.00 |
| | 1 | 50 | 20.22 | 20.21 | 20.28 | 22.00 |
| | 1 | 99 | 20.30 | 20.05 | 20.31 | 22.00 |
| 64QAM | 50 | 0 | 19.15 | 19.07 | 19.19 | 21.00 |
| | 50 | 25 | 19.43 | 19.17 | 19.01 | 21.00 |
| | 50 | 50 | 19.08 | 19.14 | 19.01 | 21.00 |
| | 100 | 0 | 19.51 | 19.61 | 19.49 | 21.00 |
| | 1 | 0 | 17.36 | 17.40 | 17.43 | 19.00 |
| | 1 | 50 | 17.31 | 17.46 | 17.31 | 19.00 |
| | 1 | 99 | 17.19 | 17.08 | 17.18 | 19.00 |
| 256QAM | 50 | 0 | 17.43 | 17.35 | 17.29 | 19.00 |
| | 50 | 25 | 17.06 | 17.24 | 17.25 | 19.00 |
| | 50 | 50 | 17.38 | 17.15 | 17.42 | 19.00 |
| | 100 | 0 | 17.63 | 17.46 | 17.44 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SUCR240900032706 Report No.:

Rev.: 01

| | LTE Band 66 A | nt.3 Full power | | Conducted Power(dBm) | | | | |
|--------------|---------------|-----------------|-----------|----------------------|---------|---------|---------|--|
| Donalusialth | Madulation | DD size | RB offset | Channel | Channel | Channel | Tungun | |
| Bandwidth | Modulation | RB size | RB offset | 131979 | 132322 | 132665 | Tune up | |
| | | 1 | 0 | 22.09 | 22.17 | 22.02 | 24.00 | |
| | | 1 | 2 | 22.28 | 22.07 | 22.03 | 24.00 | |
| | | 1 | 5 | 22.10 | 22.16 | 22.19 | 24.00 | |
| | QPSK | 3 | 0 | 22.12 | 22.05 | 22.02 | 24.00 | |
| | | 3 | 1 | 22.09 | 22.01 | 22.10 | 24.00 | |
| | | 3 | 3 | 22.17 | 22.12 | 22.11 | 24.00 | |
| | | 6 | 0 | 21.05 | 21.27 | 21.18 | 23.00 | |
| | | 1 | 0 | 21.42 | 21.38 | 21.20 | 23.00 | |
| | | 1 | 2 | 21.24 | 21.25 | 21.24 | 23.00 | |
| 16QAM | 1 | 5 | 21.31 | 21.17 | 21.15 | 23.00 | | |
| | 3 | 0 | 21.33 | 21.29 | 21.40 | 23.00 | | |
| | | 3 | 1 | 21.17 | 21.21 | 21.18 | 23.00 | |
| | 3 | 3 | 21.43 | 21.12 | 21.06 | 23.00 | | |
| | 4 4801- | 6 | 0 | 20.04 | 20.04 | 20.23 | 22.00 | |
| 1.4MHz | | 1 | 0 | 20.31 | 20.32 | 20.03 | 22.00 | |
| | | 1 | 2 | 20.09 | 20.04 | 20.18 | 22.00 | |
| | | 1 | 5 | 20.46 | 20.52 | 20.51 | 22.00 | |
| | 64QAM | 3 | 0 | 20.06 | 20.00 | 20.02 | 22.00 | |
| | | 3 | 1 | 20.11 | 20.09 | 20.11 | 22.00 | |
| | | 3 | 3 | 20.03 | 20.12 | 20.09 | 22.00 | |
| | | 6 | 0 | 19.25 | 19.45 | 19.25 | 21.00 | |
| | | 1 | 0 | 17.19 | 17.20 | 17.13 | 19.00 | |
| | | 1 | 2 | 17.32 | 17.10 | 17.12 | 19.00 | |
| | | 1 | 5 | 17.36 | 17.27 | 17.40 | 19.00 | |
| | 256QAM | 3 | 0 | 17.15 | 17.14 | 17.15 | 19.00 | |
| | | 3 | 1 | 17.07 | 17.02 | 17.11 | 19.00 | |
| | | 3 | 3 | 17.03 | 17.03 | 17.05 | 19.00 | |
| | | 6 | 0 | 17.38 | 17.30 | 17.30 | 19.00 | |
| D | NA - de la ci | DD : | DD " : | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 131987 | 132322 | 132657 | Tune up | |
| | | 1 | 0 | 22.09 | 22.10 | 22.14 | 24.00 | |
| | | 1 | 7 | 22.06 | 22.06 | 22.04 | 24.00 | |
| | OPOK | 1 | 14 | 22.03 | 22.02 | 22.05 | 24.00 | |
| 3MHz | QPSK | 8 | 0 | 21.16 | 21.22 | 21.05 | 23.00 | |
| ı | | 8 | 4 | 21.02 | 21.08 | 21.13 | 23.00 | |
| | | 8 | 7 | 21.02 | 21.07 | 21.06 | 23.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| 1 0 21.33 21.34 21.52 23.00 1 7 21.18 21.42 21.37 23.00 1 1 14 21.14 21.67 21.52 23.00 8 0 20.27 20.26 20.17 22.00 8 0 4 20.14 20.22 20.02 22.00 8 7 20.15 20.14 20.08 22.00 15 0 20.20 20.21 20.06 22.00 15 0 20.08 20.01 20.05 22.00 1 0 20.08 20.01 20.05 22.00 1 1 7 20.03 20.14 20.08 22.00 1 1 14 20.39 20.31 20.33 22.00 1 1 14 20.39 20.31 20.33 22.00 8 0 19.43 19.38 19.22 21.00 8 0 19.43 19.38 19.22 21.00 8 0 19.43 19.38 19.20 21.00 8 0 19.43 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 15 0 19.19 19.16 19.11 21.00 16 1 7 17.21 17.12 17.05 19.00 17 17.21 17.12 17.05 19.00 18 0 17.00 17.03 17.00 19.00 8 0 17.00 17.03 17.00 19.00 8 1 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 | | | | | | | | |
|--|-------------|------------|--|---|---|---|---|---|
| 1 | | | 15 | 0 | 21.25 | 21.15 | 21.09 | 23.00 |
| 1 14 21.14 21.67 21.52 23.00 16QAM 8 0 20.27 20.26 20.17 22.00 8 4 20.14 20.22 20.02 22.00 15 0 20.20 20.21 20.06 22.00 15 0 20.08 20.01 20.05 22.00 1 0 20.08 20.01 20.05 22.00 1 1 7 20.03 20.14 20.08 22.00 1 1 14 20.39 20.31 20.33 22.00 1 1 14 20.39 20.31 20.33 22.00 8 4 19.13 19.38 19.22 21.00 8 7 19.31 19.13 19.08 21.00 8 7 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 1 1 0 17.04 17.22 17.12 19.00 1 1 7 17.21 17.12 17.05 19.00 1 1 14 17.23 17.19 17.24 19.00 256QAM 8 0 17.00 17.03 17.00 19.00 8 7 17.07 17.03 17.11 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 15 0 17.21 17.23 17.25 19.00 | | | 1 | 0 | 21.33 | 21.34 | 21.52 | 23.00 |
| 16QAM | | | 1 | 7 | 21.18 | 21.42 | 21.37 | 23.00 |
| R | | | 1 | 14 | 21.14 | 21.67 | 21.52 | 23.00 |
| B | | 16QAM | 8 | 0 | 20.27 | 20.26 | 20.17 | 22.00 |
| 15 | | | 8 | 4 | 20.14 | 20.22 | 20.02 | 22.00 |
| 1 | | | 8 | 7 | 20.15 | 20.14 | 20.08 | 22.00 |
| 1 | | | 15 | 0 | 20.20 | 20.21 | 20.06 | 22.00 |
| 1 14 20.39 20.31 20.33 22.00 8 0 19.43 19.38 19.22 21.00 8 4 19.13 19.33 19.20 21.00 8 7 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 1 0 17.04 17.22 17.12 19.00 1 7 17.21 17.12 17.05 19.00 1 14 17.23 17.19 17.24 19.00 1 14 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.15 19.00 8 RB size RB offset Channel Channel Tune were serviced as a service of the service of t | | | 1 | 0 | 20.08 | 20.01 | 20.05 | 22.00 |
| 64QAM 8 0 19.43 19.38 19.22 21.00 8 4 19.13 19.33 19.20 21.00 8 7 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 1 0 17.04 17.22 17.12 19.00 1 7 17.21 17.12 17.05 19.00 1 1 14 17.23 17.19 17.24 19.00 8 0 17.00 17.03 17.00 19.00 8 4 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 Bandwidth Modulation RB size RB offset Channel Channel Tune were significant to the control of the control | | | 1 | 7 | 20.03 | 20.14 | 20.08 | 22.00 |
| 8 4 19.13 19.33 19.20 21.00 8 7 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 1 0 17.04 17.22 17.12 19.00 1 7 17.21 17.12 17.05 19.00 1 14 17.23 17.19 17.24 19.00 1 10 17.00 17.03 17.00 19.00 1 17.08 17.02 17.05 19.00 1 17.07 17.03 17.11 19.00 1 17.21 17.23 17.25 19.00 1 17.21 17.23 17.25 19.00 1 17.21 17.23 17.25 19.00 1 17.07 17.03 17.11 19.00 1 15 0 17.21 17.23 17.25 19.00 1 15 0 17.21 17.23 17.25 19.00 1 15 0 17.21 17.23 17.25 19.00 1 15 0 17.01 17.03 17.11 17.00 | | | 1 | 14 | 20.39 | 20.31 | 20.33 | 22.00 |
| 8 7 19.31 19.13 19.08 21.00 15 0 19.19 19.16 19.11 21.00 1 0 17.04 17.22 17.12 19.00 1 7 17.21 17.12 17.05 19.00 1 14 17.23 17.19 17.24 19.00 8 0 17.00 17.03 17.00 19.00 8 4 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 Bandwidth Modulation RB size RB offset Channel Channel Tune Weight | | 64QAM | 8 | 0 | 19.43 | 19.38 | 19.22 | 21.00 |
| 15 0 19.19 19.16 19.11 21.00 1 | | | 8 | 4 | 19.13 | 19.33 | 19.20 | 21.00 |
| 1 | | | 8 | 7 | 19.31 | 19.13 | 19.08 | 21.00 |
| 1 | | | 15 | 0 | 19.19 | 19.16 | 19.11 | 21.00 |
| 1 | | | 1 | 0 | 17.04 | 17.22 | 17.12 | 19.00 |
| 256QAM 8 0 17.00 17.03 17.00 19.00 8 4 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 Bandwidth Modulation RB size RB offset RB offset | | | 1 | 7 | 17.21 | 17.12 | 17.05 | 19.00 |
| 8 4 17.08 17.02 17.05 19.00 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 Bandwidth Modulation RB size RB offset Channel Channel Channel Tune us | | | 1 | 14 | 17.23 | 17.19 | 17.24 | 19.00 |
| 8 7 17.07 17.03 17.11 19.00 15 0 17.21 17.23 17.25 19.00 Bandwidth Modulation RB size RB offset Channel Channel Channel Tune u | | 256QAM | 8 | 0 | 17.00 | 17.03 | 17.00 | 19.00 |
| 15 0 17.21 17.23 17.25 19.00 | | | 8 | 4 | 17.08 | 17.02 | 17.05 | 19.00 |
| Bandwidth Modulation RB size RB offset Channel Channel Tune u | | | 8 | 7 | 17.07 | 17.03 | 17.11 | 19.00 |
| Bandwidth Modulation RB size RB offset Tune u | | | 15 | 0 | 17.21 | 17.23 | 17.25 | 19.00 |
| 131997 132322 132647 | Pandwidth | Modulation | DP oizo | DP offeet | Channel | Channel | Channel | Tungun |
| | Balluwiutii | Modulation | ND SIZE | KB oliset | 131997 | 132322 | 132647 | rune up |
| 1 0 22.05 22.16 22.13 24.00 | | | 1 | 0 | 22.05 | 22.16 | 22.13 | 24.00 |
| 1 13 22.15 22.03 22.08 24.00 | | | 1 | 13 | 22.15 | 22.03 | 22.08 | 24.00 |
| 1 24 22.12 22.09 22.14 24.00 | | | 1 | 24 | 22.12 | 22.09 | 22.14 | 24.00 |
| QPSK 12 0 21.23 21.19 22.08 23.00 | | QPSK | 12 | 0 | 21.23 | 21.19 | 22.08 | 23.00 |
| 12 6 21.08 21.01 21.03 23.00 | | | 12 | | 04.00 | | 21.03 | 23.00 |
| 12 13 21.04 21.08 21.06 23.00 | | | 12 | 6 | 21.08 | 21.01 | 21.00 | |
| 25 0 21.22 21.17 21.07 23.00 | | | | | + | | | 23.00 |
| 1 0 21.46 21.32 21.42 23.00 | | | 12 | 13 | 21.04 | 21.08 | 21.06 | 23.00 23.00 |
| 1 13 21.28 21.44 21.38 23.00 | ENALL- | | 12 25 | 13 0 | 21.04 21.22 | 21.08 21.17 | 21.06 21.07 | + |
| 1 24 21.16 21.65 21.45 23.00 | 5MHz | | 12 25 1 | 13 0 0 | 21.04 21.22 21.46 | 21.08 21.17 21.32 | 21.06 21.07 21.42 | 23.00 |
| 16QAM 12 0 20.20 20.23 20.08 22.00 | 5MHz | | 12 25 1 | 13 0 0 13 | 21.04 21.22 21.46 21.28 | 21.08 21.17 21.32 21.44 | 21.06 21.07 21.42 21.38 | 23.00 23.00 |
| 12 6 20.14 20.19 20.27 22.00 | 5MHz | 16QAM | 12 25 1 1 | 13 0 0 13 24 | 21.04 21.22 21.46 21.28 21.16 | 21.08 21.17 21.32 21.44 21.65 | 21.06 21.07 21.42 21.38 21.45 | 23.00 23.00 23.00 |
| 12 13 20.14 20.02 20.24 22.00 | 5MHz | 16QAM | 12 25 1 1 1 1 | 13 0 0 13 24 0 | 21.04 21.22 21.46 21.28 21.16 20.20 | 21.08 21.17 21.32 21.44 21.65 20.23 | 21.06 21.07 21.42 21.38 21.45 20.08 | 23.00 23.00 23.00 23.00 |
| 25 0 20.04 20.04 20.07 22.00 | 5MHz | 16QAM | 12 25 1 1 1 1 12 12 | 13 0 0 13 24 0 | 21.04 21.22 21.46 21.28 21.16 20.20 20.14 | 21.08 21.17 21.32 21.44 21.65 20.23 20.19 | 21.06 21.07 21.42 21.38 21.45 20.08 20.27 | 23.00 23.00 23.00 23.00 23.00 22.00 |
| 1 0 20.14 20.11 20.06 22.00 | 5MHz | 16QAM | 12 25 1 1 1 1 12 12 12 | 13 0 0 13 24 0 6 | 21.04 21.22 21.46 21.28 21.16 20.20 20.14 20.14 | 21.08 21.17 21.32 21.44 21.65 20.23 20.19 20.02 | 21.06 21.07 21.42 21.38 21.45 20.08 20.27 20.24 | 23.00 23.00 23.00 23.00 22.00 22.00 |
| 64QAM 1 13 20.14 20.21 20.23 22.00 | 5MHz | | 12 25 1 1 1 1 12 12 12 12 25 | 13 0 0 13 24 0 6 13 0 | 21.04 21.22 21.46 21.28 21.16 20.20 20.14 20.14 20.04 | 21.08 21.17 21.32 21.44 21.65 20.23 20.19 20.02 20.04 | 21.06 21.07 21.42 21.38 21.45 20.08 20.27 20.24 20.07 | 23.00 23.00 23.00 23.00 22.00 22.00 22.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 24 | 20.14 | 20.22 | 20.05 | 22.00 |
|-----------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 12 | 0 | 19.29 | 19.32 | 19.25 | 21.00 |
| | | 12 | 6 | 19.25 | 19.30 | 19.30 | 21.00 |
| | | 12 | 13 | 19.33 | 19.24 | 19.17 | 21.00 |
| | | 25 | 0 | 19.30 | 19.41 | 19.17 | 21.00 |
| | | 1 | 0 | 17.07 | 17.11 | 17.12 | 19.00 |
| | | 1 | 13 | 17.08 | 17.14 | 17.10 | 19.00 |
| | | 1 | 24 | 17.33 | 17.24 | 17.21 | 19.00 |
| | 256QAM | 12 | 0 | 17.04 | 17.10 | 17.19 | 19.00 |
| | | 12 | 6 | 17.09 | 17.05 | 17.06 | 19.00 |
| | | 12 | 13 | 17.03 | 17.07 | 17.03 | 19.00 |
| | | 25 | 0 | 17.14 | 17.22 | 17.33 | 19.00 |
| Down down dates | Madulatian | DD sins | DD -#+ | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 132022 | 132322 | 132622 | Tune up |
| | | 1 | 0 | 22.19 | 22.16 | 22.22 | 24.00 |
| | | 1 | 25 | 22.16 | 22.08 | 22.12 | 24.00 |
| | | 1 | 49 | 22.17 | 22.20 | 22.10 | 24.00 |
| | QPSK | 25 | 0 | 21.28 | 21.12 | 21.18 | 23.00 |
| | | 25 | 13 | 21.02 | 21.03 | 21.09 | 23.00 |
| | | 25 | 25 | 21.14 | 21.06 | 21.14 | 23.00 |
| | | 50 | 0 | 21.13 | 21.23 | 21.08 | 23.00 |
| | 16QAM | 1 | 0 | 21.40 | 21.38 | 21.50 | 23.00 |
| | | 1 | 25 | 21.30 | 21.37 | 21.41 | 23.00 |
| | | 1 | 49 | 21.08 | 21.70 | 21.55 | 23.00 |
| | | 25 | 0 | 20.19 | 20.22 | 20.01 | 22.00 |
| | | 25 | 13 | 20.12 | 20.32 | 20.24 | 22.00 |
| 408811- | | 25 | 25 | 20.07 | 20.31 | 20.17 | 22.00 |
| 10MHz | | 50 | 0 | 20.40 | 20.44 | 20.28 | 22.00 |
| | | 1 | 0 | 20.20 | 20.07 | 20.03 | 22.00 |
| | | 1 | 25 | 20.08 | 20.02 | 20.02 | 22.00 |
| | | 1 | 49 | 20.34 | 20.36 | 20.46 | 22.00 |
| | 64QAM | 25 | 0 | 19.37 | 19.38 | 19.16 | 21.00 |
| | | 25 | 13 | 19.16 | 19.33 | 19.17 | 21.00 |
| | | 25 | 25 | 19.32 | 19.15 | 19.24 | 21.00 |
| | | 50 | 0 | 19.19 | 19.22 | 19.15 | 21.00 |
| | | 1 | 0 | 17.09 | 17.19 | 17.18 | 19.00 |
| | | 1 | 25 | 17.12 | 17.11 | 17.12 | 19.00 |
| | 256QAM | 1 | 49 | 17.24 | 17.26 | 17.17 | 19.00 |
| | | 25 | 0 | 17.06 | 17.06 | 17.11 | 19.00 |
| | | 25 | 13 | 17.00 | 17.01 | 17.05 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhnu) Co., Ltd. Wireless Laboratory

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 25 | 17.12 | 17.06 | 17.08 | 19.00 |
|------------|------------|----------|-----------|---------|---------|---------|---------|
| | | 50 | 0 | 17.17 | 17.22 | 17.18 | 19.00 |
| | | | 55 " | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 132047 | 132322 | 132597 | Tune up |
| | | 1 | 0 | 22.16 | 22.17 | 22.24 | 24.00 |
| | | 1 | 38 | 22.26 | 22.27 | 22.28 | 24.00 |
| | | 1 | 74 | 22.14 | 22.20 | 22.23 | 24.00 |
| | QPSK | 36 | 0 | 21.19 | 21.19 | 21.07 | 23.00 |
| | | 36 | 18 | 21.06 | 21.07 | 21.24 | 23.00 |
| | | 36 | 39 | 21.03 | 21.12 | 21.05 | 23.00 |
| | | 75 | 0 | 21.01 | 21.13 | 21.45 | 23.00 |
| | | 1 | 0 | 21.43 | 21.39 | 21.52 | 23.00 |
| | 1 | 38 | 21.29 | 21.44 | 21.34 | 23.00 | |
| | | 1 | 74 | 21.22 | 21.58 | 21.48 | 23.00 |
| | 16QAM | 36 | 0 | 20.17 | 20.27 | 20.09 | 22.00 |
| | | 36 | 18 | 20.22 | 20.45 | 20.21 | 22.00 |
| | | 36 | 39 | 20.11 | 20.30 | 20.23 | 22.00 |
| 15MHz | | 75 | 0 | 20.10 | 20.12 | 20.04 | 22.00 |
| ISMITZ | | 1 | 0 | 20.12 | 20.15 | 20.02 | 22.00 |
| | | 1 | 38 | 20.09 | 20.06 | 20.04 | 22.00 |
| | | 1 | 74 | 20.40 | 20.41 | 20.48 | 22.00 |
| | 64QAM | 36 | 0 | 19.49 | 19.33 | 19.25 | 21.00 |
| | | 36 | 18 | 19.21 | 19.29 | 19.26 | 21.00 |
| | | 36 | 39 | 19.32 | 19.25 | 19.27 | 21.00 |
| | | 75 | 0 | 19.14 | 19.40 | 19.11 | 21.00 |
| | | 1 | 0 | 17.02 | 17.11 | 17.17 | 19.00 |
| | | 1 | 38 | 17.22 | 17.10 | 17.10 | 19.00 |
| | | 1 | 74 | 17.40 | 17.23 | 17.35 | 19.00 |
| | 256QAM | 36 | 0 | 17.06 | 17.05 | 17.07 | 19.00 |
| | | 36 | 18 | 17.04 | 17.02 | 17.04 | 19.00 |
| | | 36 | 39 | 17.19 | 17.05 | 17.19 | 19.00 |
| | | 75 | 0 | 17.35 | 17.14 | 17.19 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Banawiatii | Woddiation | 110 3120 | NB oliset | 132072 | 132322 | 132572 | rune up |
| | | 1 | 0 | 22.27 | 22.31 | 22.25 | 24.00 |
| | | 1 | 50 | 22.06 | 22.25 | 22.21 | 24.00 |
| 20MHz | QPSK | 1 | 99 | 22.11 | 22.13 | 22.17 | 24.00 |
| ZVIVITZ | Qi Oit | 50 | 0 | 21.22 | 21.14 | 21.00 | 23.00 |
| | | 50 | 25 | 21.13 | 21.04 | 21.17 | 23.00 |
| | | 50 | 50 | 21.09 | 21.21 | 21.21 | 23.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | 100 | 0 | 21.15 | 21.29 | 21.02 | 23.00 |
|------|--------|----|-------|-------|-------|-------|
| | 1 | 0 | 21.37 | 21.39 | 21.43 | 23.00 |
| | 1 | 50 | 21.24 | 21.52 | 21.32 | 23.00 |
| | 1 | 99 | 21.25 | 21.64 | 21.50 | 23.00 |
| 16Q | AM 50 | 0 | 20.05 | 20.25 | 20.02 | 22.00 |
| | 50 | 25 | 20.00 | 20.05 | 20.14 | 22.00 |
| | 50 | 50 | 20.17 | 20.09 | 20.24 | 22.00 |
| | 100 | 0 | 20.06 | 20.13 | 20.28 | 22.00 |
| | 1 | 0 | 20.23 | 20.10 | 20.28 | 22.00 |
| | 1 | 50 | 20.06 | 20.08 | 20.22 | 22.00 |
| | 1 | 99 | 20.45 | 20.27 | 20.50 | 22.00 |
| 64Q | AM 50 | 0 | 19.07 | 19.06 | 19.08 | 21.00 |
| | 50 | 25 | 19.08 | 19.21 | 19.13 | 21.00 |
| | 50 | 50 | 19.25 | 19.23 | 19.18 | 21.00 |
| | 100 | 0 | 19.13 | 19.26 | 19.21 | 21.00 |
| | 1 | 0 | 17.12 | 17.02 | 17.10 | 19.00 |
| | 1 | 50 | 17.09 | 17.08 | 17.10 | 19.00 |
| | 1 | 99 | 17.36 | 17.28 | 17.24 | 19.00 |
| 2560 | QAM 50 | 0 | 17.17 | 17.02 | 17.03 | 19.00 |
| | 50 | 25 | 17.04 | 17.03 | 17.09 | 19.00 |
| | 50 | 50 | 17.05 | 17.08 | 17.06 | 19.00 |
| | 100 | 0 | 17.28 | 17.18 | 17.24 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| | LTE Band 66 A | nt.0 Sensor on | | Conducted Power(dBm) | | | | |
|----------------|---------------|----------------|-----------|----------------------|---------|---------|---------|--|
| Daniel del del | Maddatas | DD -: | DD - (' 1 | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 131979 | 132322 | 132665 | Tune up | |
| | | 1 | 0 | 19.83 | 19.83 | 19.80 | 21.00 | |
| | | 1 | 2 | 19.55 | 19.68 | 19.63 | 21.00 | |
| | | 1 | 5 | 19.79 | 19.62 | 19.69 | 21.00 | |
| | QPSK | 3 | 0 | 19.72 | 19.81 | 19.64 | 21.00 | |
| | | 3 | 1 | 19.74 | 19.67 | 19.63 | 21.00 | |
| | 3 | 3 | 19.66 | 19.66 | 19.61 | 21.00 | | |
| | 6 | 0 | 19.56 | 19.64 | 19.55 | 21.00 | | |
| | | 1 | 0 | 19.76 | 19.72 | 19.45 | 21.00 | |
| | 1 | 2 | 19.71 | 19.68 | 19.43 | 21.00 | | |
| | 16QAM | 1 | 5 | 19.53 | 19.69 | 19.46 | 21.00 | |
| | | 3 | 0 | 19.83 | 19.73 | 19.60 | 21.00 | |
| | | 3 | 1 | 19.56 | 19.63 | 19.63 | 21.00 | |
| | | 3 | 3 | 19.73 | 19.60 | 19.84 | 21.00 | |
| 1.4MHz | | 6 | 0 | 19.62 | 19.77 | 19.50 | 21.00 | |
| 1.4WITZ | | 1 | 0 | 19.61 | 19.64 | 19.43 | 21.00 | |
| | | 1 | 2 | 19.68 | 19.74 | 19.55 | 21.00 | |
| | | 1 | 5 | 19.63 | 19.66 | 19.52 | 21.00 | |
| | 64QAM | 3 | 0 | 19.58 | 19.70 | 19.59 | 21.00 | |
| | | 3 | 1 | 19.67 | 19.70 | 19.59 | 21.00 | |
| | | 3 | 3 | 19.50 | 19.56 | 19.63 | 21.00 | |
| | | 6 | 0 | 19.54 | 19.78 | 19.66 | 21.00 | |
| | | 1 | 0 | 17.31 | 17.34 | 17.41 | 19.00 | |
| | | 1 | 2 | 17.34 | 17.47 | 17.30 | 19.00 | |
| | | 1 | 5 | 17.11 | 17.05 | 17.17 | 19.00 | |
| | 256QAM | 3 | 0 | 17.39 | 17.26 | 17.28 | 19.00 | |
| | | 3 | 1 | 17.02 | 17.22 | 17.24 | 19.00 | |
| | | 3 | 3 | 17.43 | 17.06 | 17.41 | 19.00 | |
| | | 6 | 0 | 17.54 | 17.44 | 17.36 | 19.00 | |
| Pandidth | Modulation | DR size | RB offset | Channel | Channel | Channel | Tungun | |
| Bandwidth | IVIOUUIALION | RB size | KD Ullset | 131987 | 132322 | 132657 | Tune up | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| | | 1 | 0 | 19.71 | 19.83 | 19.70 | 21.00 |
|------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 7 | 19.63 | 19.62 | 19.61 | 21.00 |
| QPS | | 1 | 14 | 19.89 | 19.86 | 19.71 | 21.00 |
| | QPSK | 8 | 0 | 19.63 | 19.79 | 19.51 | 21.00 |
| | | 8 | 4 | 19.56 | 19.67 | 19.67 | 21.00 |
| | | 8 | 7 | 19.68 | 19.70 | 19.51 | 21.00 |
| | | 15 | 0 | 19.66 | 19.64 | 19.57 | 21.00 |
| | 16QAM | 1 | 0 | 19.70 | 19.71 | 19.58 | 21.00 |
| | | 1 | 7 | 19.59 | 19.71 | 19.57 | 21.00 |
| | | 1 | 14 | 19.50 | 19.72 | 19.58 | 21.00 |
| | | 8 | 0 | 19.79 | 19.79 | 19.65 | 21.00 |
| 3МНz | 8 | 4 | 19.47 | 19.50 | 19.53 | 21.00 | |
| | 8 | 7 | 19.78 | 19.69 | 19.64 | 21.00 | |
| | | 15 | 0 | 19.65 | 19.68 | 19.61 | 21.00 |
| | | 1 | 0 | 19.71 | 19.66 | 19.61 | 21.00 |
| | | 1 | 7 | 19.59 | 19.75 | 19.55 | 21.00 |
| | | 1 | 14 | 19.64 | 19.78 | 19.56 | 21.00 |
| | 64QAM | 8 | 0 | 19.61 | 19.67 | 19.58 | 21.00 |
| | | 8 | 4 | 19.52 | 19.77 | 19.56 | 21.00 |
| | | 8 | 7 | 19.66 | 19.71 | 19.58 | 21.00 |
| | | 15 | 0 | 19.58 | 19.66 | 19.64 | 21.00 |
| | | 1 | 0 | 17.37 | 17.36 | 17.33 | 19.00 |
| | | 1 | 7 | 17.28 | 17.49 | 17.26 | 19.00 |
| | | 1 | 14 | 17.23 | 17.08 | 17.11 | 19.00 |
| | 256QAM | 8 | 0 | 17.34 | 17.26 | 17.27 | 19.00 |
| | | 8 | 4 | 17.09 | 17.27 | 17.23 | 19.00 |
| | | 8 | 7 | 17.35 | 17.07 | 17.46 | 19.00 |
| | | 15 | 0 | 17.59 | 17.51 | 17.37 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun |
| Danuwiulii | wodulation | ND SIZE | ND Ullset | 131997 | 132322 | 132647 | Tune up |
| | | 1 | 0 | 19.77 | 19.86 | 19.85 | 21.00 |
| 5MHz | QPSK | 1 | 13 | 19.53 | 19.58 | 19.53 | 21.00 |
| SINIUS | QF3N | 1 | 24 | 19.72 | 19.81 | 19.74 | 21.00 |
| | | 12 | 0 | 19.56 | 19.65 | 19.56 | 21.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 12 | 6 | 19.68 | 19.56 | 19.49 | 21.00 |
|------------|------------|---------|-----------|---------|---------|---------|----------|
| | | 12 | 13 | 19.53 | 19.57 | 19.56 | 21.00 |
| | | 25 | 0 | 19.69 | 19.55 | 19.49 | 21.00 |
| | | 1 | 0 | 19.64 | 19.66 | 19.54 | 21.00 |
| | | 1 | 13 | 19.65 | 19.72 | 19.64 | 21.00 |
| | | 1 | 24 | 19.72 | 19.81 | 19.60 | 21.00 |
| | 16QAM | 12 | 0 | 19.76 | 19.76 | 19.62 | 21.00 |
| | | 12 | 6 | 19.69 | 19.58 | 19.52 | 21.00 |
| | | 12 | 13 | 19.61 | 19.84 | 19.80 | 21.00 |
| | | 25 | 0 | 19.56 | 19.68 | 19.65 | 21.00 |
| | | 1 | 0 | 19.65 | 19.61 | 19.52 | 21.00 |
| | | 1 | 13 | 19.64 | 19.84 | 19.59 | 21.00 |
| | | 1 | 24 | 19.70 | 19.65 | 19.63 | 21.00 |
| | 64QAM | 12 | 0 | 19.57 | 19.72 | 19.56 | 21.00 |
| | | 12 | 6 | 19.63 | 19.79 | 19.52 | 21.00 |
| | | 12 | 13 | 19.54 | 19.55 | 19.59 | 21.00 |
| | | 25 | 0 | 19.53 | 19.75 | 19.55 | 21.00 |
| | | 1 | 0 | 17.31 | 17.45 | 17.44 | 19.00 |
| | | 1 | 13 | 17.35 | 17.44 | 17.31 | 19.00 |
| | | 1 | 24 | 17.17 | 17.06 | 17.22 | 19.00 |
| | 256QAM | 12 | 0 | 17.34 | 17.37 | 17.33 | 19.00 |
| | | 12 | 6 | 17.16 | 17.17 | 17.24 | 19.00 |
| | | 12 | 13 | 17.34 | 17.09 | 17.35 | 19.00 |
| | | 25 | 0 | 17.64 | 17.50 | 17.37 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwiutii | Modulation | KD SIZE | RB Ollset | 132022 | 132322 | 132622 | Turie up |
| | | 1 | 0 | 19.69 | 19.84 | 19.80 | 21.00 |
| | | 1 | 25 | 19.48 | 19.58 | 19.54 | 21.00 |
| | | 1 | 49 | 19.73 | 19.74 | 19.73 | 21.00 |
| 10MHz | QPSK | 25 | 0 | 19.74 | 19.76 | 19.63 | 21.00 |
| IUWIFIZ | | 25 | 13 | 19.61 | 19.66 | 19.50 | 21.00 |
| | | 25 | 25 | 19.62 | 19.62 | 19.57 | 21.00 |
| | | 50 | 0 | 19.61 | 19.60 | 19.64 | 21.00 |
| | 16QAM | 1 | 0 | 19.73 | 19.65 | 19.44 | 21.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suchou Co., Ltd., Wireless Laboratory) South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | | | | | l | |
|-------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 25 | 19.59 | 19.75 | 19.52 | 21.00 |
| | | 1 | 49 | 19.57 | 19.75 | 19.51 | 21.00 |
| | | 25 | 0 | 19.71 | 19.67 | 19.68 | 21.00 |
| | | 25 | 13 | 19.61 | 19.52 | 19.56 | 21.00 |
| | | 25 | 25 | 19.81 | 19.79 | 19.64 | 21.00 |
| | | 50 | 0 | 19.51 | 19.68 | 19.43 | 21.00 |
| | | 1 | 0 | 19.67 | 19.69 | 19.59 | 21.00 |
| | | 1 | 25 | 19.73 | 19.69 | 19.40 | 21.00 |
| | | 1 | 49 | 19.63 | 19.52 | 19.69 | 21.00 |
| | 64QAM | 25 | 0 | 19.66 | 19.72 | 19.65 | 21.00 |
| | | 25 | 13 | 19.68 | 19.74 | 19.56 | 21.00 |
| | | 25 | 25 | 19.63 | 19.70 | 19.67 | 21.00 |
| | | 50 | 0 | 19.59 | 19.76 | 19.69 | 21.00 |
| | | 1 | 0 | 17.40 | 17.44 | 17.38 | 19.00 |
| | | 1 | 25 | 17.22 | 17.47 | 17.26 | 19.00 |
| | | 1 | 49 | 17.09 | 17.09 | 17.13 | 19.00 |
| | 256QAM | 25 | 0 | 17.35 | 17.36 | 17.20 | 19.00 |
| | | 25 | 13 | 17.09 | 17.22 | 17.18 | 19.00 |
| | | 25 | 25 | 17.33 | 17.08 | 17.34 | 19.00 |
| | | 50 | 0 | 17.57 | 17.43 | 17.46 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Balluwidtii | Wodulation | KD Size | KD Ollset | 132047 | 132322 | 132597 | Tune up |
| | | 1 | 0 | 19.66 | 19.87 | 19.76 | 21.00 |
| | | 1 | 38 | 19.46 | 19.71 | 19.58 | 21.00 |
| | | 1 | 74 | 19.85 | 19.82 | 19.72 | 21.00 |
| | QPSK | 36 | 0 | 19.68 | 19.71 | 19.59 | 21.00 |
| | | 36 | 18 | 19.71 | 19.58 | 19.61 | 21.00 |
| 15MHz | | 36 | 39 | 19.61 | 19.69 | 19.57 | 21.00 |
| IONITZ | | 75 | 0 | 19.62 | 19.56 | 19.52 | 21.00 |
| | | 1 | 0 | 19.62 | 19.66 | 19.48 | 21.00 |
| | | 1 | 38 | 19.67 | 19.63 | 19.54 | 21.00 |
| | 16QAM | 1 | 74 | 19.63 | 19.67 | 19.46 | 21.00 |
| | | 36 | 0 | 19.82 | 19.84 | 19.71 | 21.00 |
| | | 36 | 18 | 19.52 | 19.64 | 19.62 | 21.00 |
| | | | | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | | 36 | 39 | 19.83 | 19.81 | 19.64 | 21.00 |
|-------------------|--------------|---------|-----------|---------|---------|---------|----------|
| | | 75 | 0 | 19.68 | 19.76 | 19.55 | 21.00 |
| | | 1 | 0 | 19.71 | 19.85 | 19.52 | 21.00 |
| | | 1 | 38 | 19.71 | 19.75 | 19.45 | 21.00 |
| | | 1 | 74 | 19.51 | 19.69 | 19.61 | 21.00 |
| | 64QAM | 36 | 0 | 19.58 | 19.70 | 19.61 | 21.00 |
| | | 36 | 18 | 19.56 | 19.65 | 19.47 | 21.00 |
| | | 36 | 39 | 19.63 | 19.64 | 19.67 | 21.00 |
| | | 75 | 0 | 19.55 | 19.70 | 19.67 | 21.00 |
| | | 1 | 0 | 17.38 | 17.42 | 17.37 | 19.00 |
| | | 1 | 38 | 17.27 | 17.46 | 17.35 | 19.00 |
| | | 1 | 74 | 17.20 | 17.11 | 17.13 | 19.00 |
| | 256QAM | 36 | 0 | 17.40 | 17.38 | 17.27 | 19.00 |
| | | 36 | 18 | 17.09 | 17.24 | 17.26 | 19.00 |
| | | 36 | 39 | 17.39 | 17.15 | 17.38 | 19.00 |
| | | 75 | 0 | 17.65 | 17.44 | 17.35 | 19.00 |
| Down the database | Maria Indian | DD -i | DD - "1 | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 132072 | 132322 | 132572 | Tune up |
| | | 1 | 0 | 19.84 | 19.91 | 19.77 | 21.00 |
| | | 1 | 50 | 19.50 | 19.57 | 19.62 | 21.00 |
| | | 1 | 99 | 19.88 | 19.80 | 19.75 | 21.00 |
| | QPSK | 50 | 0 | 19.71 | 19.69 | 19.58 | 21.00 |
| | | 50 | 25 | 19.73 | 19.65 | 19.56 | 21.00 |
| | | 50 | 50 | 19.63 | 19.67 | 19.59 | 21.00 |
| | | 100 | 0 | 19.72 | 19.66 | 19.55 | 21.00 |
| 20MHz | | 1 | 0 | 19.77 | 19.61 | 19.58 | 21.00 |
| ZUIVITZ | | 1 | 50 | 19.75 | 19.80 | 19.57 | 21.00 |
| | | 1 | 99 | 19.60 | 19.81 | 19.61 | 21.00 |
| | 16QAM | 50 | 0 | 19.86 | 19.83 | 19.68 | 21.00 |
| | | 50 | 25 | 19.65 | 19.63 | 19.47 | 21.00 |
| | | 50 | 50 | 19.80 | 19.88 | 19.75 | 21.00 |
| | | 100 | 0 | 19.63 | 19.68 | 19.62 | 21.00 |
| | 640004 | 1 | 0 | 19.63 | 19.72 | 19.65 | 21.00 |
| | 64QAM | 1 | 50 | 19.59 | 19.74 | 19.59 | 21.00 |
| | _ | | | _ | _ | | _ |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | 1 | 99 | 19.56 | 19.71 | 19.54 | 21.00 |
|--------|-----|----|-------|-------|-------|-------|
| | 50 | 0 | 19.52 | 19.72 | 19.66 | 21.00 |
| | 50 | 25 | 19.64 | 19.67 | 19.69 | 21.00 |
| | 50 | 50 | 19.54 | 19.63 | 19.69 | 21.00 |
| | 100 | 0 | 19.63 | 19.75 | 19.66 | 21.00 |
| | 1 | 0 | 17.35 | 17.31 | 17.37 | 19.00 |
| | 1 | 50 | 17.35 | 17.41 | 17.32 | 19.00 |
| | 1 | 99 | 17.24 | 17.04 | 17.19 | 19.00 |
| 256QAM | 50 | 0 | 17.45 | 17.25 | 17.32 | 19.00 |
| | 50 | 25 | 17.10 | 17.25 | 17.27 | 19.00 |
| | 50 | 50 | 17.40 | 17.06 | 17.46 | 19.00 |
| | 100 | 0 | 17.58 | 17.44 | 17.44 | 19.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

1.15 Conducted Power of LTE Band 71

| | LTE Band 71 A | nt.0 Full power | | | Conducted | Power(dBm) | |
|------------|---------------|-----------------|-----------|---------|-----------|------------|---------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danawiatii | Woddiation | ND SIZE | ND oliset | 133147 | 133247 | 133447 | Tune up |
| | | 1 | 0 | 22.90 | 22.91 | 22.82 | 24.50 |
| | | 1 | 13 | 22.67 | 22.87 | 22.52 | 24.50 |
| | | 1 | 24 | 22.65 | 22.68 | 22.57 | 24.50 |
| | QPSK | 12 | 0 | 21.91 | 21.77 | 21.98 | 23.50 |
| | | 12 | 6 | 21.76 | 21.81 | 21.81 | 23.50 |
| | | 12 | 13 | 21.95 | 21.80 | 21.56 | 23.50 |
| | | 25 | 0 | 21.87 | 21.76 | 21.80 | 23.50 |
| | | 1 | 0 | 22.20 | 22.06 | 22.40 | 23.50 |
| | | 1 | 13 | 22.23 | 22.35 | 22.15 | 23.50 |
| | | 1 | 24 | 22.09 | 22.55 | 22.38 | 23.50 |
| | 16QAM | 12 | 0 | 20.99 | 20.87 | 20.77 | 22.50 |
| | | 12 | 6 | 20.83 | 20.82 | 20.86 | 22.50 |
| | | 12 | 13 | 20.97 | 20.86 | 20.84 | 22.50 |
| 5MHz | | 25 | 0 | 20.74 | 21.05 | 20.82 | 22.50 |
| SIVIFIZ | | 1 | 0 | 20.81 | 20.86 | 20.76 | 22.50 |
| | | 1 | 13 | 20.57 | 20.76 | 20.69 | 22.50 |
| | | 1 | 24 | 21.23 | 21.18 | 21.09 | 22.50 |
| | 64QAM | 12 | 0 | 20.10 | 20.03 | 19.85 | 21.50 |
| | | 12 | 6 | 20.02 | 20.05 | 20.03 | 21.50 |
| | | 12 | 13 | 19.94 | 20.01 | 19.87 | 21.50 |
| | | 25 | 0 | 19.86 | 20.03 | 20.06 | 21.50 |
| | | 1 | 0 | 17.92 | 17.95 | 17.77 | 19.50 |
| | | 1 | 13 | 17.88 | 17.90 | 17.90 | 19.50 |
| | | 1 | 24 | 17.99 | 17.89 | 18.10 | 19.50 |
| | 256QAM | 12 | 0 | 17.83 | 17.78 | 17.80 | 19.50 |
| | | 12 | 6 | 17.61 | 17.71 | 17.72 | 19.50 |
| | | 12 | 13 | 17.72 | 17.59 | 17.70 | 19.50 |
| | | 25 | 0 | 17.89 | 17.95 | 18.04 | 19.50 |
| Downstald! | NA - duda Ca | DD -: | DD - (() | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 133172 | 133272 | 133422 | Tune up |
| | | 1 | 0 | 22.79 | 23.02 | 22.87 | 24.50 |
| | | 1 | 25 | 22.71 | 22.85 | 22.53 | 24.50 |
| 10MHz | QPSK | 1 | 49 | 22.54 | 22.92 | 22.67 | 24.50 |
| | | 25 | 0 | 21.98 | 21.70 | 21.91 | 23.50 |
| | | 25 | 13 | 21.71 | 21.80 | 21.97 | 23.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory



SUCR240900032706 Report No.:

Rev.: 01

| | | 25 | 25 | 21.99 | 21.90 | 21.65 | 23.50 |
|-----------|------------|---------|-----------|---------|---------|---------|---------|
| | | 50 | 0 | 21.87 | 21.70 | 21.90 | 23.50 |
| | | 1 | 0 | 22.26 | 22.19 | 22.33 | 23.50 |
| | | 1 | 25 | 22.12 | 22.18 | 22.18 | 23.50 |
| | | 1 | 49 | 22.13 | 22.49 | 22.36 | 23.50 |
| | 16QAM | 25 | 0 | 20.92 | 20.95 | 20.76 | 22.50 |
| | | 25 | 13 | 20.75 | 21.00 | 21.03 | 22.50 |
| | | 25 | 25 | 20.91 | 20.72 | 20.78 | 22.50 |
| | | 50 | 0 | 20.88 | 21.19 | 20.90 | 22.50 |
| | | 1 | 0 | 20.84 | 20.95 | 20.71 | 22.50 |
| | | 1 | 25 | 20.50 | 20.63 | 20.71 | 22.50 |
| | | 1 | 49 | 21.09 | 21.00 | 21.31 | 22.50 |
| | 64QAM | 25 | 0 | 20.11 | 20.09 | 20.10 | 21.50 |
| | | 25 | 13 | 19.98 | 20.14 | 19.85 | 21.50 |
| | | 25 | 25 | 20.10 | 19.93 | 20.01 | 21.50 |
| | | 50 | 0 | 19.99 | 19.99 | 19.85 | 21.50 |
| | | 1 | 0 | 17.83 | 17.90 | 17.96 | 19.50 |
| | | 1 | 25 | 17.90 | 17.90 | 17.67 | 19.50 |
| | | 1 | 49 | 17.93 | 18.12 | 17.93 | 19.50 |
| | 256QAM | 25 | 0 | 17.86 | 17.79 | 17.77 | 19.50 |
| | | 25 | 13 | 17.51 | 17.59 | 17.65 | 19.50 |
| | | 25 | 25 | 17.90 | 17.63 | 17.86 | 19.50 |
| | | 50 | 0 | 18.04 | 17.88 | 17.90 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwidin | Modulation | KD SIZE | RB Ollset | 133197 | 133297 | 133397 | rune up |
| | | 1 | 0 | 22.76 | 22.91 | 22.91 | 24.50 |
| | | 1 | 38 | 22.59 | 22.82 | 22.80 | 24.50 |
| | | 1 | 74 | 22.65 | 22.90 | 22.52 | 24.50 |
| | QPSK | 36 | 0 | 21.84 | 21.81 | 22.01 | 23.50 |
| | | 36 | 18 | 21.66 | 21.92 | 21.75 | 23.50 |
| | | 36 | 39 | 22.10 | 21.83 | 21.59 | 23.50 |
| | | 75 | 0 | 22.00 | 21.69 | 21.76 | 23.50 |
| 15MHz | | 1 | 0 | 22.20 | 22.13 | 22.39 | 23.50 |
| | | 1 | 38 | 22.12 | 22.24 | 22.08 | 23.50 |
| | | 1 | 74 | 22.00 | 22.47 | 22.22 | 23.50 |
| | 16QAM | 36 | 0 | 21.03 | 20.94 | 20.80 | 22.50 |
| | | 36 | 18 | 20.79 | 21.04 | 20.88 | 22.50 |
| | | 36 | 39 | 20.76 | 20.57 | 20.80 | 22.50 |
| | | 75 | 0 | 20.75 | 21.01 | 20.88 | 22.50 |
| | 64QAM | 1 | 0 | 21.06 | 20.80 | 20.76 | 22.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | | 1 | 38 | 20.61 | 20.83 | 20.88 | 22.50 |
|--------------|------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 74 | 21.23 | 21.22 | 21.34 | 22.50 |
| | | 36 | 0 | 20.07 | 20.16 | 19.95 | 21.50 |
| | | 36 | 18 | 19.93 | 20.19 | 19.95 | 21.50 |
| | | 36 | 39 | 20.01 | 19.99 | 20.07 | 21.50 |
| | | 75 | 0 | 19.97 | 19.99 | 19.78 | 21.50 |
| | | 1 | 0 | 17.87 | 17.72 | 17.90 | 19.50 |
| | | 1 | 38 | 17.75 | 17.80 | 17.61 | 19.50 |
| | | 1 | 74 | 18.11 | 18.06 | 17.97 | 19.50 |
| | 256QAM | 36 | 0 | 17.75 | 17.93 | 17.79 | 19.50 |
| | | 36 | 18 | 17.53 | 17.68 | 17.58 | 19.50 |
| | | 36 | 39 | 17.71 | 17.69 | 17.75 | 19.50 |
| | | 75 | 0 | 18.08 | 17.97 | 17.90 | 19.50 |
| Donal wielth | Modulation | DD -: | DD 6#554 | Channel | Channel | Channel | Tuna |
| Bandwidth | Modulation | RB size | RB offset | 133222 | 133322 | 133372 | Tune up |
| | | 1 | 0 | 23.03 | 23.24 | 23.09 | 24.50 |
| | | 1 | 50 | 22.83 | 22.96 | 22.85 | 24.50 |
| | | 1 | 99 | 22.87 | 22.91 | 23.06 | 24.50 |
| | QPSK | 50 | 0 | 21.86 | 21.83 | 21.83 | 23.50 |
| | | 50 | 25 | 21.61 | 21.81 | 21.76 | 23.50 |
| | | 50 | 50 | 21.76 | 21.74 | 21.62 | 23.50 |
| | | 100 | 0 | 21.85 | 21.74 | 21.76 | 23.50 |
| | | 1 | 0 | 21.92 | 21.75 | 21.99 | 23.50 |
| | | 1 | 50 | 21.69 | 21.88 | 21.70 | 23.50 |
| | | 1 | 99 | 21.73 | 22.14 | 21.88 | 23.50 |
| | 16QAM | 50 | 0 | 20.77 | 20.69 | 20.55 | 22.50 |
| | | 50 | 25 | 20.57 | 20.51 | 20.58 | 22.50 |
| 20MHz | | 50 | 50 | 20.68 | 20.59 | 20.72 | 22.50 |
| | | 100 | 0 | 20.58 | 20.76 | 20.58 | 22.50 |
| | | 1 | 0 | 20.75 | 20.63 | 20.60 | 22.50 |
| | | 1 | 50 | 20.61 | 20.60 | 20.70 | 22.50 |
| | | 1 | 99 | 20.63 | 20.64 | 20.64 | 22.50 |
| | 64QAM | 50 | 0 | 19.60 | 19.65 | 19.52 | 21.50 |
| | 01401111 | 50 | 25 | 19.72 | 19.96 | 19.75 | 21.50 |
| | | 50 | 50 | 19.89 | 19.79 | 19.83 | 21.50 |
| | | 100 | 0 | 19.95 | 20.00 | 19.80 | 21.50 |
| | | 1 | 0 | 17.76 | 17.79 | 17.77 | 19.50 |
| | 0500 | 1 | 50 | 17.64 | 17.64 | 17.62 | 19.50 |
| | 256QAM | 1 | 99 | 17.90 | 17.82 | 17.94 | 19.50 |
| | | 50 | 0 | 17.82 | 17.62 | 17.59 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| 50 | 25 | 17.69 | 17.54 | 17.57 | 19.50 |
|-----|----|-------|-------|-------|-------|
| 50 | 50 | 17.61 | 17.55 | 17.55 | 19.50 |
| 100 | 0 | 17.58 | 17.55 | 17.53 | 19.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SUCR240900032706 Report No.:

Rev.: 01

2 Conducted Power of 5G NR

2.1 Conducted Power of n2

| | N2 Ant.0 I | Full power | | Conducted Power(dBm) | | | | |
|--------------|-------------------------|------------|-----------|----------------------|---------|---------|---------|--|
| | | | SCS | 15kHz | | | | |
| Donalis dala | Madulatian | DD sins | DD -#+ | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 372000 | 376000 | 380000 | Tune up | |
| | | | | 1860 | 1880 | 1900 | | |
| | | 1 | 1 | 22.63 | 22.52 | 22.67 | 24.00 | |
| | | 1 | 53 | 22.65 | 22.64 | 22.64 | 24.00 | |
| | | 1 | 104 | 22.67 | 22.59 | 22.67 | 24.00 | |
| | DFT-s-OFDM PI/2 BPSK | 50 | 0 | 22.26 | 22.29 | 22.26 | 23.50 | |
| | I WZ BI OK | 50 | 28 | 22.65 | 22.66 | 22.58 | 24.00 | |
| | | 50 | 56 | 22.09 | 22.18 | 22.02 | 23.50 | |
| | | 100 | 0 | 22.23 | 22.27 | 22.14 | 23.50 | |
| | | 1 | 1 | 22.75 | 22.88 | 22.77 | 24.00 | |
| | | 1 | 53 | 22.79 | 22.73 | 22.77 | 24.00 | |
| 20MHz | | 1 | 104 | 22.69 | 22.76 | 22.50 | 24.00 | |
| 2011112 | DFT-s-OFDM QPSK | 50 | 0 | 21.69 | 21.66 | 21.74 | 23.00 | |
| | QION | 50 | 28 | 22.60 | 22.83 | 22.74 | 24.00 | |
| | | 50 | 56 | 21.80 | 21.74 | 21.80 | 23.00 | |
| | | 100 | 0 | 21.76 | 21.77 | 21.78 | 23.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.35 | 21.47 | 21.36 | 23.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 19.96 | 19.94 | 20.03 | 21.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.57 | 18.55 | 18.55 | 19.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Dandwidth | Modulation | KD SIZE | KD Ollset | 372000 | 376000 | 380000 | | |
| 20MHz | CP-OFDM QPSK | 1 | 1 | 21.16 | 21.19 | 21.17 | 22.50 | |
| Pondwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | ND SIZE | KD UIISEL | 371500 | 376000 | 380500 | | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.53 | 22.52 | 22.53 | 24.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwiuth | Modulation | VD 2176 | VD 01196f | 371000 | 376000 | 381000 | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.64 | 22.41 | 22.57 | 24.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. ess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
|-----------|--------------------|---------|-----------|---------|---------|---------|---------|
| | | | | 370500 | 376000 | 381500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.60 | 22.35 | 22.49 | 24.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR240900032706

Rev.: 01

| | N2 Ant.3 I | Full power | | Conducted Power(dBm) | | | | |
|------------------|-------------------------|------------|-----------|----------------------|---------|---------|---------|--|
| | | | SCS · | 15kHz | | | | |
| Donduidth | Madulation | DD eize | DD offeet | Channel | Channel | Channel | Tunaun | |
| Bandwidth | Modulation | RB size | RB offset | 372000 | 376000 | 380000 | Tune up | |
| | | | | 1860 | 1880 | 1900 | | |
| | | 1 | 1 | 22.42 | 22.41 | 22.43 | 24.00 | |
| | | 1 | 53 | 22.55 | 22.54 | 22.52 | 24.00 | |
| | | 1 | 104 | 22.56 | 22.47 | 22.57 | 24.00 | |
| | DFT-s-OFDM PI/2 BPSK | 50 | 0 | 22.07 | 22.10 | 22.12 | 23.50 | |
| | I WE BI OIL | 50 | 28 | 22.49 | 22.53 | 22.50 | 24.00 | |
| | | 50 | 56 | 21.94 | 21.99 | 21.90 | 23.50 | |
| | | 100 | 0 | 21.99 | 22.11 | 21.98 | 23.50 | |
| | | 1 | 1 | 22.51 | 22.68 | 22.51 | 24.00 | |
| | | 1 | 53 | 22.58 | 22.59 | 22.63 | 24.00 | |
| 20MHz | | 1 | 104 | 22.55 | 22.50 | 22.43 | 24.00 | |
| 20111112 | DFT-s-OFDM QPSK | 50 | 0 | 21.62 | 21.65 | 21.65 | 23.00 | |
| | QI OIX | 50 | 28 | 22.55 | 22.65 | 22.55 | 24.00 | |
| | | 50 | 56 | 21.58 | 21.58 | 21.52 | 23.00 | |
| | | 100 | 0 | 21.69 | 21.73 | 21.73 | 23.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.25 | 21.23 | 21.25 | 23.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 19.90 | 19.86 | 19.86 | 21.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.41 | 18.51 | 18.46 | 19.50 | |
| Dana alicci alth | Madulation | DD size | DD effect | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 372000 | 376000 | 380000 | | |
| 20MHz | CP-OFDM QPSK | 1 | 1 | 21.07 | 21.19 | 21.07 | 22.50 | |
| Den de delle | Madulatia | DD -: | DD 4"1 | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 371500 | 376000 | 380500 | | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.42 | 22.40 | 22.37 | 24.00 | |
| 5 , | | | DD " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 371000 | 376000 | 381000 | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.26 | 22.29 | 22.33 | 24.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| | | | | 370500 | 376000 | 381500 | | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.34 | 22.43 | 22.32 | 24.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

2.2 Conducted Power of n5

| | N5 Ant.0 F | Full power | | Conducted Power(dBm) | | | | |
|-----------------|-------------------------|------------|-----------|----------------------|---------|---------|---------|--|
| | | · | SCS | 15kHz | | | | |
| Daniel de delle | Madulatian | DD -: | DD - # | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 166800 | 167300 | 167800 | Tune up | |
| | | | | 834 | 836.5 | 839 | | |
| | | 1 | 1 | 23.05 | 23.12 | 23.13 | 24.50 | |
| | | 1 | 53 | 23.12 | 23.14 | 23.10 | 24.50 | |
| | | 1 | 104 | 23.03 | 23.05 | 23.00 | 24.50 | |
| | DFT-s-OFDM PI/2 BPSK | 50 | 0 | 22.76 | 22.69 | 22.69 | 24.00 | |
| | 1 1/2 BI OK | 50 | 28 | 23.13 | 23.02 | 23.19 | 24.50 | |
| | | 50 | 56 | 22.56 | 22.47 | 22.49 | 24.00 | |
| | | 100 | 0 | 22.60 | 22.62 | 22.56 | 24.00 | |
| | | 1 | 1 | 23.33 | 23.38 | 23.29 | 24.50 | |
| | | 1 | 53 | 23.13 | 23.16 | 23.02 | 24.50 | |
| 20MHz | | 1 | 104 | 23.03 | 23.07 | 22.99 | 24.50 | |
| 2011112 | DFT-s-OFDM QPSK | 50 | 0 | 22.20 | 22.26 | 22.18 | 23.50 | |
| | QI OIX | 50 | 28 | 23.05 | 23.31 | 23.18 | 24.50 | |
| | | 50 | 56 | 22.15 | 22.07 | 22.14 | 23.50 | |
| | | 100 | 0 | 22.13 | 22.15 | 22.22 | 23.50 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.76 | 21.81 | 21.96 | 23.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.38 | 20.49 | 20.44 | 22.00 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 19.08 | 19.03 | 18.96 | 20.00 | |
| D d - 2 dd | Marketala | DD -: | DD - "1 | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 344000 | 349500 | 355000 | | |
| 20MHz | CP-OFDM QPSK | 1 | 1 | 21.65 | 21.50 | 21.72 | 23.00 | |
| 5 1 . W | | | 55 " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 343500 | 349500 | 355500 | | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.96 | 23.02 | 22.93 | 24.50 | |
| 5 | | DD : | DD " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 343000 | 349500 | 356000 | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 23.05 | 22.83 | 22.95 | 24.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| | | | | 342500 | 349500 | 356500 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Stantons (Os., Ltd.)
Wireless Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.91 | 22.86 | 22.94 | 24.50 |
|------|--------------------|---|---|-------|-------|-------|-------|
|------|--------------------|---|---|-------|-------|-------|-------|

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| N5 Ant.3 Full power | | | | Conducted Power(dBm) | | | |
|---------------------|-------------------------|---------|-----------|----------------------|-------------------|-------------------|---------|
| | | | SCS | 15kHz | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 166800 | 167300 | 167800 | |
| | | | | 834 | 836.5 | 839 | |
| 20MHz | DFT-s-OFDM PI/2 BPSK | 1 | 1 | 22.89 | 22.80 | 22.88 | 24.50 |
| | | 1 | 53 | 22.92 | 22.93 | 22.89 | 24.50 |
| | | 1 | 104 | 22.79 | 22.89 | 22.81 | 24.50 |
| | | 50 | 0 | 22.47 | 22.48 | 22.47 | 24.00 |
| | | 50 | 28 | 22.83 | 22.75 | 22.94 | 24.50 |
| | | 50 | 56 | 22.30 | 22.28 | 22.27 | 24.00 |
| | | 100 | 0 | 22.39 | 22.40 | 22.37 | 24.00 |
| | DFT-s-OFDM QPSK | 1 | 1 | 23.05 | 23.13 | 23.07 | 24.50 |
| | | 1 | 53 | 22.82 | 23.02 | 22.89 | 24.50 |
| | | 1 | 104 | 22.84 | 22.81 | 22.80 | 24.50 |
| | | 50 | 0 | 21.99 | 22.00 | 21.94 | 23.50 |
| | | 50 | 28 | 22.98 | 23.11 | 22.84 | 24.50 |
| | | 50 | 56 | 21.97 | 21.91 | 22.03 | 23.50 |
| | | 100 | 0 | 21.87 | 22.03 | 22.14 | 23.50 |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.58 | 21.58 | 21.62 | 23.50 |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.26 | 20.19 | 20.28 | 22.00 |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.92 | 18.91 | 18.79 | 20.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 344000 | 349500 | 355000 | |
| 20MHz | CP-OFDM QPSK | 1 | 1 | 21.46 | 21.35 | 21.40 | 23.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 343500 | 349500 | 355500 | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.65 | 22.81 | 22.80 | 24.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 343000 | 349500 | 356000 | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.73 | 22.73 | 22.80 | 24.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel 342500 | Channel 349500 | Channel 356500 | Tune up |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.78 | 22.67 | 22.76 | 24.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SUCR240900032706 Report No.:

Rev.: 01

| | N5 Ant.3 \$ | Sensor on | | Conducted Power(dBm) | | | | |
|------------|-------------------------|-----------|------------|----------------------|---------|---------|---------|--|
| | | | scs | 15kHz | | | | |
| Bandwidth | Madulation | DD size | DD offeet | Channel | Channel | Channel | Tungun | |
| Danawiath | Modulation | RB size | RB offset | 166800 | 167300 | 167800 | Tune up | |
| | | | | 834 | 836.5 | 839 | | |
| | | 1 | 1 | 20.00 | 19.91 | 19.94 | 21.50 | |
| | | 1 | 53 | 20.05 | 20.07 | 20.00 | 21.50 | |
| | | 1 | 104 | 19.93 | 19.96 | 19.86 | 21.50 | |
| | DFT-s-OFDM PI/2 BPSK | 50 | 0 | 19.99 | 19.98 | 20.12 | 21.50 | |
| | | 50 | 28 | 20.07 | 19.99 | 20.08 | 21.50 | |
| | | 50 | 56 | 20.00 | 19.99 | 20.10 | 21.50 | |
| | | 100 | 0 | 20.01 | 19.92 | 19.93 | 21.50 | |
| | | 1 | 1 | 20.18 | 20.25 | 20.14 | 21.50 | |
| | | 1 | 53 | 20.06 | 20.15 | 20.08 | 21.50 | |
| 20MHz | | 1 | 104 | 20.11 | 20.16 | 20.12 | 21.50 | |
| | DFT-s-OFDM QPSK | 50 | 0 | 20.12 | 20.18 | 20.14 | 21.50 | |
| | | 50 | 28 | 20.10 | 20.18 | 20.07 | 21.50 | |
| | | 50 | 56 | 20.06 | 20.09 | 20.11 | 21.50 | |
| | | 100 | 0 | 20.13 | 20.14 | 20.16 | 21.50 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 20.08 | 20.29 | 20.16 | 21.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.00 | 20.13 | 20.05 | 21.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 20.08 | 20.02 | 20.09 | 21.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danawiatii | Modulation | KD SIZE | KD Ollset | 344000 | 349500 | 355000 | | |
| 20MHz | CP-OFDM QPSK | 1 | 1 | 20.05 | 20.19 | 20.03 | 21.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danawiatii | iviodulation | IVD SIZE | IVD OII961 | 343500 | 349500 | 355500 | | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.10 | 20.14 | 20.02 | 21.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danawiatii | Modulation | IVD SIZE | IVD OII261 | 343000 | 349500 | 356000 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Signification Standards Technical Standards Te



Report No.: SUCR240900032706

Rev.: 01

| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 19.99 | 20.23 | 20.03 | 21.50 |
|-----------|--------------------|---------|-----------|---------|---------|---------|---------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| | | | | 342500 | 349500 | 356500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.05 | 20.17 | 19.97 | 21.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

2.3 Conducted Power of n12

| | N12 Ant.0 | Full power | | Conducted Power(dBm) | | | | |
|-----------------|-------------------------|------------|-----------|----------------------|-------------------|-------------------|---------|--|
| | | | SCS | 15kHz | | | | |
| December 2 days | NA - ded - Com | DD -: | DD - #1 | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 141300 | 141500 | 141700 | Tune up | |
| | | | | 706.5 | 707.5 | 708.5 | | |
| | | 1 | 1 | 23.05 | 22.93 | 23.08 | 24.50 | |
| | | 1 | 40 | 23.18 | 23.13 | 23.06 | 24.50 | |
| | DET 05014 | 1 | 77 | 23.05 | 23.07 | 23.02 | 24.50 | |
| | DFT-s-OFDM PI/2 BPSK | 36 | 0 | 22.66 | 22.72 | 22.53 | 24.00 | |
| | . ,,_ 5. 6.1 | 36 | 22 | 23.05 | 22.95 | 23.01 | 24.50 | |
| | | 36 | 43 | 22.46 | 22.51 | 22.41 | 24.00 | |
| | | 75 | 0 | 22.64 | 22.57 | 22.64 | 24.00 | |
| | | 1 | 1 | 23.14 | 23.21 | 23.16 | 24.50 | |
| | | 1 | 40 | 23.16 | 23.04 | 23.20 | 24.50 | |
| 15MHz | DET 05014 | 1 | 77 | 22.99 | 23.08 | 22.93 | 24.50 | |
| | DFT-s-OFDM QPSK | 36 | 0 | 22.07 | 22.10 | 22.10 | 23.50 | |
| | J. 511 | 36 | 22 | 23.10 | 23.13 | 23.16 | 24.50 | |
| | | 36 | 43 | 22.10 | 22.17 | 22.06 | 23.50 | |
| | | 75 | 0 | 22.19 | 22.18 | 22.19 | 23.50 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.70 | 21.83 | 21.69 | 23.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.40 | 20.28 | 20.34 | 22.00 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.98 | 18.95 | 19.03 | 20.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB SIZE | RB offset | 141300 | 141500 | 141700 | | |
| 15MHz | CP-OFDM QPSK | 1 | 1 | 21.64 | 21.66 | 21.60 | 23.00 | |
| Dan alveidab | Madulatian | DD size | DD -#+ | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 140800 | 141500 | 142200 | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.97 | 22.90 | 22.90 | 24.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel 140300 | Channel 141500 | Channel 142700 | Tune up | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 23.02 | 22.88 | 22.84 | 24.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | N12 Ant.0 | Sensor on | | Conducted Power(dBm) | | | | |
|-----------|-------------------------|-----------|-----------|----------------------|---------|---------|---------|--|
| | | | scs | 15kHz | | | | |
| Pandwidth | Modulation | DD oizo | DP offoot | Channel | Channel | Channel | Tungun | |
| Bandwidth | Modulation | RB size | RB offset | 141300 | 141500 | 141700 | Tune up | |
| | | | | 706.5 | 707.5 | 708.5 | | |
| | | 1 | 1 | 21.16 | 21.13 | 21.23 | 22.00 | |
| | | 1 | 40 | 21.40 | 21.39 | 21.24 | 22.00 | |
| | | 1 | 77 | 21.21 | 21.15 | 21.18 | 22.00 | |
| | DFT-s-OFDM PI/2 BPSK | 36 | 0 | 21.11 | 21.06 | 21.09 | 22.00 | |
| | | 36 | 22 | 21.16 | 21.08 | 21.11 | 22.00 | |
| | | 36 | 43 | 21.09 | 21.04 | 21.15 | 22.00 | |
| | | 75 | 0 | 21.02 | 21.07 | 21.10 | 22.00 | |
| | | 1 | 1 | 21.20 | 21.22 | 21.18 | 22.00 | |
| | | 1 | 40 | 21.10 | 21.12 | 21.13 | 22.00 | |
| 15MHz | | 1 | 77 | 21.07 | 21.11 | 21.05 | 22.00 | |
| | DFT-s-OFDM QPSK | 36 | 0 | 21.12 | 21.16 | 21.03 | 22.00 | |
| | | 36 | 22 | 21.14 | 21.18 | 21.11 | 22.00 | |
| | | 36 | 43 | 21.19 | 21.07 | 21.13 | 22.00 | |
| | | 75 | 0 | 21.05 | 21.09 | 21.06 | 22.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.08 | 21.11 | 21.14 | 22.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 21.02 | 21.08 | 21.17 | 22.00 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 21.05 | 21.10 | 21.06 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwiuin | Modulation | KD SIZE | KD Ollset | 141300 | 141500 | 141700 | | |
| 15MHz | CP-OFDM QPSK | 1 | 1 | 21.14 | 21.05 | 21.13 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwiuth | iviouulatioH | VD 2176 | VD 01196f | 140800 | 141500 | 142200 | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 21.15 | 21.11 | 21.18 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwiuin | IVIOUUIALIOIT | ND SIZE | KD Ollset | 140300 | 141500 | 142700 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 21.12 | 21.11 | 21.02 | 22.00 |
|------|--------------------|---|---|-------|-------|-------|-------|
|------|--------------------|---|---|-------|-------|-------|-------|

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

2.4 Conducted Power of n14

| | N14 Ant.0 | Full power | | Conducted Power(dBm) | | | | |
|---------------|----------------------|------------|-----------|----------------------|-------------------|---------|---------|--|
| | | | SCS | 15kHz | | | | |
| Dan alvidda | Madulation | DD -: | DD -#+ | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | | 158600 | | Tune up | |
| | | | | | 793 | | | |
| | | 1 | 1 | 22.85 | 22.86 | 22.89 | 24.50 | |
| | | 1 | 26 | 22.91 | 22.92 | 22.94 | 24.50 | |
| | DFT-s-OFDM | 1 | 50 | 22.82 | 22.97 | 22.87 | 24.50 | |
| | PI/2 BPSK | 25 | 0 | 22.46 | 22.40 | 22.38 | 24.00 | |
| | | 25 | 14 | 22.79 | 22.81 | 22.88 | 24.50 | |
| | | 25 | 27 | 22.29 | 22.33 | 22.26 | 24.00 | |
| | | 50 | 0 | 22.39 | 22.35 | 22.34 | 24.00 | |
| | | 1 | 1 | 22.85 | 23.09 | 23.08 | 24.50 | |
| | | 1 | 26 | 22.80 | 22.91 | 22.92 | 24.50 | |
| 10MHz | DET - OFDM | 1 | 50 | 22.77 | 22.94 | 22.81 | 24.50 | |
| | DFT-s-OFDM QPSK | 25 | 0 | 22.03 | 21.97 | 22.02 | 23.50 | |
| | | 25 | 14 | 22.92 | 23.03 | 22.93 | 24.50 | |
| | | 25 | 27 | 22.07 | 21.85 | 21.94 | 23.50 | |
| | | 50 | 0 | 21.93 | 21.92 | 22.05 | 23.50 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.59 | 21.67 | 21.67 | 23.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.16 | 20.26 | 20.27 | 22.00 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.94 | 18.88 | 18.89 | 20.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel 158600 | Channel | Tune up | |
| 10MHz | CP-OFDM QPSK | 1 | 1 | 21.36 | 21.33 | 21.42 | 23.00 | |
| Donal i alti- | Modulatian | DD -: | DD 6#==4 | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 158100 | 158600 | 159100 | | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.68 | 22.78 | 22.71 | 24.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

2.5 Conducted Power of n25

| | N25 Ant.0 | Full power | | Conducted Power(dBm) | | | | |
|---------------|-------------------------|------------|-----------|----------------------|---------|---------|---------|--|
| | | | SCS | 15kHz | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tungun | |
| bandwidth | Wodulation | RD SIZE | RB ollset | 374000 | 376500 | 379000 | Tune up | |
| | | | | 1870 | 1882.5 | 1895 | | |
| | | 1 | 1 | 22.55 | 22.62 | 22.65 | 24.00 | |
| | | 1 | 108 | 22.75 | 22.65 | 22.74 | 24.00 | |
| | DET OFFILE | 1 | 214 | 22.62 | 22.61 | 22.62 | 24.00 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 22.22 | 22.22 | 22.15 | 23.50 | |
| | 1 1/2 51 610 | 108 | 54 | 22.66 | 22.63 | 22.66 | 24.00 | |
| | | 108 | 108 | 22.02 | 22.13 | 22.13 | 23.50 | |
| | | 216 | 0 | 22.17 | 22.16 | 22.21 | 23.50 | |
| | | 1 | 1 | 22.73 | 22.76 | 22.75 | 24.00 | |
| | | 1 | 108 | 22.71 | 22.72 | 22.69 | 24.00 | |
| 40MHz | DET OFFILE | 1 | 214 | 22.62 | 22.57 | 22.67 | 24.00 | |
| 40111112 | DFT-s-OFDM QPSK | 108 | 0 | 21.73 | 21.87 | 21.76 | 23.00 | |
| | QI SIK | 108 | 54 | 22.69 | 22.71 | 22.74 | 24.00 | |
| | | 108 | 108 | 21.74 | 21.70 | 21.79 | 23.00 | |
| | | 216 | 0 | 21.72 | 21.77 | 21.75 | 23.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.38 | 21.39 | 21.32 | 23.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 19.99 | 19.93 | 19.99 | 21.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.58 | 18.64 | 18.59 | 19.50 | |
| Dan alveialth | Madulation | DD -: | DD -#+ | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 374000 | 376500 | 379000 | | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 21.19 | 21.28 | 21.28 | 22.50 | |
| D 1 1 1 1 1 | | | 55 " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 373000 | 376500 | 380000 | | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.48 | 22.43 | 22.53 | 24.00 | |
| 5 , | | DD : | DD " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 372500 | 376500 | 380500 | · | |
| 25MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.56 | 22.54 | 22.59 | 24.00 | |
| D2-10 | NA - d. 1 - C | DD : | DD " . | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 372000 | 376500 | 381000 | | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.57 | 22.49 | 22.44 | 24.00 | |
| Dandwidth | Modulation | DD aire | DD offeet | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 371500 | 376500 | 381500 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.47 | 22.48 | 22.49 | 24.00 |
|-----------|--------------------|---------|-----------|---------|---------|---------|---------|
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwium | Modulation | KD SIZE | KD Ollset | 371000 | 376500 | 382000 | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.56 | 22.60 | 22.50 | 24.00 |
| Bandwidth | Madulation | DD size | DD offeet | Channel | Channel | Channel | Tune up |
| bandwidth | Modulation | RB size | RB offset | 370500 | 376500 | 382500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.45 | 22.58 | 22.47 | 24.00 |

| | N25 Ant.3 | Full power | | Conducted Power(dBm) | | | | |
|-----------|-------------------------|------------|-----------|----------------------|---------|---------|---------|--|
| | | | SCS | 15kHz | | | | |
| Donduidth | Madulation | RB size | RB offset | Channel | Channel | Channel | Tungun | |
| Bandwidth | Modulation | RD SIZE | RD Ollset | 374000 | 376500 | 379000 | Tune up | |
| | | | | 1870 | 1882.5 | 1895 | | |
| | | 1 | 1 | 22.56 | 22.69 | 22.65 | 24.00 | |
| | | 1 | 108 | 22.76 | 22.63 | 22.71 | 24.00 | |
| | | 1 | 214 | 22.68 | 22.66 | 22.68 | 24.00 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 22.12 | 22.25 | 22.28 | 23.50 | |
| | | 108 | 54 | 22.70 | 22.63 | 22.59 | 24.00 | |
| | | 108 | 108 | 22.04 | 22.16 | 22.14 | 23.50 | |
| | | 216 | 0 | 22.24 | 22.24 | 22.19 | 23.50 | |
| | | 1 | 1 | 22.72 | 22.78 | 22.74 | 24.00 | |
| | | 1 | 108 | 22.72 | 22.71 | 22.73 | 24.00 | |
| 40MHz | | 1 | 214 | 22.69 | 22.63 | 22.72 | 24.00 | |
| 40WITZ | DFT-s-OFDM QPSK | 108 | 0 | 22.63 | 22.68 | 21.71 | 23.00 | |
| | QFSK | 108 | 54 | 22.71 | 22.68 | 22.64 | 24.00 | |
| | | 108 | 108 | 21.71 | 21.78 | 21.81 | 23.00 | |
| | | 216 | 0 | 21.74 | 21.83 | 21.80 | 23.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 21.36 | 21.46 | 21.35 | 23.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 20.07 | 19.97 | 20.06 | 21.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 18.54 | 18.69 | 18.65 | 19.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwium | Wodulation | RD SIZE | RD Ollset | 374000 | 376500 | 379000 | | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 21.16 | 21.27 | 21.21 | 22.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwium | iviodulation | KD SIZE | RD Ollset | 373000 | 376500 | 380000 | | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.58 | 22.52 | 22.58 | 24.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
|-----------|--------------------|---------|-----------|---------|---------|---------|---------|
| Danuwidin | Modulation | RD SIZE | KD Ollset | 372500 | 376500 | 380500 | |
| 25MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.51 | 22.54 | 22.49 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwidin | Modulation | RD SIZE | KD Ollset | 372000 | 376500 | 381000 | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.56 | 22.55 | 22.45 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| bandwidth | Modulation | RD SIZE | RD Ollset | 371500 | 376500 | 381500 | |
| 15MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.56 | 22.50 | 22.50 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Danuwiuin | iviodulation | KD SIZE | KD Ollset | 371000 | 376500 | 382000 | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.48 | 22.46 | 22.50 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Dandwidth | Modulation | ND SIZE | KD Ollset | 370500 | 376500 | 382500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | 22.52 | 22.53 | 22.60 | 24.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

2.6 Conducted Power of n30

| | N30 Ant.3 | Full power | | | Conducted | Power(dBm) | |
|------------|-------------------------|------------|-----------|---------|-------------------|------------|---------|
| | | | SCS | 15kHz | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel 462000 | Channel | Tune up |
| | | | | | 2310 | | |
| | | 1 | 1 | / | 21.69 | / | 23.50 |
| | | 1 | 26 | / | 21.52 | / | 23.50 |
| | DFT-s-OFDM PI/2 BPSK | 1 | 50 | / | 21.57 | / | 23.50 |
| | | 25 | 0 | / | 21.09 | / | 23.00 |
| | 1 1/2 51 610 | 25 | 14 | / | 21.66 | / | 23.50 |
| | | 25 | 27 | / | 21.06 | / | 23.00 |
| | | 50 | 0 | / | 21.09 | / | 23.00 |
| | | 1 | 1 | / | 21.78 | / | 23.50 |
| | | 1 | 26 | / | 21.58 | / | 23.50 |
| 10MHz | DET - OFDM | 1 | 50 | / | 21.62 | / | 23.50 |
| | DFT-s-OFDM QPSK | 25 | 0 | / | 20.59 | / | 22.50 |
| | ζ. σ. τ | 25 | 14 | / | 21.73 | / | 23.50 |
| | | 25 | 27 | / | 20.55 | / | 22.50 |
| | | 50 | 0 | / | 20.53 | / | 22.50 |
| | DFT-s-OFDM 16QAM | 1 | 1 | / | 20.56 | / | 22.50 |
| | DFT-s-OFDM 64QAM | 1 | 1 | / | 19.09 | / | 21.00 |
| | DFT-s-OFDM 256QAM | 1 | 1 | 1 | 17.27 | 1 | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | / | Channel 462000 | / | Tune up |
| 10MHz | CP-OFDM QPSK | 1 | 1 | / | 20.07 | / | 22.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Dariuwiuin | Modulation | KD SIZE | RD UIISET | 461500 | 462000 | 462500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | / | 21.55 | / | 23.50 |

| | N30 Ant.3 | Sensor on | | Conducted Power(dBm) | | | | |
|-----------|------------|-----------|-----------|----------------------|---------|---------|---------|--|
| SCS 15kHz | | | | | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tunaun | |
| bandwidth | Modulation | RD SIZE | RB Ollset | | 462000 | | Tune up | |
| | | | | | 2310 | | | |
| 10MHz | DFT-s-OFDM | 1 | 1 | / | 19.16 | / | 20.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | PI/2 BPSK | 1 | 26 | / | 19.13 | / | 20.50 |
|------------|----------------------|---------|-----------|---------|---------|---------|---------|
| | | 1 | 50 | / | 19.16 | / | 20.50 |
| | | 25 | 0 | / | 19.01 | / | 20.50 |
| | | 25 | 14 | / | 19.20 | / | 20.50 |
| | | 25 | 27 | / | 19.24 | / | 20.50 |
| | | 50 | 0 | / | 19.12 | / | 20.50 |
| | | 1 | 1 | / | 19.28 | / | 20.50 |
| | | 1 | 26 | / | 19.21 | / | 20.50 |
| | DET OFFILE | 1 | 50 | / | 19.13 | / | 20.50 |
| | DFT-s-OFDM QPSK | 25 | 0 | / | 19.22 | / | 20.50 |
| | | 25 | 14 | / | 19.25 | / | 20.50 |
| | | 25 | 27 | / | 19.08 | / | 20.50 |
| | | 50 | 0 | / | 19.16 | / | 20.50 |
| | DFT-s-OFDM 16QAM | 1 | 1 | / | 19.04 | / | 20.50 |
| | DFT-s-OFDM 64QAM | 1 | 1 | / | 19.06 | 1 | 20.50 |
| | DFT-s-OFDM 256QAM | 1 | 1 | 1 | 17.32 | / | 19.00 |
| Bandwidth | Modulation | RB size | RB offset | / | Channel | / | Tune up |
| Baridwidth | Modulation | KB Size | RB oliset | | 462000 | | |
| 10MHz | CP-OFDM QPSK | 1 | 1 | 1 | 18.98 | / | 20.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up |
| Daridwidth | Modulation | RD SIZE | KB Oliset | 461500 | 462000 | 462500 | |
| 5MHz | DFT-s-OFDM QPSK | 1 | 1 | / | 18.97 | 1 | 20.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

2.7 Conducted Power of n41

| | N41 PC2 Ant | .0 Full power | | | | Conducted | Power(dBm) | | |
|-----------------|--------------------------|---------------|------------|---------|---------|-----------|------------|---------|----------|
| | | - | | SCS | 30kHz | | | | |
| December 2 days | Marshaladar | DD -: | DD - (' | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 509202 | 513900 | 518598 | 523302 | 528000 | Tune up |
| | | | | 2546.01 | 2569.5 | 2592.99 | 2616.51 | 2640 | |
| | | 1 | 1 | 24.61 | 24.55 | 24.54 | 24.59 | 24.53 | 26.50 |
| | | 1 | 137 | 24.53 | 24.62 | 24.60 | 24.60 | 24.63 | 26.50 |
| | DFT-s- | 1 | 271 | 24.53 | 24.58 | 24.57 | 24.59 | 24.54 | 26.50 |
| | OFDM | 135 | 0 | 24.08 | 24.02 | 24.03 | 24.09 | 24.11 | 26.00 |
| | PI/2 BPSK | 135 | 69 | 24.52 | 24.52 | 24.67 | 24.59 | 24.57 | 26.50 |
| | | 135 | 138 | 24.05 | 24.01 | 24.05 | 24.01 | 24.08 | 26.00 |
| | | 270 | 0 | 24.03 | 24.08 | 24.10 | 24.05 | 24.03 | 26.00 |
| | | 1 | 1 | 24.54 | 24.54 | 24.67 | 24.64 | 24.55 | 26.50 |
| | | 1 | 137 | 24.55 | 24.56 | 24.57 | 24.53 | 24.54 | 26.50 |
| | DFT-s- | 1 | 271 | 24.53 | 24.50 | 24.52 | 24.58 | 24.55 | 26.50 |
| 100MHz | OFDM | 135 | 0 | 23.60 | 23.66 | 23.64 | 23.64 | 23.54 | 25.50 |
| | QPSK | 135 | 69 | 24.50 | 24.57 | 24.60 | 24.56 | 24.57 | 26.50 |
| | | 135 | 138 | 23.55 | 23.62 | 24.00 | 23.60 | 23.56 | 25.50 |
| | | 270 | 0 | 23.54 | 23.59 | 23.58 | 23.56 | 23.60 | 25.50 |
| | DFT-s- OFDM 16QAM | 1 | 1 | 23.54 | 23.55 | 23.54 | 23.51 | 23.57 | 25.50 |
| | DFT-s- OFDM 64QAM | 1 | 1 | 22.07 | 22.06 | 22.01 | 22.05 | 22.02 | 24.00 |
| | DFT-s- OFDM 256QAM | 1 | 1 | 20.40 | 20.33 | 20.37 | 20.52 | 20.46 | 22.00 |
| Daniel Salds | | DD -: | DD - (' | Channel | Channel | Channel | Channel | Channel | Tune up |
| Bandwidth | Modulation | RB size | RB offset | 509202 | 513900 | 518598 | 523302 | 528000 | |
| 100MHz | CP-OFDM QPSK | 1 | 1 | 23.19 | 23.09 | 23.07 | 23.15 | 23.10 | 25.00 |
| December 2 date | Madulada | DD -: | DD - (') | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 508200 | 513402 | 518598 | 523800 | 528996 | Tune up |
| 90MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.59 | 24.64 | 24.51 | 24.56 | 24.57 | 26.50 |
| Daniel de Cald | | DD -:- | DD - ('- ' | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 507204 | 512904 | 518598 | 524298 | 529998 | Tune up |
| 80MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.55 | 24.54 | 24.60 | 24.55 | 24.58 | 26.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| | DFT-s- | | | 506202 | 512403 | 518598 | 524799 | 530997 | · |
| 70MHz | OFDM | 1 | 1 | 24.54 | 24.60 | 24.59 | 24.54 | 24.52 | 26.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | QPSK | | | | | | | | |
|-------------------|------------------------|---------|-----------|---------|---------|---------|---------|---------|---------|
| | | | | | | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Dariuwiutii | Wodulation | KD Size | KD Ollset | 505200 | 511902 | 518598 | 525300 | 531996 | rune up |
| 60MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.50 | 24.58 | 24.54 | 24.59 | 24.51 | 26.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Dariuwiutii | Wodulation | KD Size | KD Ollset | 504204 | 511404 | 518598 | 525798 | 532998 | rune up |
| 50MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.58 | 24.52 | 24.51 | 24.58 | 24.55 | 26.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| bandwidth | Modulation | RD SIZE | RB oliset | 503202 | 510900 | 518598 | 526302 | 534000 | Tune up |
| 40MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.56 | 24.61 | 24.54 | 24.50 | 24.57 | 26.50 |
| Dana alicci altib | Madulation | DD eine | DD -#+ | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 502200 | 510402 | 518598 | 526800 | 534996 | Tune up |
| 30MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.59 | 24.61 | 24.51 | 24.54 | 24.50 | 26.50 |
| Dondwidth | Modulation | DD size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB oliset | 501204 | 509904 | 518598 | 527298 | 535998 | Tune up |
| 20MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.58 | 24.59 | 24.57 | 24.52 | 24.59 | 26.50 |
| Dondwidth | Modulation | DD eize | DD offeet | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 500202 | 509403 | 518598 | 527799 | 537000 | Tune up |
| 15MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.52 | 24.54 | 24.59 | 24.56 | 24.51 | 26.50 |
| Pandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tupour |
| Bandwidth | iviodulation | KD SIZE | RB Oliset | 499200 | 508902 | 518598 | 528300 | 538002 | Tune up |
| 10MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.53 | 24.55 | 24.57 | 24.54 | 24.51 | 26.50 |

| | N41 PC2 Ant.1 Full power | | | | Conducted Power(dBm) | | | | | | |
|-----------|--------------------------|---------|-----------|---------|----------------------|---------|---------|---------|---------|--|--|
| | | | | SCS: | SCS 30kHz | | | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun | | |
| Danuwiuin | Modulation | KD SIZE | KD Ollset | 509202 | 513900 | 518598 | 523302 | 528000 | Tune up | | |
| | | | | 2546.01 | 2569.5 | 2592.99 | 2616.51 | 2640 | | | |
| | | 1 | 1 | 22.68 | 22.63 | 22.81 | 22.61 | 22.58 | 24.00 | | |
| | DFT-s- | 1 | 137 | 22.69 | 22.87 | 22.83 | 22.77 | 22.83 | 24.00 | | |
| 100MHz | OFDM | 1 | 271 | 22.74 | 22.73 | 22.64 | 22.58 | 22.63 | 24.00 | | |
| | PI/2 BPSK | 135 | 0 | 22.15 | 22.25 | 22.30 | 22.26 | 22.37 | 23.50 | | |
| | | 135 | 69 | 22.72 | 22.78 | 22.67 | 22.59 | 22.86 | 24.00 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR240900032706 Report No.:

Rev.: 01

| | | 135 | 138 | 22.31 | 22.22 | 22.28 | 22.16 | 22.33 | 23.50 |
|------------|--------------------------|----------|------------|---------|---------|---------|---------|---------|---------|
| | | 270 | 0 | 22.24 | 22.11 | 22.38 | 22.17 | 22.13 | 23.50 |
| | | 1 | 1 | 22.82 | 22.79 | 22.99 | 22.93 | 22.84 | 24.00 |
| | | 1 | 137 | 22.64 | 22.63 | 22.80 | 22.65 | 22.73 | 24.00 |
| | DFT-s- | 1 | 271 | 22.52 | 22.59 | 22.72 | 22.54 | 22.54 | 24.00 |
| | OFDM | 135 | 0 | 21.79 | 21.90 | 21.81 | 21.86 | 21.72 | 23.00 |
| | QPSK | 135 | 69 | 22.76 | 22.68 | 22.88 | 22.75 | 22.70 | 24.00 |
| | | 135 | 138 | 21.72 | 21.90 | 21.58 | 21.77 | 21.72 | 23.00 |
| | | 270 | 0 | 21.76 | 21.81 | 21.87 | 21.71 | 21.76 | 23.00 |
| | DFT-s- OFDM 16QAM | 1 | 1 | 21.40 | 21.44 | 21.29 | 21.46 | 21.29 | 23.00 |
| | DFT-s- OFDM 64QAM | 1 | 1 | 19.98 | 20.15 | 19.99 | 20.05 | 20.10 | 21.50 |
| | DFT-s- OFDM 256QAM | 1 | 1 | 18.68 | 18.59 | 18.62 | 18.73 | 18.63 | 19.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Banawiatii | Woddiation | IND SIZE | IND Offset | 509202 | 513900 | 518598 | 523302 | 528000 | |
| 100MHz | CP-OFDM QPSK | 1 | 1 | 21.37 | 21.27 | 21.18 | 21.44 | 21.36 | 22.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Banawiatii | | 110 3120 | IND Ollset | 508200 | 513402 | 518598 | 523800 | 528996 | rune up |
| 90MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.68 | 22.68 | 22.52 | 22.65 | 22.54 | 24.00 |
| Pondwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RD SIZE | RB ollset | 507204 | 512904 | 518598 | 524298 | 529998 | Tune up |
| 80MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.55 | 22.50 | 22.57 | 22.59 | 22.49 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danawidin | | IND SIZE | IVD OHSEC | 506202 | 512403 | 518598 | 524799 | 530997 | Tune up |
| 70MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.50 | 22.70 | 22.50 | 22.57 | 22.55 | 24.00 |
| Randwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | LD SIZE | VD 011261 | 505200 | 511902 | 518598 | 525300 | 531996 | Tune up |
| 60MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.57 | 22.63 | 22.51 | 22.56 | 22.46 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiutii | | IVD SIZE | I/D Olloct | 504204 | 511404 | 518598 | 525798 | 532998 | rune up |
| 50MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.38 | 22.56 | 22.48 | 22.58 | 22.52 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danawidan | ···· | 112 0120 | TE SHOOT | 503202 | 510900 | 518598 | 526302 | 534000 | Tano ap |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

| | | | 1 | 1 | 1 | | | | |
|--------------|------------------------|---------|-----------|---------|---------|---------|---------|---------|---------|
| 40MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.58 | 22.59 | 22.55 | 22.57 | 22.55 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danuwiuin | Modulation | KD SIZE | KD Ollset | 502200 | 510402 | 518598 | 526800 | 534996 | Tune up |
| 30MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.38 | 22.57 | 22.39 | 22.62 | 22.42 | 24.00 |
| Danada da ka | Madulatian | DD size | DD -#+ | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 501204 | 509904 | 518598 | 527298 | 535998 | Tune up |
| 20MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.49 | 22.56 | 22.60 | 22.55 | 22.40 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Dandwidth | Modulation | RD SIZE | RB oliset | 500202 | 509403 | 518598 | 527799 | 537000 | Tune up |
| 15MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.44 | 22.50 | 22.56 | 22.50 | 22.47 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danuwiuin | Modulation | RD SIZE | KD Ollset | 499200 | 508902 | 518598 | 528300 | 538002 | Tune up |
| 10MHz | DFT-s- OFDM QPSK | 1 | 1 | 22.63 | 22.57 | 22.57 | 22.40 | 22.42 | 24.00 |

| | N41 PC2 Ant | .2 Full power | | | | Conducted | Power(dBm) | | |
|-------------|-------------------------|---------------|-----------|---------|---------|-----------|------------|---------|---------|
| | | | | SCS : | 30kHz | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Dariuwiutri | Modulation | KD SIZE | KD Ollset | 509202 | 513900 | 518598 | 523302 | 528000 | Tune up |
| | | | | 2546.01 | 2569.5 | 2592.99 | 2616.51 | 2640 | |
| | | 1 | 1 | 24.79 | 24.82 | 24.93 | 24.75 | 24.82 | 26.00 |
| | | 1 | 137 | 24.91 | 24.90 | 24.84 | 24.89 | 24.93 | 26.00 |
| | DFT-s- | 1 | 271 | 24.79 | 24.85 | 24.85 | 24.73 | 24.80 | 26.00 |
| | OFDM | 135 | 0 | 24.34 | 24.33 | 24.31 | 24.29 | 24.42 | 25.50 |
| | PI/2 BPSK | 135 | 69 | 24.82 | 24.82 | 24.74 | 24.66 | 24.92 | 26.00 |
| | | 135 | 138 | 24.41 | 24.40 | 24.40 | 24.25 | 24.34 | 25.50 |
| | | 270 | 0 | 24.27 | 24.25 | 24.43 | 24.22 | 24.25 | 25.50 |
| | | 1 | 1 | 24.91 | 24.88 | 24.93 | 24.90 | 24.91 | 26.00 |
| 100MHz | | 1 | 137 | 24.75 | 24.82 | 24.88 | 24.79 | 24.88 | 26.00 |
| | DFT-s- | 1 | 271 | 24.61 | 24.68 | 24.85 | 24.76 | 24.64 | 26.00 |
| | OFDM | 135 | 0 | 23.85 | 23.97 | 24.03 | 23.92 | 23.90 | 25.00 |
| | QPSK | 135 | 69 | 24.79 | 24.73 | 24.92 | 24.82 | 24.79 | 26.00 |
| | | 135 | 138 | 23.92 | 23.88 | 23.68 | 23.95 | 23.87 | 25.00 |
| | | 270 | 0 | 23.80 | 23.96 | 23.86 | 23.73 | 23.98 | 25.00 |
| | DFT-s- OFDM 16QAM | 1 | 1 | 23.43 | 23.41 | 23.51 | 23.71 | 23.35 | 25.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Signification Standards Technical Standards Te



Report No.: SUCR240900032706

Rev.: 01

| | | | 1 | | | | | | |
|-------------|--------------------------|----------|-----------|---------|---------|---------|---------|---------|--|
| | DFT-s- OFDM 64QAM | 1 | 1 | 22.16 | 22.23 | 22.12 | 22.06 | 22.11 | 23.50 |
| | DFT-s- OFDM 256QAM | 1 | 1 | 20.77 | 20.59 | 20.64 | 20.84 | 20.84 | 21.50 |
| Bandwidth | | DD circ | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| bandwidth | Modulation | RB size | RB oliset | 509202 | 513900 | 518598 | 523302 | 528000 | |
| 100MHz | CP-OFDM QPSK | 1 | 1 | 23.55 | 23.47 | 23.37 | 23.51 | 23.49 | 24.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Baridwidtri | | KD Size | KB oliset | 508200 | 513402 | 518598 | 523800 | 528996 | rune up |
| 90MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.76 | 24.77 | 24.68 | 24.69 | 24.74 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danuwiutii | | VD SIZE | VD 011261 | 507204 | 512904 | 518598 | 524298 | 529998 | Tune up |
| 80MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.70 | 24.54 | 24.72 | 24.66 | 24.53 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiuin | Modulation | KD SIZE | KD Ollset | 506202 | 512403 | 518598 | 524799 | 530997 | rune up |
| 70MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.51 | 24.78 | 24.66 | 24.68 | 24.65 | 26.00 |
| Decide 140 | Madulation | DD -: | DD - (' | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 505200 | 511902 | 518598 | 525300 | 531996 | Tune up |
| 60MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.64 | 24.73 | 24.53 | 24.79 | 24.58 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Dandwidth | Modulation | KD SIZE | KB Ollset | 504204 | 511404 | 518598 | 525798 | 532998 | Tune up |
| 50MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.47 | 24.53 | 24.53 | 24.75 | 24.70 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Janamati | | 110 0120 | TID SHOOL | 503202 | 510900 | 518598 | 526302 | 534000 | Tano up |
| 40MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.67 | 24.68 | 24.62 | 24.63 | 24.54 | 26.00 |
| Dond | | DD -: | DD 6#554 | Channel | Channel | Channel | Channel | Channel | T.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Bandwidth | Modulation | RB size | RB offset | 502200 | 510402 | 518598 | 526800 | 534996 | Tune up |
| 30MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.46 | 24.79 | 24.49 | 24.63 | 24.51 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiutii | | VD SIZE | VD 011261 | 501204 | 509904 | 518598 | 527298 | 535998 | rune up |
| 20MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.56 | 24.77 | 24.69 | 24.68 | 24.51 | 26.00 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd., Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
|-----------|------------------------|---------|-----------|---------|---------|---------|---------|---------|---------|
| Danuwium | Modulation | KD SIZE | KD Ollset | 500202 | 509403 | 518598 | 527799 | 537000 | Tune up |
| 15MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.52 | 24.61 | 24.78 | 24.62 | 24.58 | 26.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Danuwium | Modulation | KD SIZE | KD Ollset | 499200 | 508902 | 518598 | 528300 | 538002 | Tune up |
| 10MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.58 | 24.70 | 24.52 | 24.52 | 24.59 | 26.00 |

| | N41 PC2 Ant | .3 Full power | | | | Conducted | Power(dBm) | | |
|-------------|--------------------------|---------------|-----------|---------|---------|-----------|------------|---------|----------|
| | | | | SCS | 30kHz | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Baridwidtri | Modulation | ND SIZE | KB oliset | 509202 | 513900 | 518598 | 523302 | 528000 | rune up |
| | | | | 2546.01 | 2569.5 | 2592.99 | 2616.51 | 2640 | |
| | | 1 | 1 | 24.18 | 24.31 | 24.32 | 24.26 | 24.20 | 25.50 |
| | | 1 | 137 | 24.29 | 24.35 | 24.43 | 24.42 | 24.43 | 25.50 |
| | DFT-s- | 1 | 271 | 24.39 | 24.37 | 24.27 | 24.19 | 24.19 | 25.50 |
| | OFDM | 135 | 0 | 23.80 | 23.91 | 23.87 | 23.79 | 24.00 | 25.00 |
| | PI/2 BPSK | 135 | 69 | 24.40 | 24.34 | 24.29 | 24.22 | 24.43 | 25.50 |
| | | 135 | 138 | 23.91 | 23.81 | 23.93 | 23.74 | 23.87 | 25.00 |
| | | 270 | 0 | 23.79 | 23.65 | 23.91 | 23.72 | 23.76 | 25.00 |
| | | 1 | 1 | 24.32 | 24.38 | 24.43 | 24.41 | 24.42 | 25.50 |
| | | 1 | 137 | 24.23 | 24.28 | 24.37 | 24.22 | 24.40 | 25.50 |
| | DFT-s- | 1 | 271 | 24.08 | 24.26 | 24.24 | 24.18 | 24.15 | 25.50 |
| 100MHz | | 135 | 0 | 23.38 | 23.46 | 23.40 | 23.48 | 23.44 | 24.50 |
| | QPSK | 135 | 69 | 24.37 | 24.34 | 24.42 | 24.35 | 24.32 | 25.50 |
| | | 135 | 138 | 23.34 | 23.42 | 23.24 | 23.39 | 23.39 | 24.50 |
| | | 270 | 0 | 23.43 | 23.45 | 23.41 | 23.28 | 23.44 | 24.50 |
| | DFT-s- OFDM 16QAM | 1 | 1 | 22.94 | 22.95 | 22.92 | 23.19 | 22.84 | 24.50 |
| | DFT-s- OFDM 64QAM | 1 | 1 | 21.63 | 21.71 | 21.66 | 21.64 | 21.61 | 23.00 |
| | DFT-s- OFDM 256QAM | 1 | 1 | 20.24 | 20.09 | 20.20 | 20.35 | 20.32 | 21.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiuth | wodulation | KD SIZE | RD Ullset | 509202 | 513900 | 518598 | 523302 | 528000 | |
| 100MHz | CP-OFDM QPSK | 1 | 1 | 23.00 | 22.91 | 22.81 | 22.93 | 22.99 | 24.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiulii | Modulation | 110 3126 | ND Olloet | 508200 | 513402 | 518598 | 523800 | 528996 | Turie up |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| 90MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.23 | 24.31 | 24.10 | 24.15 | 24.21 | 25.50 |
|-----------------|------------------------|---------|-----------|-------------------|-------------------|-------------------|-------------------|-------------------|---------|
| December 2 days | Marketalan | DD -: | DD - # | Channel | Channel | Channel | Channel | Channel | T |
| Bandwidth | Modulation | RB size | RB offset | 507204 | 512904 | 518598 | 524298 | 529998 | Tune up |
| 80MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.20 | 24.11 | 24.24 | 24.22 | 24.07 | 25.50 |
| Donduidth | Madulation | DD size | DD offeet | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB offset | 506202 | 512403 | 518598 | 524799 | 530997 | Tune up |
| 70MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.12 | 24.25 | 24.06 | 24.22 | 24.20 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Dariuwiutii | Modulation | ND SIZE | KD Ollset | 505200 | 511902 | 518598 | 525300 | 531996 | rune up |
| 60MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.20 | 24.21 | 24.13 | 24.16 | 24.06 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Dariuwiuiri | Modulation | KD SIZE | KD Ollset | 504204 | 511404 | 518598 | 525798 | 532998 | Tune up |
| 50MHz | DFT-s- OFDM QPSK | 1 | 1 | 23.97 | 24.13 | 24.02 | 24.27 | 24.21 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Dariuwiuiri | Modulation | KD SIZE | KD Ollset | 503202 | 510900 | 518598 | 526302 | 534000 | Tune up |
| 40MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.25 | 24.24 | 24.24 | 24.10 | 24.12 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwiuin | Modulation | KD SIZE | KD Ollset | 502200 | 510402 | 518598 | 526800 | 534996 | rune up |
| 30MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.08 | 24.17 | 24.03 | 24.21 | 24.09 | 25.50 |
| Donduidth | Madulation | DD size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | RB oliset | 501204 | 509904 | 518598 | 527298 | 535998 | Tune up |
| 20MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.17 | 24.26 | 24.18 | 24.08 | 24.08 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel 500202 | Channel 509403 | Channel | Channel | Channel 537000 | Tune up |
| | DFT-s- | | | 500202 | 509403 | 518598 | 527799 | 537000 | |
| 15MHz | OFDM QPSK | 1 | 1 | 24.09 | 24.20 | 24.21 | 24.14 | 24.07 | 25.50 |
| Bandwidth | Modulation | RB size | RB offset | Channel 499200 | Channel 508902 | Channel 518598 | Channel 528300 | Channel 538002 | Tune up |
| 10MHz | DFT-s- OFDM QPSK | 1 | 1 | 24.21 | 24.17 | 24.05 | 24.08 | 24.05 | 25.50 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Stantons (Os., Ltd.)
Wireless Laboratory
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR240900032706

Rev.: 01

| | N41 PC2 Ant | .3 Sensor on | | | | Conducted | Power(dBm) | | |
|-------------|--------------------------|--------------|-----------|---------|---------|-----------|------------|---------|---------|
| | | | | SCS | 30kHz | | <u></u> | | |
| | | | | Channel | Channel | Channel | Channel | Channel | _ |
| Bandwidth | Modulation | RB size | RB offset | 509202 | 513900 | 518598 | 523302 | 528000 | Tune up |
| | | | | 2546.01 | 2569.5 | 2592.99 | 2616.51 | 2640 | |
| | | 1 | 1 | 20.48 | 20.69 | 20.80 | 20.61 | 20.45 | 22.00 |
| | | 1 | 137 | 20.61 | 20.70 | 20.65 | 20.79 | 20.71 | 22.00 |
| | DFT-s- | 1 | 271 | 20.67 | 20.74 | 20.69 | 20.43 | 20.49 | 22.00 |
| | OFDM | 135 | 0 | 20.73 | 20.56 | 20.75 | 20.41 | 20.78 | 22.00 |
| | PI/2 BPSK | 135 | 69 | 20.67 | 20.74 | 20.74 | 20.64 | 20.81 | 22.00 |
| | | 135 | 138 | 20.63 | 20.59 | 20.56 | 20.52 | 20.67 | 22.00 |
| | | 270 | 0 | 20.41 | 20.59 | 20.64 | 20.61 | 20.57 | 22.00 |
| | | 1 | 1 | 20.43 | 20.58 | 20.94 | 20.60 | 20.52 | 22.00 |
| | | 1 | 137 | 20.77 | 20.80 | 20.77 | 20.87 | 20.74 | 22.00 |
| | DFT-s- | 1 | 271 | 20.77 | 20.71 | 20.66 | 20.47 | 20.66 | 22.00 |
| 100MHz | OFDM QPSK | 135 | 0 | 20.74 | 20.67 | 20.73 | 20.53 | 20.77 | 22.00 |
| | | 135 | 69 | 20.72 | 20.77 | 20.89 | 20.76 | 20.80 | 22.00 |
| | | 135 | 138 | 20.69 | 20.63 | 20.60 | 20.45 | 20.69 | 22.00 |
| | | 270 | 0 | 20.37 | 20.55 | 20.65 | 20.50 | 20.49 | 22.00 |
| | DFT-s- OFDM 16QAM | 1 | 1 | 20.70 | 20.65 | 20.72 | 20.72 | 20.73 | 22.00 |
| | DFT-s- OFDM 64QAM | 1 | 1 | 20.52 | 20.61 | 20.70 | 20.58 | 20.49 | 22.00 |
| | DFT-s- OFDM 256QAM | 1 | 1 | 20.58 | 20.46 | 20.43 | 20.52 | 20.60 | 22.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Danuwium | Modulation | KD SIZE | KD Ollset | 509202 | 513900 | 518598 | 523302 | 528000 | |
| 100MHz | CP-OFDM QPSK | 1 | 1 | 20.64 | 20.79 | 20.64 | 20.91 | 20.71 | 22.00 |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tune up |
| Dariuwiutii | Modulation | ND SIZE | VD 011261 | 508200 | 513402 | 518598 | 523800 | 528996 | rune up |
| 90MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.67 | 20.77 | 20.61 | 20.88 | 20.83 | 22.00 |
| Bandwidth | Modulation | DR oizo | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun |
| Bandwidth | Modulation | RB size | KD UIISEL | 507204 | 512904 | 518598 | 524298 | 529998 | Tune up |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | DFT-s- | | | | | | | | | |
|-------------------|------------------------|---------|-----------|-----------|---------|---------|---------|---------|---------|---------|
| 80MHz | OFDM QPSK | 1 | 1 | 20.57 | 20.80 | 20.69 | 20.83 | 20.73 | 22.00 | |
| Dana du di dala | NA - de de di - de | DD -: | DD affact | Channel | Channel | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 506202 | 512403 | 518598 | 524799 | 530997 | Tune up | |
| 70MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.57 | 20.81 | 20.65 | 20.92 | 20.74 | 22.00 | |
| Dana di cii dalla | Madulatian | DD -: | DD effect | Channel | Channel | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 505200 | 511902 | 518598 | 525300 | 531996 | Tune up | |
| 60MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.63 | 20.76 | 20.56 | 20.83 | 20.71 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun | |
| Dariuwiuiii | Modulation | KD SIZE | KD Ollset | 504204 | 511404 | 518598 | 525798 | 532998 | Tune up | |
| 50MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.63 | 20.84 | 20.63 | 20.79 | 20.78 | 22.00 | |
| Daniel del | Mandadadaa | DD -: | DD - (() | Channel | Channel | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 503202 | 510900 | 518598 | 526302 | 534000 | | |
| 40MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.66 | 20.77 | 20.69 | 20.92 | 20.81 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tungun | |
| Danawiain | Modulation | KD SIZE | RD Ollset | 502200 | 510402 | 518598 | 526800 | 534996 | Tune up | |
| 30MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.70 | 20.73 | 20.65 | 20.91 | 20.78 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Channel | Channel | Tung up | |
| Danuwiuin | Modulation | ND SIZE | KD Ollset | 501204 | 509904 | 518598 | 527298 | 535998 | Tune up | |
| 20MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.57 | 20.72 | 20.62 | 20.83 | 20.80 | 22.00 | |
| Donduidth | Madulation | DD oizo | DD offeet | Channel | Channel | Channel | Channel | Channel | Tunaun | |
| Bandwidth | Modulation | RB size | RB offset | 500202 | 509403 | 518598 | 527799 | 537000 | Tune up | |
| 15MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.62 | 20.76 | 20.68 | 20.78 | 20.72 | 22.00 | |
| Pondwidth | Modulation | DP size | DP offect | Channel | Channel | Channel | Channel | Channel | Tungun | |
| Bandwidth | Modulation | RB size | KR SIZE | RB offset | 499200 | 508902 | 518598 | 528300 | 538002 | Tune up |
| 10MHz | DFT-s- OFDM QPSK | 1 | 1 | 20.69 | 20.77 | 20.68 | 20.84 | 20.75 | 22.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



SUCR240900032706 Report No.:

Rev.: 01

2.8 Conducted Power of n48

| _:: 00:::0 | N48 Ant.1 I | | | Conducted Power(dBm) | | | | | |
|-----------------|-------------------------|---------|-----------|----------------------|-------------------|-------------------|---|--|--|
| | | , | SCS | 30kHz | | | | | |
| | | | RB offset | Channel | Channel | Channel | Tungura | | |
| Bandwidth | Modulation | RB size | | 638000 | 641666 | 645332 | Tune up | | |
| | | | | 3570 | 3624.99 | 3679.98 | | | |
| | | 1 | 1 | 19.07 | 19.11 | 18.99 | 20.50 | | |
| | - | 1 | 108 | 19.13 | 19.07 | 19.02 | 20.50 | | |
| | [| 1 | 214 | 19.11 | 19.10 | 18.99 | 20.50 | | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 18.15 | 18.16 | 18.18 | 20.00 | | |
| | 1 1/2 DI SIC | 108 | 54 | 19.05 | 19.06 | 19.03 | 20.50 | | |
| | - | 108 | 108 | 18.18 | 18.16 | 18.17 | 20.00 | | |
| | | 216 | 0 | 18.14 | 18.17 | 18.10 | | | |
| | | 1 | 1 | 19.19 | 19.28 | 19.17 | 20.50 | | |
| | | 1 | 108 | 19.09 | 19.17 | 19.17 | 20.50 | | |
| 40MHz | | 1 | 214 | 19.02 | 19.06 | 19.01 | 20.50 | | |
| 40WITZ | DFT-s-OFDM QPSK | 108 | 0 | 18.19 | 18.21 | 18.18 | 19.50 | | |
| | QISI | 108 | 54 | 19.10 | 19.26 | 19.11 | 20.50 19.50 20.50 19.50 19.50 | | |
| | | 108 | 108 | 18.19 | 18.13 | 18.11 | 19.50 | | |
| | | 216 | 0 | 18.11 | 18.10 | 18.10 | 19.50 | | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 17.86 | 17.80 | 17.72 | | | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 16.42 | 16.38 | 16.42 | 18.00 | | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 14.93 | 14.97 | 15.01 | 16.00 | | |
| December 2 days | Madulatian | DD -: | DD - "1 | Channel | Channel | Channel | Tune up | | |
| Bandwidth | Modulation | RB size | RB offset | 640000 | 641666 | 643332 | | | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 17.66 | 17.59 | 17.60 | 19.00 | | |
| Daniel del | Madulatia | DD -: | DD - " | Channel | Channel | Channel | Т | | |
| Bandwidth | Modulation | RB size | RB offset | 637668 | 641666 | 645666 | Tune up | | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 18.90 | 18.93 | 19.00 | 20.50 | | |
| Developed | NA - July 1 | DD : | DD " | Channel | Channel | Channel | T | | |
| Bandwidth | Modulation | RB size | RB offset | 637334 | 641666 | 646000 | Tune up | | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 18.95 | 18.87 | 18.85 | 20.50 | | |
| Bandwidth | Modulation | RB size | RB offset | Channel 637000 | Channel 641666 | Channel 646332 | Tune up | | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 18.97 | 18.96 | 18.83 | 20.50 | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | N48 Ant.2 | Full power | | Conducted Power(dBm) | | | | |
|-----------------|-------------------------|------------|-----------|----------------------|-------------------|-------------------|---------|--|
| | | | SCS | 30kHz | | | | |
| December 2 date | Marshala Cara | RB size | RB offset | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | | | 638000 | 641666 | 645332 | Tune up | |
| | | | | 3570 | 3624.99 | 3679.98 | | |
| | | 1 | 1 | 16.30 | 16.30 | 16.18 | 17.50 | |
| | | 1 | 108 | 16.40 | 16.41 | 16.27 | 17.50 | |
| | | 1 | 214 | 16.32 | 16.31 | 16.17 | 17.50 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 15.41 | 15.39 | 15.47 | 17.00 | |
| | 1 1/2 DI OIC | 108 | 54 | 16.19 | 16.32 | 16.14 | 17.50 | |
| | | 108 | 108 | 15.31 | 15.38 | 15.45 | 17.00 | |
| | | 216 | 0 | 15.35 | 15.33 | 15.30 | 17.00 | |
| | | 1 | 1 | 16.46 | 16.61 | 16.36 | 17.50 | |
| | | 1 | 108 | 16.33 | 16.21 | 16.35 | 17.50 | |
| 40MHz | | 1 | 214 | 16.27 | 16.28 | 16.25 | 17.50 | |
| 40WITZ | DFT-s-OFDM QPSK | 108 | 0 | 15.27 | 15.38 | 15.43 | 16.50 | |
| | QFSK | 108 | 54 | 16.41 | 16.51 | 16.31 | | |
| | | 108 | 108 | 15.30 | 15.20 | 15.40 | | |
| | | 216 | 0 | 15.38 | 15.35 | 15.37 | 16.50 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 14.96 | 14.98 | 15.02 | 16.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 13.64 | 13.73 | 13.65 | 15.00 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 12.17 | 12.33 | 12.23 | 13.00 | |
| Donduidth | Madulatian | DD oizo | RB offset | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB oliset | 640000 | 641666 | 643332 | | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 14.81 | 14.97 | 14.93 | 16.00 | |
| Dana di vi dala | Madulation | DD sins | DD -#+ | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 637668 | 641666 | 645666 | Tune up | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 16.11 | 16.04 | 16.09 | 17.50 | |
| Danielo daleb | Madulatia | DD size | DD -# | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 637334 | 641666 | 646000 | Tune up | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 16.20 | 16.16 | 16.19 | 17.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel 637000 | Channel 641666 | Channel 646332 | Tune up | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 16.16 | 16.15 | 16.11 | 17.50 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | N48 Ant.4 | Full power | | Conducted Power(dBm) | | | | |
|-----------------|-------------------------|------------|--------------|----------------------|-------------------|-------------------|--|--|
| | | | SCS | 30kHz | | | | |
| December 2 date | Marshala Cara | DD -: | RB offset | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 638000 | 641666 | 645332 | Tune up | |
| | | | | 3570 | 3624.99 | 3679.98 | | |
| | | 1 | 1 | 20.65 | 20.64 | 20.68 | 22.00 | |
| | | 1 | 108 | 20.53 | 20.54 | 20.57 | 22.00 | |
| | | 1 | 214 | 20.71 | 20.58 | 20.67 | 22.00 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 19.90 | 19.67 | 19.73 | 21.50 | |
| | 1 1/2 DI OIC | 108 | 54 | 20.66 | 20.53 | 20.64 | 22.00 | |
| | | 108 | 108 | 19.73 | 19.76 | 19.86 | 21.50 | |
| | | 216 | 0 | 19.65 | 19.66 | 19.77 | 21.50 | |
| | | 1 | 1 | 20.65 | 21.04 | 20.81 | 22.00 | |
| | | 1 | 108 | 20.65 | 20.73 | 20.72 | 22.00 | |
| 40MHz | | 1 | 214 | 20.69 | 20.64 | 20.60 | 22.00 | |
| 40WITZ | DFT-s-OFDM QPSK | 108 | 0 | 19.78 | 19.84 | 19.72 | 22.00 22.00 21.50 22.00 21.50 21.50 22.00 22.00 | |
| | QFSK | 108 | 54 | 20.80 | 20.91 | 20.71 | | |
| | | 108 | 108 | 19.67 | 19.73 | 19.81 | | |
| | | 216 | 0 | 19.72 | 19.81 | 19.84 | 21.00 | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 19.50 | 19.56 | 19.49 | 21.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 17.96 | 17.88 | 17.89 | 19.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 16.50 | 16.57 | 16.56 | 17.50 | |
| Dondwidth | Madulatian | DD oizo | RB offset | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB ollset | 640000 | 641666 | 643332 | | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 19.25 | 19.33 | 19.20 | 20.50 | |
| Dana di vi dala | Madulation | DD ei-e | DD -#+ | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 637668 | 641666 | 645666 | Tune up | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.50 | 20.45 | 20.55 | 22.00 | |
| Daniel Mile | Madulatia | DD -' | DD - "1 | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | ze RB offset | 637334 | 641666 | 646000 | Tune up | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.50 | 20.42 | 20.57 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel 637000 | Channel 641666 | Channel 646332 | Tune up | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.42 | 20.58 | 20.51 | 22.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SUCR240900032706 Report No.:

Rev.: 01

| | N48 Ant.5 | Full power | | Conducted Power(dBm) | | | | |
|---------------|-------------------------|------------|-----------|----------------------|-------------------|-------------------|--|--|
| | | | SCS | 30kHz | | | | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tune up | |
| Danuwium | Wodulation | KD SIZE | KD Oliset | 638000 | 641666 | 645332 | rune up | |
| | | | | 3570 | 3624.99 | 3679.98 | | |
| | | 1 | 1 | 20.55 | 20.68 | 20.54 | 22.00 | |
| | | 1 | 108 | 20.71 | 20.63 | 20.48 | 22.00 | |
| | DET - OFDM | 1 | 214 | 20.69 | 20.64 | 20.54 | 22.00 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 19.71 | 19.69 | 19.68 | 21.50 | |
| | "" | 108 | 54 | 20.55 | 20.55 | 20.49 | 22.00 | |
| | | 108 | 108 | 19.66 | 19.73 | 19.67 | 21.50 | |
| | | 216 | 0 | 19.66 | 19.69 | 19.64 | 21.50 | |
| | | 1 | 1 | 20.67 | 20.78 | 20.67 | 22.00 | |
| | | 1 | 108 | 20.56 | 20.69 | 20.66 | 22.00 | |
| 40MHz | DET 0504 | 1 | 214 | 20.58 | 20.60 | 20.48 | 22.00 21.00 22.00 21.00 21.00 | |
| 40111112 | DFT-s-OFDM QPSK | 108 | 0 | 19.64 | 19.74 | 19.72 | 21.00 | |
| | QI SIX | 108 | 54 | 20.65 | 20.76 | 20.66 | 21.50 22.00 21.50 21.50 22.00 22.00 22.00 21.00 22.00 21.00 | |
| | | 108 | 108 | 19.65 | 19.66 | 19.68 | | |
| | | 216 | 0 | 19.69 | 19.67 | 19.63 | | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 19.40 | 19.37 | 19.18 | 21.00 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 17.85 | 17.88 | 17.94 | 19.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 16.48 | 16.51 | 16.58 | 17.50 | |
| D 1 1 1 1 1 1 | | 55 : | 55 " | Channel | Channel | Channel | Tune up | |
| Bandwidth | Modulation | RB size | RB offset | 640000 | 641666 | 643332 | 1 | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 19.20 | 19.16 | 19.08 | 20.50 | |
| D2-10 | NA - I - I - C | DD : | | Channel | Channel | Channel | T | |
| Bandwidth | Modulation | RB size | RB offset | 637668 | 641666 | 645666 | Tune up | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.39 | 20.48 | 20.56 | 22.00 | |
| 5 1 11 | | DD : | 55 " | Channel | Channel | Channel | _ | |
| Bandwidth | Modulation | RB size | RB offset | 637334 | 641666 | 646000 | Tune up | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.44 | 20.44 | 20.42 | 22.00 | |
| Bandwidth | Modulation | RB size | RB offset | Channel 637000 | Channel 641666 | Channel 646332 | Tune up | |
| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 20.52 | 20.46 | 20.33 | 22.00 | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUCR240900032706

Rev.: 01

| | N48 Ant.1 | Sensor on | | Conducted Power(dBm) | | | | |
|-----------|-------------------------|--------------------|--------------------|----------------------|---------|---------|---|---------|
| | | | SCS | 30kHz | | | | |
| Bandwidth | Mandalada | DD -: | DD - #1 | Channel | Channel | Channel | T | |
| | Modulation | RB size | RB offset | 638000 | 641666 | 645332 | Tune up | |
| | | | | 3570 | 3624.99 | 3679.98 | | |
| | | 1 | 1 | 14.40 | 14.38 | 14.34 | 15.50 | |
| | | 1 | 108 | 14.52 | 14.35 | 14.29 | 15.50 | |
| | | 1 | 214 | 14.39 | 14.44 | 14.39 | 15.50 | |
| | DFT-s-OFDM PI/2 BPSK | 108 | 0 | 14.45 | 14.41 | 14.56 | 15.50 | |
| | I WZ BI GIC | 108 | 54 | 14.42 | 14.26 | 14.35 | 15.50 | |
| | | 108 | 108 | 14.36 | 14.55 | 14.56 | 15.50 | |
| | | 216 | 0 | 14.49 | 14.45 | 14.49 | 15.50 15.50 15.50 15.50 | |
| | | 1 | 1 | 14.62 | 14.68 | 14.56 | 15.50 | |
| | | 1 | 108 | 14.30 | 14.39 | 14.41 | 15.50 15.50 15.50 15.50 15.50 15.50 15.50 | |
| 40MHz | | 1 | 214 | 14.26 | 14.40 | 14.27 | 15.50 | |
| | DFT-s-OFDM QPSK | 108 | 0 | 14.48 | 14.50 | 14.53 | 15.50 | |
| | Qi Oit | 108 | 54 | 14.55 | 14.64 | 14.46 | 15.50 | |
| | | 108 | 108 | 14.43 | 14.62 | 14.48 | | |
| | | 216 | 0 | 14.50 | 14.59 | 14.42 | | |
| | DFT-s-OFDM 16QAM | 1 | 1 | 14.39 | 14.49 | 14.46 | 15.50 | |
| | DFT-s-OFDM 64QAM | 1 | 1 | 14.41 | 14.45 | 14.44 | 15.50 | |
| | DFT-s-OFDM 256QAM | 1 | 1 | 14.44 | 14.60 | 14.42 | 15.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tung up | |
| Danuwium | Modulation | KD SIZE | RB oliset | 640000 | 641666 | 643332 | rune up | |
| 40MHz | CP-OFDM QPSK | 1 | 1 | 14.48 | 14.28 | 14.32 | 15.50 | |
| Bandwidth | Modulation | RB size | RB offset | Channel | Channel | Channel | Tuno un | |
| Danuwiuin | iviodulation | ND SIZE | ND Ollset | 637668 | 641666 | 645666 | rune up | |
| 30MHz | DFT-s-OFDM QPSK | 1 | 1 | 14.45 | 14.35 | 14.30 | 15.50 | |
| Donduidth | Madulation | DD size | DD offeet | Channel | Channel | Channel | Tungun | |
| Bandwidth | Modulation | RB size | RB offset | 637334 | 641666 | 646000 | Tune up | |
| 20MHz | DFT-s-OFDM QPSK | 1 | 1 | 14.50 | 14.37 | 14.20 | 15.50 | |
| Dandwidth | Modulation | DD oi-o | DD offs at | Channel | Channel | Channel | Tuna | |
| Bandwidth | Modulation | width Modulation | Modulation RB size | RB offset | 637000 | 641666 | 646332 | Tune up |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report Template No./Rev: SUWI-TRF-SAR001/ v01



Report No.: SUCR240900032706

Rev.: 01

| 10MHz | DFT-s-OFDM QPSK | 1 | 1 | 14.41 | 14.37 | 14.34 | 15.50 |
|-------|--------------------|---|---|-------|-------|-------|-------|
|-------|--------------------|---|---|-------|-------|-------|-------|

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report Template No./Rev: SUWI-TRF-SAR001/ v01