


Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.90	14.11	52.01	74.00	-21.99	peak	
2		5460.000	29.91	14.11	44.02	54.00	-9.98	AVG	
3		5470.000	35.58	14.13	49.71	68.20	-18.49	peak	
4	X	5659.100	85.29	14.71	100.00	68.20	31.80	AVG	No Limit
5	*	5661.500	92.41	14.73	107.14	68.20	38.94	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11379.93	39.30	9.52	48.82	74.00	-25.18	peak	
2	*	11379.99	30.39	9.52	39.91	54.00	-14.09	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.50	14.11	51.61	74.00	-22.39	peak	
2		5460.000	29.62	14.11	43.73	54.00	-10.27	AVG	
3		5470.000	37.52	14.13	51.65	68.20	-16.55	peak	
4	X	5726.900	91.07	14.93	106.00	68.20	37.80	AVG	No Limit
5	*	5727.800	100.0	14.93	114.96	68.20	46.76	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11439.90	38.86	9.58	48.44	74.00	-25.56	peak	
2	*	11439.97	30.04	9.58	39.62	54.00	-14.38	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.95	14.11	52.06	74.00	-21.94	peak	
2		5460.000	29.40	14.11	43.51	54.00	-10.49	AVG	
3		5470.000	37.38	14.13	51.51	68.20	-16.69	peak	
4	X	5697.700	88.44	14.84	103.28	68.20	35.08	AVG	No Limit
5	*	5704.000	95.97	14.86	110.83	68.20	42.63	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11419.91	30.01	9.55	39.56	54.00	-14.44	AVG	
2		11419.91	38.69	9.55	48.24	74.00	-25.76	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.49	14.11	50.60	74.00	-23.40	peak	
2		5460.000	29.93	14.11	44.04	54.00	-9.96	AVG	
3		5470.000	38.03	14.13	52.16	68.20	-16.04	peak	
4	X	5658.800	85.30	14.71	100.01	68.20	31.81	AVG	No Limit
5	*	5659.400	95.13	14.71	109.84	68.20	41.64	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11379.96	29.71	9.52	39.23	54.00	-14.77	AVG	
2		11380.09	38.98	9.52	48.50	74.00	-25.50	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode Channel 40 (UNII-1)	Polarization	Vertical
-----------	--------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		39956.000	48.91	10.90	59.81	83.50	-23.69	peak	
2	*	39956.000	39.58	10.90	50.48	63.50	-13.02	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode Channel 40 (UNII-1)	Polarization	Horizontal
-----------	--------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38966.000	47.98	11.26	59.24	83.50	-24.26	peak	
2	*	38966.000	38.78	11.26	50.04	63.50	-13.46	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.690	16.500
40	5200	20.699	16.500
48	5240	20.659	16.500

CH36




Date: 2.JAN.2025 16:59:04

CH40
26 dB Bandwidth




Date: 2.JAN.2025 17:00:20

CH48




Date: 2.JAN.2025 17:01:06


99 % Occupied Bandwidth



Date: 2.JAN.2025 16:59:27



Date: 2.JAN.2025 16:59:41




Date: 2.JAN.2025 17:00:31

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.190	17.700
40	5200	22.350	17.700
48	5240	21.098	17.700

CH36




Date: 2.JAN.2025 17:10:03

CH40
26 dB Bandwidth




Date: 2.JAN.2025 17:10:45

CH48




Date: 2.JAN.2025 17:11:31


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:09:27



Date: 2.JAN.2025 17:10:11




Date: 2.JAN.2025 17:10:55

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.000	75.600

CH42 26 dB Bandwidth



Date: 2.JAN.2025 17:49:15

99 % Occupied Bandwidth




Date: 2.JAN.2025 17:48:29

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.988	19.000
40	5200	21.790	19.000
48	5240	21.699	19.000

CH36




Date: 2.JAN.2025 17:22:12

CH40
26 dB Bandwidth




Date: 2.JAN.2025 17:22:59

CH48




Date: 2.JAN.2025 17:23:44


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:22:13



Date: 2.JAN.2025 17:22:23




Date: 2.JAN.2025 17:23:10

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.400	77.200

CH42 26 dB Bandwidth



Date: 2.JAN.2025 17:54:42

99 % Occupied Bandwidth




Date: 2.JAN.2025 17:53:56

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.750	16.500
60	5300	20.600	16.500
64	5320	20.399	16.500

CH52




Date: 2.JAN.2025 17:02:23

CH60
26 dB Bandwidth




Date: 2.JAN.2025 17:03:06

CH64




Date: 2.JAN.2025 17:03:50


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:01:47



Date: 2.JAN.2025 17:02:32




Date: 2.JAN.2025 17:03:15

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.949	17.700
60	5300	21.290	17.700
64	5320	21.000	17.700

CH52




Date: 2.JAN.2025 17:12:14

CH60
26 dB Bandwidth




Date: 2.JAN.2025 17:12:59

CH64




Date: 2.JAN.2025 17:13:44


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:11:39



Date: 2.JAN.2025 17:12:23




Date: 2.JAN.2025 17:13:08

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.208	36.400
62	5310	40.100	36.400

CH54




Date: 2.JAN.2025 17:33:54

CH62
26 dB Bandwidth




Date: 2.JAN.2025 17:34:53

99 % Occupied Bandwidth



Date: 2.JAN.2025 17:33:18




Date: 2.JAN.2025 17:34:18

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.998	75.600

CH58 26 dB Bandwidth



Date: 2.JAN.2025 17:50:11

99 % Occupied Bandwidth




Date: 2.JAN.2025 17:49:24

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.259	19.000
60	5300	21.850	19.000
64	5320	21.499	19.000

CH52




Date: 2.JAN.2025 17:24:30

CH60
26 dB Bandwidth




Date: 2.JAN.2025 17:25:13

CH64




Date: 2.JAN.2025 17:26:04


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:23:54



Date: 2.JAN.2025 17:24:40




Date: 2.JAN.2025 17:25:29

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.000	77.200

CH58 26 dB Bandwidth



Date: 2.JAN.2025 17:55:36

99 % Occupied Bandwidth




Date: 2.JAN.2025 17:54:51

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	165.200	156.000

CH50 26 dB Bandwidth



Date: 2.JAN.2025 18:00:44

99 % Occupied Bandwidth




Date: 2.JAN.2025 17:59:46

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	168.796	157.600

CH50 26 dB Bandwidth



Date: 2.JAN.2025 18:03:34

99 % Occupied Bandwidth




Date: 2.JAN.2025 18:02:50

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.290	16.500
116	5580	20.188	16.500
140	5700	20.490	16.500
144	5720	15.750	17.100

CH100




Date: 2, JAN, 2025 18:10:43

CH116
26 dB Bandwidth




Date: 2, JAN, 2025 17:05:22

CH140




Date: 2, JAN, 2025 17:06:07


99 % Occupied Bandwidth



Date: 2, JAN, 2025 17:03:59




Date: 2, JAN, 2025 17:04:46




Date: 2, JAN, 2025 17:05:31

26 dB Bandwidth



Date: 4, JAN, 2025 01:14:34

CH144
99 % Occupied Bandwidth




Date: 4, JAN, 2025 01:13:44

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.700	17.600
116	5580	20.800	17.600
140	5700	20.750	17.600
144	5720	15.159	17.600

CH100




Date: 2.JAN.2025 17:14:28

CH116
26 dB Bandwidth




Date: 2.JAN.2025 17:15:13

CH140




Date: 2.JAN.2025 17:17:20


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:13:53




Date: 2.JAN.2025 17:14:38




Date: 2.JAN.2025 17:16:45

26 dB Bandwidth



Date: 4.JAN.2025 01:26:47

CH144
99 % Occupied Bandwidth




Date: 4.JAN.2025 01:25:58

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.808	36.400
110	5550	40.200	36.400
134	5670	39.800	36.400
142	5710	35.308	36.200

CH102




Date: 2.JAN.2025 17:35:19

CH110
26 dB Bandwidth




Date: 2.JAN.2025 17:36:22

CH134




Date: 2.JAN.2025 17:37:06


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:35:01




Date: 2.JAN.2025 17:35:47




Date: 2.JAN.2025 17:36:31

26 dB Bandwidth



Date: 4.JAN.2025 01:30:31

99 % Occupied Bandwidth




Date: 4.JAN.2025 01:29:44

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	75.600
122	5610	81.800	75.600
138	5690	75.606	75.200

CH106




Date: 2.JAN.2025 17:51:05

CH122
26 dB Bandwidth




Date: 2.JAN.2025 17:51:58

CH138




Date: 4.JAN.2025 01:31:51


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:50:21



Date: 2.JAN.2025 17:51:14




Date: 4.JAN.2025 01:31:08

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.196	156.000

CH114 26 dB Bandwidth



Date: 2.JAN.2025 18:02:16

99 % Occupied Bandwidth




Date: 2.JAN.2025 18:00:54

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.050	18.900
116	5580	21.450	19.000
140	5700	21.600	18.900
144	5720	15.450	18.900

CH100




Date: 2.JAN.2025 17:26:48

CH116
26 dB Bandwidth




Date: 2.JAN.2025 17:27:31

CH140




Date: 2.JAN.2025 17:28:23


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:26:13




Date: 2.JAN.2025 17:26:57




Date: 2.JAN.2025 17:27:50

26 dB Bandwidth



Date: 4.JAN.2025 01:33:39

99 % Occupied Bandwidth




Date: 4.JAN.2025 01:32:47

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.000	37.800
110	5550	39.700	38.000
134	5670	40.100	38.000
142	5710	35.900	38.000

CH102




Date: 2.JAN.2025 17:43:42

CH110
26 dB Bandwidth




Date: 2.JAN.2025 17:44:58

CH134




Date: 2.JAN.2025 17:45:45


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:43:05




Date: 2.JAN.2025 17:43:51




Date: 2.JAN.2025 17:45:09

26 dB Bandwidth



Date: 4.JAN.2025 01:34:54

99 % Occupied Bandwidth




Date: 4.JAN.2025 01:34:12

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	77.200
122	5610	82.000	77.600
138	5690	76.400	76.800

CH106




Date: 2.JAN.2025 17:56:35

CH122
26 dB Bandwidth




Date: 2.JAN.2025 17:57:33

CH138




Date: 4.JAN.2025 01:16:48


99 % Occupied Bandwidth



Date: 2.JAN.2025 17:55:50



Date: 2.JAN.2025 17:56:47




Date: 4.JAN.2025 01:35:51

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.600	156.800

CH114 26 dB Bandwidth



Date: 2.JAN.2025 18:04:57

99 % Occupied Bandwidth



Date: 2.JAN.2025 18:03:43

