


Test Mode	UNII-2C_TX BE(EHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16846.0000	43.08	11.37	54.45	68.20	-13.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5608.0000	88.69	14.59	103.28	999.00	-895.72	AVG	No Limit
2 *	5615.2000	99.49	14.61	114.10	68.20	45.90	Peak	No Limit
3	5725.0000	51.34	14.86	66.20	68.20	-2.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16711.5000	41.18	11.43	52.61	68.20	-15.59	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT160) Mode 5570 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	47.53	14.34	61.87	74.00	-12.13	Peak	
2	5460.0000	38.84	14.34	53.18	54.00	-0.82	AVG	
3	5470.0000	47.77	14.34	62.11	68.20	-6.09	Peak	
4	5552.4000	78.65	14.46	93.11	999.00	-905.89	AVG	No Limit
5 *	5562.8000	87.71	14.49	102.20	68.20	34.00	Peak	No Limit
6	5725.0000	42.95	14.86	57.81	68.20	-10.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17243.9000	46.64	10.77	57.41	68.20	-10.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.47	14.84	59.31	109.40	-50.09	Peak	
2	5725.0000	63.15	14.86	78.01	122.20	-44.19	Peak	
3 *	5744.4000	99.51	14.91	114.42	122.20	-7.78	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17359.7000	44.50	10.53	55.03	68.20	-13.17	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17476.0000	43.83	10.28	54.11	68.20	-14.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.0000	100.78	15.09	115.87	122.20	-6.33	Peak	No Limit
2	5850.0000	53.14	15.15	68.29	122.20	-53.91	Peak	
3	5860.0000	42.95	15.18	58.13	109.40	-51.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17228.9000	46.71	10.80	57.51	68.20	-10.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	49.74	14.84	64.58	109.40	-44.82	Peak	
2	5725.0000	55.39	14.86	70.25	122.20	-51.95	Peak	
3 *	5743.8000	100.18	14.91	115.09	122.20	-7.11	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17356.2000	43.95	10.53	54.48	68.20	-13.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17477.0000	43.57	10.28	53.85	68.20	-14.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.6000	101.04	15.09	116.13	122.20	-6.07	Peak	No Limit
2	5850.0000	53.75	15.15	68.90	122.20	-53.30	Peak	
3	5860.0000	41.56	15.18	56.74	109.40	-52.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17262.6000	44.08	10.73	54.81	68.20	-13.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	63.80	14.84	78.64	109.40	-30.76	Peak	
2	5725.0000	67.70	14.86	82.56	122.20	-39.64	Peak	
3 *	5754.0000	99.37	14.93	114.30	122.20	-7.90	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17379.6000	42.59	10.49	53.08	68.20	-15.12	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	38.43	14.84	53.27	109.40	-56.13	Peak	
2	5725.0000	40.16	14.86	55.02	122.20	-67.18	Peak	
3 *	5798.8000	99.14	15.03	114.17	122.20	-8.03	Peak	No Limit
4	5850.0000	48.44	15.15	63.59	122.20	-58.61	Peak	
5	5860.0000	43.93	15.18	59.11	109.40	-50.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17331.6000	41.71	10.59	52.30	68.20	-15.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5653.4000	49.07	14.70	63.77	70.72	-6.95	Peak	
2	5715.0000	58.10	14.84	72.94	109.40	-36.46	Peak	
3	5725.0000	58.43	14.86	73.29	122.20	-48.91	Peak	
4	5753.8000	94.35	14.93	109.28	122.20	-12.92	Peak	No Limit
5	5850.0000	55.04	15.15	70.19	122.20	-52.01	Peak	
6	5860.0000	55.39	15.18	70.57	109.40	-38.83	Peak	
7 *	5936.2000	47.49	15.35	62.84	68.20	-5.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17238.7000	46.32	10.78	57.10	68.20	-11.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.86	14.84	61.70	109.40	-47.70	Peak	
2	5725.0000	57.29	14.86	72.15	122.20	-50.05	Peak	
3 *	5744.8000	100.47	14.91	115.38	122.20	-6.82	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17347.3000	45.36	10.55	55.91	68.20	-12.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17471.1000	44.29	10.29	54.58	68.20	-13.62	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.4000	100.49	15.10	115.59	122.20	-6.61	Peak	No Limit
2	5850.0000	51.10	15.15	66.25	122.20	-55.95	Peak	
3	5860.0000	46.05	15.18	61.23	109.40	-48.17	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17282.4000	41.00	10.69	51.69	68.20	-16.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	57.59	14.84	72.43	109.40	-36.97	Peak	
2	5725.0000	62.28	14.86	77.14	122.20	-45.06	Peak	
3 *	5763.2000	99.46	14.95	114.41	122.20	-7.79	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17385.2000	41.66	10.47	52.13	68.20	-16.07	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.42	14.84	59.26	109.40	-50.14	Peak	
2	5725.0000	48.28	14.86	63.14	122.20	-59.06	Peak	
3 *	5796.4000	100.43	15.03	115.46	122.20	-6.74	Peak	No Limit
4	5850.0000	50.18	15.15	65.33	122.20	-56.87	Peak	
5	5860.0000	48.34	15.18	63.52	109.40	-45.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17396.8000	40.90	10.45	51.35	68.20	-16.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5658.2000	44.99	14.71	59.70	74.27	-14.57	Peak	
2	5715.0000	60.48	14.84	75.32	109.40	-34.08	Peak	
3	5725.0000	62.85	14.86	77.71	122.20	-44.49	Peak	
4	5779.8000	93.68	14.99	108.67	122.20	-13.53	Peak	No Limit
5	5850.0000	53.02	15.15	68.17	122.20	-54.03	Peak	
6	5860.0000	53.07	15.18	68.25	109.40	-41.15	Peak	
7 *	5926.2000	40.62	15.33	55.95	68.20	-12.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.67	14.33	54.00	74.00	-20.00	peak	
2		5460.000	29.12	14.33	43.45	54.00	-10.55	AVG	
3		5470.000	36.53	14.33	50.86	68.20	-17.34	peak	
4	*	5721.800	101.03	14.85	115.88	68.20	47.68	peak	No Limit
5	X	5721.800	92.49	14.85	107.34	68.20	39.14	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11438.050	33.54	11.17	44.71	54.00	-9.29	AVG	
2		11438.150	44.83	11.17	56.00	74.00	-18.00	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.99	14.33	51.32	74.00	-22.68	peak	
2		5460.000	28.96	14.33	43.29	54.00	-10.71	AVG	
3		5470.000	38.11	14.33	52.44	68.20	-15.76	peak	
4	X	5721.800	93.31	14.85	108.16	68.20	39.96	AVG	No Limit
5	*	5723.000	101.08	14.86	115.94	68.20	47.74	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11442.250	46.20	11.18	57.38	74.00	-16.62	peak	
2	*	11442.900	34.47	11.18	45.65	54.00	-8.35	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.35	14.33	51.68	74.00	-22.32	peak	
2		5460.000	29.10	14.33	43.43	54.00	-10.57	AVG	
3		5470.000	38.18	14.33	52.51	68.20	-15.69	peak	
4	X	5711.800	91.83	14.83	106.66	68.20	38.46	AVG	No Limit
5	*	5712.400	101.13	14.83	115.96	68.20	47.76	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11422.550	33.35	11.17	44.52	54.00	-9.48	AVG	
2		11432.250	43.42	11.17	54.59	74.00	-19.41	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.83	14.33	51.16	74.00	-22.84	peak	
2		5460.000	29.30	14.33	43.63	54.00	-10.37	AVG	
3		5470.000	36.94	14.33	51.27	68.20	-16.93	peak	
4	*	5682.200	97.95	14.76	112.71	68.20	44.51	peak	No Limit
5	X	5692.400	89.53	14.78	104.31	68.20	36.11	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11392.400	41.25	11.16	52.41	74.00	-21.59	peak	
2	*	11397.750	30.75	11.16	41.91	54.00	-12.09	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.12	14.33	50.45	74.00	-23.55	peak	
2		5460.000	28.93	14.33	43.26	54.00	-10.74	AVG	
3	*	5721.800	101.61	14.85	116.46	68.20	48.26	peak	No Limit
4	X	5721.800	93.21	14.85	108.06	68.20	39.86	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11442.550	35.04	11.18	46.22	54.00	-7.78	AVG	
2		11443.700	44.36	11.18	55.54	74.00	-18.46	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.67	14.33	52.00	74.00	-22.00	peak	
2		5460.000	28.89	14.33	43.22	54.00	-10.78	AVG	
3		5470.000	39.33	14.33	53.66	68.20	-14.54	peak	
4	X	5711.800	91.55	14.83	106.38	68.20	38.18	AVG	No Limit
5	*	5712.400	101.32	14.83	116.15	68.20	47.95	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11417.400	44.33	11.17	55.50	74.00	-18.50	peak	
2	*	11427.650	34.07	11.18	45.25	54.00	-8.75	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.52	14.33	51.85	74.00	-22.15	peak	
2		5460.000	29.27	14.33	43.60	54.00	-10.40	AVG	
3		5470.000	37.58	14.33	51.91	68.20	-16.29	peak	
4	*	5689.400	98.18	14.79	112.97	68.20	44.77	peak	No Limit
5	X	5691.800	88.67	14.78	103.45	68.20	35.25	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11377.100	43.14	11.16	54.30	74.00	-19.70	peak	
2	*	11382.300	31.04	11.15	42.19	54.00	-11.81	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT40) Mode Channel 54 (UNII-2A)	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39582.000	46.93	14.65	61.58	83.50	-21.92	peak	
2	*	39582.000	38.15	14.65	52.80	63.50	-10.70	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT40) Mode Channel 54 (UNII-2A)	Polarization	Horizontal
-----------	--	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39230.000	47.69	14.26	61.95	83.50	-21.55	peak	
2	*	39230.000	40.25	14.26	54.51	63.50	-8.99	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	17.700	16.400
40	5200	20.189	16.400
48	5240	18.050	16.300

CH36




Date: 17.MAR.2025 14:20:18

CH40
26 dB Bandwidth




Date: 16.MAR.2025 01:23:14

CH48




Date: 17.MAR.2025 14:23:16


99 % Occupied Bandwidth



Date: 16.MAR.2025 01:21:13



Date: 16.MAR.2025 01:22:35




Date: 16.MAR.2025 03:19:16

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.690	17.500
40	5200	20.298	17.500
48	5240	21.400	17.500

CH36




Date: 17.MAR.2025 14:49:45

CH40
26 dB Bandwidth




Date: 17.MAR.2025 14:51:21

CH48




Date: 17.MAR.2025 15:03:33


99 % Occupied Bandwidth



Date: 17.MAR.2025 14:49:12



Date: 17.MAR.2025 14:50:47




Date: 17.MAR.2025 15:03:01

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	116.786	76.000

CH42 26 dB Bandwidth



Date: 17_MAR.2025 16:39:59

99 % Occupied Bandwidth




Date: 17_MAR.2025 16:39:05

Test Mode	UNII-1_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	53.398	38.400
46	5230	47.390	38.000

CH38




Date: 17.MAR.2025 16:11:16

CH46
26 dB Bandwidth




Date: 17.MAR.2025 16:12:25

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:10:09




Date: 17.MAR.2025 16:11:34

Test Mode	UNII-1_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	96.390	77.600

CH42 26 dB Bandwidth



Date: 17_MAR.2025 16:46:59

99 % Occupied Bandwidth




Date: 17_MAR.2025 16:46:20

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	24.850	16.400
60	5300	17.698	16.400
64	5320	17.650	16.400

CH52




Date: 17.MAR.2025 14:25:01

CH60
26 dB Bandwidth




Date: 17.MAR.2025 14:28:47

CH64




Date: 17.MAR.2025 14:31:10


99 % Occupied Bandwidth



Date: 17.MAR.2025 14:24:33



Date: 17.MAR.2025 14:26:36




Date: 17.MAR.2025 14:29:15

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	24.200	17.600
60	5300	18.889	17.500
64	5320	20.650	17.500

CH52




Date: 17.MAR.2025 15:35:00

CH60
26 dB Bandwidth




Date: 17.MAR.2025 15:37:06

CH64




Date: 17.MAR.2025 15:38:22


99 % Occupied Bandwidth



Date: 17.MAR.2025 15:12:30



Date: 17.MAR.2025 15:36:31




Date: 17.MAR.2025 15:37:50

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	47.000	36.400
62	5310	47.100	36.400

CH54




Date: 17.MAR.2025 16:30:10

CH62 26 dB Bandwidth




Date: 17.MAR.2025 16:31:18

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:29:09




Date: 17.MAR.2025 16:30:19

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	111.600	75.600

CH58 26 dB Bandwidth



Date: 17_MAR.2025 16:40:51

99 % Occupied Bandwidth




Date: 17_MAR.2025 16:40:09


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	46.199	38.000
62	5310	46.600	38.000

CH62

Date: 17-MAR-2025 16:13:44



Date: 17 MAR 2025 16:15:27




Date: 17-MAR-2025 16:12:58

Date: 17 MAR 2025 16:14:20

Test Mode	UNII-2A_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	85.000	77.600

CH58 26 dB Bandwidth



Date: 17_MAR_2025 16:46:27

99 % Occupied Bandwidth




Date: 17_MAR_2025 16:47:12

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	222.390	156.000

CH50 26 dB Bandwidth



Date: 17_MAR.2025 16:59:59

99 % Occupied Bandwidth




Date: 17_MAR.2025 16:58:39

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	230.800	156.800

CH50 26 dB Bandwidth



Date: 17_MAR.2025 16:55:29

99 % Occupied Bandwidth




Date: 17_MAR.2025 16:54:57

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.090	16.400
116	5580	22.390	16.400
140	5700	17.890	16.300
144	5720	13.950	16.300

CH100




Date: 17.MAR.2025 14:32:10

CH116
26 dB Bandwidth




Date: 17.MAR.2025 14:33:57

CH140




Date: 17.MAR.2025 14:45:32


99 % Occupied Bandwidth



Date: 17.MAR.2025 14:33:39




Date: 17.MAR.2025 14:33:26




Date: 17.MAR.2025 14:34:34

CH144 26 dB Bandwidth



Date: 17.MAR.2025 18:52:32

99 % Occupied Bandwidth




Date: 17.MAR.2025 18:49:38

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.998	17.500
116	5580	22.090	17.500
140	5700	18.889	17.500
144	5720	16.300	17.500

CH100




Date: 17.MAR.2025 15:25:25

CH116
26 dB Bandwidth




Date: 17.MAR.2025 15:27:32

CH140




Date: 17.MAR.2025 15:30:17


99 % Occupied Bandwidth



Date: 17.MAR.2025 15:24:52




Date: 17.MAR.2025 15:26:46




Date: 17.MAR.2025 15:28:52

CH144 26 dB Bandwidth



Date: 17.MAR.2025 18:45:34

99 % Occupied Bandwidth



Date: 17.MAR.2025 18:43:18