Test Mode	UNII-2C_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	58.500	36.600
110	5550	48.800	36.400
134	5670	50.200	36.200
142	5710	37.400	36.400

CH102



Date: 17.MAR.2025 16:33:06

CH110

26 dB Bandwidth



Date: 17.MAR.2025 16:34:30

CH134



Date: 17.MAR.2025 16:35:40

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:32:30



Date: 17.MAR.2025 16:33:31



Date: 17.MAR.2025 16:34:48

CH142

26 dB Bandwidth



Date: 17.MAR.2025 10:58:23

99 % Occupied Bandwidth



Date: 17.MAR.2025 10:56:21

Test Mode	UNII-2C_TX AC(VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	127.000	76.000
122	5610	107.600	76.000
138	5690	89.000	75.600

CH106



Date: 17.MAR.2025 16:42:59

CH122

26 dB Bandwidth



Date: 17.MAR.2025 16:44:09

CH138



Date: 17.MAR.2025 19:11:54



Date: 17.MAR.2025 16:42:31

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:43:30



Date: 17.MAR.2025 19:11:10

Test Mode	UNII-2C_TX AC(VHT160) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	254.392	156.000

CH114

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-2C_TX BE(EHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.350	18.800
116	5580	20.650	18.900
140	5700	22.150	18.900
144	5720	15.000	18.900

CH100



Date: 17.MAR.2025 15:59:20

CH116

26 dB Bandwidth



Date: 17.MAR.2025 16:00:35

CH140



Date: 17.MAR.2025 16:02:13

99 % Occupied Bandwidth



Date: 17.MAR.2025 15:58:48



Date: 17.MAR.2025 16:00:04



Date: 17.MAR.2025 16:01:43

CH144

26 dB Bandwidth



Date: 17.MAR.2025 10:36:03

99 % Occupied Bandwidth



Date: 17.MAR.2025 10:32:30

Test Mode	UNII-2C_TX BE(EHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	51.997	38.200
110	5550	51.596	38.200
134	5670	45.700	38.000
142	5710	34.700	38.000

CH102



Date: 17.MAR.2025 16:17:13

CH110

26 dB Bandwidth



Date: 17.MAR.2025 16:18:41

CH134



Date: 17.MAR.2025 16:19:36

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:16:29



Date: 17.MAR.2025 16:17:38



Date: 17.MAR.2025 16:18:50

CH142

26 dB Bandwidth



Date: 17.MAR.2025 19:02:57

99 % Occupied Bandwidth



Date: 17.MAR.2025 19:01:48

Test Mode	UNII-2C_TX BE(EHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	94.396	77.600
122	5610	94.600	77.200
138	5690	75.200	77.600

CH106



Date: 17.MAR.2025 16:50:37

CH122

26 dB Bandwidth



Date: 17.MAR.2025 16:53:04

CH138



Date: 17.MAR.2025 19:07:25

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:49:58



Date: 17.MAR.2025 16:51:50



Date: 17.MAR.2025 19:06:30

Test Mode	UNII-2C_TX BE(EHT160) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	221.200	157.600

CH114

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.350	16.400	0.5	Complies
157	5785	15.299	16.400	0.5	Complies
165	5825	14.200	16.400	0.5	Complies

CH149



Date: 17.MAR.2025 14:36:16

CH157

6 dB Bandwidth



Date: 17.MAR.2025 14:37:29

CH165



Date: 17.MAR.2025 14:40:10

99 % Occupied Bandwidth



Date: 17.MAR.2025 14:35:41



Date: 17.MAR.2025 14:36:52



Date: 17.MAR.2025 14:39:28

Test Mode	UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.050	17.500	0.5	Complies
157	5785	16.899	17.500	0.5	Complies
165	5825	15.788	17.500	0.5	Complies

CH149

6 dB Bandwidth



Date: 17.MAR.2025 15:40:29

99 % Occupied Bandwidth



Date: 17.MAR.2025 15:39:51

CH157

6 dB Bandwidth



Date: 17.MAR.2025 15:41:21

99 % Occupied Bandwidth



Date: 17.MAR.2025 15:40:45

CH165



Date: 17.MAR.2025 15:43:12



Date: 17.MAR.2025 15:42:32

Test Mode	UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	30.100	36.200	0.5	Complies
159	5795	30.596	36.200	0.5	Complies

CH151



Date: 17.MAR.2025 16:37:19

CH159

6 dB Bandwidth



Date: 17.MAR.2025 16:38:28



Date: 17.MAR.2025 16:36:17

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:37:27

Test Mode	UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	69.190	75.600	0.5	Complies

CH155

6 dB Bandwidth



Date: 17.MAR.2025 16:45:42

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:44:20

Test Mode	UNII-3_TX BE(EHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.897	18.800	0.5	Complies
157	5785	17.290	18.800	0.5	Complies
165	5825	16.099	18.800	0.5	Complies

CH149

6 dB Bandwidth



Date: 17.MAR.2025 16:08:05

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:03:24

CH157

6 dB Bandwidth



Date: 17.MAR.2025 16:06:50

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:06:13

CH165

6 dB Bandwidth



Date: 17.MAR.2025 16:08:09

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:07:31

Test Mode	UNII-3_TX BE(EHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.100	38.200	0.5	Complies
159	5795	35.100	37.800	0.5	Complies

CH151



Date: 17.MAR.2025 16:21:40

CH159

6 dB Bandwidth



Date: 17.MAR.2025 16:22:38



Date: 17.MAR.2025 16:20:51

99 % Occupied Bandwidth



Date: 17.MAR.2025 16:21:48

Test Mode	UNII-3_TX BE(EHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	77.200	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.25	0.00	17.25	23.98	0.2500	Complies
40	5200	17.52	0.00	17.52	23.98	0.2500	Complies
48	5240	18.01	0.00	18.01	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.02	0.00	18.02	23.98	0.2500	Complies
40	5200	18.13	0.00	18.13	23.98	0.2500	Complies
48	5240	18.52	0.00	18.52	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.66	23.98	0.2500	Complies
40	5200	20.85	23.98	0.2500	Complies
48	5240	21.28	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.04	0.09	17.13	23.98	0.2500	Complies
40	5200	17.53	0.09	17.62	23.98	0.2500	Complies
48	5240	18.05	0.09	18.14	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.73	0.09	17.82	23.98	0.2500	Complies
40	5200	18.02	0.09	18.11	23.98	0.2500	Complies
48	5240	18.76	0.09	18.85	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.50	23.98	0.2500	Complies
40	5200	20.88	23.98	0.2500	Complies
48	5240	21.52	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.26	0.18	14.44	23.98	0.2500	Complies
46	5230	19.28	0.18	19.46	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.71	0.18	14.89	23.98	0.2500	Complies
46	5230	19.93	0.18	20.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.68	23.98	0.2500	Complies
46	5230	22.81	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.14	0.19	13.33	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.56	0.19	13.75	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.56	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.15	0.10	18.25	23.98	0.2500	Complies
40	5200	18.01	0.10	18.11	23.98	0.2500	Complies
48	5240	18.32	0.10	18.42	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.46	0.10	18.56	23.98	0.2500	Complies
40	5200	18.65	0.10	18.75	23.98	0.2500	Complies
48	5240	18.72	0.10	18.82	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.42	23.98	0.2500	Complies
40	5200	21.45	23.98	0.2500	Complies
48	5240	21.63	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.53	0.19	14.72	23.98	0.2500	Complies
46	5230	19.29	0.19	19.48	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.24	0.19	15.43	23.98	0.2500	Complies
46	5230	19.98	0.19	20.17	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.10	23.98	0.2500	Complies
46	5230	22.85	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.43	0.20	14.63	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.09	0.20	15.29	23.98	0.2500	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.16	0.00	18.16	23.98	0.2500	Complies
60	5300	17.82	0.00	17.82	23.98	0.2500	Complies
64	5320	17.81	0.00	17.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.59	0.00	18.59	23.98	0.2500	Complies
60	5300	18.26	0.00	18.26	23.98	0.2500	Complies
64	5320	18.41	0.00	18.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.39	23.98	0.2500	Complies
60	5300	21.06	23.98	0.2500	Complies
64	5320	21.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.14	0.09	18.23	23.98	0.2500	Complies
60	5300	17.62	0.09	17.71	23.98	0.2500	Complies
64	5320	18.07	0.09	18.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.52	0.09	18.61	23.98	0.2500	Complies
60	5300	18.43	0.09	18.52	23.98	0.2500	Complies
64	5320	18.49	0.09	18.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.43	23.98	0.2500	Complies
60	5300	21.14	23.98	0.2500	Complies
64	5320	21.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.45	0.18	19.63	23.98	0.2500	Complies
62	5310	14.14	0.18	14.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.87	0.18	20.05	23.98	0.2500	Complies
62	5310	14.75	0.18	14.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.86	23.98	0.2500	Complies
62	5310	17.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.62	0.19	13.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.13	0.19	14.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.31	0.10	18.41	23.98	0.2500	Complies
60	5300	18.03	0.10	18.13	23.98	0.2500	Complies
64	5320	18.11	0.10	18.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.75	0.10	18.85	23.98	0.2500	Complies
60	5300	18.41	0.10	18.51	23.98	0.2500	Complies
64	5320	18.52	0.10	18.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.64	23.98	0.2500	Complies
60	5300	21.33	23.98	0.2500	Complies
64	5320	21.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.53	0.19	19.72	23.98	0.2500	Complies
62	5310	14.08	0.19	14.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.92	0.19	20.11	23.98	0.2500	Complies
62	5310	14.76	0.19	14.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.93	23.98	0.2500	Complies
62	5310	17.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.38	0.20	14.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.06	0.20	15.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.94	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.25	0.17	12.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.46	0.17	12.63	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.53	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.14	0.17	13.31	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.16	0.17	13.33	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.23	0.00	18.23	23.98	0.2500	Complies
116	5580	18.14	0.00	18.14	23.98	0.2500	Complies
140	5700	17.39	0.00	17.39	23.98	0.2500	Complies
144	5720	17.63	0.00	17.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.16	0.00	18.16	23.98	0.2500	Complies
116	5580	18.26	0.00	18.26	23.98	0.2500	Complies
140	5700	17.43	0.00	17.43	23.98	0.2500	Complies
144	5720	17.42	0.00	17.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.21	23.98	0.2500	Complies
116	5580	21.21	23.98	0.2500	Complies
140	5700	20.42	23.98	0.2500	Complies
144	5720	20.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.12	0.09	18.21	23.98	0.2500	Complies
116	5580	17.25	0.09	17.34	23.98	0.2500	Complies
140	5700	19.75	0.09	19.84	23.98	0.2500	Complies
144	5720	18.70	0.09	18.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.25	0.09	18.34	23.98	0.2500	Complies
116	5580	17.36	0.09	17.45	23.98	0.2500	Complies
140	5700	19.28	0.09	19.37	23.98	0.2500	Complies
144	5720	18.46	0.09	18.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.28	23.98	0.2500	Complies
116	5580	20.40	23.98	0.2500	Complies
140	5700	22.62	23.98	0.2500	Complies
144	5720	21.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.12	0.18	15.30	23.98	0.2500	Complies
110	5550	19.13	0.18	19.31	23.98	0.2500	Complies
134	5670	19.44	0.18	19.62	23.98	0.2500	Complies
142	5710	19.81	0.18	19.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.52	0.18	15.70	23.98	0.2500	Complies
110	5550	19.42	0.18	19.60	23.98	0.2500	Complies
134	5670	19.32	0.18	19.50	23.98	0.2500	Complies
142	5710	19.37	0.18	19.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.52	23.98	0.2500	Complies
110	5550	22.47	23.98	0.2500	Complies
134	5670	22.57	23.98	0.2500	Complies
142	5710	22.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.76	0.19	12.95	23.98	0.2500	Complies
122	5610	19.19	0.19	19.38	23.98	0.2500	Complies
138	5690	19.42	0.19	19.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.11	0.19	13.30	23.98	0.2500	Complies
122	5610	19.33	0.19	19.52	23.98	0.2500	Complies
138	5690	19.04	0.19	19.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.14	23.98	0.2500	Complies
122	5610	22.46	23.98	0.2500	Complies
138	5690	22.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.11	0.17	12.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.64	0.17	12.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.74	0.10	17.84	23.98	0.2500	Complies
116	5580	17.53	0.10	17.63	23.98	0.2500	Complies
140	5700	16.82	0.10	16.92	23.98	0.2500	Complies
144	5720	19.21	0.10	19.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.41	0.10	18.51	23.98	0.2500	Complies
116	5580	17.61	0.10	17.71	23.98	0.2500	Complies
140	5700	17.07	0.10	17.17	23.98	0.2500	Complies
144	5720	19.03	0.10	19.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.20	23.98	0.2500	Complies
116	5580	20.68	23.98	0.2500	Complies
140	5700	20.06	23.98	0.2500	Complies
144	5720	22.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.78	0.19	14.97	23.98	0.2500	Complies
110	5550	19.17	0.19	19.36	23.98	0.2500	Complies
134	5670	19.52	0.19	19.71	23.98	0.2500	Complies
142	5710	19.92	0.19	20.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.26	0.19	15.45	23.98	0.2500	Complies
110	5550	19.44	0.19	19.63	23.98	0.2500	Complies
134	5670	19.37	0.19	19.56	23.98	0.2500	Complies
142	5710	19.44	0.19	19.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.23	23.98	0.2500	Complies
110	5550	22.51	23.98	0.2500	Complies
134	5670	22.65	23.98	0.2500	Complies
142	5710	22.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.57	0.20	12.77	23.98	0.2500	Complies
122	5610	19.21	0.20	19.41	23.98	0.2500	Complies
138	5690	19.51	0.20	19.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.79	0.20	12.99	23.98	0.2500	Complies
122	5610	19.40	0.20	19.60	23.98	0.2500	Complies
138	5690	19.10	0.20	19.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.89	23.98	0.2500	Complies
122	5610	22.51	23.98	0.2500	Complies
138	5690	22.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.23	0.17	13.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.54	0.17	13.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.57	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.02	0.00	19.02	30.00	1.0000	Complies
157	5785	19.53	0.00	19.53	30.00	1.0000	Complies
165	5825	19.95	0.00	19.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.25	0.00	19.25	30.00	1.0000	Complies
157	5785	19.01	0.00	19.01	30.00	1.0000	Complies
165	5825	19.41	0.00	19.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.15	30.00	1.0000	Complies
157	5785	22.29	30.00	1.0000	Complies
165	5825	22.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.08	0.09	19.17	30.00	1.0000	Complies
157	5785	19.56	0.09	19.65	30.00	1.0000	Complies
165	5825	20.03	0.09	20.12	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.29	0.09	19.38	30.00	1.0000	Complies
157	5785	19.06	0.09	19.15	30.00	1.0000	Complies
165	5825	19.48	0.09	19.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.28	30.00	1.0000	Complies
157	5785	22.42	30.00	1.0000	Complies
165	5825	22.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.37	0.18	19.55	30.00	1.0000	Complies
159	5795	19.68	0.18	19.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.86	0.18	20.04	30.00	1.0000	Complies
159	5795	19.55	0.18	19.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.82	30.00	1.0000	Complies
159	5795	22.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.10	0.19	19.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.37	0.19	19.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.10	0.10	19.20	30.00	1.0000	Complies
157	5785	19.61	0.10	19.71	30.00	1.0000	Complies
165	5825	20.11	0.10	20.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.34	0.10	19.44	30.00	1.0000	Complies
157	5785	19.08	0.10	19.18	30.00	1.0000	Complies
165	5825	19.51	0.10	19.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.33	30.00	1.0000	Complies
157	5785	22.46	30.00	1.0000	Complies
165	5825	22.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.42	0.19	19.61	30.00	1.0000	Complies
159	5795	19.74	0.19	19.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.89	0.19	20.08	30.00	1.0000	Complies
159	5795	19.60	0.19	19.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.87	30.00	1.0000	Complies
159	5795	22.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.12	0.20	19.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.44	0.20	19.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.49	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.00	0.00	7.00	10.99	Complies
40	5200	7.83	0.00	7.83	10.99	Complies
48	5240	7.66	0.00	7.66	10.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.69	0.00	7.69	10.99	Complies
40	5200	7.30	0.00	7.30	10.99	Complies
48	5240	7.27	0.00	7.27	10.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.37	10.99	Complies
40	5200	10.58	10.99	Complies
48	5240	10.48	10.99	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.46	0.09	7.55	10.99	Complies
40	5200	7.41	0.09	7.50	10.99	Complies
48	5240	7.72	0.09	7.81	10.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.83	0.09	6.92	10.99	Complies
40	5200	6.80	0.09	6.89	10.99	Complies
48	5240	7.41	0.09	7.50	10.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.25	10.99	Complies
40	5200	10.21	10.99	Complies
48	5240	10.67	10.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.99	0.18	7.17	10.99	Complies
46	5230	6.47	0.18	6.65	10.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.13	0.18	6.31	10.99	Complies
46	5230	6.11	0.18	6.29	10.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.77	10.99	Complies
46	5230	9.49	10.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.42	0.19	3.61	10.99	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.26	0.19	3.45	10.99	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.54	10.99	Complies