


Test Mode	UNII-8_TX BE20 Mode 6995 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	14007.1500	39.41	11.43	50.84	88.20	-37.36	Peak	
2 *	14010.4000	28.41	11.43	39.84	68.20	-28.36	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE20 Mode 7095 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		14191.000	50.06	11.53	61.59	88.20	-26.61	peak	
2	*	14191.000	39.25	11.53	50.78	68.20	-17.42	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE40 Mode 5965 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11924.9000	37.34	11.04	48.38	74.00	-25.62	Peak	
2 *	11931.0000	26.34	11.04	37.38	54.00	-16.62	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE40 Mode 6165 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	12335.2500	26.19	11.18	37.37	54.00	-16.63	AVG	
2	12354.4000	38.13	11.19	49.32	74.00	-24.68	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE40 Mode 6405 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12796.9000	37.53	11.40	48.93	88.20	-39.27	Peak	
2 *	12825.6000	26.86	11.41	38.27	68.20	-29.93	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-6_TX BE40 Mode 6445 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12871.5000	37.73	11.43	49.16	88.20	-39.04	Peak	
2 *	12898.5000	27.21	11.44	38.65	68.20	-29.55	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-6_TX BE40 Mode 6485 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	12954.9500	27.00	11.47	38.47	68.20	-29.73	AVG	
2	12970.1500	38.34	11.48	49.82	88.20	-38.38	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-6_TX BE40 Mode 6525 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13062.2000	37.84	11.47	49.31	88.20	-38.89	Peak	
2 *	13064.6000	27.23	11.47	38.70	68.20	-29.50	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE40 Mode 6565 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13147.4000	38.84	11.45	50.29	88.20	-37.91	Peak	
2 *	13153.2500	27.17	11.45	38.62	68.20	-29.58	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE40 Mode 6725 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13425.1500	38.67	11.38	50.05	88.20	-38.15	Peak	
2 *	13443.7000	27.69	11.37	39.06	68.20	-29.14	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE40 Mode 6845 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13669.4000	39.28	11.38	50.66	88.20	-37.54	Peak	
2 *	13686.7000	28.10	11.38	39.48	68.20	-28.72	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE40 Mode 6885 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	13783.7000	28.33	11.40	39.73	68.20	-28.47	AVG	
2	13786.5500	39.69	11.40	51.09	88.20	-37.11	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE40 Mode 7005 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13990.8500	38.41	11.43	49.84	88.20	-38.36	Peak	
2 *	14015.1000	29.06	11.44	40.50	68.20	-27.70	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE40 Mode 7085 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	14170.9500	28.97	11.51	40.48	68.20	-27.72	AVG	
2	14179.3500	39.73	11.52	51.25	88.20	-36.95	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE80 Mode 5985 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11957.4500	37.00	11.03	48.03	74.00	-25.97	Peak	
2 *	11975.6500	26.30	11.02	37.32	54.00	-16.68	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE80 Mode 6145 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12312.3500	37.99	11.17	49.16	74.00	-24.84	Peak	
2 *	12313.5500	26.13	11.17	37.30	54.00	-16.70	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE80 Mode 6385 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	12753.6500	26.71	11.38	38.09	68.20	-30.11	AVG	
2	12789.5500	38.47	11.39	49.86	88.20	-38.34	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-6_TX BE80 Mode 6465 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	12912.4500	27.01	11.45	38.46	68.20	-29.74	AVG	
2	12915.9000	37.64	11.45	49.09	88.20	-39.11	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE80 Mode 6545 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	13067.0500	27.16	11.47	38.63	68.20	-29.57	AVG	
2	13084.0000	38.60	11.47	50.07	88.20	-38.13	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE80 Mode 6705 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	13404.4000	27.71	11.38	39.09	68.20	-29.11	AVG	
2	13415.4500	39.86	11.38	51.24	88.20	-36.96	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE80 Mode 6865 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13721.5000	38.87	11.39	50.26	88.20	-37.94	Peak	
2 *	13734.1500	28.13	11.39	39.52	68.20	-28.68	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE80 Mode 6945 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	13874.3000	28.29	11.41	39.70	68.20	-28.50	AVG	
2	13880.1000	38.87	11.41	50.28	88.20	-37.92	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE80 Mode 7025 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	14026.4500	39.59	11.44	51.03	88.20	-37.17	Peak	
2 *	14032.6500	28.90	11.45	40.35	68.20	-27.85	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE160 Mode 6025 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12030.7000	36.65	11.03	47.68	74.00	-26.32	Peak	
2 *	12034.8000	26.52	11.03	37.55	54.00	-16.45	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE160 Mode 6185 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12356.3000	37.65	11.19	48.84	74.00	-25.16	Peak	
2 *	12378.1500	26.34	11.20	37.54	54.00	-16.46	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-5_TX BE160 Mode 6345 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12689.1000	37.06	11.35	48.41	74.00	-25.59	Peak	
2 *	12690.2000	26.66	11.35	38.01	54.00	-15.99	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-6_TX BE160 Mode 6505 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	12998.5500	38.18	11.49	49.67	88.20	-38.53	Peak	
2 *	13000.9500	27.09	11.49	38.58	68.20	-29.62	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE160 Mode 6665 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13342.4500	37.96	11.40	49.36	74.00	-24.64	Peak	
2 *	13350.2500	27.83	11.40	39.23	54.00	-14.77	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-7_TX BE160 Mode 6825 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13627.7500	40.12	11.37	51.49	88.20	-36.71	Peak	
2 *	13645.9000	28.14	11.38	39.52	68.20	-28.68	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-8_TX BE160 Mode 6985 MHz	Polarization	Vertical
-----------	-------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	13968.6000	39.76	11.43	51.19	88.20	-37.01	Peak	
2 *	13993.7000	28.51	11.43	39.94	68.20	-28.26	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT160) Mode Channel 111	Polarization	Vertical
-----------	--------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39428.000	48.17	14.45	62.62	83.50	-20.88	peak	
2	*	39428.000	40.24	14.45	54.69	63.50	-8.81	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX BE(EHT160) Mode Channel 111	Polarization	Horizontal
-----------	--------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38680.000	46.51	14.53	61.04	83.50	-22.46	peak	
2	*	38680.000	40.23	14.53	54.76	63.50	-8.74	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant_1
-----------	---------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5955	20.26	18.93	320	Pass
6175	20.32	18.97	320	Pass
6415	20.35	18.93	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6435	20.47	18.94	320	Pass
6475	20.71	18.97	320	Pass
6515	20.36	18.95	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6535	20.41	18.94	320	Pass
6695	20.42	18.91	320	Pass
6855	20.37	18.94	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6875	20.55	18.96	320	Pass
6995	20.57	18.98	320	Pass
7095	20.34	18.95	320	Pass




Test Mode	IEEE 802.11ax(HE20)_Ant_2
-----------	---------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5955	20.49	18.94	320	Pass
6175	20.22	18.93	320	Pass
6415	20.26	18.93	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6435	20.29	18.94	320	Pass
6475	20.35	18.97	320	Pass
6515	20.33	18.96	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6535	20.40	18.94	320	Pass
6695	20.32	18.94	320	Pass
6855	20.23	18.91	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6875	20.46	18.96	320	Pass
6995	20.34	18.98	320	Pass
7095	20.34	18.96	320	Pass

