



Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-6.57	0.10	-3.47	-1.00	Pass
6175	-7.57	0.10	-4.47	-1.00	Pass
6415	-7.29	0.10	-4.19	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-7.83	0.10	-4.73	-1.00	Pass
6475	-7.28	0.10	-4.18	-1.00	Pass
6515	-7.57	0.10	-4.47	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-7.50	0.10	-4.40	-1.00	Pass
6695	-7.82	0.10	-4.72	-1.00	Pass
6855	-7.59	0.10	-4.49	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-8.11	0.10	-5.01	-1.00	Pass
6995	-7.72	0.10	-4.62	-1.00	Pass
7095	-8.38	0.10	-5.28	-1.00	Pass




Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.31	-1.00	Pass
6175	-1.18	-1.00	Pass
6415	-1.29	-1.00	Pass
6435	-1.41	-1.00	Pass
6475	-1.21	-1.00	Pass
6515	-1.63	-1.00	Pass
6535	-1.39	-1.00	Pass
6695	-1.49	-1.00	Pass
6855	-1.31	-1.00	Pass
6875	-1.21	-1.00	Pass
6995	-1.38	-1.00	Pass
7095	-1.52	-1.00	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-8.68	0.20	-5.48	-1.00	Pass
6165	-7.68	0.20	-4.48	-1.00	Pass
6405	-8.06	0.20	-4.86	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-7.97	0.20	-4.77	-1.00	Pass
6485	-7.59	0.20	-4.39	-1.00	Pass
6525	-8.20	0.20	-5.00	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-7.57	0.20	-4.37	-1.00	Pass
6725	-7.44	0.20	-4.24	-1.00	Pass
6845	-7.59	0.20	-4.39	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-8.05	0.20	-4.85	-1.00	Pass
7005	-7.58	0.20	-4.38	-1.00	Pass
7085	-8.35	0.20	-5.15	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-7.05	0.20	-3.85	-1.00	Pass
6165	-7.91	0.20	-4.71	-1.00	Pass
6405	-7.85	0.20	-4.65	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-7.69	0.20	-4.49	-1.00	Pass
6485	-7.25	0.20	-4.05	-1.00	Pass
6525	-7.63	0.20	-4.43	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-7.75	0.20	-4.55	-1.00	Pass
6725	-7.67	0.20	-4.47	-1.00	Pass
6845	-7.96	0.20	-4.76	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-7.59	0.20	-4.39	-1.00	Pass
7005	-7.33	0.20	-4.13	-1.00	Pass
7085	-7.25	0.20	-4.05	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.58	-1.00	Pass
6165	-1.58	-1.00	Pass
6405	-1.74	-1.00	Pass
6445	-1.62	-1.00	Pass
6485	-1.21	-1.00	Pass
6525	-1.70	-1.00	Pass
6565	-1.45	-1.00	Pass
6725	-1.34	-1.00	Pass
6845	-1.56	-1.00	Pass
6885	-1.60	-1.00	Pass
7005	-1.24	-1.00	Pass
7085	-1.55	-1.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-8.35	0.21	-5.14	-1.00	Pass
6145	-8.24	0.21	-5.03	-1.00	Pass
6385	-7.80	0.21	-4.59	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-7.93	0.21	-4.72	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-8.00	0.21	-4.79	-1.00	Pass
6705	-7.88	0.21	-4.67	-1.00	Pass
6865	-7.70	0.21	-4.49	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-8.52	0.21	-5.31	-1.00	Pass
7025	-7.66	0.21	-4.45	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-7.49	0.21	-4.28	-1.00	Pass
6145	-7.41	0.21	-4.20	-1.00	Pass
6385	-7.64	0.21	-4.43	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-8.00	0.21	-4.79	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-7.77	0.21	-4.56	-1.00	Pass
6705	-7.84	0.21	-4.63	-1.00	Pass
6865	-7.94	0.21	-4.73	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-7.19	0.21	-3.98	-1.00	Pass
7025	-7.95	0.21	-4.74	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.68	-1.00	Pass
6145	-1.58	-1.00	Pass
6385	-1.50	-1.00	Pass
6465	-1.74	-1.00	Pass
6545	-1.66	-1.00	Pass
6705	-1.64	-1.00	Pass
6865	-1.60	-1.00	Pass
6945	-1.58	-1.00	Pass
7025	-1.58	-1.00	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-7.54	0.17	-4.37	-1.00	Pass
6185	-8.28	0.17	-5.11	-1.00	Pass
6345	-7.86	0.17	-4.69	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-7.84	0.17	-4.67	-1.00	Pass

