



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-7.51	0.17	-4.34	-1.00	Pass
6825	-7.81	0.17	-4.64	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-7.45	0.17	-4.28	-1.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-7.77	0.17	-4.60	-1.00	Pass
6185	-7.47	0.17	-4.30	-1.00	Pass
6345	-7.57	0.17	-4.40	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-7.91	0.17	-4.74	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-7.24	0.17	-4.07	-1.00	Pass
6825	-7.64	0.17	-4.47	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-8.57	0.17	-5.40	-1.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.47	-1.00	Pass
6185	-1.68	-1.00	Pass
6345	-1.53	-1.00	Pass
6505	-1.69	-1.00	Pass
6665	-1.19	-1.00	Pass
6825	-1.54	-1.00	Pass
6985	-1.79	-1.00	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-8.22	0.10	-5.12	-1.00	Pass
6175	-8.26	0.10	-5.16	-1.00	Pass
6415	-7.96	0.10	-4.86	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-7.44	0.10	-4.34	-1.00	Pass
6475	-6.96	0.10	-3.86	-1.00	Pass
6515	-7.20	0.10	-4.10	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-6.90	0.10	-3.80	-1.00	Pass
6695	-7.87	0.10	-4.77	-1.00	Pass
6855	-7.99	0.10	-4.89	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-7.23	0.10	-4.13	-1.00	Pass
6995	-8.29	0.10	-5.19	-1.00	Pass
7095	-7.40	0.10	-4.30	-1.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-6.83	0.10	-3.73	-1.00	Pass
6175	-6.81	0.10	-3.71	-1.00	Pass
6415	-7.79	0.10	-4.69	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-7.54	0.10	-4.44	-1.00	Pass
6475	-7.75	0.10	-4.65	-1.00	Pass
6515	-7.68	0.10	-4.58	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-7.63	0.10	-4.53	-1.00	Pass
6695	-8.01	0.10	-4.91	-1.00	Pass
6855	-7.76	0.10	-4.66	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-7.76	0.10	-4.66	-1.00	Pass
6995	-6.87	0.10	-3.77	-1.00	Pass
7095	-7.62	0.10	-4.52	-1.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.36	-1.00	Pass
6175	-1.36	-1.00	Pass
6415	-1.76	-1.00	Pass
6435	-1.38	-1.00	Pass
6475	-1.23	-1.00	Pass
6515	-1.32	-1.00	Pass
6535	-1.14	-1.00	Pass
6695	-1.83	-1.00	Pass
6855	-1.76	-1.00	Pass
6875	-1.38	-1.00	Pass
6995	-1.41	-1.00	Pass
7095	-1.40	-1.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-10.85	0.19	-7.66	-1.00	Pass
6165	-11.02	0.19	-7.83	-1.00	Pass
6405	-7.60	0.19	-4.41	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-7.67	0.19	-4.48	-1.00	Pass
6485	-7.70	0.19	-4.51	-1.00	Pass
6525	-7.12	0.19	-3.93	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-7.32	0.19	-4.13	-1.00	Pass
6725	-7.50	0.19	-4.31	-1.00	Pass
6845	-8.08	0.19	-4.89	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-7.37	0.19	-4.18	-1.00	Pass
7005	-7.03	0.19	-3.84	-1.00	Pass
7085	-7.06	0.19	-3.87	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-9.38	0.19	-6.19	-1.00	Pass
6165	-9.87	0.19	-6.68	-1.00	Pass
6405	-7.79	0.19	-4.60	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-8.06	0.19	-4.87	-1.00	Pass
6485	-8.26	0.19	-5.07	-1.00	Pass
6525	-7.71	0.19	-4.52	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-7.60	0.19	-4.41	-1.00	Pass
6725	-7.62	0.19	-4.43	-1.00	Pass
6845	-7.76	0.19	-4.57	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-7.85	0.19	-4.66	-1.00	Pass
7005	-8.21	0.19	-5.02	-1.00	Pass
7085	-8.65	0.19	-5.46	-1.00	Pass



Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-3.85	-1.00	Pass
6165	-4.21	-1.00	Pass
6405	-1.49	-1.00	Pass
6445	-1.66	-1.00	Pass
6485	-1.77	-1.00	Pass
6525	-1.20	-1.00	Pass
6565	-1.26	-1.00	Pass
6725	-1.36	-1.00	Pass
6845	-1.72	-1.00	Pass
6885	-1.40	-1.00	Pass
7005	-1.38	-1.00	Pass
7085	-1.58	-1.00	Pass