



Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-7.36	0.20	-4.16	-1.00	Pass
6145	-7.40	0.20	-4.20	-1.00	Pass
6385	-7.95	0.20	-4.75	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-7.90	0.20	-4.70	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-7.47	0.20	-4.27	-1.00	Pass
6705	-7.87	0.20	-4.67	-1.00	Pass
6865	-8.49	0.20	-5.29	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-7.38	0.20	-4.18	-1.00	Pass
7025	-8.30	0.20	-5.10	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-8.20	0.20	-5.00	-1.00	Pass
6145	-8.19	0.20	-4.99	-1.00	Pass
6385	-7.99	0.20	-4.79	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-7.86	0.20	-4.66	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-7.46	0.20	-4.26	-1.00	Pass
6705	-7.87	0.20	-4.67	-1.00	Pass
6865	-7.51	0.20	-4.31	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-8.18	0.20	-4.98	-1.00	Pass
7025	-7.51	0.20	-4.31	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.55	-1.00	Pass
6145	-1.57	-1.00	Pass
6385	-1.76	-1.00	Pass
6465	-1.67	-1.00	Pass
6545	-1.25	-1.00	Pass
6705	-1.66	-1.00	Pass
6865	-1.76	-1.00	Pass
6945	-1.55	-1.00	Pass
7025	-1.68	-1.00	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-7.68	0.17	-4.51	-1.00	Pass
6185	-7.86	0.17	-4.69	-1.00	Pass
6345	-7.52	0.17	-4.35	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-7.48	0.17	-4.31	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-7.55	0.17	-4.38	-1.00	Pass
6825	-7.56	0.17	-4.39	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-8.55	0.17	-5.38	-1.00	Pass




Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-7.95	0.17	-4.78	-1.00	Pass
6185	-7.38	0.17	-4.21	-1.00	Pass
6345	-7.30	0.17	-4.13	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-7.91	0.17	-4.74	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-7.99	0.17	-4.82	-1.00	Pass
6825	-7.75	0.17	-4.58	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-7.66	0.17	-4.49	-1.00	Pass



Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.63	-1.00	Pass
6185	-1.43	-1.00	Pass
6345	-1.23	-1.00	Pass
6505	-1.51	-1.00	Pass
6665	-1.58	-1.00	Pass
6825	-1.47	-1.00	Pass
6985	-1.90	-1.00	Pass





Note:

- 1) Conducted Power Spectral Density= Measure result + Cable loss.
- 2) e.i.r.p. Spectral Density includes directional gain, refer to note 3 in section 3.1 for directional gain.

APPENDIX H - IN-BAND EMISSION (MASK)

NSS1

Test Mode IEEE 802.11ax(HE20)_Ant_1



Test Mode IEEE 802.11ax(HE20)_Ant_2

