


Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	16506.9000	50.51	10.16	60.67	68.20	-7.53	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16742.3500	54.73	10.68	65.41	68.20	-2.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5700.300	98.38	16.68	115.06	68.20	46.86	peak	No Limit
2	X	5700.400	93.81	16.68	110.49	68.20	42.29	AVG	No Limit
3		5725.000	49.78	16.75	66.53	68.20	-1.67	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17098.2000	51.63	11.54	63.17	68.20	-5.03	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	46.58	15.96	62.54	74.00	-11.46	peak	
2		5460.000	33.70	15.96	49.66	54.00	-4.34	AVG	
3		5470.000	51.24	15.98	67.22	68.20	-0.98	peak	
4	X	5506.300	84.79	16.07	100.86	68.20	32.66	AVG	No Limit
5	*	5506.500	93.93	16.07	110.00	68.20	41.80	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16526.6000	45.75	10.20	55.95	68.20	-12.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16639.2000	47.03	10.45	57.48	68.20	-10.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5661.800	95.47	16.56	112.03	68.20	43.83	peak	No Limit
2	X	5676.400	85.27	16.61	101.88	68.20	33.68	AVG	No Limit
3		5725.000	49.96	16.75	66.71	68.20	-1.49	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	16993.7000	46.06	11.24	57.30	68.20	-10.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	49.47	15.96	65.43	74.00	-8.57	peak	
2		5460.000	34.60	15.96	50.56	54.00	-3.44	AVG	
3		5470.000	50.98	15.98	66.96	68.20	-1.24	peak	
4 *		5502.400	86.75	16.05	102.80	68.20	34.60	peak	No Limit
5 X		5510.000	77.20	16.08	93.28	68.20	25.08	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16586.8000	47.59	10.34	57.93	68.20	-10.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5588.600	87.63	16.31	103.94	68.20	35.74	peak	No Limit
2	X	5597.400	77.37	16.35	93.72	68.20	25.52	AVG	No Limit
3		5725.000	51.05	16.75	67.80	68.20	-0.40	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16886.6000	46.11	11.00	57.11	68.20	-11.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.72	14.20	56.92	74.00	-17.08	Peak	
2	5460.0000	35.18	14.20	49.38	54.00	-4.62	AVG	
3	5470.0000	52.52	14.22	66.74	68.20	-1.46	Peak	
4	5501.9000	92.35	14.29	106.64	999.00	-892.36	AVG	No Limit
5 *	5504.8000	101.10	14.30	115.40	68.20	47.20	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	16505.7000	48.75	10.16	58.91	68.20	-9.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16748.1000	47.38	10.69	58.07	68.20	-10.13	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5693.1000	99.80	14.90	114.70	68.20	46.50	Peak	No Limit
2	5705.6000	89.09	14.94	104.03	999.00	-894.97	AVG	No Limit
3	5725.0000	52.57	15.00	67.57	68.20	-0.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17102.1000	45.38	11.55	56.93	68.20	-11.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	40.37	15.96	56.33	74.00	-17.67	peak	
2		5460.000	32.46	15.96	48.42	54.00	-5.58	AVG	
3		5470.000	51.65	15.98	67.63	68.20	-0.57	peak	
4	X	5509.200	81.27	16.07	97.34	68.20	29.14	AVG	No Limit
5	*	5515.600	90.48	16.09	106.57	68.20	38.37	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	16527.1000	47.96	10.20	58.16	68.20	-10.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16645.9000	48.23	10.47	58.70	68.20	-9.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5670.300	93.60	16.58	110.18	68.20	41.98	AVG	No Limit
2	*	5670.900	99.53	16.58	116.11	68.20	47.91	peak	No Limit
3		5725.000	50.98	16.75	67.73	68.20	-0.47	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	16998.3000	48.17	11.25	59.42	68.20	-8.78	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	44.17	15.96	60.13	74.00	-13.87	peak	
2	5460.000	36.21	15.96	52.17	54.00	-1.83	AVG	
3	5470.000	51.79	15.98	67.77	68.20	-0.43	peak	
4 X	5496.000	76.76	16.03	92.79	68.20	24.59	AVG	No Limit
5 *	5501.000	86.77	16.04	102.81	68.20	34.61	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16608.0000	47.01	10.38	57.39	68.20	-10.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5591.400	79.90	16.33	96.23	68.20	28.03	AVG	No Limit
2	*	5593.200	90.54	16.34	106.88	68.20	38.68	peak	No Limit
3		5725.000	50.40	16.75	67.15	68.20	-1.05	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	16829.4000	46.40	10.87	57.27	68.20	-10.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	51.27	14.97	66.24	109.40	-43.16	Peak	
2	5725.0000	62.44	15.00	77.44	122.20	-44.76	Peak	
3 *	5748.1000	100.29	15.07	115.36	122.20	-6.84	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17233.0000	48.70	11.94	60.64	68.20	-7.56	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17359.6500	50.61	12.32	62.93	68.20	-5.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5825.1000	102.47	15.32	117.79	122.20	-4.41	Peak	No Limit
2	5850.0000	61.40	15.39	76.79	122.20	-45.41	Peak	
3	5860.0000	54.56	15.43	69.99	109.40	-39.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17474.8000	52.90	12.66	65.56	68.20	-2.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	60.90	14.97	75.87	109.40	-33.53	Peak	
2	5725.0000	70.14	15.00	85.14	122.20	-37.06	Peak	
3 *	5741.4000	101.97	15.05	117.02	122.20	-5.18	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17240.9000	52.24	11.97	64.21	68.20	-3.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17362.0500	53.62	12.33	65.95	68.20	-2.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.8000	102.31	15.31	117.62	122.20	-4.58	Peak	No Limit
2	5850.0000	63.20	15.39	78.59	122.20	-43.61	Peak	
3	5860.0000	61.64	15.43	77.07	109.40	-32.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17474.6000	54.14	12.66	66.80	68.20	-1.40	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	66.71	14.97	81.68	109.40	-27.72	Peak	
2	5725.0000	68.71	15.00	83.71	122.20	-38.49	Peak	
3 *	5759.2000	98.32	15.11	113.43	122.20	-8.77	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17268.8000	46.27	12.05	58.32	68.20	-9.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.46	14.97	61.43	109.40	-47.97	Peak	
2	5725.0000	47.64	15.00	62.64	122.20	-59.56	Peak	
3 *	5797.5000	97.87	15.23	113.10	122.20	-9.10	Peak	No Limit
4	5850.0000	56.48	15.39	71.87	122.20	-50.33	Peak	
5	5860.0000	51.79	15.43	67.22	109.40	-42.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17395.5000	44.59	12.42	57.01	68.20	-11.19	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5654.2000	52.98	14.77	67.75	71.31	-3.56	Peak	
2	5715.0000	62.71	14.97	77.68	109.40	-31.72	Peak	
3	5725.0000	64.89	15.00	79.89	122.20	-42.31	Peak	
4	5765.4000	94.89	15.13	110.02	122.20	-12.18	Peak	No Limit
5	5850.0000	61.47	15.39	76.86	122.20	-45.34	Peak	
6	5860.0000	56.32	15.43	71.75	109.40	-37.65	Peak	
7 *	5925.2000	50.50	15.63	66.13	68.20	-2.07	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17302.5000	44.86	12.15	57.01	68.20	-11.19	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.17	14.97	71.14	109.40	-38.26	Peak	
2	5725.0000	69.96	15.00	84.96	122.20	-37.24	Peak	
3 *	5748.6000	103.02	15.07	118.09	122.20	-4.11	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17238.1000	46.76	11.96	58.72	68.20	-9.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17353.3000	45.14	12.30	57.44	68.20	-10.76	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.8000	104.08	15.31	119.39	122.20	-2.81	Peak	No Limit
2	5850.0000	69.51	15.39	84.90	122.20	-37.30	Peak	
3	5860.0000	61.40	15.43	76.83	109.40	-32.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17486.2500	44.39	12.69	57.08	68.20	-11.12	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	63.78	14.97	78.75	109.40	-30.65	Peak	
2	5725.0000	67.67	15.00	82.67	122.20	-39.53	Peak	
3 *	5760.6000	99.29	15.11	114.40	122.20	-7.80	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17276.1000	47.52	12.07	59.59	68.20	-8.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.44	14.97	60.41	109.40	-48.99	Peak	
2	5725.0000	49.97	15.00	64.97	122.20	-57.23	Peak	
3 *	5795.6000	98.05	15.22	113.27	122.20	-8.93	Peak	No Limit
4	5850.0000	59.57	15.39	74.96	122.20	-47.24	Peak	
5	5860.0000	55.14	15.43	70.57	109.40	-38.83	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17370.9000	46.62	12.35	58.97	68.20	-9.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5653.0000	52.96	14.77	67.73	70.42	-2.69	Peak	
2	5715.0000	63.81	14.97	78.78	109.40	-30.62	Peak	
3	5725.0000	66.95	15.00	81.95	122.20	-40.25	Peak	
4	5763.4000	95.06	15.12	110.18	122.20	-12.02	Peak	No Limit
5	5850.0000	61.33	15.39	76.72	122.20	-45.48	Peak	
6	5860.0000	60.81	15.43	76.24	109.40	-33.16	Peak	
7 *	5929.4000	52.50	15.65	68.15	68.20	-0.05	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17320.0000	46.95	12.20	59.15	68.20	-9.05	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	39659.00	50.99	14.20	65.19	83.50	-18.31	peak	
2 *	39659.00	41.96	14.20	56.16	63.50	-7.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39659.00	51.15	14.20	65.35	83.50	-18.15	peak	
2	*	39659.00	42.21	14.20	56.41	63.50	-7.09	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.089	17.200
40	5200	33.809	17.800
48	5240	34.050	17.900

CH36




Date: 19_SEP,2024 11:35:11

CH40
26 dB Bandwidth




Date: 19_SEP,2024 11:36:12

CH48




Date: 19_SEP,2024 11:36:12


99 % Occupied Bandwidth



Date: 19_SEP,2024 11:34:37



Date: 19_SEP,2024 11:35:48




Date: 19_SEP,2024 11:36:12

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.690	18.300
40	5200	37.489	19.900
48	5240	37.150	19.700

CH36




Date: 19_SEP,2024 11:50:26

CH40
26 dB Bandwidth




Date: 19_SEP,2024 11:51:06

CH48




Date: 19_SEP,2024 11:52:00


99 % Occupied Bandwidth



Date: 19_SEP,2024 11:49:50



Date: 19_SEP,2024 11:50:44




Date: 19_SEP,2024 11:51:35

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	44.400	37.400
46	5230	44.900	37.200

CH38




Date: 19,SEP,2024 13:18:01

CH46
26 dB Bandwidth




Date: 19,SEP,2024 13:19:20

99 % Occupied Bandwidth



Date: 19,SEP,2024 13:17:21




Date: 19,SEP,2024 13:18:47

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	85.990	76.000

CH42 26 dB Bandwidth



Date: 19,SEP,2024 13:56:46

99 % Occupied Bandwidth




Date: 19,SEP,2024 13:56:01

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.690	19.200
40	5200	37.050	19.800
48	5240	36.990	19.700

CH36




Date: 19_SEP_2024 14:21:29

CH40
26 dB Bandwidth




Date: 19_SEP_2024 14:24:27

CH48




Date: 19_SEP_2024 14:25:09


99 % Occupied Bandwidth



Date: 19_SEP_2024 14:20:56



Date: 19_SEP_2024 14:24:07




Date: 19_SEP_2024 14:24:48

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	44.700	38.600
46	5230	72.398	39.400

CH38




Date: 19.SEP.2024 14:40:19

CH46
26 dB Bandwidth




Date: 19.SEP.2024 14:42:66

99 % Occupied Bandwidth



Date: 19.SEP.2024 14:40:04




Date: 19.SEP.2024 14:41:08

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.390	17.300
60	5300	24.697	17.400
64	5320	23.389	17.300

CH52




Date: 19_SEP,2024 11:39:25

CH60
26 dB Bandwidth




Date: 19_SEP,2024 11:40:24

CH64




Date: 19_SEP,2024 11:41:21


99 % Occupied Bandwidth



Date: 19_SEP,2024 11:39:47



Date: 19_SEP,2024 11:39:45




Date: 19_SEP,2024 11:40:47

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	29.148	18.400
60	5300	30.287	18.600
64	5320	32.198	18.600

CH52




Date: 19_SEP.2024 11:53:22

CH60
26 dB Bandwidth




Date: 19_SEP.2024 11:54:19

CH64




Date: 19_SEP.2024 11:55:10


99 % Occupied Bandwidth



Date: 19_SEP.2024 11:52:54



Date: 19_SEP.2024 11:53:41




Date: 19_SEP.2024 11:55:06


Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	84.599	40.200
62	5310	44.100	37.200



CH54



CH62
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	87.990	76.400

CH58 26 dB Bandwidth



Date: 19,SEP,2024 14:11:20

99 % Occupied Bandwidth




Date: 19,SEP,2024 14:11:34

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	27.288	19.300
60	5300	27.497	19.300
64	5320	24.350	19.200

CH52




Date: 19_SEP.2024 14:26:01

CH60
26 dB Bandwidth




Date: 19_SEP.2024 14:28:17

CH64




Date: 19_SEP.2024 14:30:49


99 % Occupied Bandwidth



Date: 19_SEP.2024 14:25:27



Date: 19_SEP.2024 14:27:28




Date: 19_SEP.2024 14:30:17

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	64.199	39.200
62	5310	43.100	38.400

CH54




Date: 19.SEP.2024 14:44:42

CH62
26 dB Bandwidth




Date: 19.SEP.2024 14:46:14

99 % Occupied Bandwidth



Date: 19.SEP.2024 14:43:20




Date: 19.SEP.2024 14:45:39

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.990	77.600

CH58 26 dB Bandwidth



Date: 19,SEP,2024 15:16:12

99 % Occupied Bandwidth




Date: 19,SEP,2024 15:15:25

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.897	17.400
116	5580	24.550	17.400
140	5700	23.189	17.300

CH100




Date: 19,SEP,2024 11:42:32

CH116
26 dB Bandwidth




Date: 19,SEP,2024 11:43:40

CH140




Date: 19,SEP,2024 11:44:36


99 % Occupied Bandwidth



Date: 19,SEP,2024 11:41:50



Date: 20,SEP,2024 18:06:13




Date: 19,SEP,2024 11:44:02

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	27.898	18.400
116	5580	33.197	18.500
140	5700	25.450	18.200

CH100




Date: 19_SEP_2024 11:57:45

CH116
26 dB Bandwidth




Date: 19_SEP_2024 13:30:14

CH140




Date: 19_SEP_2024 13:31:51


99 % Occupied Bandwidth



Date: 19_SEP_2024 11:57:15



Date: 19_SEP_2024 13:30:22




Date: 19_SEP_2024 13:31:20

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	56.590	37.600
110	5550	80.990	41.200
134	5670	72.900	38.000

CH102




Date: 19_SEP_2024 13:44:41

CH110
26 dB Bandwidth




Date: 19_SEP_2024 13:46:32

CH134




Date: 19_SEP_2024 13:48:22


99 % Occupied Bandwidth



Date: 19_SEP_2024 13:43:45



Date: 19_SEP_2024 13:46:15




Date: 19_SEP_2024 13:47:16

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	100.994	76.400
122	5610	174.392	86.000

CH106




Date: 19.SEP.2024 14:11:42

CH122
26 dB Bandwidth




Date: 19.SEP.2024 14:18:06

99 % Occupied Bandwidth



Date: 19.SEP.2024 14:11:39




Date: 19.SEP.2024 14:16:30

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	27.088	19.300
116	5580	26.249	19.300
140	5700	24.199	19.300

CH100




Date: 19_SEP.2024 14:33:02

CH116
26 dB Bandwidth




Date: 19_SEP.2024 14:33:06

CH140




Date: 19_SEP.2024 14:34:57


99 % Occupied Bandwidth



Date: 19_SEP.2024 14:32:32



Date: 19_SEP.2024 14:33:26




Date: 19_SEP.2024 14:34:21

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	48.900	38.600
110	5550	76.190	39.600
134	5670	72.100	39.400

CH102




Date: 19_SEP_2024 14:47:57

CH110
26 dB Bandwidth




Date: 19_SEP_2024 15:04:50

CH134




Date: 19_SEP_2024 15:05:41


99 % Occupied Bandwidth



Date: 19_SEP_2024 14:47:54



Date: 19_SEP_2024 14:50:59




Date: 19_SEP_2024 14:51:41

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.350	17.500	0.5	Complies
157	5785	16.350	17.600	0.5	Complies
165	5825	16.400	17.600	0.5	Complies

CH149




Date: 19_SEP_2024 11:45:55

CH157
6 dB Bandwidth




Date: 19_SEP_2024 11:46:10

CH165




Date: 19_SEP_2024 11:48:20


99 % Occupied Bandwidth



Date: 19_SEP_2024 11:45:16



Date: 19_SEP_2024 11:46:10



Date: 19_SEP_2024 11:47:40