



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.84                             | 0.00        | 1.84                                           | 11.00                | Complies |
| 110     | 5550            | 1.92                             | 0.00        | 1.92                                           | 11.00                | Complies |
| 134     | 5670            | 2.24                             | 0.00        | 2.24                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 2.54                             | 0.00        | 2.54                                           | 11.00                | Complies |
| 110     | 5550            | 2.71                             | 0.00        | 2.71                                           | 11.00                | Complies |
| 134     | 5670            | 2.82                             | 0.00        | 2.82                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 5.21                             | 11.00                | Complies |
| 110     | 5550            | 5.34                             | 11.00                | Complies |
| 134     | 5670            | 5.55                             | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 1.02                             | 0.00        | 1.02                                           | 11.00                | Complies |
| 122     | 5610            | 0.92                             | 0.00        | 0.92                                           | 11.00                | Complies |




Date: 25-DEC-2024 13:55:41




Date: 25-DEC-2024 13:56:13

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.63                             | 0.00        | 0.63                                           | 11.00                | Complies |
| 122     | 5610            | 0.58                             | 0.00        | 0.58                                           | 11.00                | Complies |



Date: 25-DEC-2024 13:58:58




Date: 25-DEC-2024 13:59:01

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 3.84                             | 11.00                | Complies |
| 122     | 5610            | 3.76                             | 11.00                | Complies |

Test Mode UNII-3\_TX A Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.37                                 | 0.00        | 6.37                                               | 30.00                    | Complies |
| 157     | 5785            | 6.07                                 | 0.00        | 6.07                                               | 30.00                    | Complies |
| 165     | 5825            | 5.67                                 | 0.00        | 5.67                                               | 30.00                    | Complies |



Date: 25-DEC-2024 10:14:28




Date: 25-DEC-2024 10:14:30




Date: 25-DEC-2024 10:14:32

Test Mode UNII-3\_TX A Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.49                                 | 0.00        | 6.49                                               | 30.00                    | Complies |
| 157     | 5785            | 6.16                                 | 0.00        | 6.16                                               | 30.00                    | Complies |
| 165     | 5825            | 5.79                                 | 0.00        | 5.79                                               | 30.00                    | Complies |



Date: 25-DEC-2024 11:12:40



Date: 25-DEC-2024 11:13:01




Date: 25-DEC-2024 11:13:12

Test Mode UNII-3\_TX A Mode\_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 9.44                                 | 30.00                    | Complies |
| 157     | 5785            | 9.13                                 | 30.00                    | Complies |
| 165     | 5825            | 8.74                                 | 30.00                    | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 7.09                                 | 0.00        | 7.09                                               | 30.00                    | Complies |
| 157     | 5785            | 6.72                                 | 0.00        | 6.72                                               | 30.00                    | Complies |
| 165     | 5825            | 6.40                                 | 0.00        | 6.40                                               | 30.00                    | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.95                                 | 0.00        | 6.95                                               | 30.00                    | Complies |
| 157     | 5785            | 6.63                                 | 0.00        | 6.63                                               | 30.00                    | Complies |
| 165     | 5825            | 6.28                                 | 0.00        | 6.28                                               | 30.00                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 10.03                                | 30.00                    | Complies |
| 157     | 5785            | 9.69                                 | 30.00                    | Complies |
| 165     | 5825            | 9.35                                 | 30.00                    | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 0.11                                 | 0.00        | 0.11                                               | 30.00                    | Complies |
| 159     | 5795            | 0.22                                 | 0.00        | 0.22                                               | 30.00                    | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -0.17                                | 0.00        | -0.17                                              | 30.00                    | Complies |
| 159     | 5795            | 0.02                                 | 0.00        | 0.02                                               | 30.00                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.98                                 | 30.00                    | Complies |
| 159     | 5795            | 3.13                                 | 30.00                    | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -2.83                                | 0.00        | -2.83                                              | 30.00                    | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -3.29                                | 0.00        | -3.29                                              | 30.00                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -0.04                                | 30.00                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.35                                 | 0.00        | 6.35                                               | 30.00                    | Complies |
| 157     | 5785            | 5.81                                 | 0.00        | 5.81                                               | 30.00                    | Complies |
| 165     | 5825            | 5.69                                 | 0.00        | 5.69                                               | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 5.94                                 | 0.00        | 5.94                                               | 30.00                    | Complies |
| 157     | 5785            | 4.55                                 | 0.00        | 4.55                                               | 30.00                    | Complies |
| 165     | 5825            | 5.57                                 | 0.00        | 5.57                                               | 30.00                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 9.16                                 | 30.00                    | Complies |
| 157     | 5785            | 8.24                                 | 30.00                    | Complies |
| 165     | 5825            | 8.64                                 | 30.00                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 0.60                                 | 0.00        | 0.60                                               | 30.00                    | Complies |
| 159     | 5795            | 0.69                                 | 0.00        | 0.69                                               | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 0.12                                 | 0.00        | 0.12                                               | 30.00                    | Complies |
| 159     | 5795            | 0.12                                 | 0.00        | 0.12                                               | 30.00                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 3.38                                 | 30.00                    | Complies |
| 159     | 5795            | 3.42                                 | 30.00                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -2.09                                | 0.00        | -2.09                                              | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -2.59                                | 0.00        | -2.59                                              | 30.00                    | Complies |



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 0.68                                 | 30.00                    | Complies |

End of Test Report