



User Guide

BE3600 Wi-Fi 7 Portable Router
TL-WR3602BE

Contents

About This Guide	1
Chapter 1. Get to Know About Your Router	3
1. 1. Product Overview.....	4
1. 2. Appearance	4
Chapter 2. Connect the Hardware	6
2. 1. Position Your Router	7
2. 2. Connect Your Router.....	7
2. 2. 1.Router Mode (Default).....	8
2. 2. 2.3G/4G/5G USB Modem / USB Tethering Mode	8
2. 2. 3.Hotspot Mode.....	9
2. 2. 4.Access Point Mode.....	9
2. 2. 5.Range Extender Mode.....	10
2. 2. 6.Client Mode	11

About This Guide

This guide provides a brief introduction to BE3600 Wi-Fi 7 Portable Router and regulatory information.

When using this guide, please notice that features of the router may vary slightly depending on the model and software version you have, and on your location, language, and internet service provider. All screenshots, images, parameters and descriptions documented in this guide are used for demonstration only.

Conventions

In this guide the following conventions are used:

Convention	Description
<u>Underlined</u>	Underlined words or phrases are hyperlinks. You can click to redirect to a website or a specific section.
Teal	Contents to be emphasized and texts on the web page are in teal, including the menus, items, buttons and so on.
>	The menu structures to show the path to load the corresponding page. For example, Advanced > Wireless > MAC Filtering means the MAC Filtering function page is under the Wireless menu that is located in the Advanced tab.
 Note:	Ignoring this type of note might result in a malfunction or damage to the device.
 Tips:	Indicates important information that helps you make better use of your device.

More Info

The latest software, management app and utility are available from the [Download Center](#) at <https://www.tp-link.com/support>.

The Quick Installation Guide can be found where you find this guide or inside the package of the router.

Specifications can be found on the product page at <https://www.tp-link.com>.

A TP-Link Community is provided for you to discuss our products at <https://community.tp-link.com>.

Our Technical Support contact information can be found at the [Contact Technical Support](#) page at <https://www.tp-link.com/support>.

Speed/Coverage Disclaimer

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput, wireless coverage and number of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

*Use of Wi-Fi 7 (802.11be), Wi-Fi 6 (802.11ax), and features including Multi-Link Operation (MLO), 320 MHz Bandwidth, 4K-QAM, Multi-RUs, OFDMA, and MU-MIMO requires clients to also support the corresponding features.

*Wi-Fi generations represent the wireless standard IEEE 802.11 a/b/g/n/ac/ax/be. All devices need to support 802.11 Wi-Fi protocols. Users may require an extra modem device that is compatible with their internet service provider to gain internet access.

*It is recommended to use the supplied power adapter. If you use other power adapters, there is a risk of damaging the device.

*Whether the USB Internet Sharing function can be used depends on the compatibility of the 3/4G USB Modem or mobile device, and is not guaranteed to be compatible with all devices.

*Actual network speed may be limited by the rate of the product's Ethernet WAN or LAN port, the rate supported by the network cable, internet service provider factors, and other environmental conditions.

*HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit tp-link.com/homeshield for more information.

Chapter 1

Get to Know About Your Router

This chapter introduces what the router can do and shows its appearance.

It contains the following sections:

- [Product Overview](#)
- [Appearance](#)

1.1. Product Overview

To meet the wireless needs of almost any situation you might encounter, the TP-Link portable router, with multiple operating modes, is designed for home and travel use. The portable size of the router means that you can put it in your pocket and take it with you wherever you go. The built-in adapter makes it perfect for travelers, students, and anyone else living life on the go.

1.2. Appearance



LED Explanation

Status	Indication
Pulsing Orange	The router is starting up.
Pulsing Blue	The router is being upgraded.
Blinking Blue	WPS connection is being established.
Solid Blue	The router is connected to the internet or the main network, or the WPS connection is successfully established.
Solid Orange	The router is connected to the internet and the Wi-Fi is off.
Solid Red	The router is disconnected from the internet.
Blinking Red	The router is disconnected from the internet, and Wi-Fi is off.



Button Description

Item	Description
Action Switch	The customizable action switch offers you a physical shortcut to control a variety of functions, including Wi-Fi, LED and VPN Merge.
WPS/Reset Button	<ul style="list-style-type: none"> Press the button for 1 second and immediately press the WPS button on your client to start the WPS process. Press and hold the button for about 6 seconds until the LED pulses orange to reset the router to its factory default settings.

Interface Description

Item	Description
Power Port	This port is used to connect the USB-C charger provided in the package.
USB 3.0 Port	Use this USB 3.0 port to connect your 3G/4G/5G USB modem, mobile device, or USB storage device to the router.
1 Gbps LAN Port	For connecting your PC or other wired devices to the router.
2.5 Gbps WAN Port	<ul style="list-style-type: none"> As a WAN port (by default): For connecting it to your modem, the Ethernet outlet, or for other internet services. As a LAN port (need to set manually): For connecting your PC or other wired devices to the router.

Chapter 2

Connect the Hardware

This chapter contains the following sections:

- [Position Your Router](#)
- [Connect Your Router](#)

2.1. Position Your Router

- The router should not be located where it will be exposed to moisture or excessive heat.
- Place the router in a location where it can be connected to the various devices as well as to a power source.
- Make sure the cables and power cord are safely placed out of the way so they do not create a tripping hazard.
- The router can be placed on a shelf or desktop.
- Keep the router away from devices with strong electromagnetic interference, such as Bluetooth devices, cordless phones and microwaves.

2.2. Connect Your Router


The router supports the following modes: Router, USB Internet (3G/4G/5G USB Modem and USB Tethering), Hotspot, Access Point, Range Extender, and Client. Refer to the scenarios below to determine an appropriate network mode, and carry out the corresponding steps.

Network Mode	Recommended Scenarios	I Want to...	Requirements
Router (Default Mode)	During Travel (e.g., hotel, airport, cafe, cruise ship, RV, camp, etc.)	Share the internet with more wireless devices when the wired network is limited to one device at a time.	An existing wired network provided by a modem or other network device.
3G/4G/5G USB Modem		Share a 3G/4G/5G USB modem's data with other devices.	A 3G/4G/5G USB modem (with a SIM card inserted).
USB Tethering		Share a mobile device's cellular data with other devices.	• A mobile device (with a SIM card inserted). • A USB cable.
Hotspot		Turn an existing public Wi-Fi into a private network (wired and wireless).	A public Wi-Fi.
Access Point	At Home (e.g., home, office, etc.)	Turn an existing wired-only network into a wireless network.	An existing wired network provided by a router, switch, etc.
Range Extender		Expand an existing Wi-Fi network for better Wi-Fi coverage.	An existing Wi-Fi network.
Client		Connect a wired-only device, such as a smart TV, media player, or game console, to a Wi-Fi network.	An existing Wi-Fi network.



2.2.1. Router Mode (Default)


Shares the internet with more wireless devices when the wired network is limited to one device at a time. Suitable for hotel rooms and home networks.



1. Connect the router's **2.5G WAN port** to the existing wired network with an Ethernet cable.
2. Power on the router.
3. Wait until the router's LED turns solid (blue or red) before moving on.
4. Connect your device to the router (wireless or wired).
 - **Wireless:** Connect your device to the router's Wi-Fi. The default wireless network names (SSIDs) and wireless password are printed on both the Wi-Fi info card and the label at the bottom of the router.
 - **Wired:** Turn off the Wi-Fi on your device and connect to the **LAN port** of the router with an Ethernet cable.

2.2.2. 3G/4G/5G USB Modem / USB Tethering Mode

In 3G/4G/5G USB Modem mode, the router shares a 3G/4G/5G USB modem's data with other devices. And in USB Tethering mode, the router shares a mobile device's cellular data with other devices. The two modes are suitable for travel.



1. Power on the router.

2. Wait until the router's LED turns solid (blue or red), which indicates that the router has started up, and then connect the router's [USB 3.0 port](#) to your USB modem or mobile device.

3. Connect your device to the router (wireless or wired).

- **Wireless:** Connect your device to the router's Wi-Fi. The default wireless network names (SSIDs) and wireless password are printed on both the Wi-Fi info card and the label at the bottom of the router.

■ Note: When USB tethering, avoid connecting the tethered mobile device to the router's Wi-Fi.

- **Wired:** Turn off the Wi-Fi on your device and connect to the [LAN port](#) of the router with an Ethernet cable.

2.2.3. Hotspot Mode

Turns an existing public Wi-Fi into a private network (wired and wireless). Suitable for travel.



1. Power on the router.

2. Wait until the router's LED turns solid red before moving on.


3. Connect your device to the router (wireless or wired).

- **Wireless:** Connect your device to the router's Wi-Fi. The default wireless network names (SSIDs) and wireless password are printed on both the Wi-Fi info card and the label at the bottom of the router.

- **Wired:** Turn off the Wi-Fi on your device and connect to the [LAN](#) of the router with an Ethernet cable.

2.2.4. Access Point Mode

Turns an existing wired-only network into a wireless network. Suitable for dorm rooms or homes where there's already a wired router but you need a wireless network.




1. Connect the router's **2.5G WAN** or **LAN port** to the existing router with an Ethernet cable.
2. Power on the router.
3. Wait until the router's LED turns solid (blue or red) before moving on.
4. Connect your device to the router (wireless or wired).
 - **Wireless:** Connect your device to the router's Wi-Fi. The default wireless network names (SSIDs) and wireless password are printed on both the Wi-Fi info card and the label at the bottom of the router.
 - **Wired:** Turn off the Wi-Fi on your device and connect to the **2.5G WAN** or **LAN port** of the router with an Ethernet cable.

 Note: If the hotel's internet has an authentication process, you will need to authenticate it on EACH device.

2.2.5. Range Extender Mode

Repeats signal from an existing wireless network. Suitable to extend wireless coverage, reaching devices that were previously too far from your primary router to maintain a stable wireless connection.




1. Power on the router near your main AP.
2. Wait until the router's LED turns into solid red before moving on.
3. Connect your device to the router (wireless or wired).

- **Wireless:** Connect your device to the router's Wi-Fi. The default wireless network names (SSIDs) and wireless password are printed on both the Wi-Fi info card and the label at the bottom of the router.
- **Wired:** Turn off the Wi-Fi on your device and connect to the [2.5G WAN](#) or [LAN port](#) of the router with an Ethernet cable.

2.2.6. Client Mode

Acting as an adapter, the router in Client mode connects a wired-only device, such as a smart TV, media player, or game console, to a Wi-Fi network.



1. Power on the router near your main AP.
2. Wait until the router's LED turns into solid red before moving on.
3. Connect a computer to the [2.5G WAN](#) or [LAN port](#) of the router with an Ethernet cable.

Note: In Client mode, you can only connect your devices to the router through a wired connection.

FCC compliance information statement



Product Name: BE3600 Wi-Fi 7 Portable Router

Model Number: TL-WR3602BE

Component Name	Model
I.T.E. Power	ICP20-050-3000D

Responsible party:

TP-Link Systems Inc.

Address: 10 Mauchly, Irvine, CA 92618

Website: <http://www.tp-link.com/us/>

Tel: +1 626 333 0234

Fax: +1 909 527 6804

E-mail: sales.usa@tp-link.com

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

"To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter."

We, TP-Link Systems Inc., has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2025-05-19

FCC compliance information statement

Product Name: I.T.E. Power Supply

Model Number: ICP20-050-3000D

Responsible party:

TP-Link Systems Inc.

Address: 10 Mauchly, Irvine, CA 92618

Website: <http://www.tp-link.com/us/>

Tel: +1 626 333 0234

Fax: +1 909 527 6804

E-mail: sales.usa@tp-link.com

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

We, **TP-Link Systems Inc.**, has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2025-05-19



OPERATING FREQUENCY(the maximum transmitted power)

2400 MHz -2483.5 MHz(20dBm)

5150 MHz -5250 MHz (23dBm)

5250 MHz -5350 MHz (23dBm)

5470 MHz -5725 MHz (30dBm)

EU declaration of conformity

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of directives 2014/53/EU, 2009/125/EC, 2011 /65/EU and (EU) 2015/863.

The original EU declaration of conformity may be found at

<https://www.tp-link.com/en/support/ce/>

RF Exposure Information

This device meets the EU requirements (2014/53/EU Article 3.1a) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The device complies with RF specifications when the device used at 20 cm from your body.

National Restrictions

Frequency band: 5150 - 5250 MHz:

Indoor use: Inside buildings only. Installations and use inside road vehicles and train carriages are not permitted. Limited outdoor use: If used outdoors, equipment shall not be attached to a fixed installation or to the external body of road vehicles, a fixed infrastructure or a fixed outdoor antenna. Use by unmanned aircraft systems (UAS) is limited to within the 5170 - 5250 MHz band.

Frequency band: 5250 - 5350 MHz:

Indoor use: Inside buildings only. Installations and use in road vehicles, trains and aircraft are not permitted. Outdoor use is not permitted.

Frequency band: 5470 - 5725 MHz:

Installations and use in road vehicles, trains and aircraft and use for unmanned aircraft systems (UAS) are not permitted.

	AT	BE	BG	CH	CY	CZ	DE	DK
	EE	EL	ES	FI	FR	HR	HU	IE
	IS	IT	LI	LT	LU	LV	MT	NL
	NO	PL	PT	RO	SE	SI	SK	UK(NI)



UKCA Mark



UK Declaration of Conformity

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of the Radio Equipment Regulations 2017.

The original UK Declaration of Conformity may be found at
<https://www.tp-link.com/support/ukca>

National Restrictions

Attention: This device may only be used indoors in Great Britain.



Canadian Compliance Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) L'appareil ne doit pas produire de brouillage;
- 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Caution:

The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

DFS (Dynamic Frequency Selection) products that operate in the bands 5250- 5350 MHz, 5470-5600MHz, and 5650-5725MHz.

Avertissement:

Le dispositif fonctionnant dans la bande 5150-5250 MHz est réservé uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

Les produits utilisant la technique d'atténuation DFS (sélection dynamique des fréquences) sur les bandes 5250- 5350 MHz, 5470-5600MHz et 5650-5725MHz.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

Industry Canada Statement

CAN ICES-003 (B)/NMB-003(B)

Korea Warning Statements:

당해 무선설비는 운용중 전파혼신 가능성이 있음.

NCC Notice & BSMI Notice:

注意！

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前述合法通信，指依電信管理法規定作業之無線電通信。

低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

應避免影響附近雷達系統之操作。

安全諮詢及注意事項

- 請使用原裝電源供應器或只能按照本產品注明的電源類型使用本產品。
- 清潔本產品之前請先拔掉電源線。請勿使用液體、噴霧清潔劑或濕布進行清潔。
- 注意防潮，請勿將水或其他液體潑灑到本產品上。
- 插槽與開口供通風使用，以確保本產品的操作可靠並防止過熱，請勿堵塞或覆蓋開口。
- 請勿將本產品置放於靠近熱源的地方。除非有正常的通風，否則不可放在密閉位置中。
- 不要私自拆開機殼或自行維修，如產品有故障請與原廠或代理商聯繫。

限用物質含有情況標示聲明書

設備名稱：BE3600 Wi-Fi 7 Portable Router Equipment name			型號（型式）：TL-WR3602BE Type designation (Type)			
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
PCB	○	○	○	○	○	○
外殼	○	○	○	○	○	○
電源供應器	—	○	○	○	○	○
其他及其 配件	—	○	○	○	○	○

備考1. 「超出0.1 wt %」及「超出0.01 wt %」係指限用物質之百分比含量超出百分比含量基準值。

Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. 「○」係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. 「—」係指該項限用物質為排除項目。

Note 3: The “—” indicates that the restricted substance corresponds to the exemption.



Продукт сертифіковано згідно з правилами системи УкрСЕПРО на відповідність вимогам нормативних документів та вимогам, що передбачені чинними законодавчими актами України.



Safety Information

- Keep the device away from water, fire, humidity or hot environments.
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- Do not use damaged charger or USB cable to charge the device.
- Do not use any other chargers than those recommended.
- Do not use the device where wireless devices are not allowed.
- Adapter shall be installed near the equipment and shall be easily accessible.
- Use only power supplies which are provided by manufacturer and in the original packing of this product. If you have any questions, please don't hesitate to contact us.
- Operating Temperature: 0°C ~ 40°C (32°F ~ 104°F)
- This product uses radios and other components that emit electromagnetic fields. Electromagnetic fields and magnets may interfere with pacemakers and other implanted medical devices. Always keep the product and its power adapter more than 15 cm (6 inches) away from any pacemakers or other implanted medical devices. If you suspect your product is interfering with your pacemaker or any other implanted medical device, turn off your product and consult your physician for information specific to your medical device.

Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.

- 請勿使用損壞的充電器或USB線來供應設備充電。
- 請勿使用推薦充電器以外的任何其他充電器。
- 變壓器應安裝在設備附近且易於操作。
- 運作溫度: 0°C~40°C (32°F~104°F)

Explanations of the symbols on the product label

Note: The product label can be found at the bottom of the product and its I.T.E. power supply. Symbols may vary from products.

Symbol	Explanation
	Class II equipment

Symbol	Explanation
	Class II equipment with functional earthing
	Alternating current
	Direct current
	Polarity of d.c. power connector
	For indoor use only
	Dangerous voltage
	Caution, risk of electric shock
	Energy efficiency Marking
	Protective earth
	Earth
	Frame or chassis
	Functional earthing
	Caution, hot surface
	Caution
	Operator's manual
	Stand-by
	"ON"/"OFF" (push-push)
	Fuse
	Fuse is used in neutral N

Symbol	Explanation
	RECYCLING This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment. User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.
	Caution, avoid listening at high volume levels for long periods
	Disconnection, all power plugs
m	Switch of mini-gap construction
μ	Switch of micro-gap construction (for US version) Switch of micro-gap / micro-disconnection construction (for other versions except US)
ϵ	Switch without contact gap (Semiconductor switching device)

產品標籤上符號的解釋

注意：產品標籤可以在產品底部和其I.T.E.電源供應器上找到。

符號可能因產品而異。

符號	說明
	II類設備
	具有功能接地的II類設備
	交流
	直流
	輸出端點的極性
	僅供室內使用
	危險電壓
	請注意，有觸電的危險
	能源效率標誌

符號	說明
	保護接地
	接地
	功能接地
	功能接地
	請注意，表面過熱
	警告
	操作手冊
	待機
	“開啟” / “關閉” (按壓式)
	保險絲
	保險絲用於中性線N
	回收 這個產品帶有歐盟指令2012/19/EU中關於廢棄電氣電子設備 (WEEE) 的選擇性分類標誌。這意味著，該產品必須按照該指令處理，以便進行回收或拆解，從而最大限度地減少對環境的影響。用戶可以選擇將產品交給有資格的回收機構，或在購買新的電器或電子設備時將其交給零售商進行回收。
	請小心，避免長時間以高音量收聽。
	斷線，所有電源插頭
	迷你間隙結構開關
	小間隙結構開關 (US版本) 小間隙/小斷開結構的開關 (非US版)
	無接觸間隙的開關 (半導體開關設備)