


Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5830.4000	105.33	15.57	120.90	122.20	-1.30	Peak	No Limit
2	5850.0000	57.98	15.65	73.63	122.20	-48.57	Peak	
3	5860.0000	44.65	15.69	60.34	109.40	-49.06	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17475.3000	42.97	11.37	54.34	68.20	-13.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	59.29	15.11	74.40	109.40	-35.00	Peak	
2	5725.0000	71.45	15.15	86.60	122.20	-35.60	Peak	
3 *	5746.4000	107.13	15.24	122.37	122.20	0.17	Peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17235.7500	46.18	10.86	57.04	68.20	-11.16	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17363.4500	45.98	11.13	57.11	68.20	-11.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.4000	106.21	15.55	121.76	122.20	-0.44	Peak	No Limit
2	5850.0000	61.31	15.65	76.96	122.20	-45.24	Peak	
3	5860.0000	55.28	15.69	70.97	109.40	-38.43	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17474.4500	41.37	11.37	52.74	68.20	-15.46	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	61.27	15.11	76.38	109.40	-33.02	Peak	
2	5725.0000	65.07	15.15	80.22	122.20	-41.98	Peak	
3 *	5759.0000	105.00	15.29	120.29	122.20	-1.91	Peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17266.8500	43.74	10.93	54.67	68.20	-13.53	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5799.2000	105.02	15.45	120.47	122.20	-1.73	Peak	No Limit
2	5850.2000	51.26	15.65	66.91	121.74	-54.83	Peak	
3	5860.0000	48.95	15.69	64.64	109.40	-44.76	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17387.7500	40.59	11.18	51.77	68.20	-16.43	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5647.0000	52.23	14.83	67.06	68.20	-1.14	Peak	
2	5715.0000	55.66	15.11	70.77	109.40	-38.63	Peak	
3	5725.0000	58.14	15.15	73.29	122.20	-48.91	Peak	
4	5772.2000	101.80	15.34	117.14	122.20	-5.06	Peak	No Limit
5	5850.0000	65.42	15.65	81.07	122.20	-41.13	Peak	
6	5860.0000	63.24	15.69	78.93	109.40	-30.47	Peak	
7	5917.0000	48.93	15.92	64.85	74.12	-9.27	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17302.8500	40.09	11.01	51.10	68.20	-17.10	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	57.84	15.11	72.95	109.40	-36.45	Peak	
2	5725.0000	73.85	15.15	89.00	122.20	-33.20	Peak	
3 *	5747.2000	108.25	15.24	123.49	122.20	1.29	Peak	No Limit


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17225.8500	46.36	10.84	57.20	68.20	-11.00	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17363.3500	41.77	11.13	52.90	68.20	-15.30	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5825.4000	108.52	15.55	124.07	122.20	1.87	Peak	No Limit
2	5850.0000	63.23	15.65	78.88	122.20	-43.32	Peak	
3	5860.0000	54.58	15.69	70.27	109.40	-39.13	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17462.4500	40.33	11.34	51.67	68.20	-16.53	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	63.11	15.11	78.22	109.40	-31.18	Peak	
2	5725.0000	66.25	15.15	81.40	122.20	-40.80	Peak	
3 *	5758.0000	105.13	15.28	120.41	122.20	-1.79	Peak	No Limit


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

100 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17259.4500	43.98	10.91	54.89	68.20	-13.31	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5797.4000	106.07	15.44	121.51	122.20	-0.69	Peak	No Limit
2	5850.0000	57.89	15.65	73.54	122.20	-48.66	Peak	
3	5860.0000	55.53	15.69	71.22	109.40	-38.18	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17384.1500	40.39	11.18	51.57	68.20	-16.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5649.4000	51.50	14.84	66.34	68.20	-1.86	Peak	
2	5715.0000	65.14	15.11	80.25	109.40	-29.15	Peak	
3	5725.0000	60.59	15.15	75.74	122.20	-46.46	Peak	
4	5779.4000	103.33	15.37	118.70	122.20	-3.50	Peak	No Limit
5	5850.0000	66.10	15.65	81.75	122.20	-40.45	Peak	
6	5860.0000	59.40	15.69	75.09	109.40	-34.31	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17347.5000	40.95	11.10	52.05	68.20	-16.15	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Straddle channel:

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.20	14.12	53.32	74.00	-20.68	peak	
2		5460.000	30.87	14.12	44.99	54.00	-9.01	AVG	
3		5470.000	40.70	14.16	54.86	68.20	-13.34	peak	
4	X	5718.800	92.87	15.12	107.99	68.20	39.79	AVG	No Limit
5	*	5719.400	99.82	15.13	114.95	68.20	46.75	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11439.800	28.11	9.03	37.14	54.00	-16.86	AVG	
2		11439.900	36.82	9.03	45.85	74.00	-28.15	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	39.23	14.12	53.35	74.00	-20.65	peak	
2	5460.000	29.69	14.12	43.81	54.00	-10.19	AVG	
3	5470.000	38.81	14.16	52.97	68.20	-15.23	peak	
4 *	5718.200	100.29	15.12	115.41	68.20	47.21	peak	No Limit
5 X	5718.200	93.17	15.12	108.29	68.20	40.09	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11418.850	36.41	9.04	45.45	74.00	-28.55	peak	
2	*	11439.750	27.67	9.03	36.70	54.00	-17.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.93	14.12	54.05	74.00	-19.95	peak	
2		5460.000	31.12	14.12	45.24	54.00	-8.76	AVG	
3		5470.000	40.36	14.16	54.52	68.20	-13.68	peak	
4	X	5708.800	93.48	15.09	108.57	68.20	40.37	AVG	No Limit
5	*	5714.200	100.24	15.11	115.35	68.20	47.15	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11419.750	28.47	9.04	37.51	54.00	-16.49	AVG	
2		11429.250	37.33	9.04	46.37	74.00	-27.63	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.68	14.12	51.80	74.00	-22.20	peak	
2		5460.000	30.64	14.12	44.76	54.00	-9.24	AVG	
3		5470.000	38.42	14.16	52.58	68.20	-15.62	peak	
4	X	5687.000	90.89	15.00	105.89	68.20	37.69	AVG	No Limit
5	*	5687.600	99.65	15.00	114.65	68.20	46.45	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11379.750	27.98	9.09	37.07	54.00	-16.93	AVG	
2		11388.850	36.39	9.08	45.47	74.00	-28.53	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	41.39	14.12	55.51	74.00	-18.49	peak	
2		5460.000	30.19	14.12	44.31	54.00	-9.69	AVG	
3		5470.000	42.03	14.16	56.19	68.20	-12.01	peak	
4	*	5723.000	102.96	15.15	118.11	68.20	49.91	peak	No Limit
5	X	5723.000	93.56	15.15	108.71	68.20	40.51	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11439.800	28.90	9.03	37.93	54.00	-16.07	AVG	
2		11439.950	36.23	9.03	45.26	74.00	-28.74	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.83	14.12	51.95	74.00	-22.05	peak	
2		5460.000	30.72	14.12	44.84	54.00	-9.16	AVG	
3		5470.000	39.61	14.16	53.77	68.20	-14.43	peak	
4	*	5711.200	100.97	15.10	116.07	68.20	47.87	peak	No Limit
5	X	5711.200	93.18	15.10	108.28	68.20	40.08	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11419.800	28.11	9.04	37.15	54.00	-16.85	AVG	
2		11419.850	35.80	9.04	44.84	74.00	-29.16	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	38.66	14.12	52.78	74.00	-21.22	peak	
2		5460.000	30.83	14.12	44.95	54.00	-9.05	AVG	
3		5470.000	39.43	14.16	53.59	68.20	-14.61	peak	
4	*	5682.200	100.18	14.97	115.15	68.20	46.95	peak	No Limit
5	X	5687.000	90.68	15.00	105.68	68.20	37.48	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11379.700	27.55	9.09	36.64	54.00	-17.36	AVG	
2		11384.950	36.71	9.08	45.79	74.00	-28.21	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	38944.0000	49.89	14.05	63.94	83.50	-19.56	Peak	
2 *	38944.0000	39.76	14.05	53.81	63.50	-9.69	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

100 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	39890.0000	48.52	15.94	64.46	83.50	-19.04	Peak	
2 *	39890.0000	38.67	15.94	54.61	63.50	-8.89	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.100	16.509
40	5200	21.240	16.501
48	5240	18.420	16.429

CH36

CH40
26 dB Bandwidth

CH48




Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.400	17.600
40	5200	21.960	17.592
48	5240	18.960	17.505

CH36

CH40
26 dB Bandwidth

CH48




Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	38.500	36.017
46	5230	38.200	35.849

CH38

CH46
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	89.600	75.180

CH42 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-1_TX BE(EHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.340	18.908
40	5200	20.160	18.904
48	5240	19.860	18.846

CH36

CH40
26 dB Bandwidth

CH48



Test Mode	UNII-1_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.300	37.835
46	5230	40.000	37.772

CH38

CH46
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-1_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.800	77.038

CH42 26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.420	16.433
60	5300	24.420	16.587
64	5320	23.700	16.527

CH52

CH60
26 dB Bandwidth

CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.960	17.538
60	5300	22.680	17.625
64	5320	25.260	17.639

CH52

CH60
26 dB Bandwidth

CH64




Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	38.100	35.842
62	5310	38.200	36.049

CH54

CH62
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	85.200	75.186

CH58 26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-2A_TX BE(EHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.860	18.894
60	5300	20.040	18.918
64	5320	19.920	18.906

CH52

CH60
26 dB Bandwidth

CH64




Test Mode	UNII-2A_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.400	37.623
62	5310	41.900	37.897

CH54

CH62 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2A_TX BE(EHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.200	77.060

CH58 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	164.400	155.114

CH50 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode
-----------	-----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	167.200	157.186

CH50 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	26.700	16.567
116	5580	18.600	16.434
140	5700	24.060	16.566
144	5720	18.180	16.459


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth



14.0 GHz

RF Level: 30.00 dBm Offset: 10.00 ps BW: 100 kHz

20 dBm

15 dBm

10 dBm

5 dBm

0 dBm

-5 dBm

-10 dBm

-15 dBm

-20 dBm

0 200 400 600 800 1000 ps

V1 1.509 dBm

V2 -22.671 dBm

V3 6.8 Mbit/s

2.737 GHz 1000 ps 6.8 Mbit/s Spec #1: 0.000

Ref	Time	Value	Unit	Parameter	Parameter Name
M1	1	3.75704	GHz	-21.40 dBm	
M1	1	18.3	dBm	-0.45 dB	
M2	1	74.08	MHz	20.01 dB	

10:34:57 AM 04/19/2019

Measuring

100.00%

100.00%

File View Windows Spectrometer

Ref Level: 30.00 dBm Offset: 10.20 dB = 30.00 dBm

Set 100.00 dBm 1.000 GHz 1.000 MHz Wave: Pulse Energy

Channel Parameters

15.00 Vrms 100.00 dBm 1.000 GHz 1.000 MHz

20 dBm

0 dBm

-20 dBm

-40 dBm

-60 dBm

0.000 GHz

1.000 GHz

1.500 GHz

2.000 GHz

2.500 GHz

3.000 GHz

3.500 GHz

4.000 GHz

4.500 GHz

5.000 GHz

5.500 GHz

6.000 GHz

6.500 GHz

7.000 GHz

7.500 GHz

8.000 GHz

8.500 GHz

9.000 GHz

9.500 GHz

10.000 GHz

10.500 GHz

11.000 GHz

11.500 GHz

12.000 GHz

12.500 GHz

13.000 GHz

13.500 GHz

14.000 GHz

14.500 GHz

15.000 GHz

15.500 GHz

16.000 GHz

16.500 GHz

17.000 GHz

17.500 GHz

18.000 GHz

18.500 GHz

19.000 GHz

19.500 GHz

20.000 GHz

20.500 GHz

21.000 GHz

21.500 GHz

22.000 GHz

22.500 GHz

23.000 GHz

23.500 GHz

24.000 GHz

24.500 GHz

25.000 GHz

25.500 GHz

26.000 GHz

26.500 GHz

27.000 GHz

27.500 GHz

28.000 GHz

28.500 GHz

29.000 GHz

29.500 GHz

30.000 GHz

30.500 GHz

31.000 GHz

31.500 GHz

32.000 GHz

32.500 GHz

33.000 GHz

33.500 GHz

34.000 GHz

34.500 GHz

35.000 GHz

35.500 GHz

36.000 GHz

36.500 GHz

37.000 GHz

37.500 GHz

38.000 GHz

38.500 GHz

39.000 GHz

39.500 GHz

40.000 GHz

40.500 GHz

41.000 GHz

41.500 GHz

42.000 GHz

42.500 GHz

43.000 GHz

43.500 GHz

44.000 GHz

44.500 GHz

45.000 GHz

45.500 GHz

46.000 GHz

46.500 GHz

47.000 GHz

47.500 GHz

48.000 GHz

48.500 GHz

49.000 GHz

49.500 GHz

50.000 GHz

50.500 GHz

51.000 GHz

51.500 GHz

52.000 GHz

52.500 GHz

53.000 GHz

53.500 GHz

54.000 GHz

54.500 GHz

55.000 GHz

55.500 GHz

56.000 GHz

56.500 GHz

57.000 GHz

57.500 GHz

58.000 GHz

58.500 GHz

59.000 GHz

59.500 GHz

60.000 GHz

60.500 GHz

61.000 GHz

61.500 GHz

62.000 GHz

62.500 GHz

63.000 GHz

63.500 GHz

64.000 GHz

64.500 GHz

65.000 GHz

65.500 GHz

66.000 GHz

66.500 GHz

67.000 GHz

67.500 GHz

68.000 GHz

68.500 GHz

69.000 GHz

69.500 GHz

70.000 GHz

70.500 GHz

71.000 GHz

71.500 GHz

72.000 GHz

72.500 GHz

73.000 GHz

73.500 GHz

74.000 GHz

74.500 GHz

75.000 GHz

75.500 GHz

76.000 GHz

76.500 GHz

77.000 GHz

77.500 GHz

78.000 GHz

78.500 GHz

79.000 GHz

79.500 GHz

80.000 GHz

80.500 GHz

81.000 GHz

81.500 GHz

82.000 GHz

82.500 GHz

83.000 GHz

83.500 GHz

84.000 GHz

84.500 GHz

85.000 GHz

85.500 GHz

86.000 GHz

86.500 GHz

87.000 GHz

87.500 GHz

88.000 GHz

88.500 GHz

89.000 GHz

89.500 GHz

90.000 GHz

90.500 GHz

91.000 GHz

91.500 GHz

92.000 GHz

92.500 GHz

93.000 GHz

93.500 GHz

94.000 GHz

94.500 GHz

95.000 GHz

95.500 GHz

96.000 GHz

96.500 GHz

97.000 GHz

97.500 GHz

98.000 GHz

98.500 GHz

99.000 GHz

99.500 GHz

100.000 GHz

100.500 GHz

101.000 GHz

101.500 GHz

102.000 GHz

102.500 GHz

103.000 GHz

103.500 GHz

104.000 GHz

104.500 GHz

105.000 GHz

105.500 GHz

106.000 GHz

106.500 GHz

107.000 GHz

107.500 GHz

108.000 GHz

108.500 GHz

109.000 GHz

109.500 GHz

110.000 GHz

110.500 GHz

111.000 GHz

111.500 GHz

112.000 GHz

112.500 GHz

113.000 GHz

113.500 GHz

114.000 GHz

114.500 GHz

115.000 GHz

115.500 GHz

116.000 GHz

116.500 GHz

117.000 GHz

117.500 GHz

118.000 GHz

118.500 GHz

119.000 GHz

119.500 GHz

120.000 GHz

120.500 GHz

121.000 GHz

121.500 GHz

122.000 GHz

122.500 GHz

123.000 GHz

123.500 GHz

124.000 GHz

124.500 GHz

125.000 GHz

125.500 GHz

126.000 GHz

126.500 GHz

127.000 GHz

127.500 GHz

128.000 GHz

128.500 GHz

129.000 GHz

129.500 GHz

130.000 GHz

130.500 GHz

131.000 GHz

131.500 GHz

132.000 GHz

132.500 GHz

133.000 GHz

133.500 GHz

134.000 GHz

134.500 GHz

135.000 GHz

135.500 GHz

136.000 GHz

136.500 GHz

137.000 GHz

137.500 GHz

138.000 GHz

138.500 GHz

139.000 GHz

139.500 GHz

140.000 GHz

140.500 GHz

141.000 GHz

141.500 GHz

142.000 GHz

142.500 GHz

143.000 GHz

143.500 GHz

144.000 GHz

144.500 GHz

145.000 GHz

145.500 GHz

146.000 GHz

146.500 GHz

147.000 GHz

147.500 GHz

148.000 GHz

148.500 GHz

149.000 GHz

149.500 GHz

150.000 GHz

150.500 GHz

151.000 GHz

151.500 GHz

152.000 GHz

152.500 GHz

153.000 GHz

153.500 GHz

154.000 GHz

154.500 GHz

155.000 GHz

155.500 GHz

156.000 GHz

156.500 GHz

157.000 GHz

157.500 GHz

158.000 GHz

158.500 GHz

159.000 GHz

159.500 GHz

16