


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.780	17.634
116	5580	18.960	17.531
140	5700	24.000	17.627
142	5710	18.840	17.524


CH100

CH116
26 dB Bandwidth


CH140




99 % Occupied Bandwidth



CH144 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.800	35.974
110	5550	38.100	35.804
134	5670	38.200	36.014
142	5710	38.000	35.812


CH102

CH110
26 dB Bandwidth


CH134




99 % Occupied Bandwidth



CH142 26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	85.800	75.269
122	5610	78.800	75.291
138	5690	79.200	75.160

CH106

CH122
26 dB Bandwidth


CH138




Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	166.400	155.162

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.340	18.930
116	5580	19.860	18.869
140	5700	20.700	18.936
144	5720	19.800	18.864


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth



[illegible]

File View Windows Help

Ref Level: 30.00 dBm Offset: 10.20 dB = 30.00 dBm

dBm

Channel Bandwidth: 100 MHz

100 MHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

Span: 40 dB

80 dB

120 dB

160 dB

200 dB

240 dB

280 dB

320 dB

360 dB

400 dB

440 dB

480 dB

520 dB

560 dB

600 dB

640 dB

680 dB

720 dB

760 dB

800 dB

840 dB

880 dB

920 dB

960 dB

1000 dB

1040 dB

1080 dB

1120 dB

1160 dB

1200 dB

1240 dB

1280 dB

1320 dB

1360 dB

1400 dB

1440 dB

1480 dB

1520 dB

1560 dB

1600 dB

1640 dB

1680 dB

1720 dB

1760 dB

1800 dB

1840 dB

1880 dB

1920 dB

1960 dB

2000 dB

2040 dB

2080 dB

2120 dB

2160 dB

2200 dB

2240 dB

2280 dB

2320 dB

2360 dB

2400 dB

2440 dB

2480 dB

2520 dB

2560 dB

2600 dB

2640 dB

2680 dB

2720 dB

2760 dB

2800 dB

2840 dB

2880 dB

2920 dB

2960 dB

3000 dB

3040 dB

3080 dB

3120 dB

3160 dB

3200 dB

3240 dB

3280 dB

3320 dB

3360 dB

3400 dB

3440 dB

3480 dB

3520 dB

3560 dB

3600 dB

3640 dB

3680 dB

3720 dB

3760 dB

3800 dB

3840 dB

3880 dB

3920 dB

3960 dB

4000 dB

4040 dB

4080 dB

4120 dB

4160 dB

4200 dB

4240 dB

4280 dB

4320 dB

4360 dB

4400 dB

4440 dB

4480 dB

4520 dB

4560 dB

4600 dB

4640 dB

4680 dB

4720 dB

4760 dB

4800 dB

4840 dB

4880 dB

4920 dB

4960 dB

5000 dB

5040 dB

5080 dB

5120 dB

5160 dB

5200 dB

5240 dB

5280 dB

5320 dB

5360 dB

5400 dB

5440 dB

5480 dB

5520 dB

5560 dB

5600 dB

5640 dB

5680 dB

5720 dB

5760 dB

5800 dB

5840 dB

5880 dB

5920 dB

5960 dB

6000 dB

6040 dB

6080 dB

6120 dB

6160 dB

6200 dB

6240 dB

6280 dB

6320 dB

6360 dB

6400 dB

6440 dB

6480 dB

6520 dB

6560 dB

6600 dB

6640 dB

6680 dB

6720 dB

6760 dB

6800 dB

6840 dB

6880 dB

6920 dB

6960 dB

7000 dB

7040 dB

7080 dB

7120 dB

7160 dB

7200 dB

7240 dB

7280 dB

7320 dB

7360 dB

7400 dB

7440 dB

7480 dB

7520 dB

7560 dB

7600 dB

7640 dB

7680 dB

7720 dB

7760 dB

7800 dB

7840 dB

7880 dB

7920 dB

7960 dB

8000 dB

8040 dB

8080 dB

8120 dB

8160 dB

8200 dB

8240 dB

8280 dB

8320 dB

8360 dB

8400 dB

8440 dB

8480 dB

8520 dB

8560 dB

8600 dB

8640 dB

8680 dB

8720 dB

8760 dB

8800 dB

8840 dB

8880 dB

8920 dB

8960 dB

9000 dB

9040 dB

9080 dB

9120 dB

9160 dB

9200 dB

9240 dB

9280 dB

9320 dB

9360 dB

9400 dB

9440 dB

9480 dB

9520 dB

9560 dB

9600 dB

9640 dB

9680 dB

9720 dB

9760 dB

9800 dB

9840 dB

9880 dB

9920 dB

9960 dB

10000 dB

10040 dB

10080 dB

10120 dB

10160 dB

10200 dB

10240 dB

10280 dB

10320 dB

10360 dB

10400 dB

10440 dB

10480 dB

10520 dB

10560 dB

10600 dB

10640 dB

10680 dB

10720 dB

10760 dB

10800 dB

10840 dB

10880 dB

10920 dB

10960 dB

11000 dB

11040 dB

11080 dB

11120 dB

11160 dB

11200 dB

11240 dB

11280 dB

11320 dB

11360 dB

11400 dB

11440 dB

11480 dB

11520 dB

11560 dB

11600 dB

11640 dB

11680 dB

11720 dB

11760 dB

11800 dB

11840 dB

11880 dB

11920 dB

11960 dB

12000 dB

12040 dB

12080 dB

12120 dB

12160 dB

12200 dB

12240 dB

12280 dB

12320 dB

12360 dB

12400 dB

12440 dB

12480 dB

12520 dB

12560 dB

12600 dB

12640 dB

12680 dB

12720 dB

12760 dB

12800 dB

12840 dB

12880 dB

12920 dB

12960 dB

13000 dB

13040 dB

13080 dB

13120 dB

13160 dB

13200 dB

13240 dB

13280 dB

13320 dB

13360 dB

13400 dB

13440 dB

13480 dB

13520 dB

13560 dB

13600 dB

13640 dB

13680 dB

13720 dB

13760 dB

13800 dB

13840 dB

13880 dB

13920 dB

13960 dB

14000 dB

14040 dB

14080 dB

14120 dB

14160 dB

14200 dB

14240 dB

14280 dB

14320 dB

14360 dB

14400 dB

14440 dB

14480 dB

14520 dB

14560 dB

14600 dB

14640 dB

14680 dB

14720 dB

14760 dB

14800 dB

14840 dB

14880 dB

14920 dB

14960 dB

15000 dB

15040 dB

15080 dB

15120 dB

15160 dB

15200 dB

15240 dB

15280 dB

15320 dB

15360 dB

15400 dB

15440


Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.000	37.963
110	5550	39.300	37.601
134	5670	40.400	37.855
142	5710	39.300	37.643


CH102

CH110
26 dB Bandwidth


CH134




99 % Occupied Bandwidth



CH142 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.600	77.002
122	5610	80.200	76.920
138	5690	80.000	76.992


CH106

CH122
26 dB Bandwidth

CH138




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	166.000	156.887

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.380	16.552	0.5	Pass
157	5785	16.380	16.530	0.5	Pass
165	5825	16.320	16.602	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.580	17.584	0.5	Pass
157	5785	17.580	17.606	0.5	Pass
165	5825	17.580	17.606	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.100	35.895	0.5	Pass
159	5795	35.100	36.007	0.5	Pass

CH151

CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.200	75.483	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.780	18.908	0.5	Pass
157	5785	18.720	18.922	0.5	Pass
165	5825	18.600	18.897	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.300	37.930	0.5	Pass
159	5795	35.600	37.912	0.5	Pass

CH151

CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.000	77.027	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.05	0.16	20.21	30.00	1.0000	Pass
40	5200	20.69	0.16	20.85	30.00	1.0000	Pass
48	5240	21.56	0.16	21.72	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.20	0.16	20.36	30.00	1.0000	Pass
40	5200	20.72	0.16	20.88	30.00	1.0000	Pass
48	5240	21.03	0.16	21.19	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.83	0.16	19.99	30.00	1.0000	Pass
40	5200	20.43	0.16	20.59	30.00	1.0000	Pass
48	5240	20.63	0.16	20.79	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.07	0.16	20.23	30.00	1.0000	Pass
40	5200	20.57	0.16	20.73	30.00	1.0000	Pass
48	5240	20.94	0.16	21.10	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.22	30.00	1.0000	Pass
40	5200	26.78	30.00	1.0000	Pass
48	5240	27.23	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.31	0.17	20.48	30.00	1.0000	Pass
40	5200	21.08	0.17	21.25	30.00	1.0000	Pass
48	5240	21.18	0.17	21.35	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.13	0.17	20.30	30.00	1.0000	Pass
40	5200	20.92	0.17	21.09	30.00	1.0000	Pass
48	5240	20.82	0.17	20.99	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.02	0.17	20.19	30.00	1.0000	Pass
40	5200	20.81	0.17	20.98	30.00	1.0000	Pass
48	5240	20.56	0.17	20.73	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.11	0.17	20.28	30.00	1.0000	Pass
40	5200	20.95	0.17	21.12	30.00	1.0000	Pass
48	5240	20.81	0.17	20.98	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.34	30.00	1.0000	Pass
40	5200	27.13	30.00	1.0000	Pass
48	5240	27.04	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.62	0.33	17.95	30.00	1.0000	Pass
46	5230	19.69	0.33	20.02	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.29	0.33	17.62	30.00	1.0000	Pass
46	5230	19.24	0.33	19.57	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.38	0.33	17.71	30.00	1.0000	Pass
46	5230	18.95	0.33	19.28	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.71	0.33	18.04	30.00	1.0000	Pass
46	5230	19.05	0.33	19.38	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.86	30.00	1.0000	Pass
46	5230	25.60	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.27	0.66	18.93	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.77	0.66	18.43	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.06	0.66	18.72	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.60	0.66	18.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.61	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.94	0.67	19.61	30.00	1.0000	Pass
40	5200	18.62	0.67	19.29	30.00	1.0000	Pass
48	5240	21.40	0.67	22.07	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.56	0.67	19.23	30.00	1.0000	Pass
40	5200	18.20	0.67	18.87	30.00	1.0000	Pass
48	5240	21.08	0.67	21.75	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.87	0.67	19.54	30.00	1.0000	Pass
40	5200	18.29	0.67	18.96	30.00	1.0000	Pass
48	5240	20.78	0.67	21.45	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.34	0.67	19.01	30.00	1.0000	Pass
40	5200	17.96	0.67	18.63	30.00	1.0000	Pass
48	5240	20.91	0.67	21.58	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.37	30.00	1.0000	Pass
40	5200	24.96	30.00	1.0000	Pass
48	5240	27.74	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.09	0.67	18.76	30.00	1.0000	Pass
46	5230	19.34	0.67	20.01	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.83	0.67	18.50	30.00	1.0000	Pass
46	5230	19.11	0.67	19.78	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.88	0.67	18.55	30.00	1.0000	Pass
46	5230	19.00	0.67	19.67	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.48	0.67	18.15	30.00	1.0000	Pass
46	5230	18.91	0.67	19.58	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.52	30.00	1.0000	Pass
46	5230	25.78	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.02	0.70	18.72	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.39	0.70	18.09	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.66	0.70	18.36	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.15	0.70	17.85	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.28	30.00	1.0000	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.67	0.16	14.83	23.98	0.2500	Pass
60	5300	14.84	0.16	15.00	23.98	0.2500	Pass
64	5320	15.09	0.16	15.25	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.28	0.16	14.44	23.98	0.2500	Pass
60	5300	14.33	0.16	14.49	23.98	0.2500	Pass
64	5320	14.49	0.16	14.65	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.81	0.16	14.97	23.98	0.2500	Pass
60	5300	14.47	0.16	14.63	23.98	0.2500	Pass
64	5320	14.65	0.16	14.81	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.62	0.16	14.78	23.98	0.2500	Pass
60	5300	15.03	0.16	15.19	23.98	0.2500	Pass
64	5320	14.95	0.16	15.11	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.78	23.98	0.2500	Pass
60	5300	20.86	23.98	0.2500	Pass
64	5320	20.98	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.18	0.17	15.35	23.98	0.2500	Pass
60	5300	15.38	0.17	15.55	23.98	0.2500	Pass
64	5320	15.54	0.17	15.71	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.65	0.17	14.82	23.98	0.2500	Pass
60	5300	14.69	0.17	14.86	23.98	0.2500	Pass
64	5320	14.94	0.17	15.11	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.17	15.63	23.98	0.2500	Pass
60	5300	15.16	0.17	15.33	23.98	0.2500	Pass
64	5320	15.15	0.17	15.32	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.27	0.17	15.44	23.98	0.2500	Pass
60	5300	15.35	0.17	15.52	23.98	0.2500	Pass
64	5320	15.28	0.17	15.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.34	23.98	0.2500	Pass
60	5300	21.35	23.98	0.2500	Pass
64	5320	21.43	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.91	0.33	17.24	23.98	0.2500	Pass
62	5310	17.27	0.33	17.60	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.37	0.33	16.70	23.98	0.2500	Pass
62	5310	16.58	0.33	16.91	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.84	0.33	17.17	23.98	0.2500	Pass
62	5310	17.04	0.33	17.37	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.92	0.33	17.25	23.98	0.2500	Pass
62	5310	17.17	0.33	17.50	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.12	23.98	0.2500	Pass
62	5310	23.38	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.91	0.66	17.57	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.14	0.66	16.80	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.57	0.66	17.23	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.91	0.66	17.57	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.32	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.23	0.67	14.90	23.98	0.2500	Pass
60	5300	14.49	0.67	15.16	23.98	0.2500	Pass
64	5320	14.72	0.67	15.39	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.95	0.67	14.62	23.98	0.2500	Pass
60	5300	14.05	0.67	14.72	23.98	0.2500	Pass
64	5320	14.08	0.67	14.75	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.52	0.67	15.19	23.98	0.2500	Pass
60	5300	14.11	0.67	14.78	23.98	0.2500	Pass
64	5320	14.16	0.67	14.83	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.40	0.67	15.07	23.98	0.2500	Pass
60	5300	14.23	0.67	14.90	23.98	0.2500	Pass
64	5320	14.44	0.67	15.11	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.97	23.98	0.2500	Pass
60	5300	20.91	23.98	0.2500	Pass
64	5320	21.05	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.64	0.67	17.31	23.98	0.2500	Pass
62	5310	16.73	0.67	17.40	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.11	0.67	16.78	23.98	0.2500	Pass
62	5310	16.20	0.67	16.87	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.69	0.67	17.36	23.98	0.2500	Pass
62	5310	16.40	0.67	17.07	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.69	0.67	17.36	23.98	0.2500	Pass
62	5310	16.63	0.67	17.30	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.23	23.98	0.2500	Pass
62	5310	23.18	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.30	0.70	17.00	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.81	0.70	16.51	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.20	0.70	16.90	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.42	0.70	17.12	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.90	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.23	1.10	17.33	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.86	1.10	16.96	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.54	1.10	16.64	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.98	1.10	17.08	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.03	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.27	0.69	17.96	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.44	0.69	18.13	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.98	0.69	17.67	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.31	0.69	18.00	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.97	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.22	0.16	14.38	23.98	0.2500	Pass
116	5580	14.02	0.16	14.18	23.98	0.2500	Pass
140	5700	14.07	0.16	14.23	23.98	0.2500	Pass
144	5720	14.05	0.16	14.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.62	0.16	14.78	23.98	0.2500	Pass
116	5580	14.32	0.16	14.48	23.98	0.2500	Pass
140	5700	14.79	0.16	14.95	23.98	0.2500	Pass
144	5720	14.64	0.16	14.80	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.15	0.16	15.31	23.98	0.2500	Pass
116	5580	14.38	0.16	14.54	23.98	0.2500	Pass
140	5700	14.17	0.16	14.33	23.98	0.2500	Pass
144	5720	14.22	0.16	14.38	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.21	0.16	14.37	23.98	0.2500	Pass
116	5580	13.98	0.16	14.14	23.98	0.2500	Pass
140	5700	14.43	0.16	14.59	23.98	0.2500	Pass
144	5720	14.59	0.16	14.75	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.75	23.98	0.2500	Pass
116	5580	20.36	23.98	0.2500	Pass
140	5700	20.55	23.98	0.2500	Pass
144	5720	20.56	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.27	0.17	14.44	23.98	0.2500	Pass
116	5580	14.66	0.17	14.83	23.98	0.2500	Pass
140	5700	14.08	0.17	14.25	23.98	0.2500	Pass
144	5720	14.11	0.17	14.28	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.51	0.17	14.68	23.98	0.2500	Pass
116	5580	14.42	0.17	14.59	23.98	0.2500	Pass
140	5700	14.54	0.17	14.71	23.98	0.2500	Pass
144	5720	14.57	0.17	14.74	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.89	0.17	15.06	23.98	0.2500	Pass
116	5580	15.05	0.17	15.22	23.98	0.2500	Pass
140	5700	14.15	0.17	14.32	23.98	0.2500	Pass
144	5720	14.24	0.17	14.41	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.02	0.17	14.19	23.98	0.2500	Pass
116	5580	14.75	0.17	14.92	23.98	0.2500	Pass
140	5700	14.61	0.17	14.78	23.98	0.2500	Pass
144	5720	14.64	0.17	14.81	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.63	23.98	0.2500	Pass
116	5580	20.92	23.98	0.2500	Pass
140	5700	20.54	23.98	0.2500	Pass
144	5720	20.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.52	0.33	16.85	23.98	0.2500	Pass
110	5550	16.39	0.33	16.72	23.98	0.2500	Pass
134	5670	16.42	0.33	16.75	23.98	0.2500	Pass
142	5710	15.90	0.33	16.23	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.89	0.33	17.22	23.98	0.2500	Pass
110	5550	16.87	0.33	17.20	23.98	0.2500	Pass
134	5670	17.01	0.33	17.34	23.98	0.2500	Pass
142	5710	16.29	0.33	16.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.01	0.33	17.34	23.98	0.2500	Pass
110	5550	17.11	0.33	17.44	23.98	0.2500	Pass
134	5670	16.50	0.33	16.83	23.98	0.2500	Pass
142	5710	16.14	0.33	16.47	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.49	0.33	16.82	23.98	0.2500	Pass
110	5550	16.47	0.33	16.80	23.98	0.2500	Pass
134	5670	16.09	0.33	16.42	23.98	0.2500	Pass
142	5710	16.16	0.33	16.49	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.09	23.98	0.2500	Pass
110	5550	23.07	23.98	0.2500	Pass
134	5670	22.87	23.98	0.2500	Pass
142	5710	22.48	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.66	0.66	17.32	23.98	0.2500	Pass
122	5610	16.82	0.66	17.48	23.98	0.2500	Pass
138	5690	17.13	0.66	17.79	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.11	0.66	17.77	23.98	0.2500	Pass
122	5610	16.61	0.66	17.27	23.98	0.2500	Pass
138	5690	17.34	0.66	18.00	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.19	0.66	17.85	23.98	0.2500	Pass
122	5610	17.33	0.66	17.99	23.98	0.2500	Pass
138	5690	17.42	0.66	18.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.81	0.66	17.47	23.98	0.2500	Pass
122	5610	17.04	0.66	17.70	23.98	0.2500	Pass
138	5690	17.03	0.66	17.69	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.62	23.98	0.2500	Pass
122	5610	23.63	23.98	0.2500	Pass
138	5690	23.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.64	1.10	16.74	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.45	1.10	16.55	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.16	1.10	17.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.72	1.10	16.82	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.97	0.67	14.64	23.98	0.2500	Pass
116	5580	14.10	0.67	14.77	23.98	0.2500	Pass
140	5700	14.40	0.67	15.07	23.98	0.2500	Pass
144	5720	13.82	0.67	14.49	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.37	0.67	15.04	23.98	0.2500	Pass
116	5580	14.32	0.67	14.99	23.98	0.2500	Pass
140	5700	15.05	0.67	15.72	23.98	0.2500	Pass
144	5720	14.43	0.67	15.10	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.64	0.67	15.31	23.98	0.2500	Pass
116	5580	14.69	0.67	15.36	23.98	0.2500	Pass
140	5700	14.72	0.67	15.39	23.98	0.2500	Pass
144	5720	14.20	0.67	14.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.58	0.67	14.25	23.98	0.2500	Pass
116	5580	14.23	0.67	14.90	23.98	0.2500	Pass
140	5700	14.67	0.67	15.34	23.98	0.2500	Pass
144	5720	14.27	0.67	14.94	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.85	23.98	0.2500	Pass
116	5580	21.03	23.98	0.2500	Pass
140	5700	21.41	23.98	0.2500	Pass
144	5720	20.88	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.37	0.67	17.04	23.98	0.2500	Pass
110	5550	16.16	0.67	16.83	23.98	0.2500	Pass
134	5670	16.11	0.67	16.78	23.98	0.2500	Pass
142	5710	16.09	0.67	16.76	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.59	0.67	17.26	23.98	0.2500	Pass
110	5550	16.09	0.67	16.76	23.98	0.2500	Pass
134	5670	16.84	0.67	17.51	23.98	0.2500	Pass
142	5710	16.84	0.67	17.51	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.73	0.67	17.40	23.98	0.2500	Pass
110	5550	16.76	0.67	17.43	23.98	0.2500	Pass
134	5670	16.31	0.67	16.98	23.98	0.2500	Pass
142	5710	16.25	0.67	16.92	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.13	0.67	16.80	23.98	0.2500	Pass
110	5550	16.04	0.67	16.71	23.98	0.2500	Pass
134	5670	16.05	0.67	16.72	23.98	0.2500	Pass
142	5710	16.54	0.67	17.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.15	23.98	0.2500	Pass
110	5550	22.96	23.98	0.2500	Pass
134	5670	23.03	23.98	0.2500	Pass
142	5710	23.13	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.73	0.70	17.43	23.98	0.2500	Pass
122	5610	16.92	0.70	17.62	23.98	0.2500	Pass
138	5690	16.51	0.70	17.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.96	0.70	17.66	23.98	0.2500	Pass
122	5610	16.75	0.70	17.45	23.98	0.2500	Pass
138	5690	17.35	0.70	18.05	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.25	0.70	17.95	23.98	0.2500	Pass
122	5610	17.49	0.70	18.19	23.98	0.2500	Pass
138	5690	16.75	0.70	17.45	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.73	0.70	17.43	23.98	0.2500	Pass
122	5610	17.14	0.70	17.84	23.98	0.2500	Pass
138	5690	16.52	0.70	17.22	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.64	23.98	0.2500	Pass
122	5610	23.80	23.98	0.2500	Pass
138	5690	23.51	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.74	0.69	16.43	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.93	0.69	16.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.26	0.69	16.95	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.88	0.69	16.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.67	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.89	0.16	24.05	30.00	1.0000	Pass
157	5785	23.04	0.16	23.20	30.00	1.0000	Pass
165	5825	23.33	0.16	23.49	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.72	0.16	23.88	30.00	1.0000	Pass
157	5785	23.64	0.16	23.80	30.00	1.0000	Pass
165	5825	23.87	0.16	24.03	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.06	0.16	24.22	30.00	1.0000	Pass
157	5785	23.94	0.16	24.10	30.00	1.0000	Pass
165	5825	23.98	0.16	24.14	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.51	0.16	23.67	30.00	1.0000	Pass
157	5785	24.09	0.16	24.25	30.00	1.0000	Pass
165	5825	23.68	0.16	23.84	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.98	30.00	1.0000	Pass
157	5785	29.88	30.00	1.0000	Pass
165	5825	29.90	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.05	0.17	23.22	30.00	1.0000	Pass
157	5785	23.27	0.17	23.44	30.00	1.0000	Pass
165	5825	23.21	0.17	23.38	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.59	0.17	23.76	30.00	1.0000	Pass
157	5785	23.68	0.17	23.85	30.00	1.0000	Pass
165	5825	23.93	0.17	24.10	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.88	0.17	24.05	30.00	1.0000	Pass
157	5785	23.93	0.17	24.10	30.00	1.0000	Pass
165	5825	24.05	0.17	24.22	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.92	0.17	24.09	30.00	1.0000	Pass
157	5785	23.44	0.17	23.61	30.00	1.0000	Pass
165	5825	23.83	0.17	24.00	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.82	30.00	1.0000	Pass
157	5785	29.78	30.00	1.0000	Pass
165	5825	29.96	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.62	0.33	22.95	30.00	1.0000	Pass
159	5795	22.59	0.33	22.92	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.87	0.33	23.20	30.00	1.0000	Pass
159	5795	22.80	0.33	23.13	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.18	0.33	23.51	30.00	1.0000	Pass
159	5795	23.02	0.33	23.35	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.10	0.33	23.43	30.00	1.0000	Pass
159	5795	23.17	0.33	23.50	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.30	30.00	1.0000	Pass
159	5795	29.25	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.23	0.66	21.89	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.48	0.66	22.14	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.80	0.66	22.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.52	0.66	22.18	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.19	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.44	0.67	23.11	30.00	1.0000	Pass
157	5785	22.32	0.67	22.99	30.00	1.0000	Pass
165	5825	22.33	0.67	23.00	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.54	0.67	23.21	30.00	1.0000	Pass
157	5785	22.39	0.67	23.06	30.00	1.0000	Pass
165	5825	23.03	0.67	23.70	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.96	0.67	23.63	30.00	1.0000	Pass
157	5785	23.09	0.67	23.76	30.00	1.0000	Pass
165	5825	23.07	0.67	23.74	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.93	0.67	23.60	30.00	1.0000	Pass
157	5785	22.87	0.67	23.54	30.00	1.0000	Pass
165	5825	22.59	0.67	23.26	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.41	30.00	1.0000	Pass
157	5785	29.37	30.00	1.0000	Pass
165	5825	29.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.59	0.67	23.26	30.00	1.0000	Pass
159	5795	22.32	0.67	22.99	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.75	0.67	23.42	30.00	1.0000	Pass
159	5795	22.57	0.67	23.24	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.91	0.67	23.58	30.00	1.0000	Pass
159	5795	22.88	0.67	23.55	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.86	0.67	23.53	30.00	1.0000	Pass
159	5795	22.88	0.67	23.55	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.47	30.00	1.0000	Pass
159	5795	29.36	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.64	0.70	22.34	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.69	0.70	22.39	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.99	0.70	22.69	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.92	0.70	22.62	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.53	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.09	0.16	9.25	15.58	Pass
40	5200	9.14	0.16	9.30	15.58	Pass
48	5240	9.27	0.16	9.43	15.58	Pass



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.22	0.16	9.38	15.58	Pass
40	5200	9.26	0.16	9.42	15.58	Pass
48	5240	9.41	0.16	9.57	15.58	Pass

