Test Mode	UNII-1_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.11	0.16	9.27	15.58	Pass
40	5200	9.03	0.16	9.19	15.58	Pass
48	5240	9.24	0.16	9.40	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.80	0.16	8.96	15.58	Pass
40	5200	8.91	0.16	9.07	15.58	Pass
48	5240	9.41	0.16	9.57	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.23	15.58	Pass
40	5200	15.27	15.58	Pass
48	5240	15.52	15.58	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.88	0.17	9.06	15.58	Pass
40	5200	9.43	0.17	9.60	15.58	Pass
48	5240	9.21	0.17	9.38	15.58	Pass

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.13	0.17	9.30	15.58	Pass
40	5200	9.38	0.17	9.55	15.58	Pass
48	5240	9.25	0.17	9.42	15.58	Pass

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.24	0.17	9.41	15.58	Pass
40	5200	9.16	0.17	9.33	15.58	Pass
48	5240	9.21	0.17	9.38	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.83	0.17	9.01	15.58	Pass
40	5200	9.34	0.17	9.52	15.58	Pass
48	5240	9.04	0.17	9.21	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.22	15.58	Pass
40	5200	15.52	15.58	Pass
48	5240	15.37	15.58	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.95	0.33	9.28	15.58	Pass
46	5230	9.24	0.33	9.58	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.38	0.33	9.71	15.58	Pass
46	5230	9.15	0.33	9.48	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.39	0.33	9.72	15.58	Pass
46	5230	9.07	0.33	9.40	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.96	0.33	9.30	15.58	Pass
46	5230	8.70	0.33	9.03	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.53	15.58	Pass
46	5230	15.40	15.58	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.05	0.66	7.71	15.58	Pass

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.23	0.66	6.89	15.58	Pass

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.98	0.66	6.63	15.58	Pass

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.02	0.66	6.68	15.58	Pass

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.02	15.58	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.89	0.67	9.56	15.58	Pass
40	5200	8.79	0.67	9.46	15.58	Pass
48	5240	8.90	0.67	9.56	15.58	Pass

CH36



CH40



CH48



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.96	0.67	9.63	15.58	Pass
40	5200	8.95	0.67	9.62	15.58	Pass
48	5240	8.98	0.67	9.64	15.58	Pass

CH36



CH40



CH48



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.91	0.67	9.58	15.58	Pass
40	5200	8.83	0.67	9.50	15.58	Pass
48	5240	8.63	0.67	9.30	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.67	0.67	9.34	15.58	Pass
40	5200	8.82	0.67	9.49	15.58	Pass
48	5240	8.88	0.67	9.54	15.58	Pass

CH36 **CH40** **CH48**



Test Mode	UNII-1_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.55	15.58	Pass
40	5200	15.54	15.58	Pass
48	5240	15.54	15.58	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.43	0.67	9.10	15.58	Pass
46	5230	8.40	0.67	9.07	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.52	0.67	9.19	15.58	Pass
46	5230	8.40	0.67	9.07	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.40	0.67	9.07	15.58	Pass
46	5230	8.38	0.67	9.05	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.11	0.67	8.78	15.58	Pass
46	5230	8.42	0.67	9.09	15.58	Pass

CH38 **CH46**



Test Mode	UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.06	15.58	Pass
46	5230	15.09	15.58	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.77	0.70	7.46	15.58	Pass

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.52	0.70	7.22	15.58	Pass

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.15	0.70	6.84	15.58	Pass

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.22	0.70	6.92	15.58	Pass

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.14	15.58	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.32	0.16	3.48	9.58	Pass
60	5300	3.23	0.16	3.39	9.58	Pass
64	5320	3.54	0.16	3.70	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.91	0.16	3.07	9.58	Pass
60	5300	2.84	0.16	2.99	9.58	Pass
64	5320	2.93	0.16	3.08	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.39	0.16	3.55	9.58	Pass
60	5300	3.36	0.16	3.52	9.58	Pass
64	5320	3.45	0.16	3.61	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.22	0.16	3.38	9.58	Pass
60	5300	3.45	0.16	3.61	9.58	Pass
64	5320	3.25	0.16	3.41	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.39	9.58	Pass
60	5300	9.40	9.58	Pass
64	5320	9.48	9.58	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.37	0.17	3.55	9.58	Pass
60	5300	3.45	0.17	3.63	9.58	Pass
64	5320	3.51	0.17	3.68	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.03	0.17	3.20	9.58	Pass
60	5300	2.85	0.17	3.03	9.58	Pass
64	5320	3.03	0.17	3.20	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.46	0.17	3.63	9.58	Pass
60	5300	3.26	0.17	3.43	9.58	Pass
64	5320	3.39	0.17	3.56	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.29	0.17	3.46	9.58	Pass
60	5300	3.33	0.17	3.50	9.58	Pass
64	5320	3.33	0.17	3.50	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.48	9.58	Pass
60	5300	9.42	9.58	Pass
64	5320	9.51	9.58	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.64	0.33	2.97	9.58	Pass
62	5310	2.94	0.33	3.27	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.41	0.33	2.74	9.58	Pass
62	5310	2.94	0.33	3.28	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.88	0.33	3.22	9.58	Pass
62	5310	2.82	0.33	3.16	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.82	0.33	3.15	9.58	Pass
62	5310	3.05	0.33	3.38	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.04	9.58	Pass
62	5310	9.29	9.58	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.72	0.66	1.37	9.58	Pass

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.21	0.66	0.44	9.58	Pass

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.54	0.66	1.20	9.58	Pass

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.69	0.66	1.35	9.58	Pass

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.13	9.58	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.56	0.67	3.23	9.58	Pass
60	5300	2.46	0.67	3.12	9.58	Pass
64	5320	2.87	0.67	3.54	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.11	0.67	2.78	9.58	Pass
60	5300	2.28	0.67	2.95	9.58	Pass
64	5320	2.28	0.67	2.95	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.52	0.67	3.19	9.58	Pass
60	5300	2.51	0.67	3.18	9.58	Pass
64	5320	2.59	0.67	3.26	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.62	0.67	3.29	9.58	Pass
60	5300	2.46	0.67	3.13	9.58	Pass
64	5320	2.75	0.67	3.42	9.58	Pass

CH52 **CH60** **CH64**



Test Mode	UNII-2A_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.15	9.58	Pass
60	5300	9.12	9.58	Pass
64	5320	9.32	9.58	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.58	0.67	3.25	9.58	Pass
62	5310	3.36	0.67	4.03	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.32	0.67	2.99	9.58	Pass
62	5310	2.17	0.67	2.84	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.89	0.67	3.56	9.58	Pass
62	5310	2.81	0.67	3.48	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.50	0.67	3.17	9.58	Pass
62	5310	2.77	0.67	3.44	9.58	Pass

CH54 **CH62**



Test Mode	UNII-2A_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.27	9.58	Pass
62	5310	9.49	9.58	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.80	0.70	1.50	9.58	Pass

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.06	0.70	0.64	9.58	Pass

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.14	0.70	1.84	9.58	Pass

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.90	0.70	1.59	9.58	Pass

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.43	9.58	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.83	1.10	-1.73	9.58	Pass

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.33	1.10	-1.24	9.58	Pass

CH50