



802.11be-EHT20 26 dB Bandwidth


Channel 1 (5955 MHz)




Channel 49 (6195 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11be-EHT20 26 dB Bandwidth


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)



Channel 209 (6995 MHz)




Channel 229 (7095 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 3 (5965 MHz)




Channel 51 (6205 MHz)




Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)




Channel 227 (7085 MHz)




802.11be-EHT80 26 dB Bandwidth


Channel 7 (5985 MHz)




Channel 55 (6225 MHz)




Channel 87 (6385 MHz)




Channel 103 (6465 MHz)



Channel 119 (6545 MHz)




Channel 135 (6625 MHz)




802.11be-EHT80 26 dB Bandwidth


Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)




802.11be-EHT160 26 dB Bandwidth


Channel 15 (6025 MHz)




Channel 47 (6185 MHz)




Channel 79 (6345 MHz)




Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)




802.11be-EHT320-1 26 dB Bandwidth


Channel 31 (6105 MHz)



Channel 95 (6425 MHz)




Channel 159 (6745 MHz)




802.11be-EHT320-2 26 dB Bandwidth


Channel 63 (6265 MHz)



Channel 127 (6585 MHz)



Channel 191 (6905 MHz)



A.3 Output Power Test Result

Test Site	SIP-TR1	Test Engineer	Nolan Chen
Test Date	2025-07-08~2025-07-10	Test Mode	Nss = 1

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE20	MCS0	1	5955	5.15	5.75	5.35	5.36	11.43	2.59	14.02	≤ 30.00
802.11ax-HE20	MCS0	49	6195	4.13	4.95	3.92	5.14	10.59	2.59	13.18	≤ 30.00
802.11ax-HE20	MCS0	93	6415	4.62	4.81	4.26	4.98	10.70	2.59	13.29	≤ 30.00
802.11ax-HE20	MCS0	97	6435	5.19	4.83	3.80	4.94	10.74	2.48	13.22	≤ 30.00
802.11ax-HE20	MCS0	105	6475	4.90	5.20	4.65	4.98	10.96	2.48	13.44	≤ 30.00
802.11ax-HE20	MCS0	113	6515	5.13	5.54	5.42	5.23	11.35	2.48	13.83	≤ 30.00
802.11ax-HE20	MCS0	117	6535	4.58	5.02	5.58	4.61	10.99	2.34	13.33	≤ 30.00
802.11ax-HE20	MCS0	149	6695	5.30	5.62	5.01	6.15	11.56	2.34	13.90	≤ 30.00
802.11ax-HE20	MCS0	181	6855	4.05	5.46	4.62	5.20	10.89	2.34	13.23	≤ 30.00
802.11ax-HE20	MCS0	185	6875	4.16	5.21	4.76	5.03	10.83	2.34	13.17	≤ 30.00
802.11ax-HE20	MCS0	189	6895	4.56	5.50	4.65	5.62	11.13	2.25	13.38	≤ 30.00
802.11ax-HE20	MCS0	209	6995	5.88	6.24	4.79	5.27	11.60	2.25	13.85	≤ 30.00
802.11ax-HE20	MCS0	229	7095	5.51	4.95	4.70	5.35	11.16	2.25	13.41	≤ 30.00
802.11ax-HE40	MCS0	3	5965	7.66	8.40	7.72	7.60	13.88	2.59	16.47	≤ 30.00
802.11ax-HE40	MCS0	51	6205	7.58	7.83	7.14	8.03	13.68	2.59	16.27	≤ 30.00
802.11ax-HE40	MCS0	91	6405	7.46	8.30	7.66	7.58	13.78	2.59	16.37	≤ 30.00
802.11ax-HE40	MCS0	99	6445	7.84	8.17	7.88	8.02	14.00	2.48	16.48	≤ 30.00
802.11ax-HE40	MCS0	107	6485	7.94	8.20	8.01	8.06	14.07	2.48	16.55	≤ 30.00
802.11ax-HE40	MCS0	115	6525	7.65	7.37	8.30	7.45	13.73	2.48	16.21	≤ 30.00
802.11ax-HE40	MCS0	123	6565	7.32	7.94	8.13	7.78	13.82	2.34	16.16	≤ 30.00
802.11ax-HE40	MCS0	147	6685	8.14	8.26	7.78	8.38	14.17	2.34	16.51	≤ 30.00
802.11ax-HE40	MCS0	179	6845	7.84	8.16	8.23	8.33	14.16	2.34	16.50	≤ 30.00
802.11ax-HE40	MCS0	187	6885	7.14	8.28	7.23	7.95	13.70	2.25	15.95	≤ 30.00
802.11ax-HE40	MCS0	195	6925	8.66	9.05	7.98	8.62	14.61	2.25	16.86	≤ 30.00
802.11ax-HE40	MCS0	211	7005	7.96	9.25	7.99	7.84	14.32	2.25	16.57	≤ 30.00
802.11ax-HE40	MCS0	227	7085	8.46	7.68	7.64	7.83	13.94	2.25	16.19	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE80	MCS0	7	5985	10.45	10.91	10.49	10.76	16.68	2.59	19.27	≤ 30.00
802.11ax-HE80	MCS0	55	6225	10.46	10.22	9.64	10.45	16.23	2.59	18.82	≤ 30.00
802.11ax-HE80	MCS0	87	6385	9.91	10.16	9.60	10.06	15.96	2.59	18.55	≤ 30.00
802.11ax-HE80	MCS0	103	6465	10.61	10.79	10.67	10.46	16.65	2.48	19.13	≤ 30.00
802.11ax-HE80	MCS0	119	6545	9.98	10.53	11.09	10.31	16.52	2.34	18.86	≤ 30.00
802.11ax-HE80	MCS0	135	6625	9.44	10.84	10.31	10.38	16.29	2.34	18.63	≤ 30.00
802.11ax-HE80	MCS0	151	6705	10.63	11.85	10.76	11.91	17.35	2.34	19.69	≤ 30.00
802.11ax-HE80	MCS0	167	6785	9.91	11.09	11.14	10.59	16.73	2.34	19.07	≤ 30.00
802.11ax-HE80	MCS0	183	6865	9.56	10.59	9.95	10.28	16.13	2.34	18.47	≤ 30.00
802.11ax-HE80	MCS0	199	6945	11.88	11.99	10.89	11.25	17.55	2.25	19.80	≤ 30.00
802.11ax-HE80	MCS0	215	7025	10.86	11.62	10.84	10.36	16.96	2.25	19.21	≤ 30.00
802.11ax-HE160	MCS0	15	6025	13.65	13.15	13.32	13.05	19.32	2.59	21.91	≤ 30.00
802.11ax-HE160	MCS0	47	6185	11.73	13.04	11.97	13.38	18.61	2.59	21.20	≤ 30.00
802.11ax-HE160	MCS0	79	6345	12.26	13.32	13.06	13.10	18.97	2.59	21.56	≤ 30.00
802.11ax-HE160	MCS0	111	6505	12.73	12.98	12.92	12.56	18.82	2.48	21.30	≤ 30.00
802.11ax-HE160	MCS0	143	6665	12.60	13.99	12.78	13.11	19.17	2.34	21.51	≤ 30.00
802.11ax-HE160	MCS0	175	6825	11.89	13.26	12.92	12.94	18.80	2.34	21.14	≤ 30.00
802.11ax-HE160	MCS0	207	6985	11.98	12.79	12.26	12.02	18.30	2.25	20.55	≤ 30.00
802.11be-EHT20	MCS0	1	5955	4.43	5.35	5.28	5.21	11.10	2.59	13.69	≤ 30.00
802.11be-EHT20	MCS0	49	6195	4.45	5.16	4.09	5.29	10.80	2.59	13.39	≤ 30.00
802.11be-EHT20	MCS0	93	6415	4.53	5.36	4.89	4.78	10.92	2.59	13.51	≤ 30.00
802.11be-EHT20	MCS0	97	6435	5.03	5.22	4.76	5.05	11.04	2.48	13.52	≤ 30.00
802.11be-EHT20	MCS0	105	6475	4.88	5.33	5.56	4.96	11.21	2.48	13.69	≤ 30.00
802.11be-EHT20	MCS0	113	6515	4.68	4.65	5.91	4.83	11.07	2.48	13.55	≤ 30.00
802.11be-EHT20	MCS0	117	6535	4.58	4.98	4.95	4.74	10.84	2.34	13.18	≤ 30.00
802.11be-EHT20	MCS0	149	6695	4.53	5.73	4.82	5.70	11.25	2.34	13.59	≤ 30.00
802.11be-EHT20	MCS0	181	6855	4.19	5.57	4.99	5.08	11.01	2.34	13.35	≤ 30.00
802.11be-EHT20	MCS0	185	6875	4.10	5.22	4.72	5.12	10.83	2.34	13.17	≤ 30.00
802.11be-EHT20	MCS0	189	6895	4.59	5.16	5.49	5.64	11.26	2.25	13.51	≤ 30.00
802.11be-EHT20	MCS0	209	6995	4.96	6.07	4.59	4.89	11.19	2.25	13.44	≤ 30.00
802.11be-EHT20	MCS0	229	7095	5.28	5.36	3.81	5.32	11.01	2.25	13.26	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT40	MCS0	3	5965	7.69	7.90	7.66	7.92	13.81	2.59	16.40	≤ 30.00
802.11be-EHT40	MCS0	51	6205	8.13	7.75	7.45	8.03	13.87	2.59	16.46	≤ 30.00
802.11be-EHT40	MCS0	91	6405	7.58	8.22	7.31	7.62	13.72	2.59	16.31	≤ 30.00
802.11be-EHT40	MCS0	99	6445	8.01	8.19	7.79	7.73	13.95	2.48	16.43	≤ 30.00
802.11be-EHT40	MCS0	107	6485	7.91	8.12	7.86	8.04	14.00	2.48	16.48	≤ 30.00
802.11be-EHT40	MCS0	115	6525	7.42	7.81	8.01	7.22	13.65	2.48	16.13	≤ 30.00
802.11be-EHT40	MCS0	123	6565	7.78	8.44	9.14	8.18	14.43	2.34	16.77	≤ 30.00
802.11be-EHT40	MCS0	147	6685	7.35	8.79	7.59	8.98	14.26	2.34	16.60	≤ 30.00
802.11be-EHT40	MCS0	179	6845	6.69	7.65	7.15	7.68	13.33	2.34	15.67	≤ 30.00
802.11be-EHT40	MCS0	187	6885	7.12	8.39	7.71	8.08	13.87	2.25	16.12	≤ 30.00
802.11be-EHT40	MCS0	195	6925	8.83	9.62	8.13	8.72	14.88	2.25	17.13	≤ 30.00
802.11be-EHT40	MCS0	211	7005	8.49	8.72	7.50	7.45	14.10	2.25	16.35	≤ 30.00
802.11be-EHT40	MCS0	227	7085	8.02	7.37	7.64	8.19	13.84	2.25	16.09	≤ 30.00
802.11be-EHT80	MCS0	7	5985	10.26	10.99	10.91	10.75	16.76	2.59	19.35	≤ 30.00
802.11be-EHT80	MCS0	55	6225	9.83	10.67	9.85	11.08	16.41	2.59	19.00	≤ 30.00
802.11be-EHT80	MCS0	87	6385	9.53	9.98	9.45	9.98	15.76	2.59	18.35	≤ 30.00
802.11be-EHT80	MCS0	103	6465	10.65	10.79	10.48	10.82	16.71	2.48	19.19	≤ 30.00
802.11be-EHT80	MCS0	119	6545	9.98	10.63	11.09	10.21	16.52	2.34	18.86	≤ 30.00
802.11be-EHT80	MCS0	135	6625	10.12	10.84	10.15	10.21	16.36	2.34	18.70	≤ 30.00
802.11be-EHT80	MCS0	151	6705	10.55	11.82	10.51	11.79	17.23	2.34	19.57	≤ 30.00
802.11be-EHT80	MCS0	167	6785	9.75	10.86	10.62	10.57	16.49	2.34	18.83	≤ 30.00
802.11be-EHT80	MCS0	183	6865	9.20	10.60	10.16	10.51	16.17	2.34	18.51	≤ 30.00
802.11be-EHT80	MCS0	199	6945	10.95	12.23	10.56	11.25	17.31	2.25	19.56	≤ 30.00
802.11be-EHT80	MCS0	215	7025	10.86	11.51	10.74	10.63	16.97	2.25	19.22	≤ 30.00
802.11be-EHT160	MCS0	15	6025	13.06	13.15	13.67	13.14	19.28	2.59	21.87	≤ 30.00
802.11be-EHT160	MCS0	47	6185	12.74	13.22	12.16	13.28	18.89	2.59	21.48	≤ 30.00
802.11be-EHT160	MCS0	79	6345	12.04	13.14	12.92	12.95	18.80	2.59	21.39	≤ 30.00
802.11be-EHT160	MCS0	111	6505	12.93	13.33	13.16	12.83	19.09	2.48	21.57	≤ 30.00
802.11be-EHT160	MCS0	143	6665	13.13	13.90	13.14	13.24	19.39	2.34	21.73	≤ 30.00
802.11be-EHT160	MCS0	175	6825	11.78	12.90	12.81	12.95	18.66	2.34	21.00	≤ 30.00
802.11be-EHT160	MCS0	207	6985	12.42	13.28	12.33	12.30	18.62	2.25	20.87	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT320-1	MCS0	31	6105	15.54	16.56	15.44	16.56	22.08	2.59	24.67	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	14.81	15.73	14.89	14.86	21.11	2.59	23.70	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	15.21	15.53	14.55	16.38	21.49	2.34	23.83	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	14.86	15.46	14.98	15.65	21.27	2.59	23.86	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	16.02	16.51	16.88	15.98	22.38	2.34	24.72	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	14.91	15.38	14.92	15.90	21.32	2.25	23.57	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Directional Gain for Power (dBi).

Test Site	SIP-TR1	Test Engineer	Nolan Chen
Test Date	2025-07-01~2025-07-18	Test Mode	Nss = 4

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE20	MCS0	1	5955	8.38	8.82	8.73	8.33	14.59	2.59	17.18	≤ 30.00
802.11ax-HE20	MCS0	49	6195	7.92	8.21	7.98	7.99	14.05	2.59	16.64	≤ 30.00
802.11ax-HE20	MCS0	93	6415	8.24	8.96	8.51	8.03	14.47	2.59	17.06	≤ 30.00
802.11ax-HE20	MCS0	97	6435	8.57	8.52	7.88	8.12	14.30	2.48	16.78	≤ 30.00
802.11ax-HE20	MCS0	105	6475	8.54	8.57	8.13	8.79	14.53	2.48	17.01	≤ 30.00
802.11ax-HE20	MCS0	113	6515	8.86	8.01	8.56	8.22	14.45	2.48	16.93	≤ 30.00
802.11ax-HE20	MCS0	117	6535	8.52	8.67	8.89	7.59	14.47	2.34	16.81	≤ 30.00
802.11ax-HE20	MCS0	149	6695	8.69	9.04	8.71	8.73	14.82	2.34	17.16	≤ 30.00
802.11ax-HE20	MCS0	181	6855	8.33	8.84	8.85	8.35	14.62	2.34	16.96	≤ 30.00
802.11ax-HE20	MCS0	185	6875	8.25	8.44	8.66	7.95	14.35	2.34	16.69	≤ 30.00
802.11ax-HE20	MCS0	189	6895	8.45	8.76	9.05	8.43	14.70	2.25	16.95	≤ 30.00
802.11ax-HE20	MCS0	209	6995	8.65	9.01	8.25	7.73	14.46	2.25	16.71	≤ 30.00
802.11ax-HE20	MCS0	229	7095	9.56	8.12	8.66	8.44	14.75	2.25	17.00	≤ 30.00
802.11ax-HE40	MCS0	3	5965	11.68	11.77	11.54	10.92	17.51	2.59	20.10	≤ 30.00
802.11ax-HE40	MCS0	51	6205	10.29	10.85	10.91	11.17	16.84	2.59	19.43	≤ 30.00
802.11ax-HE40	MCS0	91	6405	10.61	11.50	10.96	10.45	16.92	2.59	19.51	≤ 30.00
802.11ax-HE40	MCS0	99	6445	11.70	11.67	11.43	11.09	17.50	2.48	19.98	≤ 30.00
802.11ax-HE40	MCS0	107	6485	11.30	11.27	11.10	10.75	17.13	2.48	19.61	≤ 30.00
802.11ax-HE40	MCS0	115	6525	11.76	11.34	12.27	11.08	17.66	2.48	20.14	≤ 30.00
802.11ax-HE40	MCS0	123	6565	11.66	11.57	12.02	11.62	17.74	2.34	20.08	≤ 30.00
802.11ax-HE40	MCS0	147	6685	11.14	12.12	11.55	11.55	17.62	2.34	19.96	≤ 30.00
802.11ax-HE40	MCS0	179	6845	10.83	11.74	11.70	10.79	17.31	2.34	19.65	≤ 30.00
802.11ax-HE40	MCS0	187	6885	10.49	11.16	11.54	10.79	17.03	2.25	19.28	≤ 30.00
802.11ax-HE40	MCS0	195	6925	12.11	12.28	11.65	11.06	17.82	2.25	20.07	≤ 30.00
802.11ax-HE40	MCS0	211	7005	11.83	11.64	11.34	10.67	17.41	2.25	19.66	≤ 30.00
802.11ax-HE40	MCS0	227	7085	11.67	10.78	11.30	10.89	17.20	2.25	19.45	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE80	MCS0	7	5985	14.17	14.31	14.40	13.73	20.18	2.59	22.77	≤ 30.00
802.11ax-HE80	MCS0	55	6225	14.41	14.18	14.32	13.95	20.24	2.59	22.83	≤ 30.00
802.11ax-HE80	MCS0	87	6385	13.24	13.68	13.63	12.81	19.37	2.59	21.96	≤ 30.00
802.11ax-HE80	MCS0	103	6465	14.80	14.44	14.52	14.18	20.51	2.48	22.99	≤ 30.00
802.11ax-HE80	MCS0	119	6545	14.31	13.95	14.58	14.26	20.30	2.34	22.64	≤ 30.00
802.11ax-HE80	MCS0	135	6625	13.10	14.20	13.43	13.58	19.62	2.34	21.96	≤ 30.00
802.11ax-HE80	MCS0	151	6705	14.13	14.57	14.51	14.52	20.46	2.34	22.80	≤ 30.00
802.11ax-HE80	MCS0	167	6785	14.23	14.74	15.02	13.96	20.53	2.34	22.87	≤ 30.00
802.11ax-HE80	MCS0	183	6865	13.04	14.21	14.14	13.66	19.81	2.34	22.15	≤ 30.00
802.11ax-HE80	MCS0	199	6945	14.83	15.38	14.52	14.02	20.74	2.25	22.99	≤ 30.00
802.11ax-HE80	MCS0	215	7025	14.44	14.57	13.96	13.16	20.09	2.25	22.34	≤ 30.00
802.11ax-HE160	MCS0	15	6025	17.12	16.18	17.08	15.81	22.60	2.59	25.19	≤ 30.00
802.11ax-HE160	MCS0	47	6185	15.34	15.92	15.27	15.71	21.59	2.59	24.18	≤ 30.00
802.11ax-HE160	MCS0	79	6345	15.63	16.29	16.33	15.56	21.99	2.59	24.58	≤ 30.00
802.11ax-HE160	MCS0	111	6505	16.38	16.54	16.42	16.04	22.37	2.48	24.85	≤ 30.00
802.11ax-HE160	MCS0	143	6665	15.41	16.72	16.68	15.81	22.21	2.34	24.55	≤ 30.00
802.11ax-HE160	MCS0	175	6825	15.40	16.06	16.72	15.74	22.03	2.34	24.37	≤ 30.00
802.11ax-HE160	MCS0	207	6985	16.34	16.02	15.42	15.35	21.82	2.25	24.07	≤ 30.00
802.11be-EHT20	MCS0	1	5955	8.72	8.58	8.67	8.09	14.54	2.59	17.13	≤ 30.00
802.11be-EHT20	MCS0	49	6195	8.25	8.51	8.33	8.49	14.42	2.59	17.01	≤ 30.00
802.11be-EHT20	MCS0	93	6415	8.20	8.68	7.89	7.46	14.10	2.59	16.69	≤ 30.00
802.11be-EHT20	MCS0	97	6435	9.06	8.38	8.35	8.43	14.59	2.48	17.07	≤ 30.00
802.11be-EHT20	MCS0	105	6475	8.90	8.34	8.27	8.14	14.44	2.48	16.92	≤ 30.00
802.11be-EHT20	MCS0	113	6515	8.76	8.06	9.13	8.17	14.57	2.48	17.05	≤ 30.00
802.11be-EHT20	MCS0	117	6535	9.02	8.91	9.65	8.46	15.05	2.34	17.39	≤ 30.00
802.11be-EHT20	MCS0	149	6695	8.51	9.02	8.54	8.58	14.69	2.34	17.03	≤ 30.00
802.11be-EHT20	MCS0	181	6855	7.92	8.59	8.34	7.53	14.13	2.34	16.47	≤ 30.00
802.11be-EHT20	MCS0	185	6875	8.29	9.08	8.91	8.43	14.71	2.34	17.05	≤ 30.00
802.11be-EHT20	MCS0	189	6895	8.33	8.83	8.95	8.71	14.73	2.25	16.98	≤ 30.00
802.11be-EHT20	MCS0	209	6995	8.84	9.36	8.13	7.59	14.55	2.25	16.80	≤ 30.00
802.11be-EHT20	MCS0	229	7095	9.54	8.14	8.56	8.21	14.67	2.25	16.92	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT40	MCS0	3	5965	11.86	11.77	11.64	11.22	17.65	2.59	20.24	≤ 30.00
802.11be-EHT40	MCS0	51	6205	10.65	11.31	10.96	11.13	17.04	2.59	19.63	≤ 30.00
802.11be-EHT40	MCS0	91	6405	11.52	11.23	10.76	11.03	17.16	2.59	19.75	≤ 30.00
802.11be-EHT40	MCS0	99	6445	11.55	12.05	11.46	11.35	17.63	2.48	20.11	≤ 30.00
802.11be-EHT40	MCS0	107	6485	11.56	11.73	11.28	10.82	17.38	2.48	19.86	≤ 30.00
802.11be-EHT40	MCS0	115	6525	11.76	11.82	12.14	11.12	17.75	2.48	20.23	≤ 30.00
802.11be-EHT40	MCS0	123	6565	11.46	11.61	12.09	11.64	17.73	2.34	20.07	≤ 30.00
802.11be-EHT40	MCS0	147	6685	11.26	11.87	11.71	11.73	17.67	2.34	20.01	≤ 30.00
802.11be-EHT40	MCS0	179	6845	10.95	11.58	11.74	10.86	17.32	2.34	19.66	≤ 30.00
802.11be-EHT40	MCS0	187	6885	10.99	11.25	11.68	10.79	17.21	2.25	19.46	≤ 30.00
802.11be-EHT40	MCS0	195	6925	12.07	12.52	11.36	11.26	17.85	2.25	20.10	≤ 30.00
802.11be-EHT40	MCS0	211	7005	11.89	12.37	11.25	11.10	17.70	2.25	19.95	≤ 30.00
802.11be-EHT40	MCS0	227	7085	12.06	10.87	10.74	11.45	17.33	2.25	19.58	≤ 30.00
802.11be-EHT80	MCS0	7	5985	14.59	14.49	14.53	13.86	20.40	2.59	22.99	≤ 30.00
802.11be-EHT80	MCS0	55	6225	14.43	14.13	13.97	13.86	20.12	2.59	22.71	≤ 30.00
802.11be-EHT80	MCS0	87	6385	13.75	13.86	13.82	12.95	19.63	2.59	22.22	≤ 30.00
802.11be-EHT80	MCS0	103	6465	15.10	14.55	14.56	14.21	20.64	2.48	23.12	≤ 30.00
802.11be-EHT80	MCS0	119	6545	13.97	14.68	14.72	13.35	20.24	2.34	22.58	≤ 30.00
802.11be-EHT80	MCS0	135	6625	12.83	14.26	13.86	13.06	19.56	2.34	21.90	≤ 30.00
802.11be-EHT80	MCS0	151	6705	14.19	14.64	14.59	14.49	20.50	2.34	22.84	≤ 30.00
802.11be-EHT80	MCS0	167	6785	13.46	14.14	14.26	13.20	19.81	2.34	22.15	≤ 30.00
802.11be-EHT80	MCS0	183	6865	13.63	13.95	14.34	13.31	19.84	2.34	22.18	≤ 30.00
802.11be-EHT80	MCS0	199	6945	14.84	15.07	14.30	13.93	20.58	2.25	22.83	≤ 30.00
802.11be-EHT80	MCS0	215	7025	14.12	14.65	13.77	13.15	19.98	2.25	22.23	≤ 30.00
802.11be-EHT160	MCS0	15	6025	17.16	16.11	16.96	16.07	22.62	2.59	25.21	≤ 30.00
802.11be-EHT160	MCS0	47	6185	15.82	16.51	15.74	16.26	22.11	2.59	24.70	≤ 30.00
802.11be-EHT160	MCS0	79	6345	15.86	16.41	16.44	15.60	22.11	2.59	24.70	≤ 30.00
802.11be-EHT160	MCS0	111	6505	17.07	16.77	16.54	16.26	22.69	2.48	25.17	≤ 30.00
802.11be-EHT160	MCS0	143	6665	16.55	17.58	17.36	16.42	23.03	2.34	25.37	≤ 30.00
802.11be-EHT160	MCS0	175	6825	15.86	16.09	16.54	15.64	22.07	2.34	24.41	≤ 30.00
802.11be-EHT160	MCS0	207	6985	16.15	16.54	15.62	15.51	22.00	2.25	24.25	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT320-1	MCS0	31	6105	19.49	19.95	19.30	19.59	25.61	2.59	28.20	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	18.90	18.59	18.48	17.95	24.51	2.59	27.10	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	18.74	19.06	18.91	19.10	24.98	2.34	27.32	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	18.79	19.26	19.02	18.86	25.01	2.59	27.60	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	19.02	19.11	19.79	18.51	25.15	2.34	27.49	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	18.73	19.15	19.24	18.47	24.93	2.25	27.18	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Directional Gain for Power (dBi).

A.4 Power Spectral Density Test Result

Test Site	SIP-TR1	Test Engineer	Nolan Chen
Test Date	2025-07-08~2025-07-10	Test Mode	Nss = 1

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE20	MCS0	1	5955	-7.880	-6.727	-7.444	-7.130	96.90	5.94	4.82	≤ 5.00
802.11ax-HE20	MCS0	49	6195	-7.095	-7.236	-7.640	-7.170	96.90	5.94	4.82	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-7.830	-6.790	-7.696	-7.806	96.90	5.94	4.59	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-7.309	-7.569	-7.849	-7.669	96.90	5.95	4.51	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-7.244	-7.070	-7.885	-7.721	96.90	5.95	4.64	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-7.580	-7.240	-6.592	-7.334	96.90	5.95	4.94	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-7.273	-7.624	-7.181	-7.953	96.90	5.80	4.46	≤ 5.00
802.11ax-HE20	MCS0	149	6695	-8.077	-6.860	-7.571	-6.823	96.90	5.80	4.66	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-8.035	-6.767	-7.316	-6.833	96.90	5.80	4.75	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-8.068	-6.973	-7.027	-7.552	96.90	5.80	4.57	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-7.837	-6.954	-6.745	-6.520	96.90	5.46	4.63	≤ 5.00
802.11ax-HE20	MCS0	209	6995	-6.866	-6.285	-7.563	-7.457	96.90	5.46	4.61	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-6.292	-6.784	-7.403	-7.200	96.90	5.46	4.72	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-6.895	-7.046	-7.698	-7.909	96.91	5.94	4.73	≤ 5.00
802.11ax-HE40	MCS0	51	6205	-7.718	-6.838	-7.407	-7.067	96.91	5.94	4.85	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-7.994	-6.274	-7.327	-7.366	96.91	5.94	4.90	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-7.645	-7.300	-7.757	-7.339	96.91	5.95	4.60	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-7.198	-7.171	-7.800	-7.609	96.91	5.95	4.67	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-7.449	-7.569	-7.348	-7.675	96.91	5.95	4.60	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-7.632	-7.091	-7.043	-7.894	96.91	5.80	4.56	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-8.044	-7.056	-7.605	-7.421	96.91	5.80	4.44	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-8.456	-6.612	-7.493	-7.283	96.91	5.80	4.55	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-7.243	-6.456	-6.771	-7.254	96.91	5.46	4.70	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-6.984	-6.302	-7.484	-7.162	96.91	5.46	4.66	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-6.751	-5.471	-7.353	-7.649	96.91	5.46	4.89	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-6.243	-7.123	-7.717	-7.584	96.91	5.46	4.49	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE80	MCS0	7	5985	-6.954	-7.387	-8.153	-8.168	97.34	5.94	4.44	≤ 5.00
802.11ax-HE80	MCS0	55	6225	-7.839	-7.658	-7.946	-6.898	97.34	5.94	4.51	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-8.172	-6.696	-7.932	-7.264	97.34	5.94	4.60	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-7.002	-7.293	-7.880	-7.870	97.34	5.95	4.59	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-7.467	-7.940	-6.722	-7.820	97.34	5.80	4.48	≤ 5.00
802.11ax-HE80	MCS0	135	6625	-7.724	-6.064	-7.307	-8.209	97.34	5.80	4.69	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-8.151	-7.406	-7.396	-6.748	97.34	5.80	4.54	≤ 5.00
802.11ax-HE80	MCS0	167	6785	-7.584	-6.589	-7.084	-8.042	97.34	5.80	4.65	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-8.104	-6.256	-6.907	-8.227	97.34	5.80	4.64	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-6.606	-5.689	-7.319	-7.475	97.34	5.46	4.88	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-7.160	-5.571	-6.588	-7.569	97.34	5.46	4.94	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-7.110	-7.213	-7.697	-7.780	97.56	5.94	4.63	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-9.045	-7.315	-8.132	-6.700	97.56	5.94	4.36	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-8.685	-6.597	-7.087	-7.031	97.56	5.94	4.79	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-8.193	-7.093	-7.050	-7.484	97.56	5.95	4.65	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-7.540	-6.222	-7.467	-8.435	97.56	5.80	4.58	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-7.750	-6.528	-6.003	-8.107	97.56	5.80	4.92	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-8.768	-6.193	-7.069	-7.204	97.56	5.46	4.37	≤ 5.00
802.11be-EHT20	MCS0	1	5955	-7.848	-7.174	-7.665	-7.300	97.35	5.94	4.59	≤ 5.00
802.11be-EHT20	MCS0	49	6195	-7.745	-7.248	-7.896	-7.210	97.35	5.94	4.56	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-7.731	-6.699	-7.602	-7.425	97.35	5.94	4.73	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-7.444	-7.726	-7.532	-7.573	97.35	5.95	4.52	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-7.625	-7.523	-7.160	-7.520	97.35	5.95	4.63	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-7.596	-7.712	-6.547	-7.680	97.35	5.95	4.73	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-7.913	-7.875	-6.203	-7.869	97.35	5.80	4.54	≤ 5.00
802.11be-EHT20	MCS0	149	6695	-8.229	-6.848	-7.349	-7.084	97.35	5.80	4.59	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-8.243	-6.642	-6.540	-7.425	97.35	5.80	4.78	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-8.258	-6.830	-7.111	-6.963	97.35	5.80	4.68	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-7.632	-6.677	-6.601	-7.134	97.35	5.46	4.61	≤ 5.00
802.11be-EHT20	MCS0	209	6995	-7.280	-5.878	-6.731	-7.617	97.35	5.46	4.77	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-6.649	-6.540	-7.023	-7.185	97.35	5.46	4.76	≤ 5.00


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT40	MCS0	3	5965	-7.742	-7.151	-7.203	-7.637	97.57	5.94	4.64	≤ 5.00
802.11be-EHT40	MCS0	51	6205	-7.742	-7.166	-7.379	-7.256	97.57	5.94	4.69	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-8.174	-6.622	-7.030	-7.215	97.57	5.94	4.84	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-7.385	-7.761	-7.318	-7.403	97.57	5.95	4.61	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-7.999	-7.753	-7.089	-7.548	97.57	5.95	4.49	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-7.791	-8.022	-6.719	-8.121	97.57	5.95	4.45	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-7.772	-7.441	-6.082	-7.375	97.57	5.80	4.81	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-8.200	-7.090	-8.144	-6.699	97.57	5.80	4.44	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-8.628	-6.374	-7.142	-7.105	97.57	5.80	4.69	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-7.037	-6.188	-7.174	-7.207	97.57	5.46	4.71	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-7.270	-5.890	-7.537	-7.224	97.57	5.46	4.66	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-7.378	-5.621	-7.286	-7.333	97.57	5.46	4.75	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-7.043	-7.468	-7.804	-6.827	97.57	5.46	4.32	≤ 5.00
802.11be-EHT80	MCS0	7	5985	-7.868	-7.322	-7.302	-7.519	96.92	5.94	4.60	≤ 5.00
802.11be-EHT80	MCS0	55	6225	-8.702	-7.038	-7.286	-6.506	96.92	5.94	4.79	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-8.934	-6.839	-7.788	-7.457	96.92	5.94	4.41	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-7.659	-7.879	-7.765	-7.814	96.92	5.95	4.33	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-8.247	-7.915	-6.878	-7.632	96.92	5.80	4.32	≤ 5.00
802.11be-EHT80	MCS0	135	6625	-7.399	-5.661	-7.390	-7.876	96.92	5.80	4.96	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-7.911	-6.858	-9.176	-6.614	96.92	5.80	4.43	≤ 5.00
802.11be-EHT80	MCS0	167	6785	-8.066	-6.806	-7.432	-8.060	96.92	5.80	4.40	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-8.827	-6.735	-7.354	-5.755	96.92	5.80	4.93	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-7.271	-5.762	-7.990	-7.583	96.92	5.46	4.55	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-7.783	-6.229	-7.660	-7.434	96.92	5.46	4.39	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-7.991	-7.460	-6.799	-7.858	97.35	5.94	4.58	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-8.577	-6.491	-7.675	-6.153	97.35	5.94	4.96	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-8.683	-6.410	-7.442	-6.983	97.35	5.94	4.78	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-7.378	-6.508	-7.244	-8.070	97.35	5.95	4.82	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-7.214	-6.660	-7.386	-8.110	97.35	5.80	4.63	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-7.896	-6.510	-7.015	-8.432	97.35	5.80	4.54	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-8.466	-5.699	-6.519	-6.519	97.35	5.46	4.91	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT320-1	MCS0	31	6105	-8.363	-6.812	-7.245	-6.404	97.35	5.94	4.93	≤ 5.00
802.11be-EHT320-1	MCS0	95	6425	-9.020	-6.916	-7.357	-7.581	97.35	5.95	4.44	≤ 5.00
802.11be-EHT320-1	MCS0	159	6745	-7.802	-6.777	-7.540	-7.861	97.35	5.80	4.46	≤ 5.00
802.11be-EHT320-2	MCS0	63	6265	-8.579	-7.095	-7.534	-6.161	97.35	5.94	4.82	≤ 5.00
802.11be-EHT320-2	MCS0	127	6585	-7.423	-6.330	-7.162	-8.311	97.35	5.80	4.69	≤ 5.00
802.11be-EHT320-2	MCS0	191	6905	-6.747	-5.574	-7.206	-7.606	97.35	5.46	4.88	≤ 5.00

Note: When EUT duty cycle < 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{ 10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)} + 10^{(\text{Ant 2 PSD}/10)} + 10^{(\text{Ant 3 PSD}/10)} \}$ (dBm/MHz) + $10 \cdot \log (1/\text{Duty Cycle})$ + Directional Gain for PSD (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0

Channel 1 (5955 MHz)



Channel 49 (6195 MHz)



Channel 93 (6415 MHz)



Channel 97 (6435 MHz)



Channel 105 (6475 MHz)



Channel 113 (6515 MHz)



802.11ax-HE20 Power Spectral Density- Ant 0

Channel 117 (6535 MHz)




Channel 149 (6995 MHz)



Channel 181 (6855 MHz)



Channel 185 (6875 MHz)



Channel 189 (6895 MHz)



Channel 209 (6995 MHz)



Channel 229 (7095 MHz)




802.11ax-HE40 Power Spectral Density- Ant 0

Channel 3 (5965 MHz)




Channel 51 (6205 MHz)



Channel 91 (6405 MHz)



Channel 99 (6445 MHz)



Channel 107 (6485 MHz)



Channel 115 (6525 MHz)



802.11ax-HE40 Power Spectral Density- Ant 0

Channel 123 (6565 MHz)




Channel 147 (6685 MHz)



Channel 179 (6845 MHz)



Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)



Channel 227 (7085 MHz)




802.11ax-HE80 Power Spectral Density- Ant 0


Channel 7 (5985 MHz)



Channel 55 (6225 MHz)




Channel 87 (6385 MHz)



Channel 103 (6465 MHz)



Channel 119 (6545 MHz)



Channel 135 (6625 MHz)

