







Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS




Band2-9262-5-30~1000MHz-PASS




Band2-9262-5-1000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	2.68	0.001447	±2.5	PASS
Band2	9262	VL	NT	0.83	0.000448	±2.5	PASS
Band2	9262	VH	NT	3.68	0.001987	±2.5	PASS
Band2	9400	VN	NT	5.39	0.002867	±2.5	PASS
Band2	9400	VL	NT	-0.64	-0.000340	±2.5	PASS
Band2	9400	VH	NT	-3.48	-0.001851	±2.5	PASS
Band2	9538	VN	NT	-18.95	-0.009934	±2.5	PASS
Band2	9538	VL	NT	2.50	0.001311	±2.5	PASS
Band2	9538	VH	NT	9.53	0.004996	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.89	0.000480	±2.5	PASS
Band2	9262	NV	-20	3.38	0.001825	±2.5	PASS
Band2	9262	NV	-10	-6.39	-0.003450	±2.5	PASS
Band2	9262	NV	0	-10.53	-0.005685	±2.5	PASS
Band2	9262	NV	10	-2.14	-0.001155	±2.5	PASS
Band2	9262	NV	20	2.77	0.001495	±2.5	PASS
Band2	9262	NV	30	3.48	0.001879	±2.5	PASS
Band2	9262	NV	40	-1.62	-0.000875	±2.5	PASS
Band2	9262	NV	50	-3.85	-0.002078	±2.5	PASS
Band2	9400	NV	-30	-1.42	-0.000755	±2.5	PASS
Band2	9400	NV	-20	1.84	0.000979	±2.5	PASS
Band2	9400	NV	-10	-7.01	-0.003729	±2.5	PASS
Band2	9400	NV	0	5.97	0.003176	±2.5	PASS
Band2	9400	NV	10	6.79	0.003612	±2.5	PASS
Band2	9400	NV	20	1.80	0.000957	±2.5	PASS
Band2	9400	NV	30	-9.25	-0.004920	±2.5	PASS
Band2	9400	NV	40	-7.76	-0.004128	±2.5	PASS
Band2	9400	NV	50	-2.48	-0.001319	±2.5	PASS
Band2	9538	NV	-30	4.23	0.002217	±2.5	PASS
Band2	9538	NV	-20	-2.56	-0.001342	±2.5	PASS
Band2	9538	NV	-10	-1.67	-0.000875	±2.5	PASS

Waltek Testing Group (Shenzhen) Co., Ltd.

[Http://www.waltek.com.cn](http://www.waltek.com.cn)

Band2	9538	NV	0	3.48	0.001824	±2.5	PASS
Band2	9538	NV	10	-4.38	-0.002296	±2.5	PASS
Band2	9538	NV	20	2.31	0.001211	±2.5	PASS
Band2	9538	NV	30	-4.61	-0.002417	±2.5	PASS
Band2	9538	NV	40	2.46	0.001290	±2.5	PASS
Band2	9538	NV	50	5.39	0.002826	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	5.89	0.003180	±2.5	PASS
Band2	9262	1	VL	NT	-7.19	-0.003881	±2.5	PASS
Band2	9262	1	VH	NT	1.54	0.000831	±2.5	PASS
Band2	9262	2	VN	NT	5.98	0.003228	±2.5	PASS
Band2	9262	2	VL	NT	4.13	0.002230	±2.5	PASS
Band2	9262	2	VH	NT	7.97	0.004303	±2.5	PASS
Band2	9262	3	VN	NT	-9.66	-0.005215	±2.5	PASS
Band2	9262	3	VL	NT	2.27	0.001225	±2.5	PASS
Band2	9262	3	VH	NT	7.67	0.004141	±2.5	PASS
Band2	9262	4	VN	NT	-10.28	-0.005550	±2.5	PASS
Band2	9262	4	VL	NT	-2.84	-0.001533	±2.5	PASS
Band2	9262	4	VH	NT	6.49	0.003504	±2.5	PASS
Band2	9400	1	VN	NT	-0.92	-0.000489	±2.5	PASS
Band2	9400	1	VL	NT	5.83	0.003101	±2.5	PASS
Band2	9400	1	VH	NT	-4.91	-0.002612	±2.5	PASS
Band2	9400	2	VN	NT	3.35	0.001782	±2.5	PASS
Band2	9400	2	VL	NT	-3.89	-0.002069	±2.5	PASS
Band2	9400	2	VH	NT	6.15	0.003271	±2.5	PASS
Band2	9400	3	VN	NT	-4.56	-0.002426	±2.5	PASS
Band2	9400	3	VL	NT	0.79	0.000420	±2.5	PASS
Band2	9400	3	VH	NT	2.29	0.001218	±2.5	PASS
Band2	9400	4	VN	NT	-10.37	-0.005516	±2.5	PASS
Band2	9400	4	VL	NT	-1.38	-0.000734	±2.5	PASS
Band2	9400	4	VH	NT	1.39	0.000739	±2.5	PASS
Band2	9538	1	VN	NT	-5.06	-0.002653	±2.5	PASS
Band2	9538	1	VL	NT	-2.03	-0.001064	±2.5	PASS
Band2	9538	1	VH	NT	0.36	0.000189	±2.5	PASS
Band2	9538	2	VN	NT	-8.19	-0.004293	±2.5	PASS
Band2	9538	2	VL	NT	-3.20	-0.001678	±2.5	PASS
Band2	9538	2	VH	NT	-0.59	-0.000309	±2.5	PASS
Band2	9538	3	VN	NT	0.64	0.000336	±2.5	PASS
Band2	9538	3	VL	NT	5.02	0.002632	±2.5	PASS
Band2	9538	3	VH	NT	4.95	0.002595	±2.5	PASS
Band2	9538	4	VN	NT	-2.05	-0.001075	±2.5	PASS
Band2	9538	4	VL	NT	-2.53	-0.001326	±2.5	PASS
Band2	9538	4	VH	NT	-4.77	-0.002501	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-1.92	-0.001036	±2.5	PASS
Band2	9262	1	NV	-20	4.99	0.002694	±2.5	PASS
Band2	9262	1	NV	-10	0.41	0.000221	±2.5	PASS
Band2	9262	1	NV	0	-10.03	-0.005415	±2.5	PASS
Band2	9262	1	NV	10	8.78	0.004740	±2.5	PASS
Band2	9262	1	NV	20	-0.84	-0.000453	±2.5	PASS
Band2	9262	1	NV	30	-12.47	-0.006732	±2.5	PASS
Band2	9262	1	NV	40	-0.99	-0.000534	±2.5	PASS
Band2	9262	1	NV	50	3.40	0.001835	±2.5	PASS
Band2	9262	2	NV	-30	2.38	0.001285	±2.5	PASS
Band2	9262	2	NV	-20	-0.76	-0.000410	±2.5	PASS
Band2	9262	2	NV	-10	-8.02	-0.004330	±2.5	PASS
Band2	9262	2	NV	0	-2.31	-0.001247	±2.5	PASS
Band2	9262	2	NV	10	-3.40	-0.001835	±2.5	PASS
Band2	9262	2	NV	20	0.24	0.000130	±2.5	PASS
Band2	9262	2	NV	30	-2.43	-0.001312	±2.5	PASS
Band2	9262	2	NV	40	3.08	0.001663	±2.5	PASS
Band2	9262	2	NV	50	-3.42	-0.001846	±2.5	PASS
Band2	9262	3	NV	-30	-9.10	-0.004913	±2.5	PASS
Band2	9262	3	NV	-20	3.60	0.001943	±2.5	PASS
Band2	9262	3	NV	-10	3.20	0.001727	±2.5	PASS
Band2	9262	3	NV	0	-2.75	-0.001485	±2.5	PASS
Band2	9262	3	NV	10	-0.37	-0.000200	±2.5	PASS
Band2	9262	3	NV	20	-4.96	-0.002678	±2.5	PASS
Band2	9262	3	NV	30	3.98	0.002149	±2.5	PASS
Band2	9262	3	NV	40	-6.26	-0.003379	±2.5	PASS
Band2	9262	3	NV	50	0.99	0.000534	±2.5	PASS
Band2	9262	4	NV	-30	1.47	0.000794	±2.5	PASS
Band2	9262	4	NV	-20	-2.53	-0.001366	±2.5	PASS
Band2	9262	4	NV	-10	-3.93	-0.002122	±2.5	PASS
Band2	9262	4	NV	0	0.06	0.000032	±2.5	PASS
Band2	9262	4	NV	10	4.91	0.002651	±2.5	PASS
Band2	9262	4	NV	20	-1.05	-0.000567	±2.5	PASS
Band2	9262	4	NV	30	3.00	0.001620	±2.5	PASS
Band2	9262	4	NV	40	9.02	0.004869	±2.5	PASS
Band2	9262	4	NV	50	2.98	0.001609	±2.5	PASS
Band2	9400	1	NV	-30	-1.58	-0.000840	±2.5	PASS

Band2	9400	1	NV	-20	-1.82	-0.000968	±2.5	PASS
Band2	9400	1	NV	-10	-3.51	-0.001867	±2.5	PASS
Band2	9400	1	NV	0	-11.69	-0.006218	±2.5	PASS
Band2	9400	1	NV	10	8.38	0.004457	±2.5	PASS
Band2	9400	1	NV	20	1.45	0.000771	±2.5	PASS
Band2	9400	1	NV	30	-7.13	-0.003793	±2.5	PASS
Band2	9400	1	NV	40	-0.26	-0.000138	±2.5	PASS
Band2	9400	1	NV	50	19.73	0.010495	±2.5	PASS
Band2	9400	2	NV	-30	-3.91	-0.002080	±2.5	PASS
Band2	9400	2	NV	-20	3.44	0.001830	±2.5	PASS
Band2	9400	2	NV	-10	-2.11	-0.001122	±2.5	PASS
Band2	9400	2	NV	0	11.35	0.006037	±2.5	PASS
Band2	9400	2	NV	10	1.37	0.000729	±2.5	PASS
Band2	9400	2	NV	20	8.87	0.004718	±2.5	PASS
Band2	9400	2	NV	30	-4.46	-0.002372	±2.5	PASS
Band2	9400	2	NV	40	-2.85	-0.001516	±2.5	PASS
Band2	9400	2	NV	50	-0.63	-0.000335	±2.5	PASS
Band2	9400	3	NV	-30	9.48	0.005043	±2.5	PASS
Band2	9400	3	NV	-20	5.74	0.003053	±2.5	PASS
Band2	9400	3	NV	-10	-4.01	-0.002133	±2.5	PASS
Band2	9400	3	NV	0	-5.05	-0.002686	±2.5	PASS
Band2	9400	3	NV	10	-7.79	-0.004144	±2.5	PASS
Band2	9400	3	NV	20	-8.85	-0.004707	±2.5	PASS
Band2	9400	3	NV	30	5.50	0.002926	±2.5	PASS
Band2	9400	3	NV	40	-2.15	-0.001144	±2.5	PASS
Band2	9400	3	NV	50	0.59	0.000314	±2.5	PASS
Band2	9400	4	NV	-30	-6.69	-0.003559	±2.5	PASS
Band2	9400	4	NV	-20	-3.63	-0.001931	±2.5	PASS
Band2	9400	4	NV	-10	3.77	0.002005	±2.5	PASS
Band2	9400	4	NV	0	-5.35	-0.002846	±2.5	PASS
Band2	9400	4	NV	10	-8.38	-0.004457	±2.5	PASS
Band2	9400	4	NV	20	-1.47	-0.000782	±2.5	PASS
Band2	9400	4	NV	30	9.79	0.005207	±2.5	PASS
Band2	9400	4	NV	40	-1.25	-0.000665	±2.5	PASS
Band2	9400	4	NV	50	0.01	0.000005	±2.5	PASS
Band2	9538	1	NV	-30	5.89	0.003088	±2.5	PASS
Band2	9538	1	NV	-20	1.12	0.000587	±2.5	PASS
Band2	9538	1	NV	-10	0.56	0.000294	±2.5	PASS
Band2	9538	1	NV	0	0.44	0.000231	±2.5	PASS
Band2	9538	1	NV	10	8.15	0.004272	±2.5	PASS
Band2	9538	1	NV	20	-4.38	-0.002296	±2.5	PASS

Band2	9538	1	NV	30	-7.95	-0.004168	±2.5	PASS
Band2	9538	1	NV	40	-4.12	-0.002160	±2.5	PASS
Band2	9538	1	NV	50	1.15	0.000603	±2.5	PASS
Band2	9538	2	NV	-30	15.16	0.007947	±2.5	PASS
Band2	9538	2	NV	-20	2.52	0.001321	±2.5	PASS
Band2	9538	2	NV	-10	14.00	0.007339	±2.5	PASS
Band2	9538	2	NV	0	-1.11	-0.000582	±2.5	PASS
Band2	9538	2	NV	10	-6.14	-0.003219	±2.5	PASS
Band2	9538	2	NV	20	4.10	0.002149	±2.5	PASS
Band2	9538	2	NV	30	-5.44	-0.002852	±2.5	PASS
Band2	9538	2	NV	40	-6.28	-0.003292	±2.5	PASS
Band2	9538	2	NV	50	0.30	0.000157	±2.5	PASS
Band2	9538	3	NV	-30	4.98	0.002611	±2.5	PASS
Band2	9538	3	NV	-20	-1.57	-0.000823	±2.5	PASS
Band2	9538	3	NV	-10	-0.27	-0.000142	±2.5	PASS
Band2	9538	3	NV	0	4.67	0.002448	±2.5	PASS
Band2	9538	3	NV	10	4.14	0.002170	±2.5	PASS
Band2	9538	3	NV	20	-4.94	-0.002590	±2.5	PASS
Band2	9538	3	NV	30	-1.27	-0.000666	±2.5	PASS
Band2	9538	3	NV	40	-0.59	-0.000309	±2.5	PASS
Band2	9538	3	NV	50	-5.40	-0.002831	±2.5	PASS
Band2	9538	4	NV	-30	3.86	0.002023	±2.5	PASS
Band2	9538	4	NV	-20	-4.40	-0.002307	±2.5	PASS
Band2	9538	4	NV	-10	-11.44	-0.005997	±2.5	PASS
Band2	9538	4	NV	0	-7.11	-0.003727	±2.5	PASS
Band2	9538	4	NV	10	2.29	0.001200	±2.5	PASS
Band2	9538	4	NV	20	10.33	0.005415	±2.5	PASS
Band2	9538	4	NV	30	13.02	0.006825	±2.5	PASS
Band2	9538	4	NV	40	4.46	0.002338	±2.5	PASS
Band2	9538	4	NV	50	8.13	0.004262	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	2.44	0.001317	±2.5	PASS
Band2	9262	1	VL	NT	14.33	0.007736	±2.5	PASS
Band2	9262	1	VH	NT	10.58	0.005712	±2.5	PASS
Band2	9262	2	VN	NT	2.10	0.001134	±2.5	PASS
Band2	9262	2	VL	NT	-2.07	-0.001117	±2.5	PASS
Band2	9262	2	VH	NT	-1.95	-0.001053	±2.5	PASS
Band2	9262	3	VN	NT	2.01	0.001085	±2.5	PASS
Band2	9262	3	VL	NT	-4.71	-0.002543	±2.5	PASS
Band2	9262	3	VH	NT	-3.53	-0.001906	±2.5	PASS
Band2	9262	4	VN	NT	9.84	0.005312	±2.5	PASS
Band2	9262	4	VL	NT	-4.84	-0.002613	±2.5	PASS
Band2	9262	4	VH	NT	-2.00	-0.001080	±2.5	PASS
Band2	9262	5	VN	NT	-5.32	-0.002872	±2.5	PASS
Band2	9262	5	VL	NT	-5.66	-0.003055	±2.5	PASS
Band2	9262	5	VH	NT	0.44	0.000238	±2.5	PASS
Band2	9400	1	VN	NT	-1.46	-0.000777	±2.5	PASS
Band2	9400	1	VL	NT	7.82	0.004160	±2.5	PASS
Band2	9400	1	VH	NT	-1.17	-0.000622	±2.5	PASS
Band2	9400	2	VN	NT	4.99	0.002654	±2.5	PASS
Band2	9400	2	VL	NT	-3.35	-0.001782	±2.5	PASS
Band2	9400	2	VH	NT	4.02	0.002138	±2.5	PASS
Band2	9400	3	VN	NT	2.88	0.001532	±2.5	PASS
Band2	9400	3	VL	NT	-6.87	-0.003654	±2.5	PASS
Band2	9400	3	VH	NT	-7.80	-0.004149	±2.5	PASS
Band2	9400	4	VN	NT	4.97	0.002644	±2.5	PASS
Band2	9400	4	VL	NT	6.67	0.003548	±2.5	PASS
Band2	9400	4	VH	NT	3.71	0.001973	±2.5	PASS
Band2	9400	5	VN	NT	0.43	0.000229	±2.5	PASS
Band2	9400	5	VL	NT	-3.35	-0.001782	±2.5	PASS
Band2	9400	5	VH	NT	5.41	0.002878	±2.5	PASS
Band2	9538	1	VN	NT	4.08	0.002139	±2.5	PASS
Band2	9538	1	VL	NT	-3.90	-0.002044	±2.5	PASS
Band2	9538	1	VH	NT	-8.42	-0.004414	±2.5	PASS
Band2	9538	2	VN	NT	-7.68	-0.004026	±2.5	PASS
Band2	9538	2	VL	NT	1.37	0.000718	±2.5	PASS
Band2	9538	2	VH	NT	-9.28	-0.004865	±2.5	PASS
Band2	9538	3	VN	NT	-17.91	-0.009389	±2.5	PASS

Band2	9538	3	VL	NT	0.99	0.000519	±2.5	PASS
Band2	9538	3	VH	NT	8.80	0.004613	±2.5	PASS
Band2	9538	4	VN	NT	-8.55	-0.004482	±2.5	PASS
Band2	9538	4	VL	NT	-5.41	-0.002836	±2.5	PASS
Band2	9538	4	VH	NT	0.64	0.000336	±2.5	PASS
Band2	9538	5	VN	NT	-4.94	-0.002590	±2.5	PASS
Band2	9538	5	VL	NT	-1.01	-0.000529	±2.5	PASS
Band2	9538	5	VH	NT	5.71	0.002993	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	6.66	0.003595	±2.5	PASS
Band2	9262	1	NV	-20	5.95	0.003212	±2.5	PASS
Band2	9262	1	NV	-10	-10.17	-0.005490	±2.5	PASS
Band2	9262	1	NV	0	-3.31	-0.001787	±2.5	PASS
Band2	9262	1	NV	10	4.31	0.002327	±2.5	PASS
Band2	9262	1	NV	20	-5.23	-0.002823	±2.5	PASS
Band2	9262	1	NV	30	10.14	0.005474	±2.5	PASS
Band2	9262	1	NV	40	-1.71	-0.000923	±2.5	PASS
Band2	9262	1	NV	50	0.90	0.000486	±2.5	PASS
Band2	9262	2	NV	-30	7.81	0.004216	±2.5	PASS
Band2	9262	2	NV	-20	-2.94	-0.001587	±2.5	PASS
Band2	9262	2	NV	-10	5.56	0.003002	±2.5	PASS
Band2	9262	2	NV	0	9.96	0.005377	±2.5	PASS
Band2	9262	2	NV	10	-3.86	-0.002084	±2.5	PASS
Band2	9262	2	NV	20	5.51	0.002975	±2.5	PASS
Band2	9262	2	NV	30	-6.12	-0.003304	±2.5	PASS
Band2	9262	2	NV	40	-5.16	-0.002786	±2.5	PASS
Band2	9262	2	NV	50	-0.72	-0.000389	±2.5	PASS
Band2	9262	3	NV	-30	-0.05	-0.000027	±2.5	PASS
Band2	9262	3	NV	-20	1.63	0.000880	±2.5	PASS
Band2	9262	3	NV	-10	-6.27	-0.003385	±2.5	PASS
Band2	9262	3	NV	0	5.13	0.002769	±2.5	PASS
Band2	9262	3	NV	10	-3.90	-0.002105	±2.5	PASS
Band2	9262	3	NV	20	6.25	0.003374	±2.5	PASS
Band2	9262	3	NV	30	1.79	0.000966	±2.5	PASS
Band2	9262	3	NV	40	-6.98	-0.003768	±2.5	PASS
Band2	9262	3	NV	50	10.82	0.005841	±2.5	PASS
Band2	9262	4	NV	-30	-7.98	-0.004308	±2.5	PASS

Band2	9262	4	NV	-20	-2.34	-0.001263	±2.5	PASS
Band2	9262	4	NV	-10	4.10	0.002213	±2.5	PASS
Band2	9262	4	NV	0	-1.20	-0.000648	±2.5	PASS
Band2	9262	4	NV	10	-3.43	-0.001852	±2.5	PASS
Band2	9262	4	NV	20	-5.51	-0.002975	±2.5	PASS
Band2	9262	4	NV	30	5.46	0.002948	±2.5	PASS
Band2	9262	4	NV	40	-2.31	-0.001247	±2.5	PASS
Band2	9262	4	NV	50	0.82	0.000443	±2.5	PASS
Band2	9262	5	NV	-30	-1.82	-0.000983	±2.5	PASS
Band2	9262	5	NV	-20	-1.44	-0.000777	±2.5	PASS
Band2	9262	5	NV	-10	2.42	0.001306	±2.5	PASS
Band2	9262	5	NV	0	4.03	0.002176	±2.5	PASS
Band2	9262	5	NV	10	-3.42	-0.001846	±2.5	PASS
Band2	9262	5	NV	20	2.08	0.001123	±2.5	PASS
Band2	9262	5	NV	30	-5.51	-0.002975	±2.5	PASS
Band2	9262	5	NV	40	5.58	0.003012	±2.5	PASS
Band2	9262	5	NV	50	7.94	0.004286	±2.5	PASS
Band2	9400	1	NV	-30	4.89	0.002601	±2.5	PASS
Band2	9400	1	NV	-20	-2.67	-0.001420	±2.5	PASS
Band2	9400	1	NV	-10	-3.44	-0.001830	±2.5	PASS
Band2	9400	1	NV	0	-8.15	-0.004335	±2.5	PASS
Band2	9400	1	NV	10	10.08	0.005362	±2.5	PASS
Band2	9400	1	NV	20	-5.86	-0.003117	±2.5	PASS
Band2	9400	1	NV	30	-0.11	-0.000059	±2.5	PASS
Band2	9400	1	NV	40	0.37	0.000197	±2.5	PASS
Band2	9400	1	NV	50	7.74	0.004117	±2.5	PASS
Band2	9400	2	NV	-30	4.09	0.002176	±2.5	PASS
Band2	9400	2	NV	-20	3.60	0.001915	±2.5	PASS
Band2	9400	2	NV	-10	5.76	0.003064	±2.5	PASS
Band2	9400	2	NV	0	3.43	0.001824	±2.5	PASS
Band2	9400	2	NV	10	-12.18	-0.006479	±2.5	PASS
Band2	9400	2	NV	20	7.93	0.004218	±2.5	PASS
Band2	9400	2	NV	30	1.43	0.000761	±2.5	PASS
Band2	9400	2	NV	40	-0.66	-0.000351	±2.5	PASS
Band2	9400	2	NV	50	-1.87	-0.000995	±2.5	PASS
Band2	9400	3	NV	-30	-2.57	-0.001367	±2.5	PASS
Band2	9400	3	NV	-20	1.80	0.000957	±2.5	PASS
Band2	9400	3	NV	-10	3.71	0.001973	±2.5	PASS
Band2	9400	3	NV	0	2.52	0.001340	±2.5	PASS
Band2	9400	3	NV	10	9.46	0.005032	±2.5	PASS
Band2	9400	3	NV	20	4.38	0.002330	±2.5	PASS

Band2	9400	3	NV	30	-5.69	-0.003027	±2.5	PASS
Band2	9400	3	NV	40	-2.72	-0.001447	±2.5	PASS
Band2	9400	3	NV	50	8.49	0.004516	±2.5	PASS
Band2	9400	4	NV	-30	-0.41	-0.000218	±2.5	PASS
Band2	9400	4	NV	-20	1.36	0.000723	±2.5	PASS
Band2	9400	4	NV	-10	2.16	0.001149	±2.5	PASS
Band2	9400	4	NV	0	6.76	0.003596	±2.5	PASS
Band2	9400	4	NV	10	3.81	0.002027	±2.5	PASS
Band2	9400	4	NV	20	-0.59	-0.000314	±2.5	PASS
Band2	9400	4	NV	30	0.59	0.000314	±2.5	PASS
Band2	9400	4	NV	40	-0.99	-0.000527	±2.5	PASS
Band2	9400	4	NV	50	-5.64	-0.003000	±2.5	PASS
Band2	9400	5	NV	-30	1.49	0.000793	±2.5	PASS
Band2	9400	5	NV	-20	3.81	0.002027	±2.5	PASS
Band2	9400	5	NV	-10	3.98	0.002117	±2.5	PASS
Band2	9400	5	NV	0	-0.26	-0.000138	±2.5	PASS
Band2	9400	5	NV	10	0.79	0.000420	±2.5	PASS
Band2	9400	5	NV	20	-3.10	-0.001649	±2.5	PASS
Band2	9400	5	NV	30	5.01	0.002665	±2.5	PASS
Band2	9400	5	NV	40	-4.38	-0.002330	±2.5	PASS
Band2	9400	5	NV	50	5.58	0.002968	±2.5	PASS
Band2	9538	1	NV	-30	-3.68	-0.001929	±2.5	PASS
Band2	9538	1	NV	-20	0.26	0.000136	±2.5	PASS
Band2	9538	1	NV	-10	-2.38	-0.001248	±2.5	PASS
Band2	9538	1	NV	0	-5.01	-0.002626	±2.5	PASS
Band2	9538	1	NV	10	1.18	0.000619	±2.5	PASS
Band2	9538	1	NV	20	-2.16	-0.001132	±2.5	PASS
Band2	9538	1	NV	30	8.48	0.004445	±2.5	PASS
Band2	9538	1	NV	40	2.78	0.001457	±2.5	PASS
Band2	9538	1	NV	50	-1.78	-0.000933	±2.5	PASS
Band2	9538	2	NV	-30	-9.85	-0.005164	±2.5	PASS
Band2	9538	2	NV	-20	4.55	0.002385	±2.5	PASS
Band2	9538	2	NV	-10	-4.11	-0.002155	±2.5	PASS
Band2	9538	2	NV	0	11.32	0.005934	±2.5	PASS
Band2	9538	2	NV	10	-8.15	-0.004272	±2.5	PASS
Band2	9538	2	NV	20	-7.67	-0.004021	±2.5	PASS
Band2	9538	2	NV	30	-2.02	-0.001059	±2.5	PASS
Band2	9538	2	NV	40	-0.97	-0.000508	±2.5	PASS
Band2	9538	2	NV	50	2.95	0.001546	±2.5	PASS
Band2	9538	3	NV	-30	-0.28	-0.000147	±2.5	PASS
Band2	9538	3	NV	-20	6.55	0.003434	±2.5	PASS

Band2	9538	3	NV	-10	-5.97	-0.003130	±2.5	PASS
Band2	9538	3	NV	0	1.88	0.000986	±2.5	PASS
Band2	9538	3	NV	10	0.09	0.000047	±2.5	PASS
Band2	9538	3	NV	20	3.72	0.001950	±2.5	PASS
Band2	9538	3	NV	30	1.01	0.000529	±2.5	PASS
Band2	9538	3	NV	40	0.72	0.000377	±2.5	PASS
Band2	9538	3	NV	50	3.77	0.001976	±2.5	PASS
Band2	9538	4	NV	-30	2.16	0.001132	±2.5	PASS
Band2	9538	4	NV	-20	2.35	0.001232	±2.5	PASS
Band2	9538	4	NV	-10	-1.01	-0.000529	±2.5	PASS
Band2	9538	4	NV	0	4.24	0.002223	±2.5	PASS
Band2	9538	4	NV	10	-4.83	-0.002532	±2.5	PASS
Band2	9538	4	NV	20	5.79	0.003035	±2.5	PASS
Band2	9538	4	NV	30	6.23	0.003266	±2.5	PASS
Band2	9538	4	NV	40	-5.27	-0.002763	±2.5	PASS
Band2	9538	4	NV	50	0.67	0.000351	±2.5	PASS
Band2	9538	5	NV	-30	-2.08	-0.001090	±2.5	PASS
Band2	9538	5	NV	-20	-2.04	-0.001069	±2.5	PASS
Band2	9538	5	NV	-10	-5.46	-0.002862	±2.5	PASS
Band2	9538	5	NV	0	7.26	0.003806	±2.5	PASS
Band2	9538	5	NV	10	-0.63	-0.000330	±2.5	PASS
Band2	9538	5	NV	20	-3.73	-0.001955	±2.5	PASS
Band2	9538	5	NV	30	8.39	0.004398	±2.5	PASS
Band2	9538	5	NV	40	-1.22	-0.000640	±2.5	PASS
Band2	9538	5	NV	50	-7.07	-0.003706	±2.5	PASS