


Band Edges, 2.31GHz ~ 2.5GHz

CH0 (Vertical) Peak




GFSK

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.21	41.63	3.53	38.10	54.00	-12.37	298	84	Average	Horizontal	
2 *	2402.00	104.65	66.34	38.31	54.00	50.65	298	84	Average	Horizontal	
3	2498.29	41.99	3.37	38.62	54.00	-12.01	298	84	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.83	41.44	3.35	38.09	54.00	-12.56	100	203	Average	Vertical	
2 *	2402.00	101.58	63.27	38.31	54.00	47.58	100	203	Average	Vertical	
3	2498.67	42.03	3.41	38.62	54.00	-11.97	100	203	Average	Vertical	

GFSK

CH39 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.33	54.38	16.20	38.18	74.00	-19.62	256	88	Peak	Horizontal		
2 *	2441.00	103.59	65.08	38.51	74.00	29.59	256	88	Peak	Horizontal		
3	2492.21	55.89	17.28	38.61	74.00	-18.11	256	88	Peak	Horizontal		

CH39 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.62	54.63	16.64	37.99	74.00	-19.37	105	209	Peak	Vertical		
2 *	2441.00	99.99	61.48	38.51	74.00	25.99	105	209	Peak	Vertical		
3	2492.40	55.35	16.74	38.61	74.00	-18.65	105	209	Peak	Vertical		

GFSK

CH39 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.29	40.90	2.75	38.15	54.00	-13.10	256	88	Average	Horizontal		
2 *	2441.00	103.05	64.54	38.51	54.00	49.05	256	88	Average	Horizontal		
3	2492.21	42.10	3.49	38.61	54.00	-11.90	256	88	Average	Horizontal		

CH39 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.61	41.00	2.87	38.21	54.00	-12.92	105	209	Average	Vertical		
2 *	2441.00	99.40	60.89	38.51	54.00	45.40	105	209	Average	Vertical		
3	2496.96	42.00	3.38	38.62	54.00	-12.00	105	209	Average	Vertical		

GFSK

CH78 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.42	54.68	16.47	38.21	74.00	-19.32	252	62	Peak	Horizontal		
2 *	2480.00	103.74	65.14	38.60	74.00	29.74	252	62	Peak	Horizontal		
3	2484.04	56.51	17.91	38.60	74.00	-17.49	252	62	Peak	Horizontal		

CH78 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.97	54.95	16.85	38.10	74.00	-19.05	100	226	Peak	Vertical		
2 *	2480.00	99.10	60.50	38.60	74.00	25.10	100	226	Peak	Vertical		
3	2491.07	55.84	17.23	38.61	74.00	-18.16	100	226	Peak	Vertical		

GFSK

CH78 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.91	41.51	3.36	38.15	54.00	-12.49	252	62	Average	Horizontal		
2 *	2480.00	103.21	64.61	38.60	54.00	49.21	252	62	Average	Horizontal		
3	2483.66	42.80	4.20	38.60	54.00	-11.20	252	62	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.03	41.10	3.04	38.06	54.00	-12.90	100	226	Average	Vertical		
2 *	2480.00	90.54	59.94	38.60	54.00	44.54	100	226	Average	Vertical		
3	2484.23	42.22	3.62	38.60	54.00	-11.78	100	226	Average	Vertical		

	Freq	Level	Head	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2317.41	54.66	16.93	37.73	74.00	-19.34	100	203 Peak	Vertical	
2 *	2402.00	102.12	63.81	36.31	74.00	28.12	100	203 Peak	Vertical	
3	2497.34	54.76	16.14	38.62	74.00	-19.24	100	203 Peak	Vertical	


8DPSK

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.20	42.06	4.09	37.97	54.00	-11.94	264	105	Average	Horizontal		
2 *	2402.00	100.15	61.84	38.31	54.00	46.15	264	105	Average	Horizontal		
3	2498.67	42.02	3.40	38.62	54.00	-11.98	264	105	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.83	41.45	3.36	38.09	54.00	-12.55	100	203	Average	Vertical		
2 *	2402.00	98.23	59.92	38.31	54.00	44.23	100	203	Average	Vertical		
3	2498.10	42.07	3.45	38.62	54.00	-11.93	100	203	Average	Vertical		

8DPSK

CH39 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.33	54.67	16.49	38.18	74.00	-19.33	141	118	Peak	Horizontal		
2 *	2441.00	103.21	64.79	38.51	74.00	29.21	141	118	Peak	Horizontal		
3	2498.12	55.29	16.68	38.61	74.00	-18.71	141	118	Peak	Horizontal		

CH39 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.10	55.26	17.28	37.98	74.00	-18.74	105	209	Peak	Vertical		
2 *	2441.00	100.16	61.65	38.51	74.00	26.16	105	209	Peak	Vertical		
3	2498.48	55.86	17.24	38.62	74.00	-18.14	105	209	Peak	Vertical		

8DPSK

CH39 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.96	41.47	3.65	37.82	54.00	-12.53	141	118	Average	Horizontal	
2 *	2441.00	99.59	61.08	38.51	54.00	45.59	141	118	Average	Horizontal	
3	2488.98	42.24	3.63	38.61	54.00	-11.76	141	118	Average	Horizontal	

CH39 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.42	41.09	2.88	38.21	54.00	-12.91	105	209	Average	Vertical	
2 *	2441.00	96.54	58.03	38.51	54.00	42.54	105	209	Average	Vertical	
3	2489.17	42.06	3.45	38.61	54.00	-11.94	105	209	Average	Vertical	

8DPSK

CH78 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.79	54.42	16.35	38.07	74.00	-19.58	252	62	Peak	Horizontal		
2 *	2480.00	103.70	65.10	38.60	74.00	29.70	252	62	Peak	Horizontal		
3	2483.66	61.96	23.36	38.60	74.00	-12.04	252	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.25	54.56	16.43	38.13	74.00	-19.44	100	226	Peak	Vertical		
2 *	2480.00	99.07	60.47	38.60	74.00	25.07	100	226	Peak	Vertical		
3	2483.66	58.58	19.98	38.60	74.00	-15.42	100	226	Peak	Vertical		

8DPSK

CH78 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.91	41.25	3.10	38.15	54.00	-12.75	252	62	Average	Horizontal		
2 *	2480.00	100.14	61.54	38.60	54.00	46.14	252	62	Average	Horizontal		
3	2483.66	43.13	4.53	38.60	54.00	-10.87	252	62	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.76	40.89	2.72	38.17	54.00	-13.11	100	226	Average	Vertical		
2 *	2480.00	95.50	56.90	38.60	54.00	41.50	100	226	Average	Vertical		
3	2484.42	42.36	3.76	38.60	54.00	-11.64	100	226	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

8DPSK

CH0 (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	61.57	43.46	18.11	127.60	-66.03	100	124	Peak	Open		
2	0.03	68.46	48.63	19.83	119.13	-50.67	100	358	Peak	Open		
3	0.03	47.25	27.24	20.01	118.05	-70.80	100	227	Peak	Open		
4	0.05	49.33	30.64	18.69	113.11	-63.78	100	170	Peak	Open		
5	0.06	40.62	22.57	18.05	111.72	-71.10	100	102	Peak	Open		
6	0.08	38.69	20.54	18.15	109.14	-70.45	100	297	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.18	46.31	27.79	18.52	102.50	-56.19	100	309	Peak	Open		
2	0.54	39.84	21.08	18.76	72.99	-33.15	100	324	Peak	Open		
3	6.42	34.64	13.88	20.76	69.50	-34.86	100	62	Peak	Open		
4	12.90	35.34	13.76	21.58	69.50	-34.16	100	125	Peak	Open		
5	19.67	35.55	12.72	22.83	69.50	-33.95	100	248	Peak	Open		
6	29.73	36.62	13.37	23.25	69.50	-32.88	100	357	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


8DPSK

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	53.28	22.32	29.19	-6.87	40.00	-17.68	400	354	Peak	Horizontal		
2	118.27	27.63	37.79	-10.16	43.50	-15.87	300	322	Peak	Horizontal		
3	203.63	28.85	38.40	-9.55	43.50	-14.65	200	152	Peak	Horizontal		
4	394.72	27.47	31.57	-4.10	46.00	-18.53	100	188	Peak	Horizontal		
5	709.00	32.03	30.08	1.95	46.00	-13.97	100	188	Peak	Horizontal		
6	846.74	34.43	30.40	4.03	46.00	-11.57	118	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	45.43	25.66	32.60	-6.94	40.00	-14.34	100	255	Peak	Vertical		
2	202.66	25.23	34.70	-9.47	43.50	-18.27	100	143	Peak	Vertical		
3	320.03	24.98	30.80	-5.82	46.00	-21.02	200	161	Peak	Vertical		
4	524.70	28.22	29.85	-1.63	46.00	-17.78	300	223	Peak	Vertical		
5	709.97	31.67	29.69	1.98	46.00	-14.33	361	360	Peak	Vertical		
6	844.80	34.93	30.94	3.99	46.00	-11.07	187	360	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	17.34	25.23	-7.89	54.00	-36.66	180	21	Average	Horizontal	CF	
2	4804.00	47.44	55.33	-7.89	74.00	-26.56	180	21	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	14.69	22.58	-7.89	54.00	-39.31	366	360	Average	Vertical	CF	
2	4804.00	44.79	52.68	-7.89	74.00	-29.21	366	360	Peak	Vertical		


GFSK

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	17.64	25.34	-7.70	54.00	-36.36	400	118	Average	Horizontal	CF
2	4882.00	47.74	55.44	-7.70	74.00	-26.26	400	118	Peak	Horizontal	
3	7323.00	30.40	35.62	-5.22	54.00	-23.60	100	298	Average	Horizontal	CF
4	7323.00	60.50	65.72	-5.22	74.00	-13.50	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	15.47	23.17	-7.70	54.00	-38.53	110	233	Average	Vertical	CF
2	4882.00	45.57	53.27	-7.70	74.00	-28.43	110	233	Peak	Vertical	
3	7323.00	26.46	31.68	-5.22	54.00	-27.54	400	134	Average	Vertical	CF
4	7323.00	56.56	61.78	-5.22	74.00	-17.44	400	134	Peak	Vertical	


GFSK

CH78 (Horizontal)

CH78 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	20.02	27.56	-7.54	54.00	-33.98	300	17	Average	Horizontal	CF
2	4960.00	50.12	57.66	-7.54	74.00	-23.88	300	17	Peak	Horizontal	
3	7440.00	22.68	27.95	-5.27	54.00	-31.32	361	360	Average	Horizontal	CF
4	7440.00	52.78	58.05	-5.27	74.00	-21.22	361	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	18.00	26.34	-7.54	54.00	-35.20	300	114	Average	Vertical	CF
2	4960.00	48.90	56.44	-7.54	74.00	-25.10	300	114	Peak	Vertical	
3	7440.00	23.11	28.38	-5.27	54.00	-30.89	105	117	Average	Vertical	CF
4	7440.00	53.21	58.48	-5.27	74.00	-20.79	105	117	Peak	Vertical	


8DPSK

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Adv	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	4882.00	13.06	21.56	-7.70	54.00	-40.14	400	137 Average	Vertical	CF
2	4882.00	13.96	51.66	-7.70	74.00	-30.04	400	137 Peak	Vertical	
3	7323.00	25.50	30.00	-5.22	54.00	-28.42	100	228 Average	Vertical	CF
4	7323.00	55.68	60.00	-5.22	74.00	-18.32	100	228 Peak	Vertical	


8DPSK

CH78 (Horizontal)

CH78 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	18.68	26.22	-7.54	54.00	-35.32	359	360	Average	Horizontal	CF
2	4960.00	48.78	56.32	-7.54	74.00	-25.22	359	360	Peak	Horizontal	
3	7440.00	26.59	31.86	-5.27	54.00	-27.41	100	298	Average	Horizontal	CF
4	7440.00	56.69	61.96	-5.27	74.00	-17.31	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	18.39	25.93	-7.54	54.00	-35.61	300	119	Average	Vertical	CF
2	4960.00	48.49	56.03	-7.54	74.00	-25.51	300	119	Peak	Vertical	
3	7440.00	23.06	28.33	-5.27	54.00	-30.94	100	48	Average	Vertical	CF
4	7440.00	53.16	58.43	-5.27	74.00	-20.84	100	48	Peak	Vertical	

<EUT with Charger>

Spurious Emissions, Charge Mode, 9kHz ~ 30MHz


Charge

(Open) 9kHz~150kHz

(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	62.07	43.96	18.11	127.60	-65.53	100	13 Peak	Open	
2	0.03	68.96	49.13	19.83	119.13	-50.17	100	220 Peak	Open	
3	0.03	47.87	27.86	20.01	118.05	-70.18	100	123 Peak	Open	
4	0.04	52.56	33.55	19.01	114.56	-62.00	100	264 Peak	Open	
5	0.05	48.24	29.55	18.69	113.11	-64.87	100	180 Peak	Open	
6	0.09	45.87	27.84	18.03	108.54	-62.67	100	268 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	42.13	23.61	18.52	102.50	-60.37	100	0 Peak	Open	
2	5.61	33.38	13.07	20.31	69.50	-36.12	100	221 Peak	Open	
3	18.39	35.77	14.36	21.41	69.50	-33.73	100	238 Peak	Open	
4	17.49	36.04	13.57	22.47	69.50	-33.46	100	167 Peak	Open	
5	24.93	36.44	13.21	23.23	69.50	-33.06	100	206 Peak	Open	
6	29.49	36.71	13.46	23.25	69.50	-32.79	100	172 Peak	Open	

Spurious Emissions, Charge Mode, 30MHz ~ 1GHz


Charge

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	49.40	22.15	29.08	-6.93	40.00	-17.85	400	267	Peak	Horizontal	
2	99.84	25.17	37.28	-12.11	43.50	-16.33	200	300	Peak	Horizontal	
3	141.55	29.25	36.70	-7.45	43.50	-14.25	200	260	Peak	Horizontal	
4	567.38	29.26	30.02	-0.76	46.00	-16.74	200	360	Peak	Horizontal	
5	729.37	32.55	30.60	1.95	46.00	-13.45	400	126	Peak	Horizontal	
6	918.52	34.52	29.59	4.93	46.00	-11.48	400	99	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	35.82	27.78	36.25	-8.47	40.00	-12.22	100	255	Peak	Vertical	
2	46.49	29.21	36.33	-7.12	40.00	-10.79	100	348	Peak	Vertical	
3	121.18	24.58	34.57	-9.99	43.50	-18.92	100	266	Peak	Vertical	
4	137.67	25.99	33.87	-7.88	43.50	-17.51	100	281	Peak	Vertical	
5	708.03	38.25	36.32	1.93	46.00	-7.75	100	92	Peak	Vertical	
6	846.74	35.09	31.06	4.03	46.00	-10.91	100	52	Peak	Vertical	

Mains Conducted Emission, Charge Mode 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)




TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Read	Frequency (MHz)	Emission Level (dBuV)	Limit Factor (dB)	Over Level (dBuV)	Line (dBuV)	Limit (dB)	Detector (PK/QP/AV)
1	0.167	23.72	9.63	33.35	65.09	-31.74	QP
2	0.167	1.94	9.63	11.57	55.09	-43.52	Average
3	2.813	6.21	9.67	15.88	56.00	-40.12	QP
4	2.813	-2.86	9.67	6.81	46.00	-39.19	Average
5	3.523	9.27	9.68	18.95	56.00	-37.05	QP
6	3.523	-2.34	9.68	7.34	46.00	-38.66	Average
7	7.350	15.82	9.72	25.54	60.00	-34.46	QP
8	7.350	2.41	9.72	12.13	50.00	-37.87	Average
9	16.311	5.76	9.74	15.50	60.00	-44.50	QP
10	16.311	-2.63	9.74	7.11	50.00	-42.89	Average
11	23.132	17.20	9.71	26.91	60.00	-33.09	QP
12	23.132	11.48	9.71	21.19	50.00	-28.81	Average



TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Read	Frequency (MHz)	Emission Level (dBuV)	Limit Factor (dB)	Over Level (dBuV)	Line (dBuV)	Limit (dB)	Detector (PK/QP/AV)
1	0.160	23.24	9.64	32.88	65.48	-32.60	QP
2	0.160	1.54	9.64	11.18	55.48	-44.30	Average
3	0.281	15.95	9.63	25.58	60.78	-35.20	QP
4	0.281	4.32	9.63	13.95	50.78	-36.83	Average
5	1.233	5.62	9.64	15.26	56.00	-40.74	QP
6	1.233	-1.81	9.64	7.83	46.00	-38.17	Average
7	7.284	14.00	9.74	23.74	60.00	-36.26	QP
8	7.284	0.63	9.74	10.37	50.00	-39.63	Average
9	22.631	15.81	9.85	25.66	60.00	-34.34	QP
10	22.631	10.32	9.85	20.17	50.00	-29.83	Average
11	28.583	10.67	9.84	20.51	60.00	-39.49	QP
12	28.583	5.99	9.84	15.23	50.00	-34.77	Average