


Test Result of Hopping Channel Separation

<Left Ear>


GFSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	1022.00	0.681	Pass
39	2441	1.00	1031.00	0.687	Pass
78	2480	1.00	1030.97	0.687	Pass


Low Channel



Middle Channel






High Channel



8DPSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	1294.71	0.863	Pass
39	2441	1.00	1294.71	0.863	Pass
78	2480	1.00	1297.70	0.865	Pass


Low Channel

Middle Channel

High Channel


<Right Ear>


GFSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	1028.00	0.685	Pass
39	2441	1.00	1034.00	0.689	Pass
78	2480	1.00	1031.00	0.687	Pass


Low Channel



Middle Channel






High Channel



8DPSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	1294.70	0.863	Pass
39	2441	1.00	1297.70	0.865	Pass
78	2480	1.00	1294.70	0.863	Pass

Low Channel

Middle Channel

High Channel



Test Result of Number of Hopping Frequency

<Left Ear>


Frequency Range	Measured Quantity of Hopping Channel	Limit	Result
2400 to 2483.5 MHz	79	≥15	Pass

GFSK

2400 MHz ~ 2441.5 MHz




2441.5 MHz ~ 2483.5 MHz




8DPSK

2400 MHz ~ 2441.5 MHz




2441.5 MHz ~ 2483.5 MHz



<Right Ear>

Frequency Range	Measured Quantity of Hopping Channel	Limit	Result
2400 to 2483.5 MHz	79	≥15	Pass




Test Result of Dwell Time

<Left Ear>


GFSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
1DH5	14 (times / 5 sec) * 6.32 = 88.48 times	2.925	0.258804	0.4	Pass



8DPSK


Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
3DH5	10 (times / 5 sec) * 6.32 = 63.2 times	2.945	0.186124	0.4	Pass



<Right Ear>


GFSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
1DH5	15 (times / 5 sec) * 6.32 = 94.8 times	2.955	0.280134	0.4	Pass



8DPSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
3DH5	15 (times / 5 sec) * 6.32 = 94.8 times	2.955	0.280134	0.4	Pass



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<EUT Standalone>

Left Ear


Band Edges, 2.31GHz ~ 2.5GHz

GFSK

CH0 (Horizontal) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.49	55.43	17.62	37.81	74.00	-18.57	293	294 Peak	Horizontal		
2 *	2402.00	103.04	64.73	38.31	74.00	29.04	293	294 Peak	Horizontal		
3	2498.39	56.71	18.09	38.62	74.00	-17.29	293	294 Peak	Horizontal		

CH0 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.81	55.43	17.42	38.01	74.00	-18.57	131	210 Peak	Vertical		
2 *	2402.00	97.69	59.38	38.31	74.00	23.69	131	210 Peak	Vertical		
3	2497.82	56.72	18.10	38.62	74.00	-17.28	131	210 Peak	Vertical		


GFSK

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.41	41.77	3.70	38.07	54.00	-12.23		293	294	Average	Horizontal	
2 *	2402.00	102.51	64.20	38.31	54.00	48.51		293	294	Average	Horizontal	
3	2497.96	43.80	5.18	38.62	54.00	-10.20		293	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2370.71	41.19	3.16	38.03	54.00	-12.81		131	210	Average	Vertical	
2 *	2402.00	97.08	58.77	38.31	54.00	43.08		131	210	Average	Vertical	
3	2498.05	42.86	4.24	38.62	54.00	-11.14		131	210	Average	Vertical	

GFSK

CH39 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.72	55.98	18.16	37.82	74.00	-18.02	281	297	Peak	Horizontal		
2 *	2441.00	100.73	62.22	38.51	74.00	26.73	281	297	Peak	Horizontal		
3	2488.70	57.00	18.39	38.61	74.00	-17.00	281	297	Peak	Horizontal		

CH39 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2364.91	55.20	17.22	37.98	74.00	-18.80	291	178	Peak	Vertical		
2 *	2441.00	96.29	57.78	38.51	74.00	22.29	291	178	Peak	Vertical		
3	2493.30	55.48	16.87	38.61	74.00	-18.52	291	178	Peak	Vertical		

GFSK

CH39 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2344.96	45.64	7.82	37.82	54.00	-8.36	281	297	Average	Horizontal		
2 *	2441.00	100.18	61.67	38.51	54.00	46.18	281	297	Average	Horizontal		
3	2488.93	43.35	4.74	38.61	54.00	-10.65	281	297	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.94	41.80	3.59	38.21	54.00	-12.20	291	178	Average	Vertical		
2 *	2441.00	95.74	57.23	38.51	54.00	41.74	291	178	Average	Vertical		
3	2488.74	42.20	3.59	38.61	54.00	-11.80	291	178	Average	Vertical		

GFSK

CH78 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.67	55.30	17.15	38.15	74.00	-18.70	275	298	Peak	Horizontal		
2 *	2480.00	101.22	62.62	38.60	74.00	27.22	275	298	Peak	Horizontal		
3	2483.52	59.12	20.52	38.60	74.00	-14.88	275	298	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2315.51	55.74	18.01	37.73	74.00	-18.26	180	164	Peak	Vertical		
2 *	2480.00	96.27	57.67	38.60	74.00	22.27	180	164	Peak	Vertical		
3	2484.52	55.48	16.88	38.60	74.00	-18.52	100	164	Peak	Vertical		

GFSK

CH78 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.01	45.55	7.40	38.15	54.00	-8.45	275	298	Average	Horizontal		
2 *	2480.00	100.69	62.09	38.60	54.00	46.69	275	298	Average	Horizontal		
3	2498.81	42.55	3.93	38.62	54.00	-11.45	275	298	Average	Horizontal		

CH78 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.91	42.17	4.02	38.15	54.00	-11.83	180	164	Average	Vertical		
2 *	2480.00	95.71	57.11	38.60	54.00	41.71	180	164	Average	Vertical		
3	2498.67	42.25	3.63	38.62	54.00	-11.75	180	164	Average	Vertical		

8DPSK

CH0 (Horizontal) Peak



CH0 (Vertical) Peak




8DPSK

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.79	41.68	3.54	38.06	54.00	-12.48	291	298	Average	Horizontal		
2 *	2402.00	98.73	60.42	38.31	54.00	44.73	291	298	Average	Horizontal		
3	2498.15	43.25	4.63	38.62	54.00	-10.75	291	298	Average	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.10	41.18	3.01	38.17	54.00	-12.82	380	218	Average	Vertical		
2 *	2402.00	95.11	56.80	38.31	54.00	41.11	380	218	Average	Vertical		
3	2498.53	42.14	3.52	38.62	54.00	-11.86	380	218	Average	Vertical		

8DPSK

CH39 (Horizontal) Peak



CH39 (Vertical) Peak




8DPSK

CH39 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.91	42.70	4.88	37.82	54.00	-11.30	284	298	Average	Horizontal		
2 *	2441.00	97.00	58.49	38.51	54.00	43.00	284	298	Average	Horizontal		
3	2488.84	42.88	4.27	38.61	54.00	-11.12	284	298	Average	Horizontal		

CH39 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.91	41.20	3.38	37.82	54.00	-12.80	180	152	Average	Vertical		
2 *	2441.00	90.71	52.28	38.51	54.00	36.71	180	152	Average	Vertical		
3	2485.61	42.26	3.66	38.60	54.00	-11.74	180	152	Average	Vertical		


8DPSK

CH78 (Horizontal) Peak

CH78 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.39	54.34	16.18	38.16	74.00	-19.66	276	295	Peak	Horizontal		
2 *	2480.00	101.82	63.22	38.60	74.00	27.82	276	295	Peak	Horizontal		
3	2483.50	58.07	19.47	38.60	74.00	-15.93	276	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.83	55.31	17.19	38.12	74.00	-18.69	180	164	Peak	Vertical		
2 *	2480.00	96.36	57.76	38.60	74.00	22.36	180	164	Peak	Vertical		
3	2490.69	55.73	17.12	38.61	74.00	-18.27	180	164	Peak	Vertical		

8DPSK

CH78 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.05	42.46	4.31	38.15	54.00	-11.54	276	295	Average	Horizontal		
2 *	2480.00	97.67	59.87	38.60	54.00	43.67	276	295	Average	Horizontal		
3	2483.50	42.47	3.87	38.60	54.00	-11.53	276	295	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.05	41.36	3.21	38.15	54.00	-12.64	180	164	Average	Vertical		
2 *	2480.00	92.20	53.60	38.60	54.00	38.20	180	164	Average	Vertical		
3	2499.38	42.10	3.48	38.62	54.00	-11.90	180	164	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


8DPSK

CH0 (Open) 9kHz~150kHz

CH0 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	61.03	42.92	18.11	127.60	-66.57	100	267 Peak	Open	
2	0.03	69.15	49.32	19.83	119.13	-49.98	100	185 Peak	Open	
3	0.03	48.12	28.11	20.01	118.05	-69.93	100	270 Peak	Open	
4	0.05	49.21	30.52	18.69	113.11	-63.90	100	275 Peak	Open	
5	0.06	40.65	22.60	18.05	111.72	-71.07	100	42 Peak	Open	
6	0.14	36.09	17.82	18.27	104.72	-68.63	100	209 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	45.83	27.31	18.52	102.50	-56.67	100	256 Peak	Open	
2	0.51	38.68	19.92	18.76	73.48	-34.80	100	167 Peak	Open	
3	5.70	34.00	13.59	20.41	69.50	-35.50	100	103 Peak	Open	
4	12.51	35.28	13.62	21.66	69.50	-34.22	100	78 Peak	Open	
5	21.13	36.50	13.87	22.63	69.50	-33.00	100	97 Peak	Open	
6	28.48	36.83	13.69	23.14	69.50	-32.67	100	237 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


8DPSK

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	52.31	22.71	29.62	-6.91	40.00	-17.29	300	32	Peak	Horizontal		
2	118.27	28.44	38.60	-10.16	43.50	-15.06	300	322	Peak	Horizontal		
3	198.78	28.36	37.63	-9.27	43.50	-15.14	200	0	Peak	Horizontal		
4	228.85	27.12	35.60	-8.48	46.00	-18.88	200	106	Peak	Horizontal		
5	713.85	32.59	30.59	2.00	46.00	-13.41	200	336	Peak	Horizontal		
6	928.22	34.70	29.38	5.32	46.00	-11.30	400	113	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	48.43	26.63	33.57	-6.94	40.00	-13.37	100	232	Peak	Vertical		
2	177.44	26.47	33.83	-7.36	43.50	-17.03	100	189	Peak	Vertical		
3	203.63	28.54	38.09	-9.55	43.50	-14.96	100	258	Peak	Vertical		
4	556.71	29.37	30.30	-0.93	46.00	-16.63	110	360	Peak	Vertical		
5	714.82	31.91	29.91	2.00	46.00	-14.09	400	255	Peak	Vertical		
6	921.43	34.37	29.33	5.04	46.00	-11.63	300	0	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	23.16	30.86	-7.70	54.00	-30.84	480	241	Average	Horizontal	CF
2	4882.00	53.26	60.96	-7.70	74.00	-20.74	480	241	Peak	Horizontal	
3	7323.00	13.90	19.12	-5.22	54.00	-40.10	200	49	Average	Horizontal	CF
4	7323.00	44.00	49.22	-5.22	74.00	-30.00	200	49	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	20.26	27.96	-7.70	54.00	-33.74	300	270	Average	Vertical	CF
2	4882.00	50.36	58.06	-7.70	74.00	-23.64	300	270	Peak	Vertical	
3	7323.00	14.98	20.20	-5.22	54.00	-39.02	300	333	Average	Vertical	CF
4	7323.00	45.08	50.30	-5.22	74.00	-28.92	300	333	Peak	Vertical	


GFSK

CH78 (Horizontal)


CH78 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	20.64	28.54	-7.70	54.00	-33.16	300	296	Average	Horizontal	CF
2	4882.00	50.94	58.64	-7.70	74.00	-23.06	300	296	Peak	Horizontal	
3	7323.00	14.77	19.99	-5.22	54.00	-39.23	100	19	Average	Horizontal	CF
4	7323.00	44.87	50.09	-5.22	74.00	-29.13	100	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	21.91	29.61	-7.70	54.00	-32.09	300	289	Average	Vertical	CF
2	4882.00	52.01	59.71	-7.70	74.00	-21.99	300	289	Peak	Vertical	
3	7323.00	15.17	20.39	-5.22	54.00	-38.63	384	360	Average	Vertical	CF
4	7323.00	45.27	50.49	-5.22	74.00	-28.73	384	360	Peak	Vertical	


8DPSK

CH78 (Horizontal)

CH78 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

