


Thank you for choosing our screens

All the screens have passed strict quality inspections before delivery. Read this manual carefully to ensure proper usage.


Attention: the installation of the screen is important, the electrical connections, setting of the limit switches, must be conducted by skilled engineers only.

MOTORIZED SCREEN




1. CIRCUIT DIAGRAMS

If the motorized screen work with manual switch, please refer to the diagram below for electric connection.




If the motorized screen work with remote control, please refer to the diagram below for electrical connection.



If the remote control does not work well, please check the battery and replace new one.

2. ADJUST LIMIT SWITCH

Adjust position for the two limit journey, refer to picture below:



3. USEFUL INSTRUCTIONS

- The screen should be switched to a suitable power supply, it can be 220V/50HZ, 230V/50HZ or 110V/60HZ, 120V/60HZ, but the motor's power must be same as the local voltage and frequency.
- The screen can be used with or without the remote controller. The remote control system can be radio type or infrared type. Normally if a remote control system is needed, a radio remote controller is supplied but an infrared type controller is also available for a special requirement. These two different controlling functions cannot be combined in one control system.
- Normally a synchronized motor is installed inside the housing but a tubular motor is also available for a special requirement.
- If the remote control system is not accompanied, the screen can be operated by the control box directly. Just push the UP/ DOWN /STOP button on the control box to operate the screen. Alternatively, the screen can be operated by the remote controller.
- The screen will automatically stop when the screen fabric goes fully back up into the housing or when the top black border comes out totally. The screen can also stop at any position which you want.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction