

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.14	3.50	25.64	<=33.01	Pass
			2	21.83	3.50	25.33	<=33.01	Pass
			5	21.97	3.50	25.47	<=33.01	Pass
		3	0	21.96	3.50	25.46	<=33.01	Pass
			2	21.98	3.50	25.48	<=33.01	Pass
			3	21.76	3.50	25.26	<=33.01	Pass
		6	0	20.85	3.50	24.35	<=33.01	Pass
	1880	1	0	21.83	3.50	25.33	<=33.01	Pass
			2	21.89	3.50	25.39	<=33.01	Pass
			5	21.84	3.50	25.34	<=33.01	Pass
		3	0	21.94	3.50	25.44	<=33.01	Pass
			2	22.02	3.50	25.52	<=33.01	Pass
			3	21.91	3.50	25.41	<=33.01	Pass
		6	0	20.95	3.50	24.45	<=33.01	Pass
	1909.3	1	0	21.46	3.50	24.96	<=33.01	Pass
			2	21.52	3.50	25.02	<=33.01	Pass
			5	21.44	3.50	24.94	<=33.01	Pass
		3	0	21.52	3.50	25.02	<=33.01	Pass
			2	21.54	3.50	25.04	<=33.01	Pass
			3	21.54	3.50	25.04	<=33.01	Pass
		6	0	20.42	3.50	23.92	<=33.01	Pass
16QAM	1850.7	1	0	20.85	3.50	24.35	<=33.01	Pass
			2	21.34	3.50	24.84	<=33.01	Pass
			5	20.85	3.50	24.35	<=33.01	Pass
		3	0	20.88	3.50	24.38	<=33.01	Pass
			2	20.98	3.50	24.48	<=33.01	Pass
			3	20.95	3.50	24.45	<=33.01	Pass
		6	0	19.73	3.50	23.23	<=33.01	Pass
	1880	1	0	20.62	3.50	24.12	<=33.01	Pass
			2	20.97	3.50	24.47	<=33.01	Pass
			5	20.77	3.50	24.27	<=33.01	Pass
		3	0	20.97	3.50	24.47	<=33.01	Pass
			2	20.89	3.50	24.39	<=33.01	Pass
			3	20.82	3.50	24.32	<=33.01	Pass
		6	0	19.80	3.50	23.30	<=33.01	Pass
	1909.3	1	0	21.01	3.50	24.51	<=33.01	Pass
			2	21.20	3.50	24.70	<=33.01	Pass
			5	20.16	3.50	23.66	<=33.01	Pass
		3	0	20.69	3.50	24.19	<=33.01	Pass
			2	20.65	3.50	24.15	<=33.01	Pass
			3	20.25	3.50	23.75	<=33.01	Pass
		6	0	19.40	3.50	22.90	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.83	3.50	25.33	<=33.01	Pass
			7	22.06	3.50	25.56	<=33.01	Pass
			14	21.82	3.50	25.32	<=33.01	Pass
		8	0	20.90	3.50	24.40	<=33.01	Pass
			4	20.99	3.50	24.49	<=33.01	Pass
			7	20.91	3.50	24.41	<=33.01	Pass
		15	0	20.73	3.50	24.23	<=33.01	Pass
	1880	1	0	21.95	3.50	25.45	<=33.01	Pass
			7	22.10	3.50	25.60	<=33.01	Pass
			14	21.89	3.50	25.39	<=33.01	Pass
		8	0	21.00	3.50	24.50	<=33.01	Pass
			4	20.92	3.50	24.42	<=33.01	Pass
			7	20.78	3.50	24.28	<=33.01	Pass
		15	0	20.93	3.50	24.43	<=33.01	Pass
	1908.5	1	0	21.38	3.50	24.88	<=33.01	Pass
			7	21.85	3.50	25.35	<=33.01	Pass
			14	21.64	3.50	25.14	<=33.01	Pass
		8	0	20.44	3.50	23.94	<=33.01	Pass
			4	20.59	3.50	24.09	<=33.01	Pass
			7	20.57	3.50	24.07	<=33.01	Pass
		15	0	20.44	3.50	23.94	<=33.01	Pass
16QAM	1851.5	1	0	21.22	3.50	24.72	<=33.01	Pass
			7	21.39	3.50	24.89	<=33.01	Pass
			14	21.33	3.50	24.83	<=33.01	Pass
		8	0	19.95	3.50	23.45	<=33.01	Pass
			4	19.85	3.50	23.35	<=33.01	Pass
			7	19.99	3.50	23.49	<=33.01	Pass
		15	0	20.04	3.50	23.54	<=33.01	Pass
	1880	1	0	20.94	3.50	24.44	<=33.01	Pass
			7	21.09	3.50	24.59	<=33.01	Pass
			14	21.04	3.50	24.54	<=33.01	Pass
		8	0	20.07	3.50	23.57	<=33.01	Pass
			4	19.93	3.50	23.43	<=33.01	Pass
			7	19.89	3.50	23.39	<=33.01	Pass
		15	0	19.89	3.50	23.39	<=33.01	Pass
	1908.5	1	0	20.51	3.50	24.01	<=33.01	Pass
			7	20.56	3.50	24.06	<=33.01	Pass
			14	20.27	3.50	23.77	<=33.01	Pass
		8	0	19.45	3.50	22.95	<=33.01	Pass
4			19.52	3.50	23.02	<=33.01	Pass	
7			19.57	3.50	23.07	<=33.01	Pass	
15		0	19.45	3.50	22.95	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.96	3.50	25.46	<=33.01	Pass
			13	21.82	3.50	25.32	<=33.01	Pass
			24	21.60	3.50	25.10	<=33.01	Pass
		12	0	20.80	3.50	24.30	<=33.01	Pass
			6	20.99	3.50	24.49	<=33.01	Pass
			13	20.84	3.50	24.34	<=33.01	Pass
		25	0	20.73	3.50	24.23	<=33.01	Pass
	1880	1	0	21.63	3.50	25.13	<=33.01	Pass
			13	21.80	3.50	25.30	<=33.01	Pass
			24	22.13	3.50	25.63	<=33.01	Pass
		12	0	21.10	3.50	24.60	<=33.01	Pass
			6	21.12	3.50	24.62	<=33.01	Pass
			13	20.98	3.50	24.48	<=33.01	Pass
		25	0	20.92	3.50	24.42	<=33.01	Pass
	1907.5	1	0	21.35	3.50	24.85	<=33.01	Pass
			13	21.44	3.50	24.94	<=33.01	Pass
			24	21.41	3.50	24.91	<=33.01	Pass
		12	0	20.54	3.50	24.04	<=33.01	Pass
			6	20.50	3.50	24.00	<=33.01	Pass
			13	20.60	3.50	24.10	<=33.01	Pass
		25	0	20.50	3.50	24.00	<=33.01	Pass
16QAM	1852.5	1	0	21.13	3.50	24.63	<=33.01	Pass
			13	21.39	3.50	24.89	<=33.01	Pass
			24	21.35	3.50	24.85	<=33.01	Pass
		12	0	19.59	3.50	23.09	<=33.01	Pass
			6	19.64	3.50	23.14	<=33.01	Pass
			13	19.60	3.50	23.10	<=33.01	Pass
		25	0	19.73	3.50	23.23	<=33.01	Pass
	1880	1	0	20.88	3.50	24.38	<=33.01	Pass
			13	20.87	3.50	24.37	<=33.01	Pass
			24	20.92	3.50	24.42	<=33.01	Pass
		12	0	19.97	3.50	23.47	<=33.01	Pass
			6	20.02	3.50	23.52	<=33.01	Pass
			13	20.04	3.50	23.54	<=33.01	Pass
		25	0	20.04	3.50	23.54	<=33.01	Pass
	1907.5	1	0	21.23	3.50	24.73	<=33.01	Pass
			13	20.99	3.50	24.49	<=33.01	Pass
			24	21.05	3.50	24.55	<=33.01	Pass
		12	0	19.46	3.50	22.96	<=33.01	Pass
6			19.54	3.50	23.04	<=33.01	Pass	
13			19.51	3.50	23.01	<=33.01	Pass	
25		0	19.42	3.50	22.92	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.88	3.50	25.38	<=33.01	Pass
			25	21.98	3.50	25.48	<=33.01	Pass
			49	21.68	3.50	25.18	<=33.01	Pass
		25	0	20.63	3.50	24.13	<=33.01	Pass
			13	20.66	3.50	24.16	<=33.01	Pass
			25	20.70	3.50	24.20	<=33.01	Pass
		50	0	20.76	3.50	24.26	<=33.01	Pass
			0	21.89	3.50	25.39	<=33.01	Pass
			25	22.07	3.50	25.57	<=33.01	Pass
	1880	1	49	21.73	3.50	25.23	<=33.01	Pass
			0	20.85	3.50	24.35	<=33.01	Pass
			13	20.95	3.50	24.45	<=33.01	Pass
		25	25	20.83	3.50	24.33	<=33.01	Pass
			0	20.88	3.50	24.38	<=33.01	Pass
		50	0	21.71	3.50	25.21	<=33.01	Pass
			25	21.90	3.50	25.40	<=33.01	Pass
			49	21.84	3.50	25.34	<=33.01	Pass
	1905	1	0	20.64	3.50	24.14	<=33.01	Pass
			13	20.63	3.50	24.13	<=33.01	Pass
			25	20.55	3.50	24.05	<=33.01	Pass
		25	0	20.54	3.50	24.04	<=33.01	Pass
			0					
			0					
			0					
			0					
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.86	3.50	25.36	<=33.01	Pass
			38	21.85	3.50	25.35	<=33.01	Pass
			74	22.26	3.50	25.76	<=33.01	Pass
		36	0	20.95	3.50	24.45	<=33.01	Pass
			18	21.08	3.50	24.58	<=33.01	Pass
			39	21.05	3.50	24.55	<=33.01	Pass
		75	0	20.90	3.50	24.40	<=33.01	Pass
			0	22.03	3.50	25.53	<=33.01	Pass
			38	22.12	3.50	25.62	<=33.01	Pass
	1880	1	74	22.20	3.50	25.70	<=33.01	Pass
			0	20.95	3.50	24.45	<=33.01	Pass
			18	21.09	3.50	24.59	<=33.01	Pass
		36	39	21.08	3.50	24.58	<=33.01	Pass
			0	20.94	3.50	24.44	<=33.01	Pass
			0	21.83	3.50	25.33	<=33.01	Pass
		1	38	21.60	3.50	25.10	<=33.01	Pass
			74	21.99	3.50	25.49	<=33.01	Pass
			0	20.98	3.50	24.48	<=33.01	Pass
	1902.5	36	18	20.92	3.50	24.42	<=33.01	Pass
			39	20.83	3.50	24.33	<=33.01	Pass
			0	20.68	3.50	24.18	<=33.01	Pass
		75	0					
			0					
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.89	3.50	25.39	<=33.01	Pass
			50	22.27	3.50	25.77	<=33.01	Pass
			99	22.06	3.50	25.56	<=33.01	Pass
		50	0	21.22	3.50	24.72	<=33.01	Pass
			25	21.33	3.50	24.83	<=33.01	Pass
			50	21.26	3.50	24.76	<=33.01	Pass
		100	0	21.25	3.50	24.75	<=33.01	Pass
			0	22.24	3.50	25.74	<=33.01	Pass
			0	22.51	3.50	26.01	<=33.01	Pass
	1880	1	50	22.22	3.50	25.72	<=33.01	Pass
			0	21.22	3.50	24.72	<=33.01	Pass
			25	21.37	3.50	24.87	<=33.01	Pass
		50	50	21.35	3.50	24.85	<=33.01	Pass
			0	21.20	3.50	24.70	<=33.01	Pass
			0	22.18	3.50	25.68	<=33.01	Pass
		100	0	21.98	3.50	25.48	<=33.01	Pass
			99	21.75	3.50	25.25	<=33.01	Pass
			0	21.22	3.50	24.72	<=33.01	Pass
	1900	1	25	21.16	3.50	24.66	<=33.01	Pass
			50	20.99	3.50	24.49	<=33.01	Pass
			0	21.08	3.50	24.58	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	10.2	-1.245	-0.0007	-2.5 to 2.5	Pass
					12	-2.174	-0.0012	-2.5 to 2.5	Pass
					13.8	-2.017	-0.0011	-2.5 to 2.5	Pass
				-30	12	-1.788	-0.0010	-2.5 to 2.5	Pass
				-20	12	-1.516	-0.0008	-2.5 to 2.5	Pass
				-10	12	-1.702	-0.0009	-2.5 to 2.5	Pass
				0	12	-1.788	-0.0010	-2.5 to 2.5	Pass
				10	12	-2.003	-0.0011	-2.5 to 2.5	Pass
				30	12	-0.501	-0.0003	-2.5 to 2.5	Pass
				40	12	-1.516	-0.0008	-2.5 to 2.5	Pass
				50	12	-1.345	-0.0007	-2.5 to 2.5	Pass
	1880	6	0	20	10.2	-2.375	-0.0013	-2.5 to 2.5	Pass
					12	-2.160	-0.0011	-2.5 to 2.5	Pass
					13.8	-2.847	-0.0015	-2.5 to 2.5	Pass
				-30	12	-2.975	-0.0016	-2.5 to 2.5	Pass
				-20	12	-3.476	-0.0018	-2.5 to 2.5	Pass
				-10	12	-3.004	-0.0016	-2.5 to 2.5	Pass
				0	12	-2.832	-0.0015	-2.5 to 2.5	Pass
				10	12	-3.347	-0.0018	-2.5 to 2.5	Pass
				30	12	-2.375	-0.0013	-2.5 to 2.5	Pass
				40	12	-2.933	-0.0016	-2.5 to 2.5	Pass
				50	12	-2.975	-0.0016	-2.5 to 2.5	Pass
	1909.3	6	0	20	10.2	0.916	0.0005	-2.5 to 2.5	Pass
					12	0.629	0.0003	-2.5 to 2.5	Pass
					13.8	0.243	0.0001	-2.5 to 2.5	Pass
				-30	12	1.559	0.0008	-2.5 to 2.5	Pass
				-20	12	0.672	0.0004	-2.5 to 2.5	Pass
				-10	12	0.000	0.0000	-2.5 to 2.5	Pass
				0	12	0.386	0.0002	-2.5 to 2.5	Pass
				10	12	0.000	0.0000	-2.5 to 2.5	Pass
				30	12	1.144	0.0006	-2.5 to 2.5	Pass
				40	12	0.801	0.0004	-2.5 to 2.5	Pass
				50	12	0.014	0.0000	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	10.2	-2.089	-0.0011	-2.5 to 2.5	Pass
					12	-1.116	-0.0006	-2.5 to 2.5	Pass
					13.8	-1.330	-0.0007	-2.5 to 2.5	Pass
				-30	12	-1.574	-0.0009	-2.5 to 2.5	Pass
				-20	12	-1.316	-0.0007	-2.5 to 2.5	Pass
				-10	12	-1.602	-0.0009	-2.5 to 2.5	Pass
				0	12	-0.973	-0.0005	-2.5 to 2.5	Pass
				10	12	-1.988	-0.0011	-2.5 to 2.5	Pass
				30	12	-1.259	-0.0007	-2.5 to 2.5	Pass
				40	12	-1.602	-0.0009	-2.5 to 2.5	Pass
				50	12	-1.774	-0.0010	-2.5 to 2.5	Pass
	1880	6	0	20	10.2	-2.317	-0.0012	-2.5 to 2.5	Pass
					12	-3.190	-0.0017	-2.5 to 2.5	Pass
					13.8	-3.977	-0.0021	-2.5 to 2.5	Pass
				-30	12	-2.646	-0.0014	-2.5 to 2.5	Pass
				-20	12	-2.875	-0.0015	-2.5 to 2.5	Pass
				-10	12	-2.246	-0.0012	-2.5 to 2.5	Pass

				0	12	-2.017	-0.0011	-2.5 to 2.5	Pass
				10	12	-3.004	-0.0016	-2.5 to 2.5	Pass
				30	12	-2.532	-0.0013	-2.5 to 2.5	Pass
				40	12	-3.018	-0.0016	-2.5 to 2.5	Pass
				50	12	-3.061	-0.0016	-2.5 to 2.5	Pass
	1909.3	6	0	20	10.2	0.057	0.0000	-2.5 to 2.5	Pass
					12	0.601	0.0003	-2.5 to 2.5	Pass
					13.8	0.086	0.0000	-2.5 to 2.5	Pass
				-30	12	-0.143	-0.0001	-2.5 to 2.5	Pass
				-20	12	-0.243	-0.0001	-2.5 to 2.5	Pass
				-10	12	-0.172	-0.0001	-2.5 to 2.5	Pass
				0	12	0.286	0.0001	-2.5 to 2.5	Pass
				10	12	0.472	0.0002	-2.5 to 2.5	Pass
				30	12	0.916	0.0005	-2.5 to 2.5	Pass
				40	12	-0.129	-0.0001	-2.5 to 2.5	Pass
				50	12	0.930	0.0005	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	10.2	-2.003	-0.0011	-2.5 to 2.5	Pass
					12	-2.289	-0.0012	-2.5 to 2.5	Pass
					13.8	-1.545	-0.0008	-2.5 to 2.5	Pass
				-30	12	-1.431	-0.0008	-2.5 to 2.5	Pass
				-20	12	-2.446	-0.0013	-2.5 to 2.5	Pass
				-10	12	-1.287	-0.0007	-2.5 to 2.5	Pass
				0	12	-2.317	-0.0013	-2.5 to 2.5	Pass
				10	12	-2.031	-0.0011	-2.5 to 2.5	Pass
				30	12	-1.788	-0.0010	-2.5 to 2.5	Pass
				40	12	-1.502	-0.0008	-2.5 to 2.5	Pass
				50	12	-2.203	-0.0012	-2.5 to 2.5	Pass
	1880	15	0	20	10.2	-4.191	-0.0022	-2.5 to 2.5	Pass
					12	-3.161	-0.0017	-2.5 to 2.5	Pass
					13.8	-2.975	-0.0016	-2.5 to 2.5	Pass
				-30	12	-3.562	-0.0019	-2.5 to 2.5	Pass
				-20	12	-3.605	-0.0019	-2.5 to 2.5	Pass
				-10	12	-3.333	-0.0018	-2.5 to 2.5	Pass
				0	12	-3.061	-0.0016	-2.5 to 2.5	Pass
				10	12	-3.433	-0.0018	-2.5 to 2.5	Pass
				30	12	-2.704	-0.0014	-2.5 to 2.5	Pass
				40	12	-2.646	-0.0014	-2.5 to 2.5	Pass
				50	12	-3.862	-0.0021	-2.5 to 2.5	Pass
	1908.5	15	0	20	10.2	-0.143	-0.0001	-2.5 to 2.5	Pass
					12	-0.157	-0.0001	-2.5 to 2.5	Pass
					13.8	1.473	0.0008	-2.5 to 2.5	Pass
				-30	12	1.845	0.0010	-2.5 to 2.5	Pass
				-20	12	0.815	0.0004	-2.5 to 2.5	Pass
				-10	12	0.529	0.0003	-2.5 to 2.5	Pass
				0	12	0.415	0.0002	-2.5 to 2.5	Pass
				10	12	0.544	0.0003	-2.5 to 2.5	Pass
				30	12	1.388	0.0007	-2.5 to 2.5	Pass
				40	12	1.059	0.0006	-2.5 to 2.5	Pass
				50	12	-0.343	-0.0002	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	10.2	-2.217	-0.0012	-2.5 to 2.5	Pass
					12	-1.602	-0.0009	-2.5 to 2.5	Pass
					13.8	-2.217	-0.0012	-2.5 to 2.5	Pass

				-30	12	-2.360	-0.0013	-2.5 to 2.5	Pass
				-20	12	-2.346	-0.0013	-2.5 to 2.5	Pass
				-10	12	-1.488	-0.0008	-2.5 to 2.5	Pass
				0	12	-1.802	-0.0010	-2.5 to 2.5	Pass
				10	12	-2.346	-0.0013	-2.5 to 2.5	Pass
				30	12	-2.217	-0.0012	-2.5 to 2.5	Pass
				40	12	-2.031	-0.0011	-2.5 to 2.5	Pass
				50	12	-2.203	-0.0012	-2.5 to 2.5	Pass
	1880	15	0	20	10.2	-3.076	-0.0016	-2.5 to 2.5	Pass
					12	-2.389	-0.0013	-2.5 to 2.5	Pass
					13.8	-4.778	-0.0025	-2.5 to 2.5	Pass
				-30	12	-3.862	-0.0021	-2.5 to 2.5	Pass
				-20	12	-2.189	-0.0012	-2.5 to 2.5	Pass
				-10	12	-2.904	-0.0015	-2.5 to 2.5	Pass
				0	12	-4.320	-0.0023	-2.5 to 2.5	Pass
				10	12	-2.947	-0.0016	-2.5 to 2.5	Pass
				30	12	-3.533	-0.0019	-2.5 to 2.5	Pass
				40	12	-2.418	-0.0013	-2.5 to 2.5	Pass
				50	12	-3.247	-0.0017	-2.5 to 2.5	Pass
	1908.5	15	0	20	10.2	0.529	0.0003	-2.5 to 2.5	Pass
					12	0.787	0.0004	-2.5 to 2.5	Pass
					13.8	0.386	0.0002	-2.5 to 2.5	Pass
				-30	12	0.916	0.0005	-2.5 to 2.5	Pass
				-20	12	0.772	0.0004	-2.5 to 2.5	Pass
				-10	12	0.072	0.0000	-2.5 to 2.5	Pass
				0	12	1.302	0.0007	-2.5 to 2.5	Pass
				10	12	0.358	0.0002	-2.5 to 2.5	Pass
				30	12	0.544	0.0003	-2.5 to 2.5	Pass
				40	12	0.544	0.0003	-2.5 to 2.5	Pass
				50	12	0.186	0.0001	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	10.2	-2.017	-0.0011	-2.5 to 2.5	Pass
					12	-1.788	-0.0010	-2.5 to 2.5	Pass
					13.8	-1.230	-0.0007	-2.5 to 2.5	Pass
				-30	12	-1.459	-0.0008	-2.5 to 2.5	Pass
				-20	12	-1.831	-0.0010	-2.5 to 2.5	Pass
				-10	12	-1.888	-0.0010	-2.5 to 2.5	Pass
				0	12	-1.588	-0.0009	-2.5 to 2.5	Pass
				10	12	-1.216	-0.0007	-2.5 to 2.5	Pass
				30	12	-0.973	-0.0005	-2.5 to 2.5	Pass
				40	12	-1.473	-0.0008	-2.5 to 2.5	Pass
				50	12	-1.817	-0.0010	-2.5 to 2.5	Pass
	1880	25	0	20	10.2	-2.761	-0.0015	-2.5 to 2.5	Pass
					12	-3.562	-0.0019	-2.5 to 2.5	Pass
					13.8	-3.691	-0.0020	-2.5 to 2.5	Pass
				-30	12	-3.176	-0.0017	-2.5 to 2.5	Pass
				-20	12	-2.961	-0.0016	-2.5 to 2.5	Pass
				-10	12	-2.432	-0.0013	-2.5 to 2.5	Pass
				0	12	-2.403	-0.0013	-2.5 to 2.5	Pass
				10	12	-2.947	-0.0016	-2.5 to 2.5	Pass
				30	12	-3.490	-0.0019	-2.5 to 2.5	Pass
				40	12	-3.233	-0.0017	-2.5 to 2.5	Pass
				50	12	-2.460	-0.0013	-2.5 to 2.5	Pass

	1907.5	25	0	20	10.2	0.257	0.0001	-2.5 to 2.5	Pass
					12	0.558	0.0003	-2.5 to 2.5	Pass
					13.8	0.372	0.0002	-2.5 to 2.5	Pass
				-30	12	1.388	0.0007	-2.5 to 2.5	Pass
				-20	12	-0.215	-0.0001	-2.5 to 2.5	Pass
				-10	12	0.172	0.0001	-2.5 to 2.5	Pass
				0	12	0.901	0.0005	-2.5 to 2.5	Pass
				10	12	0.858	0.0004	-2.5 to 2.5	Pass
				30	12	1.044	0.0005	-2.5 to 2.5	Pass
				40	12	0.172	0.0001	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	10.2	-1.187	-0.0006	-2.5 to 2.5	Pass
					12	-1.674	-0.0009	-2.5 to 2.5	Pass
					13.8	-2.403	-0.0013	-2.5 to 2.5	Pass
				-30	12	-1.702	-0.0009	-2.5 to 2.5	Pass
				-20	12	-2.732	-0.0015	-2.5 to 2.5	Pass
				-10	12	-1.345	-0.0007	-2.5 to 2.5	Pass
				0	12	-1.917	-0.0010	-2.5 to 2.5	Pass
				10	12	-1.545	-0.0008	-2.5 to 2.5	Pass
				30	12	-1.945	-0.0010	-2.5 to 2.5	Pass
				40	12	-1.845	-0.0010	-2.5 to 2.5	Pass
	1880	25	0	20	10.2	-1.416	-0.0008	-2.5 to 2.5	Pass
					12	-1.860	-0.0010	-2.5 to 2.5	Pass
					13.8	-4.206	-0.0022	-2.5 to 2.5	Pass
				-30	12	-4.148	-0.0022	-2.5 to 2.5	Pass
				-20	12	-3.777	-0.0020	-2.5 to 2.5	Pass
				-10	12	-3.777	-0.0020	-2.5 to 2.5	Pass
				0	12	-2.990	-0.0016	-2.5 to 2.5	Pass
				10	12	-2.933	-0.0016	-2.5 to 2.5	Pass
				30	12	-3.405	-0.0018	-2.5 to 2.5	Pass
				40	12	-3.791	-0.0020	-2.5 to 2.5	Pass
	1907.5	25	0	20	10.2	0.472	0.0002	-2.5 to 2.5	Pass
					12	0.772	0.0004	-2.5 to 2.5	Pass
					13.8	1.845	0.0010	-2.5 to 2.5	Pass
				-30	12	1.459	0.0008	-2.5 to 2.5	Pass
				-20	12	0.615	0.0003	-2.5 to 2.5	Pass
				-10	12	0.601	0.0003	-2.5 to 2.5	Pass
				0	12	-0.415	-0.0002	-2.5 to 2.5	Pass
				10	12	0.386	0.0002	-2.5 to 2.5	Pass
				30	12	-0.257	-0.0001	-2.5 to 2.5	Pass
				40	12	0.858	0.0004	-2.5 to 2.5	Pass
				50	12	0.415	0.0002	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	10.2	-2.146	-0.0012	-2.5 to 2.5	Pass
					12	-1.774	-0.0010	-2.5 to 2.5	Pass
					13.8	-3.147	-0.0017	-2.5 to 2.5	Pass
				-30	12	-1.631	-0.0009	-2.5 to 2.5	Pass
				-20	12	-2.875	-0.0015	-2.5 to 2.5	Pass
				-10	12	-2.561	-0.0014	-2.5 to 2.5	Pass
				0	12	-2.861	-0.0015	-2.5 to 2.5	Pass
				10	12	-2.117	-0.0011	-2.5 to 2.5	Pass
				30	12	-2.561	-0.0014	-2.5 to 2.5	Pass
				40	12	-2.389	-0.0013	-2.5 to 2.5	Pass
				50	12	-2.432	-0.0013	-2.5 to 2.5	Pass
	1880	50	0	20	10.2	-3.247	-0.0017	-2.5 to 2.5	Pass
					12	-3.104	-0.0017	-2.5 to 2.5	Pass
					13.8	-2.718	-0.0014	-2.5 to 2.5	Pass
				-30	12	-2.918	-0.0016	-2.5 to 2.5	Pass
				-20	12	-3.004	-0.0016	-2.5 to 2.5	Pass
				-10	12	-3.462	-0.0018	-2.5 to 2.5	Pass
				0	12	-2.661	-0.0014	-2.5 to 2.5	Pass
				10	12	-3.762	-0.0020	-2.5 to 2.5	Pass
				30	12	-3.462	-0.0018	-2.5 to 2.5	Pass
				40	12	-2.446	-0.0013	-2.5 to 2.5	Pass
				50	12	-3.319	-0.0018	-2.5 to 2.5	Pass
	1905	50	0	20	10.2	1.531	0.0008	-2.5 to 2.5	Pass
					12	1.559	0.0008	-2.5 to 2.5	Pass
					13.8	0.916	0.0005	-2.5 to 2.5	Pass
				-30	12	0.887	0.0005	-2.5 to 2.5	Pass
				-20	12	1.674	0.0009	-2.5 to 2.5	Pass
				-10	12	0.243	0.0001	-2.5 to 2.5	Pass
				0	12	1.016	0.0005	-2.5 to 2.5	Pass
				10	12	0.100	0.0001	-2.5 to 2.5	Pass
				30	12	0.744	0.0004	-2.5 to 2.5	Pass
				40	12	1.302	0.0007	-2.5 to 2.5	Pass
				50	12	0.601	0.0003	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	10.2	-3.448	-0.0019	-2.5 to 2.5	Pass
					12	-2.818	-0.0015	-2.5 to 2.5	Pass
					13.8	-4.063	-0.0022	-2.5 to 2.5	Pass
				-30	12	-4.478	-0.0024	-2.5 to 2.5	Pass
				-20	12	-3.991	-0.0021	-2.5 to 2.5	Pass
				-10	12	-4.678	-0.0025	-2.5 to 2.5	Pass
				0	12	-4.678	-0.0025	-2.5 to 2.5	Pass
				10	12	-3.734	-0.0020	-2.5 to 2.5	Pass
				30	12	-3.705	-0.0020	-2.5 to 2.5	Pass
				40	12	-4.091	-0.0022	-2.5 to 2.5	Pass
				50	12	-4.406	-0.0024	-2.5 to 2.5	Pass
	1880	75	0	20	10.2	-4.091	-0.0022	-2.5 to 2.5	Pass
					12	-3.247	-0.0017	-2.5 to 2.5	Pass
					13.8	-3.934	-0.0021	-2.5 to 2.5	Pass
				-30	12	-4.206	-0.0022	-2.5 to 2.5	Pass

				-20	12	-3.333	-0.0018	-2.5 to 2.5	Pass
				-10	12	-3.490	-0.0019	-2.5 to 2.5	Pass
				0	12	-3.576	-0.0019	-2.5 to 2.5	Pass
				10	12	-3.591	-0.0019	-2.5 to 2.5	Pass
				30	12	-3.562	-0.0019	-2.5 to 2.5	Pass
				40	12	-2.074	-0.0011	-2.5 to 2.5	Pass
				50	12	-3.247	-0.0017	-2.5 to 2.5	Pass
	1902.5	75	0	20	10.2	-3.691	-0.0019	-2.5 to 2.5	Pass
					12	-4.005	-0.0021	-2.5 to 2.5	Pass
					13.8	-3.505	-0.0018	-2.5 to 2.5	Pass
				-30	12	-3.490	-0.0018	-2.5 to 2.5	Pass
				-20	12	-4.048	-0.0021	-2.5 to 2.5	Pass
				-10	12	-3.090	-0.0016	-2.5 to 2.5	Pass
				0	12	-3.791	-0.0020	-2.5 to 2.5	Pass
				10	12	-2.675	-0.0014	-2.5 to 2.5	Pass
				30	12	-2.789	-0.0015	-2.5 to 2.5	Pass
				40	12	-4.005	-0.0021	-2.5 to 2.5	Pass
				50	12	-4.549	-0.0024	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	10.2	-0.100	-0.0001	-2.5 to 2.5	Pass
					12	1.159	0.0006	-2.5 to 2.5	Pass
					13.8	-0.243	-0.0001	-2.5 to 2.5	Pass
				-30	12	1.144	0.0006	-2.5 to 2.5	Pass
				-20	12	0.486	0.0003	-2.5 to 2.5	Pass
				-10	12	1.273	0.0007	-2.5 to 2.5	Pass
				0	12	0.544	0.0003	-2.5 to 2.5	Pass
				10	12	0.172	0.0001	-2.5 to 2.5	Pass
				30	12	0.629	0.0003	-2.5 to 2.5	Pass
				40	12	1.101	0.0006	-2.5 to 2.5	Pass
				50	12	-0.029	0.0000	-2.5 to 2.5	Pass
	1880	100	0	20	10.2	-3.476	-0.0018	-2.5 to 2.5	Pass
					12	-3.734	-0.0020	-2.5 to 2.5	Pass
					13.8	-2.761	-0.0015	-2.5 to 2.5	Pass
				-30	12	-4.363	-0.0023	-2.5 to 2.5	Pass
				-20	12	-2.847	-0.0015	-2.5 to 2.5	Pass
				-10	12	-4.148	-0.0022	-2.5 to 2.5	Pass
				0	12	-2.961	-0.0016	-2.5 to 2.5	Pass
				10	12	-3.948	-0.0021	-2.5 to 2.5	Pass
				30	12	-3.662	-0.0019	-2.5 to 2.5	Pass
				40	12	-3.362	-0.0018	-2.5 to 2.5	Pass
				50	12	-3.147	-0.0017	-2.5 to 2.5	Pass
	1900	100	0	20	10.2	-2.847	-0.0015	-2.5 to 2.5	Pass
					12	-3.219	-0.0017	-2.5 to 2.5	Pass
					13.8	-3.133	-0.0016	-2.5 to 2.5	Pass
				-30	12	-2.761	-0.0015	-2.5 to 2.5	Pass
				-20	12	-2.789	-0.0015	-2.5 to 2.5	Pass
				-10	12	-2.861	-0.0015	-2.5 to 2.5	Pass
				0	12	-3.018	-0.0016	-2.5 to 2.5	Pass
				10	12	-2.317	-0.0012	-2.5 to 2.5	Pass
				30	12	-2.861	-0.0015	-2.5 to 2.5	Pass
				40	12	-3.233	-0.0017	-2.5 to 2.5	Pass
				50	12	-1.974	-0.0010	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
OPSK	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.118	/	Pass
		1880	6	0	1.113	/	Pass
		1909.3	6	0	1.117	/	Pass
	16QAM	1850.7	6	0	1.115	/	Pass
		1880	6	0	1.117	/	Pass
		1909.3	6	0	1.107	/	Pass
3	QPSK	1851.5	15	0	2.758	/	Pass
		1880	15	0	2.740	/	Pass
		1908.5	15	0	2.738	/	Pass
	16QAM	1851.5	15	0	2.734	/	Pass
		1880	15	0	2.761	/	Pass
		1908.5	15	0	2.737	/	Pass
5	QPSK	1852.5	25	0	4.550	/	Pass
		1880	25	0	4.557	/	Pass
		1907.5	25	0	4.553	/	Pass
	16QAM	1852.5	25	0	4.567	/	Pass
		1880	25	0	4.554	/	Pass
		1907.5	25	0	4.561	/	Pass
10	QPSK	1855	50	0	9.026	/	Pass
		1880	50	0	9.057	/	Pass
		1905	50	0	9.049	/	Pass
15	QPSK	1857.5	75	0	13.523	/	Pass
		1880	75	0	13.581	/	Pass
		1902.5	75	0	13.586	/	Pass
20	QPSK	1860	100	0	17.980	/	Pass
		1880	100	0	18.071	/	Pass
		1900	100	0	18.066	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.320	/	Pass
		1880	6	0	1.332	/	Pass
		1909.3	6	0	1.303	/	Pass
	16QAM	1850.7	6	0	1.315	/	Pass
		1880	6	0	1.333	/	Pass
		1909.3	6	0	1.337	/	Pass
3	QPSK	1851.5	15	0	3.028	/	Pass
		1880	15	0	3.053	/	Pass
		1908.5	15	0	3.048	/	Pass
	16QAM	1851.5	15	0	3.060	/	Pass
		1880	15	0	3.046	/	Pass
		1908.5	15	0	3.072	/	Pass
5	QPSK	1852.5	25	0	5.097	/	Pass
		1880	25	0	5.082	/	Pass
		1907.5	25	0	5.088	/	Pass
	16QAM	1852.5	25	0	5.112	/	Pass


		1880	25	0	5.121	/	Pass
		1907.5	25	0	5.105	/	Pass
10	QPSK	1855	50	0	10.049	/	Pass
		1880	50	0	10.069	/	Pass
		1905	50	0	10.073	/	Pass
15	QPSK	1857.5	75	0	14.850	/	Pass
		1880	75	0	14.999	/	Pass
		1902.5	75	0	14.975	/	Pass
20	QPSK	1860	100	0	19.695	/	Pass
		1880	100	0	19.955	/	Pass
		1900	100	0	19.865	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV







4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV



Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV



Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV



Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV

