

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	21.23	3.50	24.73	<=33.01	Pass
			13	21.55	3.50	25.05	<=33.01	Pass
			24	21.66	3.50	25.16	<=33.01	Pass
		12	0	20.50	3.50	24.00	<=33.01	Pass
			6	20.48	3.50	23.98	<=33.01	Pass
			13	20.61	3.50	24.11	<=33.01	Pass
		25	0	20.49	3.50	23.99	<=33.01	Pass
	2535	1	0	21.23	3.50	24.73	<=33.01	Pass
			13	21.23	3.50	24.73	<=33.01	Pass
			24	21.02	3.50	24.52	<=33.01	Pass
		12	0	20.22	3.50	23.72	<=33.01	Pass
			6	20.23	3.50	23.73	<=33.01	Pass
			13	20.33	3.50	23.83	<=33.01	Pass
		25	0	20.22	3.50	23.72	<=33.01	Pass
	2567.5	1	0	21.42	3.50	24.92	<=33.01	Pass
			13	21.26	3.50	24.76	<=33.01	Pass
			24	21.08	3.50	24.58	<=33.01	Pass
		12	0	20.39	3.50	23.89	<=33.01	Pass
			6	20.46	3.50	23.96	<=33.01	Pass
			13	20.39	3.50	23.89	<=33.01	Pass
		25	0	20.33	3.50	23.83	<=33.01	Pass
16QAM	2502.5	1	0	20.81	3.50	24.31	<=33.01	Pass
			13	20.40	3.50	23.90	<=33.01	Pass
			24	20.84	3.50	24.34	<=33.01	Pass
		12	0	19.26	3.50	22.76	<=33.01	Pass
			6	19.52	3.50	23.02	<=33.01	Pass
			13	19.46	3.50	22.96	<=33.01	Pass
		25	0	19.52	3.50	23.02	<=33.01	Pass
	2535	1	0	20.11	3.50	23.61	<=33.01	Pass
			13	20.11	3.50	23.61	<=33.01	Pass
			24	20.40	3.50	23.90	<=33.01	Pass
		12	0	19.33	3.50	22.83	<=33.01	Pass
			6	19.35	3.50	22.85	<=33.01	Pass
			13	19.39	3.50	22.89	<=33.01	Pass
		25	0	19.34	3.50	22.84	<=33.01	Pass
	2567.5	1	0	20.75	3.50	24.25	<=33.01	Pass
			13	20.85	3.50	24.35	<=33.01	Pass
			24	20.62	3.50	24.12	<=33.01	Pass
		12	0	19.42	3.50	22.92	<=33.01	Pass
			6	19.45	3.50	22.95	<=33.01	Pass
			13	19.43	3.50	22.93	<=33.01	Pass
		25	0	19.38	3.50	22.88	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	21.35	3.50	24.85	<=33.01	Pass
			25	21.59	3.50	25.09	<=33.01	Pass
			49	21.29	3.50	24.79	<=33.01	Pass
		25	0	20.25	3.50	23.75	<=33.01	Pass
			13	20.34	3.50	23.84	<=33.01	Pass
			25	20.34	3.50	23.84	<=33.01	Pass
		50	0	20.18	3.50	23.68	<=33.01	Pass
			0	21.25	3.50	24.75	<=33.01	Pass
			25	21.36	3.50	24.86	<=33.01	Pass
	2535	1	49	21.26	3.50	24.76	<=33.01	Pass
			0	20.33	3.50	23.83	<=33.01	Pass
			13	20.22	3.50	23.72	<=33.01	Pass
		25	25	20.29	3.50	23.79	<=33.01	Pass
			0	20.28	3.50	23.78	<=33.01	Pass
			0	21.28	3.50	24.78	<=33.01	Pass
		50	25	21.35	3.50	24.85	<=33.01	Pass
			49	21.51	3.50	25.01	<=33.01	Pass
			0	20.36	3.50	23.86	<=33.01	Pass
	2565	1	13	20.37	3.50	23.87	<=33.01	Pass
			25	20.35	3.50	23.85	<=33.01	Pass
			0	20.49	3.50	23.99	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	21.26	3.50	24.76	<=33.01	Pass
			38	21.93	3.50	25.43	<=33.01	Pass
			74	21.48	3.50	24.98	<=33.01	Pass
		36	0	20.61	3.50	24.11	<=33.01	Pass
			18	20.54	3.50	24.04	<=33.01	Pass
			39	20.56	3.50	24.06	<=33.01	Pass
		75	0	20.49	3.50	23.99	<=33.01	Pass
			0	21.40	3.50	24.90	<=33.01	Pass
			38	21.43	3.50	24.93	<=33.01	Pass
	2535	1	74	21.58	3.50	25.08	<=33.01	Pass
			0	20.34	3.50	23.84	<=33.01	Pass
			18	20.33	3.50	23.83	<=33.01	Pass
		36	39	20.37	3.50	23.87	<=33.01	Pass
			0	20.23	3.50	23.73	<=33.01	Pass
			0	21.35	3.50	24.85	<=33.01	Pass
		75	38	21.61	3.50	25.11	<=33.01	Pass
			74	21.70	3.50	25.20	<=33.01	Pass
			0	20.77	3.50	24.27	<=33.01	Pass
	2562.5	1	18	20.62	3.50	24.12	<=33.01	Pass
			39	20.69	3.50	24.19	<=33.01	Pass
			0	20.57	3.50	24.07	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2510	1	0	21.46	3.50	24.96	<=33.01	Pass	
			50	22.00	3.50	25.50	<=33.01	Pass	
			99	21.48	3.50	24.98	<=33.01	Pass	
		50	0	20.75	3.50	24.25	<=33.01	Pass	
			25	20.74	3.50	24.24	<=33.01	Pass	
			50	20.85	3.50	24.35	<=33.01	Pass	
		100	0	20.85	3.50	24.35	<=33.01	Pass	
		2535	1	0	21.64	3.50	25.14	<=33.01	Pass
				50	21.64	3.50	25.14	<=33.01	Pass
	99			21.83	3.50	25.33	<=33.01	Pass	
	50		0	20.52	3.50	24.02	<=33.01	Pass	
			25	20.43	3.50	23.93	<=33.01	Pass	
			50	20.47	3.50	23.97	<=33.01	Pass	
	100	0	20.42	3.50	23.92	<=33.01	Pass		
	2560	1	0	21.57	3.50	25.07	<=33.01	Pass	
			50	21.52	3.50	25.02	<=33.01	Pass	
			99	22.07	3.50	25.57	<=33.01	Pass	
		50	0	20.83	3.50	24.33	<=33.01	Pass	
			25	20.67	3.50	24.17	<=33.01	Pass	
			50	20.62	3.50	24.12	<=33.01	Pass	
		100	0	20.55	3.50	24.05	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	10.2	2.904	0.0012	-2.5 to 2.5	Pass
					12	3.204	0.0013	-2.5 to 2.5	Pass
					13.8	1.459	0.0006	-2.5 to 2.5	Pass
				-30	12	2.661	0.0011	-2.5 to 2.5	Pass
				-20	12	2.246	0.0009	-2.5 to 2.5	Pass
				-10	12	2.046	0.0008	-2.5 to 2.5	Pass
				0	12	2.418	0.0010	-2.5 to 2.5	Pass
				10	12	2.775	0.0011	-2.5 to 2.5	Pass
				30	12	2.589	0.0010	-2.5 to 2.5	Pass
				40	12	2.575	0.0010	-2.5 to 2.5	Pass
				50	12	2.875	0.0011	-2.5 to 2.5	Pass
	2535	25	0	20	10.2	-2.089	-0.0008	-2.5 to 2.5	Pass
					12	-1.888	-0.0007	-2.5 to 2.5	Pass
					13.8	-3.147	-0.0012	-2.5 to 2.5	Pass
				-30	12	-2.604	-0.0010	-2.5 to 2.5	Pass
				-20	12	-2.861	-0.0011	-2.5 to 2.5	Pass
				-10	12	-3.605	-0.0014	-2.5 to 2.5	Pass
				0	12	-2.403	-0.0009	-2.5 to 2.5	Pass
				10	12	-4.191	-0.0017	-2.5 to 2.5	Pass
				30	12	-2.389	-0.0009	-2.5 to 2.5	Pass
				40	12	-2.460	-0.0010	-2.5 to 2.5	Pass
				50	12	-2.232	-0.0009	-2.5 to 2.5	Pass
	2567.5	25	0	20	10.2	0.544	0.0002	-2.5 to 2.5	Pass
					12	2.189	0.0009	-2.5 to 2.5	Pass
					13.8	1.216	0.0005	-2.5 to 2.5	Pass
				-30	12	2.232	0.0009	-2.5 to 2.5	Pass
				-20	12	0.744	0.0003	-2.5 to 2.5	Pass
				-10	12	1.388	0.0005	-2.5 to 2.5	Pass
				0	12	1.502	0.0006	-2.5 to 2.5	Pass
				10	12	2.317	0.0009	-2.5 to 2.5	Pass
				30	12	1.388	0.0005	-2.5 to 2.5	Pass
				40	12	2.089	0.0008	-2.5 to 2.5	Pass
				50	12	-0.014	0.0000	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	10.2	3.719	0.0015	-2.5 to 2.5	Pass
					12	1.631	0.0007	-2.5 to 2.5	Pass
					13.8	2.918	0.0012	-2.5 to 2.5	Pass
				-30	12	2.160	0.0009	-2.5 to 2.5	Pass
				-20	12	2.103	0.0008	-2.5 to 2.5	Pass
				-10	12	3.791	0.0015	-2.5 to 2.5	Pass
				0	12	3.018	0.0012	-2.5 to 2.5	Pass
				10	12	3.419	0.0014	-2.5 to 2.5	Pass
				30	12	2.275	0.0009	-2.5 to 2.5	Pass
				40	12	2.646	0.0011	-2.5 to 2.5	Pass
				50	12	4.191	0.0017	-2.5 to 2.5	Pass
	2535	25	0	20	10.2	-2.031	-0.0008	-2.5 to 2.5	Pass
					12	-2.732	-0.0011	-2.5 to 2.5	Pass
					13.8	-2.589	-0.0010	-2.5 to 2.5	Pass
				-30	12	-4.191	-0.0017	-2.5 to 2.5	Pass
				-20	12	-2.732	-0.0011	-2.5 to 2.5	Pass
				-10	12	-2.847	-0.0011	-2.5 to 2.5	Pass

				0	12	-2.704	-0.0011	-2.5 to 2.5	Pass
				10	12	-2.375	-0.0009	-2.5 to 2.5	Pass
				30	12	-2.532	-0.0010	-2.5 to 2.5	Pass
				40	12	-2.918	-0.0012	-2.5 to 2.5	Pass
				50	12	-1.931	-0.0008	-2.5 to 2.5	Pass
	2567.5	25	0	20	10.2	1.988	0.0008	-2.5 to 2.5	Pass
					12	1.245	0.0005	-2.5 to 2.5	Pass
					13.8	0.286	0.0001	-2.5 to 2.5	Pass
				-30	12	0.730	0.0003	-2.5 to 2.5	Pass
				-20	12	1.702	0.0007	-2.5 to 2.5	Pass
				-10	12	1.917	0.0007	-2.5 to 2.5	Pass
				0	12	1.574	0.0006	-2.5 to 2.5	Pass
				10	12	2.747	0.0011	-2.5 to 2.5	Pass
				30	12	0.415	0.0002	-2.5 to 2.5	Pass
				40	12	1.545	0.0006	-2.5 to 2.5	Pass
				50	12	2.017	0.0008	-2.5 to 2.5	Pass

2.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	10.2	-3.462	-0.0014	-2.5 to 2.5	Pass
					12	-4.663	-0.0019	-2.5 to 2.5	Pass
					13.8	-2.775	-0.0011	-2.5 to 2.5	Pass
				-30	12	-2.003	-0.0008	-2.5 to 2.5	Pass
				-20	12	-1.602	-0.0006	-2.5 to 2.5	Pass
				-10	12	-2.275	-0.0009	-2.5 to 2.5	Pass
				0	12	-2.604	-0.0010	-2.5 to 2.5	Pass
				10	12	-2.618	-0.0010	-2.5 to 2.5	Pass
				30	12	-3.476	-0.0014	-2.5 to 2.5	Pass
				40	12	-2.675	-0.0011	-2.5 to 2.5	Pass
	2535	50	0	20	10.2	-3.419	-0.0013	-2.5 to 2.5	Pass
					12	-2.432	-0.0010	-2.5 to 2.5	Pass
					13.8	-0.887	-0.0003	-2.5 to 2.5	Pass
				-30	12	-2.561	-0.0010	-2.5 to 2.5	Pass
				-20	12	-2.990	-0.0012	-2.5 to 2.5	Pass
				-10	12	-3.591	-0.0014	-2.5 to 2.5	Pass
				0	12	-3.419	-0.0013	-2.5 to 2.5	Pass
				10	12	-2.804	-0.0011	-2.5 to 2.5	Pass
				30	12	-3.004	-0.0012	-2.5 to 2.5	Pass
				40	12	-2.775	-0.0011	-2.5 to 2.5	Pass
	2565	50	0	20	10.2	-3.090	-0.0012	-2.5 to 2.5	Pass
					12	-3.805	-0.0015	-2.5 to 2.5	Pass
					13.8	-2.260	-0.0009	-2.5 to 2.5	Pass
				-30	12	-2.289	-0.0009	-2.5 to 2.5	Pass
				-20	12	-2.246	-0.0009	-2.5 to 2.5	Pass
				-10	12	-4.177	-0.0016	-2.5 to 2.5	Pass
				0	12	-2.360	-0.0009	-2.5 to 2.5	Pass
				10	12	-2.389	-0.0009	-2.5 to 2.5	Pass
				30	12	-1.731	-0.0007	-2.5 to 2.5	Pass
				40	12	-2.518	-0.0010	-2.5 to 2.5	Pass
				50	12	-2.689	-0.0010	-2.5 to 2.5	Pass

2.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	10.2	0.572	0.0002	-2.5 to 2.5	Pass
					12	1.230	0.0005	-2.5 to 2.5	Pass
					13.8	0.300	0.0001	-2.5 to 2.5	Pass
				-30	12	1.945	0.0008	-2.5 to 2.5	Pass
				-20	12	0.672	0.0003	-2.5 to 2.5	Pass
				-10	12	1.845	0.0007	-2.5 to 2.5	Pass
				0	12	0.701	0.0003	-2.5 to 2.5	Pass
				10	12	1.316	0.0005	-2.5 to 2.5	Pass
				30	12	0.257	0.0001	-2.5 to 2.5	Pass
				40	12	0.844	0.0003	-2.5 to 2.5	Pass
				50	12	1.116	0.0004	-2.5 to 2.5	Pass
	2535	75	0	20	10.2	-3.176	-0.0013	-2.5 to 2.5	Pass
					12	-3.290	-0.0013	-2.5 to 2.5	Pass
					13.8	-3.133	-0.0012	-2.5 to 2.5	Pass
				-30	12	-3.376	-0.0013	-2.5 to 2.5	Pass
				-20	12	-2.704	-0.0011	-2.5 to 2.5	Pass
				-10	12	-2.675	-0.0011	-2.5 to 2.5	Pass
				0	12	-2.761	-0.0011	-2.5 to 2.5	Pass
				10	12	-2.289	-0.0009	-2.5 to 2.5	Pass
				30	12	-3.076	-0.0012	-2.5 to 2.5	Pass
				40	12	-2.933	-0.0012	-2.5 to 2.5	Pass
				50	12	-3.362	-0.0013	-2.5 to 2.5	Pass
	2562.5	75	0	20	10.2	3.276	0.0013	-2.5 to 2.5	Pass
					12	1.960	0.0008	-2.5 to 2.5	Pass
					13.8	0.472	0.0002	-2.5 to 2.5	Pass
				-30	12	2.775	0.0011	-2.5 to 2.5	Pass
				-20	12	0.401	0.0002	-2.5 to 2.5	Pass
				-10	12	-0.200	-0.0001	-2.5 to 2.5	Pass
				0	12	1.845	0.0007	-2.5 to 2.5	Pass
				10	12	2.460	0.0010	-2.5 to 2.5	Pass
				30	12	0.429	0.0002	-2.5 to 2.5	Pass
				40	12	1.545	0.0006	-2.5 to 2.5	Pass
				50	12	1.688	0.0007	-2.5 to 2.5	Pass

2.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	10.2	2.418	0.0010	-2.5 to 2.5	Pass
					12	2.189	0.0009	-2.5 to 2.5	Pass
					13.8	0.701	0.0003	-2.5 to 2.5	Pass
				-30	12	1.602	0.0006	-2.5 to 2.5	Pass
				-20	12	1.731	0.0007	-2.5 to 2.5	Pass
				-10	12	2.260	0.0009	-2.5 to 2.5	Pass
				0	12	1.030	0.0004	-2.5 to 2.5	Pass
				10	12	1.860	0.0007	-2.5 to 2.5	Pass
				30	12	1.602	0.0006	-2.5 to 2.5	Pass
				40	12	2.232	0.0009	-2.5 to 2.5	Pass
				50	12	2.289	0.0009	-2.5 to 2.5	Pass
	2535	100	0	20	10.2	-3.119	-0.0012	-2.5 to 2.5	Pass
					12	-4.063	-0.0016	-2.5 to 2.5	Pass
					13.8	-4.120	-0.0016	-2.5 to 2.5	Pass
				-30	12	-4.005	-0.0016	-2.5 to 2.5	Pass
				-20	12	-1.931	-0.0008	-2.5 to 2.5	Pass
				-10	12	-2.346	-0.0009	-2.5 to 2.5	Pass
				0	12	-3.390	-0.0013	-2.5 to 2.5	Pass
				10	12	-3.161	-0.0012	-2.5 to 2.5	Pass
				30	12	-3.848	-0.0015	-2.5 to 2.5	Pass
				40	12	-2.990	-0.0012	-2.5 to 2.5	Pass
				50	12	-2.604	-0.0010	-2.5 to 2.5	Pass
	2560	100	0	20	10.2	0.000	0.0000	-2.5 to 2.5	Pass
					12	0.873	0.0003	-2.5 to 2.5	Pass
					13.8	1.802	0.0007	-2.5 to 2.5	Pass
				-30	12	-0.257	-0.0001	-2.5 to 2.5	Pass
				-20	12	0.129	0.0001	-2.5 to 2.5	Pass
				-10	12	1.388	0.0005	-2.5 to 2.5	Pass
				0	12	0.401	0.0002	-2.5 to 2.5	Pass
				10	12	0.730	0.0003	-2.5 to 2.5	Pass
				30	12	0.229	0.0001	-2.5 to 2.5	Pass
				40	12	1.087	0.0004	-2.5 to 2.5	Pass
				50	12	0.358	0.0001	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	25	0	Refer To Test Graph		Pass
16QAM	2535	25	0	Refer To Test Graph		Pass

3.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	50	0	Refer To Test Graph		Pass

3.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	75	0	Refer To Test Graph		Pass

3.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B7_5MHz




3.2.2 B7_10MHz



3.2.3 B7_15MHz



3.2.4 B7_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band7_OBW


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.549	/	Pass
		2535	25	0	4.562	/	Pass
		2567.5	25	0	4.549	/	Pass
	16QAM	2502.5	25	0	4.559	/	Pass
		2535	25	0	4.552	/	Pass
		2567.5	25	0	4.561	/	Pass
10	QPSK	2505	50	0	9.015	/	Pass
		2535	50	0	9.040	/	Pass
		2565	50	0	9.035	/	Pass
15	QPSK	2507.5	75	0	13.536	/	Pass
		2535	75	0	13.552	/	Pass
		2562.5	75	0	13.574	/	Pass
20	QPSK	2510	100	0	17.990	/	Pass
		2535	100	0	18.070	/	Pass
		2560	100	0	18.041	/	Pass

4.1.2 Band7_XDB


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.093	/	Pass
		2535	25	0	5.097	/	Pass
		2567.5	25	0	5.114	/	Pass
	16QAM	2502.5	25	0	5.077	/	Pass
		2535	25	0	5.049	/	Pass
		2567.5	25	0	5.096	/	Pass
10	QPSK	2505	50	0	10.025	/	Pass
		2535	50	0	10.092	/	Pass
		2565	50	0	10.040	/	Pass
15	QPSK	2507.5	75	0	15.000	/	Pass
		2535	75	0	15.015	/	Pass
		2562.5	75	0	15.078	/	Pass
20	QPSK	2510	100	0	19.708	/	Pass
		2535	100	0	19.772	/	Pass
		2560	100	0	19.855	/	Pass

4.2 Test Graph


4.2.1 Band7_OBW




Band7 5MHz QPSK HCH 2567.5MHz RB 25 0 NTNV




Band7 5MHz 16QAM LCH 2502.5MHz RB 25 0 NTNV




Band7 5MHz 16QAM MCH 2535MHz RB 25 0 NTNV




Band7 5MHz 16QAM HCH 2567.5MHz RB 25 0 NTNV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTN




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTN




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTNV




Band7 15MHz QPSK LCH 2507.5MHz RB 75 0 NTNV




Band7 15MHz QPSK MCH 2535MHz RB 75 0 NTNV




Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV




Band7 20MHz QPSK LCH 2510MHz RB 100 0 NTNV





Band7 20MHz QPSK MCH 2535MHz RB 100 0 NTNV






4.2.2 Band7_XDB







Band7 5MHz 16QAM MCH 2535MHz RB 25 0 NTNV




Band7 5MHz 16QAM HCH 2567.5MHz RB 25 0 NTNV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTN




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTN




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTNV




Band7 15MHz QPSK LCH 2507.5MHz RB 75 0 NTNV




Band7 15MHz QPSK MCH 2535MHz RB 75 0 NTNV



Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV



Band7 20MHz QPSK LCH 2510MHz RB 100 0 NTNV



Band7 20MHz QPSK MCH 2535MHz RB 100 0 NTNV

