

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.90	3.50	25.40	<=33.01	Pass
			2	21.94	3.50	25.44	<=33.01	Pass
			5	21.91	3.50	25.41	<=33.01	Pass
		3	0	21.80	3.50	25.30	<=33.01	Pass
			2	21.90	3.50	25.40	<=33.01	Pass
			3	21.84	3.50	25.34	<=33.01	Pass
		6	0	20.89	3.50	24.39	<=33.01	Pass
	1882.5	1	0	21.91	3.50	25.41	<=33.01	Pass
			2	21.89	3.50	25.39	<=33.01	Pass
			5	21.83	3.50	25.33	<=33.01	Pass
		3	0	21.95	3.50	25.45	<=33.01	Pass
			2	22.04	3.50	25.54	<=33.01	Pass
			3	22.04	3.50	25.54	<=33.01	Pass
		6	0	20.92	3.50	24.42	<=33.01	Pass
	1914.3	1	0	21.58	3.50	25.08	<=33.01	Pass
			2	21.21	3.50	24.71	<=33.01	Pass
			5	21.14	3.50	24.64	<=33.01	Pass
		3	0	21.38	3.50	24.88	<=33.01	Pass
			2	21.36	3.50	24.86	<=33.01	Pass
			3	21.33	3.50	24.83	<=33.01	Pass
		6	0	20.38	3.50	23.88	<=33.01	Pass
16QAM	1850.7	1	0	21.35	3.50	24.85	<=33.01	Pass
			2	21.17	3.50	24.67	<=33.01	Pass
			5	21.33	3.50	24.83	<=33.01	Pass
		3	0	20.90	3.50	24.40	<=33.01	Pass
			2	20.89	3.50	24.39	<=33.01	Pass
			3	21.01	3.50	24.51	<=33.01	Pass
		6	0	20.10	3.50	23.60	<=33.01	Pass
	1882.5	1	0	21.16	3.50	24.66	<=33.01	Pass
			2	21.26	3.50	24.76	<=33.01	Pass
			5	20.82	3.50	24.32	<=33.01	Pass
		3	0	21.01	3.50	24.51	<=33.01	Pass
			2	21.07	3.50	24.57	<=33.01	Pass
			3	21.20	3.50	24.70	<=33.01	Pass
		6	0	20.16	3.50	23.66	<=33.01	Pass
	1914.3	1	0	20.64	3.50	24.14	<=33.01	Pass
			2	20.57	3.50	24.07	<=33.01	Pass
			5	20.24	3.50	23.74	<=33.01	Pass
		3	0	20.55	3.50	24.05	<=33.01	Pass
			2	20.53	3.50	24.03	<=33.01	Pass
			3	20.41	3.50	23.91	<=33.01	Pass
		6	0	19.38	3.50	22.88	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.81	3.50	25.31	<=33.01	Pass
			7	21.94	3.50	25.44	<=33.01	Pass
			14	21.73	3.50	25.23	<=33.01	Pass
		8	0	20.66	3.50	24.16	<=33.01	Pass
			4	20.69	3.50	24.19	<=33.01	Pass
			7	20.64	3.50	24.14	<=33.01	Pass
		15	0	20.74	3.50	24.24	<=33.01	Pass
	1882.5	1	0	22.03	3.50	25.53	<=33.01	Pass
			7	22.18	3.50	25.68	<=33.01	Pass
			14	21.92	3.50	25.42	<=33.01	Pass
		8	0	21.03	3.50	24.53	<=33.01	Pass
			4	20.99	3.50	24.49	<=33.01	Pass
			7	20.97	3.50	24.47	<=33.01	Pass
		15	0	20.96	3.50	24.46	<=33.01	Pass
	1913.5	1	0	21.40	3.50	24.90	<=33.01	Pass
			7	21.67	3.50	25.17	<=33.01	Pass
			14	21.31	3.50	24.81	<=33.01	Pass
		8	0	20.51	3.50	24.01	<=33.01	Pass
			4	20.39	3.50	23.89	<=33.01	Pass
			7	20.48	3.50	23.98	<=33.01	Pass
		15	0	20.53	3.50	24.03	<=33.01	Pass
16QAM	1851.5	1	0	21.39	3.50	24.89	<=33.01	Pass
			7	21.40	3.50	24.90	<=33.01	Pass
			14	21.13	3.50	24.63	<=33.01	Pass
		8	0	19.77	3.50	23.27	<=33.01	Pass
			4	19.71	3.50	23.21	<=33.01	Pass
			7	19.92	3.50	23.42	<=33.01	Pass
		15	0	19.75	3.50	23.25	<=33.01	Pass
	1882.5	1	0	21.02	3.50	24.52	<=33.01	Pass
			7	21.33	3.50	24.83	<=33.01	Pass
			14	20.77	3.50	24.27	<=33.01	Pass
		8	0	20.00	3.50	23.50	<=33.01	Pass
			4	20.14	3.50	23.64	<=33.01	Pass
			7	20.11	3.50	23.61	<=33.01	Pass
		15	0	20.07	3.50	23.57	<=33.01	Pass
	1913.5	1	0	21.09	3.50	24.59	<=33.01	Pass
			7	21.22	3.50	24.72	<=33.01	Pass
			14	20.88	3.50	24.38	<=33.01	Pass
		8	0	19.83	3.50	23.33	<=33.01	Pass
			4	19.56	3.50	23.06	<=33.01	Pass
			7	19.24	3.50	22.74	<=33.01	Pass
		15	0	19.70	3.50	23.20	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.67	3.50	25.17	<=33.01	Pass
			13	21.68	3.50	25.18	<=33.01	Pass
			24	21.64	3.50	25.14	<=33.01	Pass
		12	0	20.68	3.50	24.18	<=33.01	Pass
			6	20.73	3.50	24.23	<=33.01	Pass
			13	20.63	3.50	24.13	<=33.01	Pass
		25	0	20.69	3.50	24.19	<=33.01	Pass
	1882.5	1	0	21.60	3.50	25.10	<=33.01	Pass
			13	21.90	3.50	25.40	<=33.01	Pass
			24	22.00	3.50	25.50	<=33.01	Pass
		12	0	20.88	3.50	24.38	<=33.01	Pass
			6	21.07	3.50	24.57	<=33.01	Pass
			13	20.95	3.50	24.45	<=33.01	Pass
		25	0	20.86	3.50	24.36	<=33.01	Pass
	1912.5	1	0	21.29	3.50	24.79	<=33.01	Pass
			13	21.19	3.50	24.69	<=33.01	Pass
			24	21.19	3.50	24.69	<=33.01	Pass
		12	0	20.58	3.50	24.08	<=33.01	Pass
			6	20.57	3.50	24.07	<=33.01	Pass
			13	20.45	3.50	23.95	<=33.01	Pass
		25	0	20.55	3.50	24.05	<=33.01	Pass
16QAM	1852.5	1	0	20.43	3.50	23.93	<=33.01	Pass
			13	20.75	3.50	24.25	<=33.01	Pass
			24	21.06	3.50	24.56	<=33.01	Pass
		12	0	19.70	3.50	23.20	<=33.01	Pass
			6	19.64	3.50	23.14	<=33.01	Pass
			13	19.51	3.50	23.01	<=33.01	Pass
		25	0	19.65	3.50	23.15	<=33.01	Pass
	1882.5	1	0	20.49	3.50	23.99	<=33.01	Pass
			13	20.87	3.50	24.37	<=33.01	Pass
			24	21.03	3.50	24.53	<=33.01	Pass
		12	0	19.86	3.50	23.36	<=33.01	Pass
			6	20.07	3.50	23.57	<=33.01	Pass
			13	20.15	3.50	23.65	<=33.01	Pass
		25	0	20.08	3.50	23.58	<=33.01	Pass
	1912.5	1	0	20.36	3.50	23.86	<=33.01	Pass
			13	20.47	3.50	23.97	<=33.01	Pass
			24	20.96	3.50	24.46	<=33.01	Pass
		12	0	19.41	3.50	22.91	<=33.01	Pass
6			19.37	3.50	22.87	<=33.01	Pass	
13			19.22	3.50	22.72	<=33.01	Pass	
25		0	19.43	3.50	22.93	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1855	1	0	21.89	3.50	25.39	<=33.01	Pass	
			25	21.75	3.50	25.25	<=33.01	Pass	
			49	21.79	3.50	25.29	<=33.01	Pass	
		25	0	20.74	3.50	24.24	<=33.01	Pass	
			13	20.64	3.50	24.14	<=33.01	Pass	
			25	20.71	3.50	24.21	<=33.01	Pass	
		50	0	20.64	3.50	24.14	<=33.01	Pass	
		1882.5	1	0	22.13	3.50	25.63	<=33.01	Pass
				25	22.23	3.50	25.73	<=33.01	Pass
	49			22.04	3.50	25.54	<=33.01	Pass	
	25		0	20.98	3.50	24.48	<=33.01	Pass	
			13	21.02	3.50	24.52	<=33.01	Pass	
			25	21.05	3.50	24.55	<=33.01	Pass	
	50	0	20.97	3.50	24.47	<=33.01	Pass		
	1910	1	0	21.48	3.50	24.98	<=33.01	Pass	
			25	21.96	3.50	25.46	<=33.01	Pass	
			49	21.27	3.50	24.77	<=33.01	Pass	
		25	0	20.54	3.50	24.04	<=33.01	Pass	
			13	20.55	3.50	24.05	<=33.01	Pass	
			25	20.53	3.50	24.03	<=33.01	Pass	
		50	0	20.59	3.50	24.09	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1857.5	1	0	21.90	3.50	25.40	<=33.01	Pass	
			38	21.97	3.50	25.47	<=33.01	Pass	
			74	22.06	3.50	25.56	<=33.01	Pass	
		36	0	20.91	3.50	24.41	<=33.01	Pass	
			18	20.94	3.50	24.44	<=33.01	Pass	
			39	20.97	3.50	24.47	<=33.01	Pass	
		75	0	20.98	3.50	24.48	<=33.01	Pass	
		1882.5	1	0	22.07	3.50	25.57	<=33.01	Pass
				38	22.36	3.50	25.86	<=33.01	Pass
	74			22.22	3.50	25.72	<=33.01	Pass	
	36		0	21.18	3.50	24.68	<=33.01	Pass	
			18	21.26	3.50	24.76	<=33.01	Pass	
			39	21.27	3.50	24.77	<=33.01	Pass	
	75	0	21.17	3.50	24.67	<=33.01	Pass		
	1907.5	1	0	22.03	3.50	25.53	<=33.01	Pass	
			38	21.95	3.50	25.45	<=33.01	Pass	
			74	21.58	3.50	25.08	<=33.01	Pass	
		36	0	20.92	3.50	24.42	<=33.01	Pass	
			18	20.75	3.50	24.25	<=33.01	Pass	
			39	20.84	3.50	24.34	<=33.01	Pass	
		75	0	20.72	3.50	24.22	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTVN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1860	1	0	21.82	3.50	25.32	<=33.01	Pass	
			50	22.28	3.50	25.78	<=33.01	Pass	
			99	22.01	3.50	25.51	<=33.01	Pass	
		50	0	21.10	3.50	24.60	<=33.01	Pass	
			25	21.23	3.50	24.73	<=33.01	Pass	
			50	21.10	3.50	24.60	<=33.01	Pass	
		100	0	21.05	3.50	24.55	<=33.01	Pass	
		1882.5	1	0	22.08	3.50	25.58	<=33.01	Pass
				50	22.20	3.50	25.70	<=33.01	Pass
	99			22.10	3.50	25.60	<=33.01	Pass	
	50		0	21.19	3.50	24.69	<=33.01	Pass	
			25	21.25	3.50	24.75	<=33.01	Pass	
			50	21.25	3.50	24.75	<=33.01	Pass	
	100	0	21.04	3.50	24.54	<=33.01	Pass		
	1905	1	0	22.06	3.50	25.56	<=33.01	Pass	
			50	21.93	3.50	25.43	<=33.01	Pass	
			99	21.58	3.50	25.08	<=33.01	Pass	
		50	0	21.09	3.50	24.59	<=33.01	Pass	
			25	20.89	3.50	24.39	<=33.01	Pass	
			50	20.78	3.50	24.28	<=33.01	Pass	
		100	0	20.93	3.50	24.43	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	10.2	-2.317	-0.0013	-2.5 to 2.5	Pass
					12	-2.203	-0.0012	-2.5 to 2.5	Pass
					13.8	-2.003	-0.0011	-2.5 to 2.5	Pass
				-30	12	-1.802	-0.0010	-2.5 to 2.5	Pass
				-20	12	-1.760	-0.0010	-2.5 to 2.5	Pass
				-10	12	-1.388	-0.0007	-2.5 to 2.5	Pass
				0	12	-0.744	-0.0004	-2.5 to 2.5	Pass
				10	12	-2.046	-0.0011	-2.5 to 2.5	Pass
				30	12	-3.476	-0.0019	-2.5 to 2.5	Pass
				40	12	-2.031	-0.0011	-2.5 to 2.5	Pass
				50	12	-2.718	-0.0015	-2.5 to 2.5	Pass
	1882.5	6	0	20	10.2	1.502	0.0008	-2.5 to 2.5	Pass
					12	0.873	0.0005	-2.5 to 2.5	Pass
					13.8	1.030	0.0005	-2.5 to 2.5	Pass
				-30	12	1.545	0.0008	-2.5 to 2.5	Pass
				-20	12	1.245	0.0007	-2.5 to 2.5	Pass
				-10	12	2.203	0.0012	-2.5 to 2.5	Pass
				0	12	1.802	0.0010	-2.5 to 2.5	Pass
				10	12	0.830	0.0004	-2.5 to 2.5	Pass
				30	12	0.358	0.0002	-2.5 to 2.5	Pass
				40	12	0.315	0.0002	-2.5 to 2.5	Pass
				50	12	0.844	0.0004	-2.5 to 2.5	Pass
	1914.3	6	0	20	10.2	-2.732	-0.0014	-2.5 to 2.5	Pass
					12	-3.304	-0.0017	-2.5 to 2.5	Pass
					13.8	-2.847	-0.0015	-2.5 to 2.5	Pass
				-30	12	-2.661	-0.0014	-2.5 to 2.5	Pass
				-20	12	-1.974	-0.0010	-2.5 to 2.5	Pass
				-10	12	-2.832	-0.0015	-2.5 to 2.5	Pass
				0	12	-3.877	-0.0020	-2.5 to 2.5	Pass
				10	12	-4.592	-0.0024	-2.5 to 2.5	Pass
				30	12	-3.147	-0.0016	-2.5 to 2.5	Pass
				40	12	-4.106	-0.0021	-2.5 to 2.5	Pass
				50	12	-1.917	-0.0010	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	10.2	-1.616	-0.0009	-2.5 to 2.5	Pass
					12	-2.418	-0.0013	-2.5 to 2.5	Pass
					13.8	-1.574	-0.0009	-2.5 to 2.5	Pass
				-30	12	-1.616	-0.0009	-2.5 to 2.5	Pass
				-20	12	-1.602	-0.0009	-2.5 to 2.5	Pass
				-10	12	-1.488	-0.0008	-2.5 to 2.5	Pass
				0	12	-2.017	-0.0011	-2.5 to 2.5	Pass
				10	12	-1.760	-0.0010	-2.5 to 2.5	Pass
				30	12	-1.574	-0.0009	-2.5 to 2.5	Pass
				40	12	-2.732	-0.0015	-2.5 to 2.5	Pass
				50	12	-2.089	-0.0011	-2.5 to 2.5	Pass
	1882.5	6	0	20	10.2	2.532	0.0013	-2.5 to 2.5	Pass
					12	2.704	0.0014	-2.5 to 2.5	Pass
					13.8	1.602	0.0009	-2.5 to 2.5	Pass
				-30	12	2.360	0.0013	-2.5 to 2.5	Pass
				-20	12	0.815	0.0004	-2.5 to 2.5	Pass
				-10	12	2.089	0.0011	-2.5 to 2.5	Pass

				0	12	1.731	0.0009	-2.5 to 2.5	Pass
				10	12	2.203	0.0012	-2.5 to 2.5	Pass
				30	12	1.717	0.0009	-2.5 to 2.5	Pass
				40	12	2.232	0.0012	-2.5 to 2.5	Pass
				50	12	1.416	0.0008	-2.5 to 2.5	Pass
	1914.3	6	0	20	10.2	-2.317	-0.0012	-2.5 to 2.5	Pass
					12	-3.319	-0.0017	-2.5 to 2.5	Pass
					13.8	-2.389	-0.0012	-2.5 to 2.5	Pass
				-30	12	-2.289	-0.0012	-2.5 to 2.5	Pass
				-20	12	-2.575	-0.0013	-2.5 to 2.5	Pass
				-10	12	-1.431	-0.0007	-2.5 to 2.5	Pass
				0	12	-1.845	-0.0010	-2.5 to 2.5	Pass
				10	12	-3.762	-0.0020	-2.5 to 2.5	Pass
				30	12	-3.819	-0.0020	-2.5 to 2.5	Pass
				40	12	-2.832	-0.0015	-2.5 to 2.5	Pass
				50	12	-3.591	-0.0019	-2.5 to 2.5	Pass

2.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	10.2	-3.448	-0.0019	-2.5 to 2.5	Pass
					12	-3.619	-0.0020	-2.5 to 2.5	Pass
					13.8	-2.904	-0.0016	-2.5 to 2.5	Pass
				-30	12	-2.303	-0.0012	-2.5 to 2.5	Pass
				-20	12	-2.031	-0.0011	-2.5 to 2.5	Pass
				-10	12	-2.103	-0.0011	-2.5 to 2.5	Pass
				0	12	-2.475	-0.0013	-2.5 to 2.5	Pass
				10	12	-2.103	-0.0011	-2.5 to 2.5	Pass
				30	12	-2.189	-0.0012	-2.5 to 2.5	Pass
				40	12	-2.317	-0.0013	-2.5 to 2.5	Pass
				50	12	-0.973	-0.0005	-2.5 to 2.5	Pass
	1882.5	15	0	20	10.2	0.973	0.0005	-2.5 to 2.5	Pass
					12	0.358	0.0002	-2.5 to 2.5	Pass
					13.8	1.373	0.0007	-2.5 to 2.5	Pass
				-30	12	0.529	0.0003	-2.5 to 2.5	Pass
				-20	12	-0.072	0.0000	-2.5 to 2.5	Pass
				-10	12	0.701	0.0004	-2.5 to 2.5	Pass
				0	12	1.016	0.0005	-2.5 to 2.5	Pass
				10	12	1.044	0.0006	-2.5 to 2.5	Pass
				30	12	0.529	0.0003	-2.5 to 2.5	Pass
				40	12	-0.329	-0.0002	-2.5 to 2.5	Pass
				50	12	1.345	0.0007	-2.5 to 2.5	Pass
	1913.5	15	0	20	10.2	-4.692	-0.0025	-2.5 to 2.5	Pass
					12	-3.476	-0.0018	-2.5 to 2.5	Pass
					13.8	-2.561	-0.0013	-2.5 to 2.5	Pass
				-30	12	-2.117	-0.0011	-2.5 to 2.5	Pass
				-20	12	-2.203	-0.0012	-2.5 to 2.5	Pass
				-10	12	-2.775	-0.0015	-2.5 to 2.5	Pass
				0	12	-1.888	-0.0010	-2.5 to 2.5	Pass
				10	12	-1.874	-0.0010	-2.5 to 2.5	Pass
				30	12	-1.545	-0.0008	-2.5 to 2.5	Pass
				40	12	-2.975	-0.0016	-2.5 to 2.5	Pass
				50	12	-1.659	-0.0009	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	10.2	-2.532	-0.0014	-2.5 to 2.5	Pass
					12	-1.774	-0.0010	-2.5 to 2.5	Pass
					13.8	-1.717	-0.0009	-2.5 to 2.5	Pass

				-30	12	-1.931	-0.0010	-2.5 to 2.5	Pass
				-20	12	-1.760	-0.0010	-2.5 to 2.5	Pass
				-10	12	-2.203	-0.0012	-2.5 to 2.5	Pass
				0	12	-1.531	-0.0008	-2.5 to 2.5	Pass
				10	12	-2.975	-0.0016	-2.5 to 2.5	Pass
				30	12	-3.219	-0.0017	-2.5 to 2.5	Pass
				40	12	-2.375	-0.0013	-2.5 to 2.5	Pass
				50	12	-1.588	-0.0009	-2.5 to 2.5	Pass
	1882.5	15	0	20	10.2	1.574	0.0008	-2.5 to 2.5	Pass
					12	0.687	0.0004	-2.5 to 2.5	Pass
					13.8	2.232	0.0012	-2.5 to 2.5	Pass
				-30	12	-0.501	-0.0003	-2.5 to 2.5	Pass
				-20	12	-0.129	-0.0001	-2.5 to 2.5	Pass
				-10	12	2.074	0.0011	-2.5 to 2.5	Pass
				0	12	1.559	0.0008	-2.5 to 2.5	Pass
				10	12	2.203	0.0012	-2.5 to 2.5	Pass
				30	12	0.815	0.0004	-2.5 to 2.5	Pass
				40	12	0.458	0.0002	-2.5 to 2.5	Pass
				50	12	0.429	0.0002	-2.5 to 2.5	Pass
	1913.5	15	0	20	10.2	-2.375	-0.0012	-2.5 to 2.5	Pass
					12	-2.675	-0.0014	-2.5 to 2.5	Pass
					13.8	-3.190	-0.0017	-2.5 to 2.5	Pass
				-30	12	-2.947	-0.0015	-2.5 to 2.5	Pass
				-20	12	-2.303	-0.0012	-2.5 to 2.5	Pass
				-10	12	-2.503	-0.0013	-2.5 to 2.5	Pass
				0	12	-2.532	-0.0013	-2.5 to 2.5	Pass
				10	12	-1.802	-0.0009	-2.5 to 2.5	Pass
				30	12	-2.403	-0.0013	-2.5 to 2.5	Pass
				40	12	-3.204	-0.0017	-2.5 to 2.5	Pass
				50	12	-2.718	-0.0014	-2.5 to 2.5	Pass

2.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	10.2	-1.159	-0.0006	-2.5 to 2.5	Pass
					12	-1.588	-0.0009	-2.5 to 2.5	Pass
					13.8	-0.730	-0.0004	-2.5 to 2.5	Pass
				-30	12	-1.431	-0.0008	-2.5 to 2.5	Pass
				-20	12	-2.146	-0.0012	-2.5 to 2.5	Pass
				-10	12	-1.130	-0.0006	-2.5 to 2.5	Pass
				0	12	-1.516	-0.0008	-2.5 to 2.5	Pass
				10	12	0.086	0.0000	-2.5 to 2.5	Pass
				30	12	-1.903	-0.0010	-2.5 to 2.5	Pass
				40	12	-1.931	-0.0010	-2.5 to 2.5	Pass
				50	12	-1.216	-0.0007	-2.5 to 2.5	Pass
	1882.5	25	0	20	10.2	1.674	0.0009	-2.5 to 2.5	Pass
					12	0.629	0.0003	-2.5 to 2.5	Pass
					13.8	0.029	0.0000	-2.5 to 2.5	Pass
				-30	12	1.030	0.0005	-2.5 to 2.5	Pass
				-20	12	2.160	0.0011	-2.5 to 2.5	Pass
				-10	12	1.373	0.0007	-2.5 to 2.5	Pass
				0	12	1.059	0.0006	-2.5 to 2.5	Pass
				10	12	1.831	0.0010	-2.5 to 2.5	Pass
				30	12	0.730	0.0004	-2.5 to 2.5	Pass
				40	12	1.187	0.0006	-2.5 to 2.5	Pass
				50	12	1.059	0.0006	-2.5 to 2.5	Pass

	1912.5	25	0	20	10.2	-2.189	-0.0011	-2.5 to 2.5	Pass
					12	-2.747	-0.0014	-2.5 to 2.5	Pass
					13.8	-1.845	-0.0010	-2.5 to 2.5	Pass
				-30	12	-2.246	-0.0012	-2.5 to 2.5	Pass
				-20	12	-3.376	-0.0018	-2.5 to 2.5	Pass
				-10	12	-2.775	-0.0015	-2.5 to 2.5	Pass
				0	12	-3.018	-0.0016	-2.5 to 2.5	Pass
				10	12	-1.745	-0.0009	-2.5 to 2.5	Pass
				30	12	-4.063	-0.0021	-2.5 to 2.5	Pass
				40	12	-2.890	-0.0015	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	10.2	-1.202	-0.0006	-2.5 to 2.5	Pass
					12	-1.545	-0.0008	-2.5 to 2.5	Pass
					13.8	-2.589	-0.0014	-2.5 to 2.5	Pass
				-30	12	-0.830	-0.0004	-2.5 to 2.5	Pass
				-20	12	-1.860	-0.0010	-2.5 to 2.5	Pass
				-10	12	-2.017	-0.0011	-2.5 to 2.5	Pass
				0	12	-1.903	-0.0010	-2.5 to 2.5	Pass
				10	12	-1.359	-0.0007	-2.5 to 2.5	Pass
				30	12	-2.003	-0.0011	-2.5 to 2.5	Pass
				40	12	-1.502	-0.0008	-2.5 to 2.5	Pass
	1882.5	25	0	20	10.2	0.916	0.0005	-2.5 to 2.5	Pass
					12	0.873	0.0005	-2.5 to 2.5	Pass
					13.8	0.358	0.0002	-2.5 to 2.5	Pass
				-30	12	1.531	0.0008	-2.5 to 2.5	Pass
				-20	12	1.187	0.0006	-2.5 to 2.5	Pass
				-10	12	1.931	0.0010	-2.5 to 2.5	Pass
				0	12	2.375	0.0013	-2.5 to 2.5	Pass
				10	12	1.402	0.0007	-2.5 to 2.5	Pass
				30	12	0.072	0.0000	-2.5 to 2.5	Pass
				40	12	0.644	0.0003	-2.5 to 2.5	Pass
	1912.5	25	0	20	10.2	-3.433	-0.0018	-2.5 to 2.5	Pass
					12	-2.604	-0.0014	-2.5 to 2.5	Pass
					13.8	-2.360	-0.0012	-2.5 to 2.5	Pass
				-30	12	-3.233	-0.0017	-2.5 to 2.5	Pass
				-20	12	-2.289	-0.0012	-2.5 to 2.5	Pass
				-10	12	-2.346	-0.0012	-2.5 to 2.5	Pass
				0	12	-2.446	-0.0013	-2.5 to 2.5	Pass
				10	12	-1.788	-0.0009	-2.5 to 2.5	Pass
				30	12	-2.103	-0.0011	-2.5 to 2.5	Pass
				40	12	-3.533	-0.0018	-2.5 to 2.5	Pass
				50	12	-3.748	-0.0020	-2.5 to 2.5	Pass

2.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	10.2	-1.602	-0.0009	-2.5 to 2.5	Pass
					12	-2.761	-0.0015	-2.5 to 2.5	Pass
					13.8	-2.847	-0.0015	-2.5 to 2.5	Pass
				-30	12	-2.460	-0.0013	-2.5 to 2.5	Pass
				-20	12	-2.789	-0.0015	-2.5 to 2.5	Pass
				-10	12	-3.219	-0.0017	-2.5 to 2.5	Pass
				0	12	-2.532	-0.0014	-2.5 to 2.5	Pass
				10	12	-2.317	-0.0012	-2.5 to 2.5	Pass
				30	12	-2.575	-0.0014	-2.5 to 2.5	Pass
				40	12	-2.160	-0.0012	-2.5 to 2.5	Pass
				50	12	-3.262	-0.0018	-2.5 to 2.5	Pass
	1882.5	50	0	20	10.2	0.701	0.0004	-2.5 to 2.5	Pass
					12	0.958	0.0005	-2.5 to 2.5	Pass
					13.8	0.458	0.0002	-2.5 to 2.5	Pass
				-30	12	1.173	0.0006	-2.5 to 2.5	Pass
				-20	12	1.574	0.0008	-2.5 to 2.5	Pass
				-10	12	0.887	0.0005	-2.5 to 2.5	Pass
				0	12	1.173	0.0006	-2.5 to 2.5	Pass
				10	12	0.415	0.0002	-2.5 to 2.5	Pass
				30	12	1.202	0.0006	-2.5 to 2.5	Pass
				40	12	1.316	0.0007	-2.5 to 2.5	Pass
				50	12	1.373	0.0007	-2.5 to 2.5	Pass
	1910	50	0	20	10.2	-1.559	-0.0008	-2.5 to 2.5	Pass
					12	-2.031	-0.0011	-2.5 to 2.5	Pass
					13.8	-2.174	-0.0011	-2.5 to 2.5	Pass
				-30	12	-2.503	-0.0013	-2.5 to 2.5	Pass
				-20	12	-2.317	-0.0012	-2.5 to 2.5	Pass
				-10	12	-2.160	-0.0011	-2.5 to 2.5	Pass
				0	12	-1.831	-0.0010	-2.5 to 2.5	Pass
				10	12	-2.475	-0.0013	-2.5 to 2.5	Pass
				30	12	-2.174	-0.0011	-2.5 to 2.5	Pass
				40	12	-1.688	-0.0009	-2.5 to 2.5	Pass
				50	12	-1.459	-0.0008	-2.5 to 2.5	Pass

2.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	10.2	-4.492	-0.0024	-2.5 to 2.5	Pass
					12	-3.448	-0.0019	-2.5 to 2.5	Pass
					13.8	-3.948	-0.0021	-2.5 to 2.5	Pass
				-30	12	-4.020	-0.0022	-2.5 to 2.5	Pass
				-20	12	-3.834	-0.0021	-2.5 to 2.5	Pass
				-10	12	-3.276	-0.0018	-2.5 to 2.5	Pass
				0	12	-4.005	-0.0022	-2.5 to 2.5	Pass
				10	12	-3.233	-0.0017	-2.5 to 2.5	Pass
				30	12	-3.405	-0.0018	-2.5 to 2.5	Pass
				40	12	-4.020	-0.0022	-2.5 to 2.5	Pass
				50	12	-3.433	-0.0018	-2.5 to 2.5	Pass
	1882.5	75	0	20	10.2	0.901	0.0005	-2.5 to 2.5	Pass
					12	-0.286	-0.0002	-2.5 to 2.5	Pass
					13.8	0.701	0.0004	-2.5 to 2.5	Pass
				-30	12	0.672	0.0004	-2.5 to 2.5	Pass

				-20	12	0.916	0.0005	-2.5 to 2.5	Pass
				-10	12	0.286	0.0002	-2.5 to 2.5	Pass
				0	12	0.029	0.0000	-2.5 to 2.5	Pass
				10	12	0.072	0.0000	-2.5 to 2.5	Pass
				30	12	1.216	0.0006	-2.5 to 2.5	Pass
				40	12	1.302	0.0007	-2.5 to 2.5	Pass
				50	12	0.415	0.0002	-2.5 to 2.5	Pass
	1907.5	75	0	20	10.2	0.429	0.0002	-2.5 to 2.5	Pass
					12	0.401	0.0002	-2.5 to 2.5	Pass
					13.8	1.574	0.0008	-2.5 to 2.5	Pass
				-30	12	-0.858	-0.0004	-2.5 to 2.5	Pass
				-20	12	-0.515	-0.0003	-2.5 to 2.5	Pass
				-10	12	-0.286	-0.0001	-2.5 to 2.5	Pass
				0	12	-0.272	-0.0001	-2.5 to 2.5	Pass
				10	12	-0.715	-0.0004	-2.5 to 2.5	Pass
				30	12	-0.930	-0.0005	-2.5 to 2.5	Pass
				40	12	1.073	0.0006	-2.5 to 2.5	Pass
				50	12	-0.272	-0.0001	-2.5 to 2.5	Pass

2.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	10.2	0.730	0.0004	-2.5 to 2.5	Pass
					12	0.000	0.0000	-2.5 to 2.5	Pass
					13.8	1.044	0.0006	-2.5 to 2.5	Pass
				-30	12	0.415	0.0002	-2.5 to 2.5	Pass
				-20	12	0.186	0.0001	-2.5 to 2.5	Pass
				-10	12	0.844	0.0005	-2.5 to 2.5	Pass
				0	12	0.386	0.0002	-2.5 to 2.5	Pass
				10	12	0.157	0.0001	-2.5 to 2.5	Pass
				30	12	0.601	0.0003	-2.5 to 2.5	Pass
				40	12	0.644	0.0003	-2.5 to 2.5	Pass
				50	12	0.858	0.0005	-2.5 to 2.5	Pass
	1882.5	100	0	20	10.2	0.858	0.0005	-2.5 to 2.5	Pass
					12	0.114	0.0001	-2.5 to 2.5	Pass
					13.8	0.315	0.0002	-2.5 to 2.5	Pass
				-30	12	1.159	0.0006	-2.5 to 2.5	Pass
				-20	12	0.243	0.0001	-2.5 to 2.5	Pass
				-10	12	0.486	0.0003	-2.5 to 2.5	Pass
				0	12	0.558	0.0003	-2.5 to 2.5	Pass
				10	12	0.615	0.0003	-2.5 to 2.5	Pass
				30	12	0.472	0.0003	-2.5 to 2.5	Pass
				40	12	0.572	0.0003	-2.5 to 2.5	Pass
				50	12	0.987	0.0005	-2.5 to 2.5	Pass
	1905	100	0	20	10.2	1.345	0.0007	-2.5 to 2.5	Pass
					12	1.245	0.0007	-2.5 to 2.5	Pass
					13.8	0.329	0.0002	-2.5 to 2.5	Pass
				-30	12	0.644	0.0003	-2.5 to 2.5	Pass
				-20	12	0.300	0.0002	-2.5 to 2.5	Pass
				-10	12	0.458	0.0002	-2.5 to 2.5	Pass
				0	12	0.987	0.0005	-2.5 to 2.5	Pass
				10	12	0.229	0.0001	-2.5 to 2.5	Pass
				30	12	0.558	0.0003	-2.5 to 2.5	Pass
				40	12	0.930	0.0005	-2.5 to 2.5	Pass
				50	12	-0.472	-0.0002	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	6	0	Refer To Test Graph		Pass
16QAM	1882.5	6	0	Refer To Test Graph		Pass

3.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	15	0	Refer To Test Graph		Pass
16QAM	1882.5	15	0	Refer To Test Graph		Pass

3.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	25	0	Refer To Test Graph		Pass
16QAM	1882.5	25	0	Refer To Test Graph		Pass

3.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	50	0	Refer To Test Graph		Pass

3.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	75	0	Refer To Test Graph		Pass

3.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B25_1.4MHz




3.2.2 B25_3MHz




3.2.3 B25_5MHz




3.2.4 B25_10MHz



3.2.5 B25_15MHz



3.2.6 B25_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.121	/	Pass
		1882.5	6	0	1.118	/	Pass
		1914.3	6	0	1.115	/	Pass
	16QAM	1850.7	6	0	1.110	/	Pass
		1882.5	6	0	1.114	/	Pass
		1914.3	6	0	1.103	/	Pass
3	QPSK	1851.5	15	0	2.735	/	Pass
		1882.5	15	0	2.738	/	Pass
		1913.5	15	0	2.740	/	Pass
	16QAM	1851.5	15	0	2.754	/	Pass
		1882.5	15	0	2.729	/	Pass
		1913.5	15	0	2.736	/	Pass
5	QPSK	1852.5	25	0	4.570	/	Pass
		1882.5	25	0	4.538	/	Pass
		1912.5	25	0	4.546	/	Pass
	16QAM	1852.5	25	0	4.545	/	Pass
		1882.5	25	0	4.565	/	Pass
		1912.5	25	0	4.550	/	Pass
10	QPSK	1855	50	0	9.010	/	Pass
		1882.5	50	0	9.040	/	Pass
		1910	50	0	8.970	/	Pass
15	QPSK	1857.5	75	0	13.518	/	Pass
		1882.5	75	0	13.565	/	Pass
		1907.5	75	0	13.499	/	Pass
20	QPSK	1860	100	0	17.969	/	Pass
		1882.5	100	0	18.086	/	Pass
		1905	100	0	18.056	/	Pass


4.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.311	/	Pass
		1882.5	6	0	1.310	/	Pass
		1914.3	6	0	1.328	/	Pass
	16QAM	1850.7	6	0	1.317	/	Pass
		1882.5	6	0	1.323	/	Pass
		1914.3	6	0	1.320	/	Pass
3	QPSK	1851.5	15	0	3.061	/	Pass
		1882.5	15	0	3.051	/	Pass
		1913.5	15	0	3.064	/	Pass
	16QAM	1851.5	15	0	3.056	/	Pass
		1882.5	15	0	3.060	/	Pass
		1913.5	15	0	3.056	/	Pass
5	QPSK	1852.5	25	0	5.091	/	Pass
		1882.5	25	0	5.101	/	Pass
		1912.5	25	0	5.082	/	Pass
	16QAM	1852.5	25	0	5.082	/	Pass


		1882.5	25	0	5.087	/	Pass
		1912.5	25	0	5.097	/	Pass
10	QPSK	1855	50	0	9.780	/	Pass
		1882.5	50	0	10.014	/	Pass
		1910	50	0	9.962	/	Pass
15	QPSK	1857.5	75	0	14.931	/	Pass
		1882.5	75	0	14.916	/	Pass
		1907.5	75	0	14.973	/	Pass
20	QPSK	1860	100	0	19.658	/	Pass
		1882.5	100	0	19.885	/	Pass
		1905	100	0	19.708	/	Pass

4.2 Test Graph


4.2.1 Band25_OBW




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV







Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV







Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV





Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV









4.2.2 Band25_XDB







Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV



Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV

