

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.55	3.50	24.90	<=38.45	Pass
			2	23.62	3.50	24.97	<=38.45	Pass
			5	23.53	3.50	24.88	<=38.45	Pass
		3	0	23.62	3.50	24.97	<=38.45	Pass
			2	23.65	3.50	25.00	<=38.45	Pass
			3	23.62	3.50	24.97	<=38.45	Pass
		6	0	22.52	3.50	23.87	<=38.45	Pass
	836.5	1	0	23.46	3.50	24.81	<=38.45	Pass
			2	23.51	3.50	24.86	<=38.45	Pass
			5	23.46	3.50	24.81	<=38.45	Pass
		3	0	23.47	3.50	24.82	<=38.45	Pass
			2	23.54	3.50	24.89	<=38.45	Pass
			3	23.48	3.50	24.83	<=38.45	Pass
		6	0	22.46	3.50	23.81	<=38.45	Pass
	848.3	1	0	22.89	3.50	24.24	<=38.45	Pass
			2	22.77	3.50	24.12	<=38.45	Pass
			5	22.59	3.50	23.94	<=38.45	Pass
		3	0	22.82	3.50	24.17	<=38.45	Pass
			2	22.72	3.50	24.07	<=38.45	Pass
			3	22.62	3.50	23.97	<=38.45	Pass
		6	0	22.42	3.50	23.77	<=38.45	Pass
16QAM	824.7	1	0	22.65	3.50	24.00	<=38.45	Pass
			2	22.76	3.50	24.11	<=38.45	Pass
			5	22.66	3.50	24.01	<=38.45	Pass
		3	0	22.75	3.50	24.10	<=38.45	Pass
			2	22.83	3.50	24.18	<=38.45	Pass
			3	22.76	3.50	24.11	<=38.45	Pass
		6	0	21.57	3.50	22.92	<=38.45	Pass
	836.5	1	0	22.66	3.50	24.01	<=38.45	Pass
			2	22.74	3.50	24.09	<=38.45	Pass
			5	22.64	3.50	23.99	<=38.45	Pass
		3	0	22.54	3.50	23.89	<=38.45	Pass
			2	22.59	3.50	23.94	<=38.45	Pass
			3	22.50	3.50	23.85	<=38.45	Pass
		6	0	21.61	3.50	22.96	<=38.45	Pass
	848.3	1	0	22.01	3.50	23.36	<=38.45	Pass
			2	21.90	3.50	23.25	<=38.45	Pass
			5	21.72	3.50	23.07	<=38.45	Pass
		3	0	22.10	3.50	23.45	<=38.45	Pass
			2	22.03	3.50	23.38	<=38.45	Pass
			3	21.94	3.50	23.29	<=38.45	Pass
		6	0	21.46	3.50	22.81	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.64	3.50	24.99	<=38.45	Pass
			7	23.69	3.50	25.04	<=38.45	Pass
			14	23.56	3.50	24.91	<=38.45	Pass
		8	0	22.62	3.50	23.97	<=38.45	Pass
			4	22.62	3.50	23.97	<=38.45	Pass
			7	22.56	3.50	23.91	<=38.45	Pass
		15	0	22.64	3.50	23.99	<=38.45	Pass
	836.5	1	0	23.63	3.50	24.98	<=38.45	Pass
			7	23.66	3.50	25.01	<=38.45	Pass
			14	23.52	3.50	24.87	<=38.45	Pass
		8	0	22.60	3.50	23.95	<=38.45	Pass
			4	22.61	3.50	23.96	<=38.45	Pass
			7	22.54	3.50	23.89	<=38.45	Pass
		15	0	22.54	3.50	23.89	<=38.45	Pass
	847.5	1	0	23.57	3.50	24.92	<=38.45	Pass
			7	23.14	3.50	24.49	<=38.45	Pass
			14	22.74	3.50	24.09	<=38.45	Pass
		8	0	22.53	3.50	23.88	<=38.45	Pass
			4	22.53	3.50	23.88	<=38.45	Pass
			7	22.48	3.50	23.83	<=38.45	Pass
		15	0	22.49	3.50	23.84	<=38.45	Pass
16QAM	825.5	1	0	23.24	3.50	24.59	<=38.45	Pass
			7	23.33	3.50	24.68	<=38.45	Pass
			14	23.22	3.50	24.57	<=38.45	Pass
		8	0	21.87	3.50	23.22	<=38.45	Pass
			4	21.89	3.50	23.24	<=38.45	Pass
			7	21.81	3.50	23.16	<=38.45	Pass
		15	0	21.82	3.50	23.17	<=38.45	Pass
	836.5	1	0	22.69	3.50	24.04	<=38.45	Pass
			7	22.70	3.50	24.05	<=38.45	Pass
			14	22.56	3.50	23.91	<=38.45	Pass
		8	0	21.68	3.50	23.03	<=38.45	Pass
			4	21.70	3.50	23.05	<=38.45	Pass
			7	21.65	3.50	23.00	<=38.45	Pass
		15	0	21.65	3.50	23.00	<=38.45	Pass
	847.5	1	0	22.65	3.50	24.00	<=38.45	Pass
			7	22.46	3.50	23.81	<=38.45	Pass
			14	22.01	3.50	23.36	<=38.45	Pass
		8	0	21.48	3.50	22.83	<=38.45	Pass
			4	21.52	3.50	22.87	<=38.45	Pass
			7	21.47	3.50	22.82	<=38.45	Pass
		15	0	21.48	3.50	22.83	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.58	3.50	24.93	<=38.45	Pass
			13	23.66	3.50	25.01	<=38.45	Pass
			24	23.61	3.50	24.96	<=38.45	Pass
		12	0	22.67	3.50	24.02	<=38.45	Pass
			6	22.64	3.50	23.99	<=38.45	Pass
			13	22.66	3.50	24.01	<=38.45	Pass
		25	0	22.73	3.50	24.08	<=38.45	Pass
	836.5	1	0	23.65	3.50	25.00	<=38.45	Pass
			13	23.62	3.50	24.97	<=38.45	Pass
			24	23.51	3.50	24.86	<=38.45	Pass
		12	0	22.61	3.50	23.96	<=38.45	Pass
			6	22.63	3.50	23.98	<=38.45	Pass
			13	22.54	3.50	23.89	<=38.45	Pass
		25	0	22.57	3.50	23.92	<=38.45	Pass
	846.5	1	0	23.61	3.50	24.96	<=38.45	Pass
			13	23.50	3.50	24.85	<=38.45	Pass
			24	22.93	3.50	24.28	<=38.45	Pass
		12	0	22.57	3.50	23.92	<=38.45	Pass
			6	22.55	3.50	23.90	<=38.45	Pass
			13	22.49	3.50	23.84	<=38.45	Pass
		25	0	22.53	3.50	23.88	<=38.45	Pass
16QAM	826.5	1	0	22.63	3.50	23.98	<=38.45	Pass
			13	22.63	3.50	23.98	<=38.45	Pass
			24	22.61	3.50	23.96	<=38.45	Pass
		12	0	21.79	3.50	23.14	<=38.45	Pass
			6	21.76	3.50	23.11	<=38.45	Pass
			13	21.76	3.50	23.11	<=38.45	Pass
		25	0	21.86	3.50	23.21	<=38.45	Pass
	836.5	1	0	22.74	3.50	24.09	<=38.45	Pass
			13	22.77	3.50	24.12	<=38.45	Pass
			24	22.66	3.50	24.01	<=38.45	Pass
		12	0	21.69	3.50	23.04	<=38.45	Pass
			6	21.66	3.50	23.01	<=38.45	Pass
			13	21.57	3.50	22.92	<=38.45	Pass
	25	0	21.66	3.50	23.01	<=38.45	Pass	
	846.5	1	0	22.79	3.50	24.14	<=38.45	Pass
			13	22.77	3.50	24.12	<=38.45	Pass
			24	22.27	3.50	23.62	<=38.45	Pass
		12	0	21.60	3.50	22.95	<=38.45	Pass
6			21.59	3.50	22.94	<=38.45	Pass	
13			21.56	3.50	22.91	<=38.45	Pass	
25	0	21.52	3.50	22.87	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.65	3.50	25.00	<=38.45	Pass
			25	23.65	3.50	25.00	<=38.45	Pass
			49	23.58	3.50	24.93	<=38.45	Pass
		25	0	22.76	3.50	24.11	<=38.45	Pass
			13	22.72	3.50	24.07	<=38.45	Pass
			25	22.66	3.50	24.01	<=38.45	Pass
		50	0	22.76	3.50	24.11	<=38.45	Pass
	836.5	1	0	23.70	3.50	25.05	<=38.45	Pass
			25	23.58	3.50	24.93	<=38.45	Pass
			49	23.53	3.50	24.88	<=38.45	Pass
		25	0	22.64	3.50	23.99	<=38.45	Pass
			13	22.63	3.50	23.98	<=38.45	Pass
			25	22.53	3.50	23.88	<=38.45	Pass
		50	0	22.61	3.50	23.96	<=38.45	Pass
	844	1	0	23.58	3.50	24.93	<=38.45	Pass
			25	23.54	3.50	24.89	<=38.45	Pass
			49	22.44	3.50	23.79	<=38.45	Pass
		25	0	22.60	3.50	23.95	<=38.45	Pass
			13	22.60	3.50	23.95	<=38.45	Pass
			25	22.55	3.50	23.90	<=38.45	Pass
		50	0	22.59	3.50	23.94	<=38.45	Pass
16QAM	829	1	0	23.30	3.50	24.65	<=38.45	Pass
			25	23.25	3.50	24.60	<=38.45	Pass
			49	23.13	3.50	24.48	<=38.45	Pass
		12	0	22.82	3.50	24.17	<=38.45	Pass
			19	22.92	3.50	24.27	<=38.45	Pass
			38	22.76	3.50	24.11	<=38.45	Pass
		27	0	21.84	3.50	23.19	<=38.45	Pass
	836.5	1	0	22.76	3.50	24.11	<=38.45	Pass
			25	22.63	3.50	23.98	<=38.45	Pass
			49	22.64	3.50	23.99	<=38.45	Pass
		12	0	22.78	3.50	24.13	<=38.45	Pass
			19	22.75	3.50	24.10	<=38.45	Pass
			38	22.62	3.50	23.97	<=38.45	Pass
		27	0	21.77	3.50	23.12	<=38.45	Pass
	844	1	0	22.84	3.50	24.19	<=38.45	Pass
			25	22.72	3.50	24.07	<=38.45	Pass
			49	21.75	3.50	23.10	<=38.45	Pass
		12	0	22.70	3.50	24.05	<=38.45	Pass
			19	22.61	3.50	23.96	<=38.45	Pass
			38	22.11	3.50	23.46	<=38.45	Pass
		27	23	21.58	3.50	22.93	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.66	3.50	25.01	<=38.45	Pass
			38	23.60	3.50	24.95	<=38.45	Pass
			74	23.49	3.50	24.84	<=38.45	Pass
		36	0	22.69	3.50	24.04	<=38.45	Pass
			18	22.68	3.50	24.03	<=38.45	Pass
			39	22.59	3.50	23.94	<=38.45	Pass
		75	0	22.58	3.50	23.93	<=38.45	Pass
			0	23.72	3.50	25.07	<=38.45	Pass
			38	23.57	3.50	24.92	<=38.45	Pass
	836.5	1	74	23.51	3.50	24.86	<=38.45	Pass
			0	22.65	3.50	24.00	<=38.45	Pass
			18	22.62	3.50	23.97	<=38.45	Pass
		36	39	22.49	3.50	23.84	<=38.45	Pass
			0	22.55	3.50	23.90	<=38.45	Pass
			0	23.62	3.50	24.97	<=38.45	Pass
		75	38	23.56	3.50	24.91	<=38.45	Pass
			74	22.11	3.50	23.46	<=38.45	Pass
			0	22.59	3.50	23.94	<=38.45	Pass
16QAM	831.5	1	39	22.53	3.50	23.88	<=38.45	Pass
			0	22.51	3.50	23.86	<=38.45	Pass
			0	23.32	3.50	24.67	<=38.45	Pass
		12	38	23.22	3.50	24.57	<=38.45	Pass
			74	23.08	3.50	24.43	<=38.45	Pass
			0	22.87	3.50	24.22	<=38.45	Pass
		27	31	22.87	3.50	24.22	<=38.45	Pass
			63	22.65	3.50	24.00	<=38.45	Pass
			0	21.81	3.50	23.16	<=38.45	Pass
	836.5	1	0	23.19	3.50	24.54	<=38.45	Pass
			38	22.96	3.50	24.31	<=38.45	Pass
			74	22.85	3.50	24.20	<=38.45	Pass
		12	0	22.75	3.50	24.10	<=38.45	Pass
			31	22.67	3.50	24.02	<=38.45	Pass
			63	22.53	3.50	23.88	<=38.45	Pass
		27	0	21.74	3.50	23.09	<=38.45	Pass
			0	22.88	3.50	24.23	<=38.45	Pass
			38	22.80	3.50	24.15	<=38.45	Pass
	841.5	1	74	21.44	3.50	22.79	<=38.45	Pass
			0	22.72	3.50	24.07	<=38.45	Pass
			31	22.73	3.50	24.08	<=38.45	Pass
		12	63	21.85	3.50	23.20	<=38.45	Pass
			0	21.60	3.50	22.95	<=38.45	Pass
			48					
		27						

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	10.2	-9.356	-0.0113	-2.5 to 2.5	Pass
					12	-16.909	-0.0205	-2.5 to 2.5	Pass
					13.8	-14.734	-0.0179	-2.5 to 2.5	Pass
				-30	12	-1.187	-0.0014	-2.5 to 2.5	Pass
				-20	12	-5.407	-0.0066	-2.5 to 2.5	Pass
				-10	12	-3.648	-0.0044	-2.5 to 2.5	Pass
				0	12	-1.416	-0.0017	-2.5 to 2.5	Pass
				10	12	-4.606	-0.0056	-2.5 to 2.5	Pass
				30	12	1.817	0.0022	-2.5 to 2.5	Pass
				40	12	-0.429	-0.0005	-2.5 to 2.5	Pass
				50	12	-2.475	-0.0030	-2.5 to 2.5	Pass
	836.5	6	0	20	10.2	2.346	0.0028	-2.5 to 2.5	Pass
					12	-0.486	-0.0006	-2.5 to 2.5	Pass
					13.8	-0.758	-0.0009	-2.5 to 2.5	Pass
				-30	12	-1.273	-0.0015	-2.5 to 2.5	Pass
				-20	12	1.431	0.0017	-2.5 to 2.5	Pass
				-10	12	1.845	0.0022	-2.5 to 2.5	Pass
				0	12	-0.114	-0.0001	-2.5 to 2.5	Pass
				10	12	1.702	0.0020	-2.5 to 2.5	Pass
				30	12	-3.376	-0.0040	-2.5 to 2.5	Pass
				40	12	1.616	0.0019	-2.5 to 2.5	Pass
				50	12	1.459	0.0017	-2.5 to 2.5	Pass
	848.3	6	0	20	10.2	-14.892	-0.0176	-2.5 to 2.5	Pass
					12	-7.539	-0.0089	-2.5 to 2.5	Pass
					13.8	0.401	0.0005	-2.5 to 2.5	Pass
				-30	12	-0.458	-0.0005	-2.5 to 2.5	Pass
				-20	12	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	12	1.459	0.0017	-2.5 to 2.5	Pass
				0	12	-2.403	-0.0028	-2.5 to 2.5	Pass
				10	12	-0.043	-0.0001	-2.5 to 2.5	Pass
				30	12	-1.016	-0.0012	-2.5 to 2.5	Pass
				40	12	-0.815	-0.0010	-2.5 to 2.5	Pass
				50	12	-1.459	-0.0017	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	10.2	-3.877	-0.0047	-2.5 to 2.5	Pass
					12	2.375	0.0029	-2.5 to 2.5	Pass
					13.8	-4.678	-0.0057	-2.5 to 2.5	Pass
				-30	12	-2.074	-0.0025	-2.5 to 2.5	Pass
				-20	12	-5.536	-0.0067	-2.5 to 2.5	Pass
				-10	12	-1.488	-0.0018	-2.5 to 2.5	Pass
				0	12	2.131	0.0026	-2.5 to 2.5	Pass
				10	12	-2.832	-0.0034	-2.5 to 2.5	Pass
				30	12	-2.060	-0.0025	-2.5 to 2.5	Pass
				40	12	1.302	0.0016	-2.5 to 2.5	Pass
				50	12	1.073	0.0013	-2.5 to 2.5	Pass
	836.5	6	0	20	10.2	1.731	0.0021	-2.5 to 2.5	Pass
					12	-3.891	-0.0047	-2.5 to 2.5	Pass
					13.8	1.016	0.0012	-2.5 to 2.5	Pass
				-30	12	1.645	0.0020	-2.5 to 2.5	Pass
				-20	12	0.458	0.0005	-2.5 to 2.5	Pass
				-10	12	-0.114	-0.0001	-2.5 to 2.5	Pass

				0	12	-1.059	-0.0013	-2.5 to 2.5	Pass
				10	12	-2.031	-0.0024	-2.5 to 2.5	Pass
				30	12	-3.319	-0.0040	-2.5 to 2.5	Pass
				40	12	2.503	0.0030	-2.5 to 2.5	Pass
				50	12	-0.587	-0.0007	-2.5 to 2.5	Pass
	848.3	6	0	20	10.2	0.787	0.0009	-2.5 to 2.5	Pass
					12	1.473	0.0017	-2.5 to 2.5	Pass
					13.8	1.216	0.0014	-2.5 to 2.5	Pass
				-30	12	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	12	0.143	0.0002	-2.5 to 2.5	Pass
				-10	12	-1.631	-0.0019	-2.5 to 2.5	Pass
				0	12	1.788	0.0021	-2.5 to 2.5	Pass
				10	12	2.303	0.0027	-2.5 to 2.5	Pass
				30	12	1.159	0.0014	-2.5 to 2.5	Pass
				40	12	-0.615	-0.0007	-2.5 to 2.5	Pass
				50	12	-2.246	-0.0026	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	10.2	2.947	0.0036	-2.5 to 2.5	Pass
					12	3.319	0.0040	-2.5 to 2.5	Pass
					13.8	4.921	0.0060	-2.5 to 2.5	Pass
				-30	12	3.176	0.0038	-2.5 to 2.5	Pass
				-20	12	5.422	0.0066	-2.5 to 2.5	Pass
				-10	12	1.974	0.0024	-2.5 to 2.5	Pass
				0	12	4.163	0.0050	-2.5 to 2.5	Pass
				10	12	2.217	0.0027	-2.5 to 2.5	Pass
				30	12	7.496	0.0091	-2.5 to 2.5	Pass
				40	12	5.150	0.0062	-2.5 to 2.5	Pass
				50	12	6.180	0.0075	-2.5 to 2.5	Pass
	836.5	15	0	20	10.2	-4.849	-0.0058	-2.5 to 2.5	Pass
					12	-1.144	-0.0014	-2.5 to 2.5	Pass
					13.8	-0.257	-0.0003	-2.5 to 2.5	Pass
				-30	12	-4.678	-0.0056	-2.5 to 2.5	Pass
				-20	12	-5.035	-0.0060	-2.5 to 2.5	Pass
				-10	12	-4.563	-0.0055	-2.5 to 2.5	Pass
				0	12	-5.307	-0.0063	-2.5 to 2.5	Pass
				10	12	-5.908	-0.0071	-2.5 to 2.5	Pass
				30	12	-5.794	-0.0069	-2.5 to 2.5	Pass
				40	12	-3.734	-0.0045	-2.5 to 2.5	Pass
				50	12	1.330	0.0016	-2.5 to 2.5	Pass
	847.5	15	0	20	10.2	-0.315	-0.0004	-2.5 to 2.5	Pass
					12	0.916	0.0011	-2.5 to 2.5	Pass
					13.8	-1.817	-0.0021	-2.5 to 2.5	Pass
				-30	12	3.662	0.0043	-2.5 to 2.5	Pass
				-20	12	0.343	0.0004	-2.5 to 2.5	Pass
				-10	12	0.100	0.0001	-2.5 to 2.5	Pass
				0	12	-0.572	-0.0007	-2.5 to 2.5	Pass
				10	12	-0.672	-0.0008	-2.5 to 2.5	Pass
				30	12	0.215	0.0003	-2.5 to 2.5	Pass
				40	12	2.732	0.0032	-2.5 to 2.5	Pass
				50	12	-1.087	-0.0013	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	10.2	7.124	0.0086	-2.5 to 2.5	Pass
					12	0.257	0.0003	-2.5 to 2.5	Pass
					13.8	7.868	0.0095	-2.5 to 2.5	Pass

				-30	12	2.418	0.0029	-2.5 to 2.5	Pass
				-20	12	5.450	0.0066	-2.5 to 2.5	Pass
				-10	12	4.478	0.0054	-2.5 to 2.5	Pass
				0	12	6.237	0.0076	-2.5 to 2.5	Pass
				10	12	1.831	0.0022	-2.5 to 2.5	Pass
				30	12	7.353	0.0089	-2.5 to 2.5	Pass
				40	12	1.788	0.0022	-2.5 to 2.5	Pass
				50	12	6.509	0.0079	-2.5 to 2.5	Pass
	836.5	15	0	20	10.2	-2.403	-0.0029	-2.5 to 2.5	Pass
					12	1.302	0.0016	-2.5 to 2.5	Pass
					13.8	-0.086	-0.0001	-2.5 to 2.5	Pass
				-30	12	-3.047	-0.0036	-2.5 to 2.5	Pass
				-20	12	-5.765	-0.0069	-2.5 to 2.5	Pass
				-10	12	-1.502	-0.0018	-2.5 to 2.5	Pass
				0	12	-5.479	-0.0065	-2.5 to 2.5	Pass
				10	12	-1.788	-0.0021	-2.5 to 2.5	Pass
				30	12	2.117	0.0025	-2.5 to 2.5	Pass
				40	12	-2.689	-0.0032	-2.5 to 2.5	Pass
				50	12	-2.189	-0.0026	-2.5 to 2.5	Pass
	847.5	15	0	20	10.2	3.190	0.0038	-2.5 to 2.5	Pass
					12	4.306	0.0051	-2.5 to 2.5	Pass
					13.8	-1.144	-0.0013	-2.5 to 2.5	Pass
				-30	12	1.144	0.0013	-2.5 to 2.5	Pass
				-20	12	2.990	0.0035	-2.5 to 2.5	Pass
				-10	12	-3.548	-0.0042	-2.5 to 2.5	Pass
				0	12	-1.745	-0.0021	-2.5 to 2.5	Pass
				10	12	-3.362	-0.0040	-2.5 to 2.5	Pass
				30	12	-0.658	-0.0008	-2.5 to 2.5	Pass
				40	12	-1.445	-0.0017	-2.5 to 2.5	Pass
				50	12	0.186	0.0002	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	10.2	-1.130	-0.0014	-2.5 to 2.5	Pass
					12	-3.376	-0.0041	-2.5 to 2.5	Pass
					13.8	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	12	-2.561	-0.0031	-2.5 to 2.5	Pass
				-20	12	0.072	0.0001	-2.5 to 2.5	Pass
				-10	12	0.429	0.0005	-2.5 to 2.5	Pass
				0	12	1.945	0.0024	-2.5 to 2.5	Pass
				10	12	-0.701	-0.0008	-2.5 to 2.5	Pass
				30	12	1.817	0.0022	-2.5 to 2.5	Pass
				40	12	3.405	0.0041	-2.5 to 2.5	Pass
				50	12	-1.459	-0.0018	-2.5 to 2.5	Pass
	836.5	25	0	20	10.2	-3.734	-0.0045	-2.5 to 2.5	Pass
					12	-5.665	-0.0068	-2.5 to 2.5	Pass
					13.8	0.329	0.0004	-2.5 to 2.5	Pass
				-30	12	0.572	0.0007	-2.5 to 2.5	Pass
				-20	12	-1.717	-0.0021	-2.5 to 2.5	Pass
				-10	12	-2.418	-0.0029	-2.5 to 2.5	Pass
				0	12	0.901	0.0011	-2.5 to 2.5	Pass
				10	12	-4.220	-0.0050	-2.5 to 2.5	Pass
				30	12	-1.316	-0.0016	-2.5 to 2.5	Pass
				40	12	-2.060	-0.0025	-2.5 to 2.5	Pass
				50	12	1.159	0.0014	-2.5 to 2.5	Pass

	846.5	25	0	20	10.2	4.821	0.0057	-2.5 to 2.5	Pass
					12	4.578	0.0054	-2.5 to 2.5	Pass
					13.8	-1.373	-0.0016	-2.5 to 2.5	Pass
				-30	12	0.744	0.0009	-2.5 to 2.5	Pass
				-20	12	3.061	0.0036	-2.5 to 2.5	Pass
				-10	12	2.847	0.0034	-2.5 to 2.5	Pass
				0	12	-0.057	-0.0001	-2.5 to 2.5	Pass
				10	12	4.807	0.0057	-2.5 to 2.5	Pass
				30	12	1.545	0.0018	-2.5 to 2.5	Pass
				40	12	7.253	0.0086	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	10.2	2.904	0.0035	-2.5 to 2.5	Pass
					12	-3.719	-0.0045	-2.5 to 2.5	Pass
					13.8	-3.633	-0.0044	-2.5 to 2.5	Pass
				-30	12	0.272	0.0003	-2.5 to 2.5	Pass
				-20	12	3.533	0.0043	-2.5 to 2.5	Pass
				-10	12	-3.505	-0.0042	-2.5 to 2.5	Pass
				0	12	3.004	0.0036	-2.5 to 2.5	Pass
				10	12	-3.562	-0.0043	-2.5 to 2.5	Pass
				30	12	-1.588	-0.0019	-2.5 to 2.5	Pass
				40	12	-1.073	-0.0013	-2.5 to 2.5	Pass
	836.5	25	0	20	10.2	-2.847	-0.0034	-2.5 to 2.5	Pass
					12	-4.306	-0.0051	-2.5 to 2.5	Pass
					13.8	-3.233	-0.0039	-2.5 to 2.5	Pass
				-30	12	-3.791	-0.0045	-2.5 to 2.5	Pass
				-20	12	1.473	0.0018	-2.5 to 2.5	Pass
				-10	12	0.844	0.0010	-2.5 to 2.5	Pass
				0	12	-1.159	-0.0014	-2.5 to 2.5	Pass
				10	12	-3.519	-0.0042	-2.5 to 2.5	Pass
				30	12	-0.558	-0.0007	-2.5 to 2.5	Pass
				40	12	-4.878	-0.0058	-2.5 to 2.5	Pass
	846.5	25	0	20	10.2	0.472	0.0006	-2.5 to 2.5	Pass
					12	2.446	0.0029	-2.5 to 2.5	Pass
					13.8	6.638	0.0078	-2.5 to 2.5	Pass
				-30	12	1.545	0.0018	-2.5 to 2.5	Pass
				-20	12	6.409	0.0076	-2.5 to 2.5	Pass
				-10	12	-0.443	-0.0005	-2.5 to 2.5	Pass
				0	12	4.134	0.0049	-2.5 to 2.5	Pass
				10	12	6.666	0.0079	-2.5 to 2.5	Pass
				30	12	1.845	0.0022	-2.5 to 2.5	Pass
				40	12	4.821	0.0057	-2.5 to 2.5	Pass
				20	10.2	7.739	0.0091	-2.5 to 2.5	Pass
					12	0.887	0.0010	-2.5 to 2.5	Pass
					13.8	0.887	0.0010	-2.5 to 2.5	Pass
				-30	12	0.887	0.0010	-2.5 to 2.5	Pass
				-20	12	0.887	0.0010	-2.5 to 2.5	Pass
				-10	12	0.887	0.0010	-2.5 to 2.5	Pass
				0	12	0.887	0.0010	-2.5 to 2.5	Pass
				10	12	0.887	0.0010	-2.5 to 2.5	Pass
				30	12	0.887	0.0010	-2.5 to 2.5	Pass
				40	12	0.887	0.0010	-2.5 to 2.5	Pass

2.1.4 B26b 10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	10.2	0.286	0.0003	-2.5 to 2.5	Pass
					12	-3.591	-0.0043	-2.5 to 2.5	Pass
					13.8	-0.529	-0.0006	-2.5 to 2.5	Pass
				-30	12	-0.558	-0.0007	-2.5 to 2.5	Pass
				-20	12	-4.864	-0.0059	-2.5 to 2.5	Pass
				-10	12	1.001	0.0012	-2.5 to 2.5	Pass
				0	12	-1.345	-0.0016	-2.5 to 2.5	Pass
				10	12	-3.462	-0.0042	-2.5 to 2.5	Pass
				30	12	-3.462	-0.0042	-2.5 to 2.5	Pass
				40	12	-3.462	-0.0042	-2.5 to 2.5	Pass

				30	12	-3.133	-0.0038	-2.5 to 2.5	Pass
				40	12	-5.393	-0.0065	-2.5 to 2.5	Pass
				50	12	-3.963	-0.0048	-2.5 to 2.5	Pass
	836.5	50	0	20	10.2	-3.133	-0.0037	-2.5 to 2.5	Pass
					12	-2.146	-0.0026	-2.5 to 2.5	Pass
					13.8	-3.762	-0.0045	-2.5 to 2.5	Pass
				-30	12	-2.861	-0.0034	-2.5 to 2.5	Pass
				-20	12	-3.033	-0.0036	-2.5 to 2.5	Pass
				-10	12	-5.465	-0.0065	-2.5 to 2.5	Pass
				0	12	-1.431	-0.0017	-2.5 to 2.5	Pass
				10	12	-0.372	-0.0004	-2.5 to 2.5	Pass
				30	12	-7.453	-0.0089	-2.5 to 2.5	Pass
				40	12	-7.710	-0.0092	-2.5 to 2.5	Pass
				50	12	-6.623	-0.0079	-2.5 to 2.5	Pass
	844	50	0	20	10.2	-2.875	-0.0034	-2.5 to 2.5	Pass
					12	-4.206	-0.0050	-2.5 to 2.5	Pass
					13.8	-1.974	-0.0023	-2.5 to 2.5	Pass
				-30	12	-1.173	-0.0014	-2.5 to 2.5	Pass
				-20	12	0.129	0.0002	-2.5 to 2.5	Pass
				-10	12	-4.864	-0.0058	-2.5 to 2.5	Pass
				0	12	-3.905	-0.0046	-2.5 to 2.5	Pass
				10	12	-2.618	-0.0031	-2.5 to 2.5	Pass
				30	12	-6.137	-0.0073	-2.5 to 2.5	Pass
				40	12	-0.386	-0.0005	-2.5 to 2.5	Pass
				50	12	-4.692	-0.0056	-2.5 to 2.5	Pass
16QAM	829	27	0	20	10.2	-1.659	-0.0020	-2.5 to 2.5	Pass
					12	-1.702	-0.0021	-2.5 to 2.5	Pass
					13.8	-1.616	-0.0019	-2.5 to 2.5	Pass
				-30	12	-0.844	-0.0010	-2.5 to 2.5	Pass
				-20	12	-1.702	-0.0021	-2.5 to 2.5	Pass
				-10	12	-2.017	-0.0024	-2.5 to 2.5	Pass
				0	12	-4.549	-0.0055	-2.5 to 2.5	Pass
				10	12	-6.337	-0.0076	-2.5 to 2.5	Pass
				30	12	-2.475	-0.0030	-2.5 to 2.5	Pass
				40	12	1.173	0.0014	-2.5 to 2.5	Pass
				50	12	0.472	0.0006	-2.5 to 2.5	Pass
	836.5	27	0	20	10.2	-4.721	-0.0056	-2.5 to 2.5	Pass
					12	0.386	0.0005	-2.5 to 2.5	Pass
					13.8	0.486	0.0006	-2.5 to 2.5	Pass
				-30	12	-4.120	-0.0049	-2.5 to 2.5	Pass
				-20	12	-6.037	-0.0072	-2.5 to 2.5	Pass
				-10	12	0.443	0.0005	-2.5 to 2.5	Pass
				0	12	-2.604	-0.0031	-2.5 to 2.5	Pass
				10	12	-5.550	-0.0066	-2.5 to 2.5	Pass
				30	12	-2.303	-0.0028	-2.5 to 2.5	Pass
				40	12	-4.849	-0.0058	-2.5 to 2.5	Pass
				50	12	-5.608	-0.0067	-2.5 to 2.5	Pass
	844	27	23	20	10.2	-2.089	-0.0025	-2.5 to 2.5	Pass
					12	-5.808	-0.0069	-2.5 to 2.5	Pass
					13.8	-3.834	-0.0045	-2.5 to 2.5	Pass
				-30	12	-1.602	-0.0019	-2.5 to 2.5	Pass
				-20	12	0.143	0.0002	-2.5 to 2.5	Pass
				-10	12	-3.576	-0.0042	-2.5 to 2.5	Pass
				0	12	0.157	0.0002	-2.5 to 2.5	Pass
				10	12	-4.334	-0.0051	-2.5 to 2.5	Pass
				30	12	-0.744	-0.0009	-2.5 to 2.5	Pass
				40	12	-7.567	-0.0090	-2.5 to 2.5	Pass
				50	12	-1.216	-0.0014	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	10.2	0.544	0.0007	-2.5 to 2.5	Pass
					12	3.605	0.0043	-2.5 to 2.5	Pass
					13.8	0.858	0.0010	-2.5 to 2.5	Pass
				-30	12	1.059	0.0013	-2.5 to 2.5	Pass
				-20	12	3.934	0.0047	-2.5 to 2.5	Pass
				-10	12	0.029	0.0000	-2.5 to 2.5	Pass
				0	12	2.346	0.0028	-2.5 to 2.5	Pass
				10	12	2.990	0.0036	-2.5 to 2.5	Pass
				30	12	2.661	0.0032	-2.5 to 2.5	Pass
				40	12	1.817	0.0022	-2.5 to 2.5	Pass
				50	12	3.033	0.0036	-2.5 to 2.5	Pass
	836.5	75	0	20	10.2	-3.777	-0.0045	-2.5 to 2.5	Pass
					12	-0.987	-0.0012	-2.5 to 2.5	Pass
					13.8	-2.832	-0.0034	-2.5 to 2.5	Pass
				-30	12	-1.001	-0.0012	-2.5 to 2.5	Pass
				-20	12	-2.589	-0.0031	-2.5 to 2.5	Pass
				-10	12	-4.921	-0.0059	-2.5 to 2.5	Pass
				0	12	-5.822	-0.0070	-2.5 to 2.5	Pass
				10	12	0.100	0.0001	-2.5 to 2.5	Pass
				30	12	-2.604	-0.0031	-2.5 to 2.5	Pass
				40	12	-4.005	-0.0048	-2.5 to 2.5	Pass
				50	12	-6.423	-0.0077	-2.5 to 2.5	Pass
	841.5	75	0	20	10.2	-0.243	-0.0003	-2.5 to 2.5	Pass
					12	-2.203	-0.0026	-2.5 to 2.5	Pass
					13.8	2.947	0.0035	-2.5 to 2.5	Pass
				-30	12	-1.388	-0.0016	-2.5 to 2.5	Pass
				-20	12	-1.845	-0.0022	-2.5 to 2.5	Pass
				-10	12	1.388	0.0016	-2.5 to 2.5	Pass
				0	12	3.419	0.0041	-2.5 to 2.5	Pass
				10	12	2.975	0.0035	-2.5 to 2.5	Pass
				30	12	-1.760	-0.0021	-2.5 to 2.5	Pass
				40	12	-2.575	-0.0031	-2.5 to 2.5	Pass
16QAM	831.5	27	0	20	10.2	5.221	0.0063	-2.5 to 2.5	Pass
					12	4.120	0.0050	-2.5 to 2.5	Pass
					13.8	0.858	0.0010	-2.5 to 2.5	Pass
				-30	12	-0.701	-0.0008	-2.5 to 2.5	Pass
				-20	12	5.322	0.0064	-2.5 to 2.5	Pass
				-10	12	-1.330	-0.0016	-2.5 to 2.5	Pass
				0	12	1.860	0.0022	-2.5 to 2.5	Pass
				10	12	2.403	0.0029	-2.5 to 2.5	Pass
				30	12	0.486	0.0006	-2.5 to 2.5	Pass
				40	12	-0.687	-0.0008	-2.5 to 2.5	Pass
				50	12	-3.219	-0.0039	-2.5 to 2.5	Pass
	836.5	27	0	20	10.2	-6.838	-0.0082	-2.5 to 2.5	Pass
					12	-3.948	-0.0047	-2.5 to 2.5	Pass
					13.8	-0.243	-0.0003	-2.5 to 2.5	Pass
				-30	12	-4.950	-0.0059	-2.5 to 2.5	Pass
				-20	12	-1.531	-0.0018	-2.5 to 2.5	Pass
				-10	12	-3.104	-0.0037	-2.5 to 2.5	Pass
				0	12	-4.935	-0.0059	-2.5 to 2.5	Pass
				10	12	-2.475	-0.0030	-2.5 to 2.5	Pass
				30	12	0.172	0.0002	-2.5 to 2.5	Pass
				40	12	-5.407	-0.0065	-2.5 to 2.5	Pass
				50	12	-2.317	-0.0028	-2.5 to 2.5	Pass

	841.5	27	48	20	10.2	3.047	0.0036	-2.5 to 2.5	Pass
					12	1.416	0.0017	-2.5 to 2.5	Pass
					13.8	-1.330	-0.0016	-2.5 to 2.5	Pass
				-30	12	-2.246	-0.0027	-2.5 to 2.5	Pass
				-20	12	-2.146	-0.0026	-2.5 to 2.5	Pass
				-10	12	2.646	0.0031	-2.5 to 2.5	Pass
				0	12	-3.333	-0.0040	-2.5 to 2.5	Pass
				10	12	-0.086	-0.0001	-2.5 to 2.5	Pass
				30	12	-5.193	-0.0062	-2.5 to 2.5	Pass
				40	12	-1.659	-0.0020	-2.5 to 2.5	Pass
				50	12	2.089	0.0025	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	27	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	27	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.114	/	Pass
		836.5	6	0	1.103	/	Pass
		848.3	6	0	1.100	/	Pass
	16QAM	824.7	6	0	1.103	/	Pass
		836.5	6	0	1.101	/	Pass
		848.3	6	0	1.106	/	Pass
3	QPSK	825.5	15	0	2.747	/	Pass
		836.5	15	0	2.739	/	Pass
		847.5	15	0	2.750	/	Pass
	16QAM	825.5	15	0	2.739	/	Pass
		836.5	15	0	2.723	/	Pass
		847.5	15	0	2.750	/	Pass
5	QPSK	826.5	25	0	4.562	/	Pass
		836.5	25	0	4.551	/	Pass
		846.5	25	0	4.546	/	Pass
	16QAM	826.5	25	0	4.544	/	Pass
		836.5	25	0	4.567	/	Pass
		846.5	25	0	4.566	/	Pass
10	QPSK	829	50	0	9.082	/	Pass
		836.5	50	0	9.063	/	Pass
		844	50	0	9.024	/	Pass
	16QAM	829	27	0	5.069	/	Pass
		836.5	27	0	5.069	/	Pass
		844	27	23	5.098	/	Pass
15	QPSK	831.5	75	0	13.587	/	Pass
		836.5	75	0	13.548	/	Pass
		841.5	75	0	13.524	/	Pass
	16QAM	831.5	27	0	5.253	/	Pass
		836.5	27	0	5.300	/	Pass
		841.5	27	48	5.290	/	Pass

4.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.257	/	Pass
		836.5	6	0	1.264	/	Pass
		848.3	6	0	1.269	/	Pass
	16QAM	824.7	6	0	1.266	/	Pass
		836.5	6	0	1.260	/	Pass
		848.3	6	0	1.262	/	Pass
3	QPSK	825.5	15	0	3.058	/	Pass
		836.5	15	0	3.075	/	Pass
		847.5	15	0	3.089	/	Pass
	16QAM	825.5	15	0	3.072	/	Pass
		836.5	15	0	3.104	/	Pass
		847.5	15	0	3.096	/	Pass
5	QPSK	826.5	25	0	5.075	/	Pass
		836.5	25	0	5.087	/	Pass
		846.5	25	0	5.035	/	Pass
	16QAM	826.5	25	0	5.045	/	Pass
		836.5	25	0	5.067	/	Pass
		846.5	25	0	5.035	/	Pass
10	QPSK	829	50	0	10.040	/	Pass
		836.5	50	0	10.015	/	Pass
		844	50	0	9.929	/	Pass
	16QAM	829	27	0	5.955	/	Pass
		836.5	27	0	5.965	/	Pass
		844	27	23	6.214	/	Pass
15	QPSK	831.5	75	0	14.907	/	Pass
		836.5	75	0	14.883	/	Pass
		841.5	75	0	14.944	/	Pass
	16QAM	831.5	27	0	6.273	/	Pass
		836.5	27	0	6.961	/	Pass
		841.5	27	48	6.847	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band26b 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 27 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 27 23 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV





Band26b 15MHz 16QAM LCH 831.5MHz RB 27 0 NTNV






4.2.2 Band26b_XDB







Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV







Band26b 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTV




Band26b 10MHz 16QAM LCH 829MHz RB 27 0 NTV




Band26b 10MHz 16QAM MCH 836.5MHz RB 27 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 27 23 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV



Band26b 15MHz 16QAM LCH 831.5MHz RB 27 0 NTNV



Band26b 15MHz 16QAM MCH 836.5MHz RB 27 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 27 48 NTNV

