

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	22.02	3.50	25.52	<=33.01	Pass
			13	21.81	3.50	25.31	<=33.01	Pass
			24	21.85	3.50	25.35	<=33.01	Pass
		12	0	21.15	3.50	24.65	<=33.01	Pass
			6	21.00	3.50	24.50	<=33.01	Pass
			13	21.01	3.50	24.51	<=33.01	Pass
		25	0	21.08	3.50	24.58	<=33.01	Pass
	2593	1	0	21.50	3.50	25.00	<=33.01	Pass
			13	21.63	3.50	25.13	<=33.01	Pass
			24	21.56	3.50	25.06	<=33.01	Pass
		12	0	20.82	3.50	24.32	<=33.01	Pass
			6	20.82	3.50	24.32	<=33.01	Pass
			13	20.75	3.50	24.25	<=33.01	Pass
		25	0	20.97	3.50	24.47	<=33.01	Pass
	2687.5	1	0	20.22	3.50	23.72	<=33.01	Pass
			13	20.26	3.50	23.76	<=33.01	Pass
			24	20.29	3.50	23.79	<=33.01	Pass
		12	0	19.48	3.50	22.98	<=33.01	Pass
			6	19.30	3.50	22.80	<=33.01	Pass
			13	19.39	3.50	22.89	<=33.01	Pass
		25	0	19.60	3.50	23.10	<=33.01	Pass
16QAM	2498.5	1	0	21.25	3.50	24.75	<=33.01	Pass
			13	21.20	3.50	24.70	<=33.01	Pass
			24	21.18	3.50	24.68	<=33.01	Pass
		12	0	19.97	3.50	23.47	<=33.01	Pass
			6	19.67	3.50	23.17	<=33.01	Pass
			13	19.81	3.50	23.31	<=33.01	Pass
		25	0	19.82	3.50	23.32	<=33.01	Pass
	2593	1	0	20.77	3.50	24.27	<=33.01	Pass
			13	20.82	3.50	24.32	<=33.01	Pass
			24	20.55	3.50	24.05	<=33.01	Pass
		12	0	19.73	3.50	23.23	<=33.01	Pass
			6	19.73	3.50	23.23	<=33.01	Pass
			13	19.53	3.50	23.03	<=33.01	Pass
		25	0	19.64	3.50	23.14	<=33.01	Pass
	2687.5	1	0	19.98	3.50	23.48	<=33.01	Pass
			13	19.62	3.50	23.12	<=33.01	Pass
			24	19.92	3.50	23.42	<=33.01	Pass
		12	0	18.21	3.50	21.71	<=33.01	Pass
			6	18.15	3.50	21.65	<=33.01	Pass
			13	18.22	3.50	21.72	<=33.01	Pass
		25	0	18.28	3.50	21.78	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2501	1	0	21.82	3.50	25.32	<=33.01	Pass	
			25	21.92	3.50	25.42	<=33.01	Pass	
			49	21.71	3.50	25.21	<=33.01	Pass	
		25	0	20.99	3.50	24.49	<=33.01	Pass	
			13	20.95	3.50	24.45	<=33.01	Pass	
			25	21.14	3.50	24.64	<=33.01	Pass	
		50	0	21.05	3.50	24.55	<=33.01	Pass	
		2593	1	0	21.66	3.50	25.16	<=33.01	Pass
				25	21.65	3.50	25.15	<=33.01	Pass
	49			21.55	3.50	25.05	<=33.01	Pass	
	25		0	21.10	3.50	24.60	<=33.01	Pass	
			13	20.97	3.50	24.47	<=33.01	Pass	
			25	20.78	3.50	24.28	<=33.01	Pass	
	50	0	21.01	3.50	24.51	<=33.01	Pass		
	2685	1	0	20.24	3.50	23.74	<=33.01	Pass	
			25	20.51	3.50	24.01	<=33.01	Pass	
			49	20.13	3.50	23.63	<=33.01	Pass	
		25	0	19.40	3.50	22.90	<=33.01	Pass	
			13	19.27	3.50	22.77	<=33.01	Pass	
			25	19.21	3.50	22.71	<=33.01	Pass	
		50	0	19.28	3.50	22.78	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2503.5	1	0	21.68	3.50	25.18	<=33.01	Pass	
			38	21.56	3.50	25.06	<=33.01	Pass	
			74	21.76	3.50	25.26	<=33.01	Pass	
		36	0	20.85	3.50	24.35	<=33.01	Pass	
			18	20.69	3.50	24.19	<=33.01	Pass	
			39	20.68	3.50	24.18	<=33.01	Pass	
		75	0	20.66	3.50	24.16	<=33.01	Pass	
		2593	1	0	21.83	3.50	25.33	<=33.01	Pass
				38	21.86	3.50	25.36	<=33.01	Pass
	74			21.43	3.50	24.93	<=33.01	Pass	
	36		0	20.86	3.50	24.36	<=33.01	Pass	
			18	20.71	3.50	24.21	<=33.01	Pass	
			39	20.65	3.50	24.15	<=33.01	Pass	
	75	0	20.92	3.50	24.42	<=33.01	Pass		
	2682.5	1	0	20.29	3.50	23.79	<=33.01	Pass	
			38	20.22	3.50	23.72	<=33.01	Pass	
			74	19.96	3.50	23.46	<=33.01	Pass	
		36	0	19.35	3.50	22.85	<=33.01	Pass	
			18	19.33	3.50	22.83	<=33.01	Pass	
			39	19.15	3.50	22.65	<=33.01	Pass	
		75	0	19.38	3.50	22.88	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTVN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2506	1	0	21.68	3.50	25.18	<=33.01	Pass	
			50	21.84	3.50	25.34	<=33.01	Pass	
			99	21.49	3.50	24.99	<=33.01	Pass	
		50	0	20.73	3.50	24.23	<=33.01	Pass	
			25	20.68	3.50	24.18	<=33.01	Pass	
			50	20.72	3.50	24.22	<=33.01	Pass	
		100	0	20.66	3.50	24.16	<=33.01	Pass	
		2593	1	0	21.89	3.50	25.39	<=33.01	Pass
				50	22.06	3.50	25.56	<=33.01	Pass
	99			21.83	3.50	25.33	<=33.01	Pass	
	50		0	20.92	3.50	24.42	<=33.01	Pass	
			25	20.89	3.50	24.39	<=33.01	Pass	
			50	20.76	3.50	24.26	<=33.01	Pass	
	100	0	20.83	3.50	24.33	<=33.01	Pass		
	2680	1	0	20.22	3.50	23.72	<=33.01	Pass	
			50	20.69	3.50	24.19	<=33.01	Pass	
			99	20.02	3.50	23.52	<=33.01	Pass	
		50	0	19.43	3.50	22.93	<=33.01	Pass	
			25	19.29	3.50	22.79	<=33.01	Pass	
			50	19.38	3.50	22.88	<=33.01	Pass	
		100	0	19.25	3.50	22.75	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	10.2	7.467	0.0030	-2.5 to 2.5	Pass
					12	8.368	0.0033	-2.5 to 2.5	Pass
					13.8	2.675	0.0011	-2.5 to 2.5	Pass
				-30	12	1.373	0.0005	-2.5 to 2.5	Pass
				-20	12	8.125	0.0033	-2.5 to 2.5	Pass
				-10	12	6.881	0.0028	-2.5 to 2.5	Pass
				0	12	4.134	0.0017	-2.5 to 2.5	Pass
				10	12	9.913	0.0040	-2.5 to 2.5	Pass
				30	12	9.513	0.0038	-2.5 to 2.5	Pass
				40	12	8.397	0.0034	-2.5 to 2.5	Pass
				50	12	10.042	0.0040	-2.5 to 2.5	Pass
	2593	25	0	20	10.2	4.478	0.0017	-2.5 to 2.5	Pass
					12	3.448	0.0013	-2.5 to 2.5	Pass
					13.8	10.757	0.0041	-2.5 to 2.5	Pass
				-30	12	11.373	0.0044	-2.5 to 2.5	Pass
				-20	12	3.433	0.0013	-2.5 to 2.5	Pass
				-10	12	9.770	0.0038	-2.5 to 2.5	Pass
				0	12	10.772	0.0042	-2.5 to 2.5	Pass
				10	12	11.859	0.0046	-2.5 to 2.5	Pass
				30	12	1.960	0.0008	-2.5 to 2.5	Pass
				40	12	11.687	0.0045	-2.5 to 2.5	Pass
				50	12	9.785	0.0038	-2.5 to 2.5	Pass
	2687.5	25	0	20	10.2	2.131	0.0008	-2.5 to 2.5	Pass
					12	11.673	0.0043	-2.5 to 2.5	Pass
					13.8	1.631	0.0006	-2.5 to 2.5	Pass
				-30	12	3.977	0.0015	-2.5 to 2.5	Pass
				-20	12	2.031	0.0008	-2.5 to 2.5	Pass
				-10	12	-0.973	-0.0004	-2.5 to 2.5	Pass
				0	12	2.303	0.0009	-2.5 to 2.5	Pass
				10	12	7.067	0.0026	-2.5 to 2.5	Pass
				30	12	2.847	0.0011	-2.5 to 2.5	Pass
				40	12	6.037	0.0022	-2.5 to 2.5	Pass
				50	12	3.662	0.0014	-2.5 to 2.5	Pass
16QAM	2498.5	25	0	20	10.2	10.643	0.0043	-2.5 to 2.5	Pass
					12	10.228	0.0041	-2.5 to 2.5	Pass
					13.8	8.841	0.0035	-2.5 to 2.5	Pass
				-30	12	1.388	0.0006	-2.5 to 2.5	Pass
				-20	12	4.363	0.0017	-2.5 to 2.5	Pass
				-10	12	2.303	0.0009	-2.5 to 2.5	Pass
				0	12	1.001	0.0004	-2.5 to 2.5	Pass
				10	12	6.437	0.0026	-2.5 to 2.5	Pass
				30	12	10.471	0.0042	-2.5 to 2.5	Pass
				40	12	6.337	0.0025	-2.5 to 2.5	Pass
				50	12	2.060	0.0008	-2.5 to 2.5	Pass
	2593	25	0	20	10.2	5.808	0.0022	-2.5 to 2.5	Pass
					12	8.197	0.0032	-2.5 to 2.5	Pass
					13.8	0.916	0.0004	-2.5 to 2.5	Pass
				-30	12	5.107	0.0020	-2.5 to 2.5	Pass
				-20	12	9.871	0.0038	-2.5 to 2.5	Pass
				-10	12	4.363	0.0017	-2.5 to 2.5	Pass

				0	12	9.069	0.0035	-2.5 to 2.5	Pass
				10	12	11.902	0.0046	-2.5 to 2.5	Pass
				30	12	3.405	0.0013	-2.5 to 2.5	Pass
				40	12	2.160	0.0008	-2.5 to 2.5	Pass
				50	12	6.065	0.0023	-2.5 to 2.5	Pass
	2687.5	25	0	20	10.2	4.277	0.0016	-2.5 to 2.5	Pass
					12	4.392	0.0016	-2.5 to 2.5	Pass
					13.8	4.406	0.0016	-2.5 to 2.5	Pass
				-30	12	8.311	0.0031	-2.5 to 2.5	Pass
				-20	12	10.371	0.0039	-2.5 to 2.5	Pass
				-10	12	2.232	0.0008	-2.5 to 2.5	Pass
				0	12	7.081	0.0026	-2.5 to 2.5	Pass
				10	12	9.327	0.0035	-2.5 to 2.5	Pass
				30	12	7.696	0.0029	-2.5 to 2.5	Pass
				40	12	5.922	0.0022	-2.5 to 2.5	Pass
				50	12	5.035	0.0019	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	10.2	1.988	0.0008	-2.5 to 2.5	Pass
					12	8.698	0.0035	-2.5 to 2.5	Pass
					13.8	6.695	0.0027	-2.5 to 2.5	Pass
				-30	12	5.436	0.0022	-2.5 to 2.5	Pass
				-20	12	11.330	0.0045	-2.5 to 2.5	Pass
				-10	12	10.757	0.0043	-2.5 to 2.5	Pass
				0	12	9.871	0.0039	-2.5 to 2.5	Pass
				10	12	6.266	0.0025	-2.5 to 2.5	Pass
				30	12	12.317	0.0049	-2.5 to 2.5	Pass
				40	12	10.958	0.0044	-2.5 to 2.5	Pass
	2593	50	0	20	10.2	8.869	0.0034	-2.5 to 2.5	Pass
					12	9.027	0.0035	-2.5 to 2.5	Pass
					13.8	9.813	0.0038	-2.5 to 2.5	Pass
				-30	12	1.459	0.0006	-2.5 to 2.5	Pass
				-20	12	10.314	0.0040	-2.5 to 2.5	Pass
				-10	12	0.515	0.0002	-2.5 to 2.5	Pass
				0	12	3.462	0.0013	-2.5 to 2.5	Pass
				10	12	4.649	0.0018	-2.5 to 2.5	Pass
				30	12	8.969	0.0035	-2.5 to 2.5	Pass
				40	12	5.350	0.0021	-2.5 to 2.5	Pass
	2685	50	0	20	10.2	3.119	0.0012	-2.5 to 2.5	Pass
					12	0.987	0.0004	-2.5 to 2.5	Pass
					13.8	-0.629	-0.0002	-2.5 to 2.5	Pass
				-30	12	-2.332	-0.0009	-2.5 to 2.5	Pass
				-20	12	4.120	0.0015	-2.5 to 2.5	Pass
				-10	12	4.148	0.0015	-2.5 to 2.5	Pass
				0	12	7.296	0.0027	-2.5 to 2.5	Pass
				10	12	6.394	0.0024	-2.5 to 2.5	Pass
				30	12	2.503	0.0009	-2.5 to 2.5	Pass
				40	12	-1.187	-0.0004	-2.5 to 2.5	Pass
				50	12	0.415	0.0002	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2503.5	75	0	20	10.2	4.048	0.0016	-2.5 to 2.5	Pass
					12	-2.818	-0.0011	-2.5 to 2.5	Pass
					13.8	-4.721	-0.0019	-2.5 to 2.5	Pass
				-30	12	-2.818	-0.0011	-2.5 to 2.5	Pass
				-20	12	1.917	0.0008	-2.5 to 2.5	Pass
				-10	12	-1.903	-0.0008	-2.5 to 2.5	Pass
				0	12	3.233	0.0013	-2.5 to 2.5	Pass
				10	12	7.138	0.0029	-2.5 to 2.5	Pass
				30	12	3.934	0.0016	-2.5 to 2.5	Pass
				40	12	5.178	0.0021	-2.5 to 2.5	Pass
				50	12	-2.518	-0.0010	-2.5 to 2.5	Pass
	2593	75	0	20	10.2	3.505	0.0014	-2.5 to 2.5	Pass
					12	8.054	0.0031	-2.5 to 2.5	Pass
					13.8	1.116	0.0004	-2.5 to 2.5	Pass
				-30	12	10.571	0.0041	-2.5 to 2.5	Pass
				-20	12	3.991	0.0015	-2.5 to 2.5	Pass
				-10	12	10.443	0.0040	-2.5 to 2.5	Pass
				0	12	10.142	0.0039	-2.5 to 2.5	Pass
				10	12	2.632	0.0010	-2.5 to 2.5	Pass
				30	12	11.072	0.0043	-2.5 to 2.5	Pass
				40	12	3.748	0.0014	-2.5 to 2.5	Pass
				50	12	10.529	0.0041	-2.5 to 2.5	Pass
	2682.5	75	0	20	10.2	8.798	0.0033	-2.5 to 2.5	Pass
					12	3.276	0.0012	-2.5 to 2.5	Pass
					13.8	7.567	0.0028	-2.5 to 2.5	Pass
				-30	12	3.018	0.0011	-2.5 to 2.5	Pass
				-20	12	6.409	0.0024	-2.5 to 2.5	Pass
				-10	12	2.031	0.0008	-2.5 to 2.5	Pass
				0	12	1.574	0.0006	-2.5 to 2.5	Pass
				10	12	5.021	0.0019	-2.5 to 2.5	Pass
				30	12	-1.745	-0.0007	-2.5 to 2.5	Pass
				40	12	8.354	0.0031	-2.5 to 2.5	Pass
				50	12	8.097	0.0030	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	10.2	6.623	0.0026	-2.5 to 2.5	Pass
					12	8.612	0.0034	-2.5 to 2.5	Pass
					13.8	0.930	0.0004	-2.5 to 2.5	Pass
				-30	12	2.031	0.0008	-2.5 to 2.5	Pass
				-20	12	6.166	0.0025	-2.5 to 2.5	Pass
				-10	12	3.405	0.0014	-2.5 to 2.5	Pass
				0	12	8.297	0.0033	-2.5 to 2.5	Pass
				10	12	9.356	0.0037	-2.5 to 2.5	Pass
				30	12	4.821	0.0019	-2.5 to 2.5	Pass
				40	12	1.445	0.0006	-2.5 to 2.5	Pass
				50	12	7.439	0.0030	-2.5 to 2.5	Pass
	2593	100	0	20	10.2	0.086	0.0000	-2.5 to 2.5	Pass
					12	9.141	0.0035	-2.5 to 2.5	Pass
					13.8	8.612	0.0033	-2.5 to 2.5	Pass
				-30	12	1.845	0.0007	-2.5 to 2.5	Pass
				-20	12	3.633	0.0014	-2.5 to 2.5	Pass
				-10	12	2.174	0.0008	-2.5 to 2.5	Pass
				0	12	11.015	0.0042	-2.5 to 2.5	Pass
				10	12	2.046	0.0008	-2.5 to 2.5	Pass
				30	12	1.717	0.0007	-2.5 to 2.5	Pass
				40	12	3.462	0.0013	-2.5 to 2.5	Pass
				50	12	9.556	0.0037	-2.5 to 2.5	Pass
	2680	100	0	20	10.2	5.507	0.0021	-2.5 to 2.5	Pass
					12	10.786	0.0040	-2.5 to 2.5	Pass
					13.8	-1.674	-0.0006	-2.5 to 2.5	Pass
				-30	12	2.232	0.0008	-2.5 to 2.5	Pass
				-20	12	-1.702	-0.0006	-2.5 to 2.5	Pass
				-10	12	9.613	0.0036	-2.5 to 2.5	Pass
				0	12	-0.343	-0.0001	-2.5 to 2.5	Pass
				10	12	9.642	0.0036	-2.5 to 2.5	Pass
				30	12	7.439	0.0028	-2.5 to 2.5	Pass
				40	12	12.317	0.0046	-2.5 to 2.5	Pass
				50	12	6.595	0.0025	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	25	0	Refer To Test Graph		Pass
16QAM	2593	25	0	Refer To Test Graph		Pass

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	50	0	Refer To Test Graph		Pass

3.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	75	0	Refer To Test Graph		Pass

3.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B41_5MHz




3.2.2 B41_10MHz



3.2.3 B41_15MHz



3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW


Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.554	/	Pass
		2593	25	0	4.545	/	Pass
		2687.5	25	0	4.557	/	Pass
	16QAM	2498.5	25	0	4.544	/	Pass
		2593	25	0	4.586	/	Pass
		2687.5	25	0	4.545	/	Pass
10	QPSK	2501	50	0	9.040	/	Pass
		2593	50	0	9.033	/	Pass
		2685	50	0	9.077	/	Pass
15	QPSK	2503.5	75	0	13.556	/	Pass
		2593	75	0	13.629	/	Pass
		2682.5	75	0	13.568	/	Pass
20	QPSK	2506	100	0	18.019	/	Pass
		2593	100	0	18.058	/	Pass
		2680	100	0	18.058	/	Pass

4.1.2 Band41_XDB


Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.492	/	Pass
		2593	25	0	5.118	/	Pass
		2687.5	25	0	5.083	/	Pass
	16QAM	2498.5	25	0	5.090	/	Pass
		2593	25	0	5.688	/	Pass
		2687.5	25	0	5.706	/	Pass
10	QPSK	2501	50	0	10.631	/	Pass
		2593	50	0	10.053	/	Pass
		2685	50	0	10.900	/	Pass
15	QPSK	2503.5	75	0	16.791	/	Pass
		2593	75	0	17.836	/	Pass
		2682.5	75	0	16.673	/	Pass
20	QPSK	2506	100	0	20.137	/	Pass
		2593	100	0	21.057	/	Pass
		2680	100	0	19.885	/	Pass

4.2 Test Graph


4.2.1 Band41_OBW




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV







Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV












4.2.2 Band41_XDB




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV



Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV



Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV



Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV

