



1. Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	5.7G	5735	15.84	8	0.88
NVNT	5.7G	5770	15.91	7.98	0.88
NVNT	5.7G	5805	15.85	8	0.88
NVNT	5.7G	5839	15.85	8	0.88

Duty Cycle NVNT 5.7G 5805MHz



Duty Cycle NVNT 5.7G 5839MHz



2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	5.7G	5735	19.40	8	27.40	<=30	Pass
NVNT	5.7G	5770	20.64	7.98	28.62	<=30	Pass
NVNT	5.7G	5805	18.79	8	26.79	<=30	Pass
NVNT	5.7G	5839	19.44	8	27.44	<=30	Pass

Test Graphs


Power NVNT 5.7G 5735MHz




Power NVNT 5.7G 5770MHz



Power NVNT 5.7G 5805MHz



Power NVNT 5.7G 5839MHz




3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	5.7G	5735	4.5856	>=0.5	Pass
NVNT	5.7G	5770	4.7066	>=0.5	Pass
NVNT	5.7G	5805	4.6694	>=0.5	Pass
NVNT	5.7G	5839	4.6232	>=0.5	Pass

Test Graphs

-6dB Bandwidth NVNT 5.7G 5735MHz



-6dB Bandwidth NVNT 5.7G 5770MHz




-6dB Bandwidth NVNT 5.7G 5805MHz**-6dB Bandwidth NVNT 5.7G 5839MHz**

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	5.7G	5735	4.6976
NVNT	5.7G	5770	4.7261
NVNT	5.7G	5805	4.7244
NVNT	5.7G	5839	4.7047

Test Graphs

OBW NVNT 5.7G 5735MHz




OBW NVNT 5.7G 5770MHz



OBW NVNT 5.7G 5805MHz



OBW NVNT 5.7G 5839MHz



5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm/500kHz)	Verdict
NVNT	5.7G	5735	13.879	8	21.879	<=30	Pass
NVNT	5.7G	5770	12.46	7.98	20.44	<=30	Pass
NVNT	5.7G	5805	11.493	8	19.493	<=30	Pass
NVNT	5.7G	5839	12.022	8	20.022	<=30	Pass

Test Graphs

PSD NVNT 5.7G 5735MHz



PSD NVNT 5.7G 5770MHz



PSD NVNT 5.7G 5805MHz



PSD NVNT 5.7G 5839MHz

