




## TEST GRAPHS




Test Mode	Test Channel	Verdict
11a	5240	PASS





The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.239148 GHz, labeled 'Mkr1', with a power level of -0.122 dBm. The center frequency is set to 5.240000 GHz. The span is 40.000000 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface also shows various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11a	5260	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.262340 GHz, labeled 'Mkr1', with a power level of -0.023 dBm. The center frequency is set to 5.260000 GHz. The span is 40.000000 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface also shows various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11a	5280	PASS
		


Test Mode	Test Channel	Verdict
11a	5320	PASS
		

Test Mode	Test Channel	Verdict
11a	5500	PASS




The screenshot displays the Keysight Spectrum Analyzer 1 interface. The main display shows a spectrum plot with a peak at 5.506408 GHz and a power level of 2.217 dBm. The center frequency is set to 5.500000 GHz, and the span is 40.00 MHz. The resolution bandwidth is 3.0 MHz, and the video bandwidth is 3.0 MHz. The interface includes various settings and controls for the analyzer.

Test Mode	Test Channel	Verdict
11a	5580	PASS




The screenshot displays the Keysight Spectrum Analyzer 1 interface. The main display shows a spectrum plot with a peak at 5.585700 GHz and a power level of 0.499 dBm. The center frequency is set to 5.580000 GHz, and the span is 40.00 MHz. The resolution bandwidth is 3.0 MHz, and the video bandwidth is 3.0 MHz. The interface includes various settings and controls for the analyzer.

Test Mode	Test Channel	Verdict
11a	5700	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.694392 GHz and a level of 1.453 dBm. The center frequency is set to 5.700000 GHz. The span is 40.00 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface includes various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11a	5720_UNII-2C	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.715104 GHz and a level of 1.482 dBm. The center frequency is set to 5.720000 GHz. The span is 40.00 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface includes various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11a	5720_UNII-3	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.726020 GHz, labeled 'Mkr2', with a power level of -1.365 dBm. The reference level is set to 20.00 dBm. The frequency span is 40.00 MHz, and the resolution bandwidth is 1.5 MHz. The interface includes various control panels for input, attenuation, and frequency settings.

Test Mode	Test Channel	Verdict
11a	5745	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.751568 GHz, labeled 'Mkr1', with a power level of -1.822 dBm. The reference level is set to 20.00 dBm. The frequency span is 40.00 MHz, and the resolution bandwidth is 1.5 MHz. The interface includes various control panels for input, attenuation, and frequency settings.


Test Mode	Test Channel	Verdict
11a	5785	PASS



Test Mode	Test Channel	Verdict
11a	5825	PASS




Test Mode	Test Channel	Verdict
11ac VHT20	5180	PASS



The screenshot displays a Keysight Spectrum Analyzer interface. The main plot shows a signal at 5.181168 GHz with a power level of -0.956 dBm. The center frequency is set to 5.180000 GHz, and the span is 40.000000 MHz. The resolution bandwidth (RBW) is 3.0 MHz, and the video bandwidth (VBW) is 3.0 MHz. The signal is identified as 'Mkr1 5.181168 GHz -0.956 dBm'. The interface also shows various settings like Input Z, Attenuation, and Averaging.


Test Mode	Test Channel	Verdict
11ac VHT20	5200	PASS



The screenshot displays a Keysight Spectrum Analyzer interface. The main plot shows a signal at 5.201284 GHz with a power level of -0.881 dBm. The center frequency is set to 5.200000 GHz, and the span is 40.000000 MHz. The resolution bandwidth (RBW) is 3.0 MHz, and the video bandwidth (VBW) is 3.0 MHz. The signal is identified as 'Mkr1 5.201284 GHz -0.881 dBm'. The interface also shows various settings like Input Z, Attenuation, and Averaging.




Test Mode	Test Channel	Verdict
11ac VHT20	5240	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.241440 GHz. The power level at this peak is -0.206 dBm. The reference level is set to 20.00 dBm, and the reference level offset is 10.25 dB. The span is 40.00 MHz, and the center frequency is 5.240000 GHz. The resolution bandwidth is 3.0 MHz, and the video bandwidth is 3.0 MHz. The sweep time is 20.0 ms, and there are 10001 points. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (40.00 MHz).

Test Mode	Test Channel	Verdict
11ac VHT20	5260	PASS





The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.261868 GHz. The power level at this peak is 0.596 dBm. The reference level is set to 20.00 dBm, and the reference level offset is 11.04 dB. The span is 40.00 MHz, and the center frequency is 5.260000 GHz. The resolution bandwidth is 3.0 MHz, and the video bandwidth is 3.0 MHz. The sweep time is 20.0 ms, and there are 10001 points. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (40.00 MHz).


Test Mode	Test Channel	Verdict
11ac VHT20	5280	PASS




Test Mode	Test Channel	Verdict
11ac VHT20	5320	PASS



Test Mode	Test Channel	Verdict
11ac VHT20	5500	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT20	5580	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5700	PASS




Center Frequency: 5.695020 GHz  
Mkr1: 5.695020 GHz, 1.857 dBm  
Span: 40.000000 MHz  
Start Freq: 5.680000000 GHz  
Stop Freq: 5.720000000 GHz  
Center: 5.70000 GHz  
#Video BW: 3.0 MHz  
#Sweep: 20.0 ms (10001 pts)

Test Mode	Test Channel	Verdict
11ac VHT20	5720_UNII-2C	PASS




Center Frequency: 5.713560 GHz  
Mkr2: 5.713560 GHz, 0.997 dBm  
Span: 40.000000 MHz  
Start Freq: 5.700000000 GHz  
Stop Freq: 5.740000000 GHz  
Center: 5.72000 GHz  
#Video BW: 3.0 MHz  
#Sweep: 20.0 ms (10001 pts)

Test Mode	Test Channel	Verdict
11ac VHT20	5720_UNII-3	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.727452 GHz, marked with a green '2'. The power level at this peak is -1.674 dBm. The reference level is set to 20.00 dBm, and the offset is 12.53 dB. The span is 40.00 MHz, and the center frequency is 5.720000 GHz. The resolution bandwidth is 1.5 MHz. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (40.00 MHz).

Test Mode	Test Channel	Verdict
11ac VHT20	5745	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.748784 GHz, marked with a green '1'. The power level at this peak is -1.858 dBm. The reference level is set to 20.00 dBm, and the offset is 12.57 dB. The span is 40.00 MHz, and the center frequency is 5.745000 GHz. The resolution bandwidth is 1.5 MHz. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (40.00 MHz).

Test Mode	Test Channel	Verdict
11ac VHT20	5785	PASS




The screenshot shows a Keysight Spectrum Analyzer interface. The main display shows a signal at 5.782500 GHz with a power level of -1.823 dBm. The interface includes various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11ac VHT20	5825	PASS




The screenshot shows a Keysight Spectrum Analyzer interface. The main display shows a signal at 5.826192 GHz with a power level of -1.697 dBm. The interface includes various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11ac VHT40	5190	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.192384 GHz and a power level of -3.351 dBm. The center frequency is set to 5.190000 GHz. The span is 80.000000 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface includes various settings like Input Z, Attenuation, and Span.

Test Mode	Test Channel	Verdict
11ac VHT40	5230	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.227616 GHz and a power level of -3.338 dBm. The center frequency is set to 5.230000 GHz. The span is 80.000000 MHz. The resolution bandwidth is 3.0 MHz. The video bandwidth is 3.0 MHz. The sweep time is 20.0 ms. The interface includes various settings like Input Z, Attenuation, and Span.


Test Mode	Test Channel	Verdict
11ac VHT40	5270	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5310	PASS






Test Mode	Test Channel	Verdict
11ac VHT40	5510	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT40	5550	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT40	5670	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.681856 GHz, labeled 'Mkr1', with a power level of -0.978 dBm. The center frequency is set to 5.670000000 GHz. The span is 80.0000000 MHz. The resolution bandwidth (RBW) is 3.0 MHz. The video bandwidth (VBW) is 3.0 MHz. The sweep time is 20.0 ms. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (80.0000000 MHz).

Test Mode	Test Channel	Verdict
11ac VHT40	5710_UNII-2C	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.724184 GHz, labeled 'Mkr2', with a power level of -0.248 dBm. The center frequency is set to 5.710000000 GHz. The span is 80.0000000 MHz. The resolution bandwidth (RBW) is 3.0 MHz. The video bandwidth (VBW) is 3.0 MHz. The sweep time is 20.0 ms. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Span (80.0000000 MHz).


Test Mode	Test Channel	Verdict
11ac VHT40	5710_UNII-3	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5755	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5795	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5180	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5200	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.202292 GHz. The power level at this peak is -0.069 dBm. The reference level is set to 20.00 dBm, and the offset is 10.45 dB. The frequency span is 40.00 MHz, and the resolution bandwidth is 3.0 MHz. The center frequency is 5.20000 GHz. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Frequency Span (40.00 MHz).

Test Mode	Test Channel	Verdict
11ax HE20	5240	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal spectrum with a peak at 5.239000 GHz. The power level at this peak is -0.172 dBm. The reference level is set to 20.00 dBm, and the offset is 10.26 dB. The frequency span is 40.00 MHz, and the resolution bandwidth is 3.0 MHz. The center frequency is 5.24000 GHz. The interface also shows various settings like Input Z (50 Ω), Attenuation (30 dB), and Frequency Span (40.00 MHz).


Test Mode	Test Channel	Verdict
11ax HE20	5260	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5280	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5320	PASS




**Test Channel 5320 Details:**  
 Center Frequency: 5.32000000 GHz  
 Span: 40.00000000 MHz  
 Start Freq: 5.300000000 GHz  
 Stop Freq: 5.340000000 GHz  
 CF Step: 4.00000000 MHz  
 Freq Offset: 0 Hz  
 X Axis Scale: Log  
 Signal Track: (Span Zoom)

Test Mode	Test Channel	Verdict
11ax HE20	5500	PASS




**Test Channel 5500 Details:**  
 Center Frequency: 5.50000000 GHz  
 Span: 40.00000000 MHz  
 Start Freq: 5.480000000 GHz  
 Stop Freq: 5.520000000 GHz  
 CF Step: 4.00000000 MHz  
 Freq Offset: 0 Hz  
 X Axis Scale: Log  
 Signal Track: (Span Zoom)

Test Mode	Test Channel	Verdict
11ax HE20	5580	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5700	PASS







Test Mode	Test Channel	Verdict
11ax HE20	5720_UNII-2C	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5720_UNII-3	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5745	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5785	PASS

