

Test Mode	Channel	Puw(dBm)	Verdict
11ac VHT20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ac VHT40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS
Test Mode	Channel	Puw(dBm)	Verdict
11ax HE20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ax HE40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Note: Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.

## 2) For 6.5GHz to 18GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	08/04/2028-10/22/2024

Test Mode	Channel	Puw(dBm)	Verdict
11a	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS

Test Mode	Channel	Puw(dBm)	Verdict
11ac VHT20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ac VHT40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Test Mode	Channel	Puw(dBm)	Verdict
11ax HE20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ax HE40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Note: Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.

## 3) For 18GHz to 26.5GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	08/04/2028-10/22/2024

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

## 4) For 26.5GHz to 40GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	08/04/2028-10/22/2024

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

## 5) For 30MHz to 1GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	08/04/2028-10/22/2024

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

## 6) For 9kHz~30MHz


Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	08/04/2028-10/22/2024

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

**TEST GRAPHS:**
**PART 1: For 1GHz to 6.5GH:**

Test Mode	Channel	Polarization	Verdict
11a	5180	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1430.8812	47.90	-0.62	47.28	74.00	-26.72	Horizontal
2	1474.2749	46.13	-0.17	45.96	74.00	-28.04	Horizontal
3	2303.0337	47.63	4.66	52.29	74.00	-21.71	Horizontal
4	5086.9541	35.49	16.55	52.04	74.00	-21.96	Horizontal
5	5890.0433	34.71	18.07	52.78	74.00	-21.22	Horizontal
6	6251.8613	34.56	18.65	53.21	74.00	-20.79	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5180	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1465.1072	43.81	-0.21	43.60	74.00	-30.40	Vertical
2	2303.6448	44.38	4.66	49.04	74.00	-24.96	Vertical
3	2395.9329	44.21	4.50	48.71	74.00	-25.29	Vertical
4	2654.4616	39.71	6.74	46.45	74.00	-27.55	Vertical
5	5130.9590	35.46	16.47	51.93	74.00	-22.07	Vertical
6	6179.1310	34.82	18.28	53.10	74.00	-20.90	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1408.2676	48.28	-0.90	47.38	74.00	-26.62	Horizontal
2	1671.0746	45.70	1.57	47.27	74.00	-26.73	Horizontal
3	2282.8648	46.38	4.99	51.37	74.00	-22.63	Horizontal
4	2674.0193	43.68	6.74	50.42	74.00	-23.58	Horizontal
5	3244.2494	40.60	9.69	50.29	74.00	-23.71	Horizontal
6	5373.5971	35.74	16.91	52.65	74.00	-21.35	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	2281.0312	44.02	4.84	48.86	74.00	-25.14	Vertical
2	2398.9888	42.39	4.42	46.81	74.00	-27.19	Vertical
3	4428.7143	36.18	14.19	50.37	74.00	-23.63	Vertical
4	5076.5641	35.94	16.36	52.30	74.00	-21.70	Vertical
5	5874.7639	35.67	17.36	53.03	74.00	-20.97	Vertical
6	6127.1808	34.10	18.45	52.55	74.00	-21.45	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1499.3333	46.85	-0.56	46.29	74.00	-27.71	Horizontal
2	1910.6567	44.61	2.31	46.92	74.00	-27.08	Horizontal
3	2189.3544	46.39	4.35	50.74	74.00	-23.26	Horizontal
4	2560.9512	45.93	5.65	51.58	74.00	-22.42	Horizontal
5	3032.1702	40.85	8.50	49.35	74.00	-24.65	Horizontal
6	5534.3371	35.53	17.24	52.77	74.00	-21.23	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1524.3916	42.50	-0.66	41.84	74.00	-32.16	Vertical
2	2306.7007	43.23	4.64	47.87	74.00	-26.13	Vertical
3	2390.4323	44.11	4.64	48.75	74.00	-25.25	Vertical
4	2504.7227	41.81	5.45	47.26	74.00	-26.74	Vertical
5	5085.7317	35.43	16.51	51.94	74.00	-22.06	Vertical
6	6174.8528	34.48	18.22	52.70	74.00	-21.30	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5260	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1503.0003	46.22	-0.59	45.63	74.00	-28.37	Horizontal
2	1695.5217	49.25	1.49	50.74	74.00	-23.26	Horizontal
3	2194.2438	43.76	4.15	47.91	74.00	-26.09	Horizontal
4	2491.2768	43.21	5.54	48.75	74.00	-25.25	Horizontal
5	5068.0076	35.31	16.43	51.74	74.00	-22.26	Horizontal
6	6013.5015	34.76	17.63	52.39	74.00	-21.61	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11a	5260	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1480.9979	41.57	-0.43	41.14	74.00	-32.86	Vertical
2	1749.9167	43.23	1.21	44.44	74.00	-29.56	Vertical
3	2394.0993	41.13	4.55	45.68	74.00	-28.32	Vertical
4	3621.9580	37.38	11.18	48.56	74.00	-25.44	Vertical
5	4939.0488	35.75	15.53	51.28	74.00	-22.72	Vertical
6	6209.6900	34.34	18.66	53.00	74.00	-21.00	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11a	5280	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1238.3598	46.08	-1.33	44.75	74.00	-29.25	Horizontal
2	1460.8290	45.43	-0.42	45.01	74.00	-28.99	Horizontal
3	2303.6448	44.45	4.66	49.11	74.00	-24.89	Horizontal
4	2445.4384	44.01	5.20	49.21	74.00	-24.79	Horizontal
5	3241.1935	39.88	9.46	49.34	74.00	-24.66	Horizontal
6	4995.2773	37.48	15.25	52.73	74.00	-21.27	Horizontal
7	6009.8344	35.03	17.69	52.72	74.00	-21.28	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5280	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1015.8907	43.10	-1.70	41.40	74.00	-32.60	Vertical
2	1685.7429	40.26	1.44	41.70	74.00	-32.30	Vertical
3	2328.7032	42.99	4.21	47.20	74.00	-26.80	Vertical
4	4224.5805	37.59	13.50	51.09	74.00	-22.91	Vertical
5	5374.8194	35.24	16.91	52.15	74.00	-21.85	Vertical
6	6113.1237	34.45	18.43	52.88	74.00	-21.12	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5320	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1023.2248	45.95	-1.72	44.23	74.00	-29.77	Horizontal
2	1700.4112	47.83	1.53	49.36	74.00	-24.64	Horizontal
3	2193.0214	44.83	4.21	49.04	74.00	-24.96	Horizontal
4	3222.2469	39.40	9.55	48.95	74.00	-25.05	Horizontal
5	4256.3618	37.79	13.74	51.53	74.00	-22.47	Horizontal
6	5725.0250	36.87	16.75	53.62	74.00	-20.38	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11a	5320	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1432.1036	41.56	-0.62	40.94	74.00	-33.06	Vertical
2	2351.3168	39.83	4.47	44.30	74.00	-29.70	Vertical
3	2661.1846	40.55	7.04	47.59	74.00	-26.41	Vertical
4	4256.3618	38.51	13.74	52.25	74.00	-21.75	Vertical
5	5079.6200	35.61	16.31	51.92	74.00	-22.08	Vertical
6	5517.8353	35.79	16.90	52.69	74.00	-21.31	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5500	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1234.0816	45.92	-1.65	44.27	74.00	-29.73	Horizontal
2	1662.5181	45.93	1.35	47.28	74.00	-26.72	Horizontal
3	2348.2609	46.76	4.58	51.34	74.00	-22.66	Horizontal
4	2900.1556	41.84	6.59	48.43	74.00	-25.57	Horizontal
5	5494.6105	35.55	17.83	53.38	74.00	-20.62	Horizontal
6	6088.6765	35.16	18.26	53.42	74.00	-20.58	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5500	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1485.2761	43.94	-0.22	43.72	74.00	-30.28	Vertical
2	2111.1235	41.17	3.66	44.83	74.00	-29.17	Vertical
3	2400.2111	41.05	4.29	45.34	74.00	-28.66	Vertical
4	4266.7519	36.06	14.30	50.36	74.00	-23.64	Vertical
5	5588.1209	35.27	17.77	53.04	74.00	-20.96	Vertical
6	6138.7932	35.68	18.21	53.89	74.00	-20.11	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11a	5580	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1440.0489	47.35	-0.77	46.58	74.00	-27.42	Horizontal
2	1666.7963	43.74	1.46	45.20	74.00	-28.80	Horizontal
3	2046.9497	43.84	3.94	47.78	74.00	-26.22	Horizontal
4	2287.7542	43.25	5.30	48.55	74.00	-25.45	Horizontal
5	3225.3028	41.09	9.22	50.31	74.00	-23.69	Horizontal
6	6122.2914	35.55	18.27	53.82	74.00	-20.18	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5580	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1475.4973	42.89	-0.15	42.74	74.00	-31.26	Vertical
2	2562.1736	46.23	5.46	51.69	74.00	-22.31	Vertical
3	4842.4825	35.75	15.48	51.23	74.00	-22.77	Vertical
4	5424.9361	35.09	17.61	52.70	74.00	-21.30	Vertical
5	5857.6508	35.48	18.22	53.70	74.00	-20.30	Vertical
6	6145.5162	35.43	18.20	53.63	74.00	-20.37	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5700	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1471.2190	49.02	0.04	49.06	74.00	-24.94	Horizontal
2	1692.4658	47.85	1.49	49.34	74.00	-24.66	Horizontal
3	2499.8333	44.72	5.51	50.23	74.00	-23.77	Horizontal
4	5464.6627	35.12	17.87	52.99	74.00	-21.01	Horizontal
5	5622.9581	35.52	17.69	53.21	74.00	-20.79	Horizontal
6	6281.8091	34.89	18.70	53.59	74.00	-20.41	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5700	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1487.7209	42.92	-0.16	42.76	74.00	-31.24	Vertical
2	1756.6396	42.71	1.31	44.02	74.00	-29.98	Vertical
3	2395.3217	42.76	4.33	47.09	74.00	-26.91	Vertical
4	4884.6538	35.85	15.27	51.12	74.00	-22.88	Vertical
5	5467.1075	35.24	17.86	53.10	74.00	-20.90	Vertical
6	6187.6875	35.10	18.47	53.57	74.00	-20.43	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1664.3516	46.75	1.40	48.15	74.00	-25.85	Horizontal
2	2169.1855	44.61	3.90	48.51	74.00	-25.49	Horizontal
3	2446.6607	45.61	5.21	50.82	74.00	-23.18	Horizontal
4	2707.0230	46.05	6.43	52.48	74.00	-21.52	Horizontal
5	5457.9398	34.88	17.87	52.75	74.00	-21.25	Horizontal
6	6278.7532	35.17	18.65	53.82	74.00	-20.18	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1429.6589	42.64	-0.73	41.91	74.00	-32.09	Vertical
2	1859.3177	41.27	2.38	43.65	74.00	-30.35	Vertical
3	2656.2951	38.79	7.08	45.87	74.00	-28.13	Vertical
4	4467.8298	36.43	15.07	51.50	74.00	-22.50	Vertical
5	5757.4175	36.45	17.13	53.58	74.00	-20.42	Vertical
6	6004.3338	36.02	17.80	53.82	74.00	-20.18	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5745	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1496.2774	45.19	-0.66	44.53	74.00	-29.47	Horizontal
2	1669.2410	43.54	1.74	45.28	74.00	-28.72	Horizontal
3	2320.1467	44.37	4.91	49.28	74.00	-24.72	Horizontal
4	2468.0520	48.25	5.07	53.32	74.00	-20.68	Horizontal
5	2711.9124	46.24	6.21	52.45	74.00	-21.55	Horizontal
6	5127.2919	35.82	15.01	50.83	74.00	-23.17	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5745	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1496.8885	42.37	-0.66	41.71	74.00	-32.29	Vertical
2	2111.1235	39.75	3.95	43.70	74.00	-30.30	Vertical
3	2397.7664	42.58	4.49	47.07	74.00	-26.93	Vertical
4	2429.5477	46.46	5.16	51.62	74.00	-22.38	Vertical
5	2661.7958	38.66	7.12	45.78	74.00	-28.22	Vertical
6	4890.1545	35.90	14.81	50.71	74.00	-23.29	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11a	5785	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1666.7963	46.11	1.67	47.78	74.00	-26.22	Horizontal
2	1772.5303	45.03	1.79	46.82	74.00	-27.18	Horizontal
3	2197.9109	45.14	3.84	48.98	74.00	-25.02	Horizontal
4	2461.9402	43.85	4.91	48.76	74.00	-25.24	Horizontal
5	2563.3959	43.37	5.52	48.89	74.00	-25.11	Horizontal
6	2879.3755	41.95	7.11	49.06	74.00	-24.94	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5785	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1199.2444	42.97	-1.96	41.01	74.00	-32.99	Vertical
2	1469.3855	41.85	-0.63	41.22	74.00	-32.78	Vertical
3	2240.6934	42.81	4.36	47.17	74.00	-26.83	Vertical
4	2278.5865	46.37	4.29	50.66	74.00	-23.34	Vertical
5	2397.7664	42.32	4.49	46.81	74.00	-27.19	Vertical
6	4810.7012	36.10	15.00	51.10	74.00	-22.90	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1174.1860	47.48	-1.97	45.51	74.00	-28.49	Horizontal
2	1503.6115	45.51	-0.60	44.91	74.00	-29.09	Horizontal
3	1661.9069	46.68	1.53	48.21	74.00	-25.79	Horizontal
4	2180.1867	46.26	3.62	49.88	74.00	-24.12	Horizontal
5	3216.7463	43.97	9.55	53.52	74.00	-20.48	Horizontal
6	4500.8334	36.11	14.00	50.11	74.00	-23.89	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1679.0199	40.69	1.30	41.99	74.00	-32.01	Vertical
2	2392.8770	42.80	4.25	47.05	74.00	-26.95	Vertical
3	2663.0181	39.05	7.02	46.07	74.00	-27.93	Vertical
4	3425.7695	38.11	10.58	48.69	74.00	-25.31	Vertical
5	4464.7739	36.01	14.39	50.40	74.00	-23.60	Vertical
6	5500.1111	35.38	15.95	51.33	74.00	-22.67	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1233.4704	46.54	-1.50	45.04	74.00	-28.96	Horizontal
2	1668.0187	45.71	1.53	47.24	74.00	-26.76	Horizontal
3	2276.1418	42.65	4.95	47.60	74.00	-26.40	Horizontal
4	2715.5795	42.45	6.49	48.94	74.00	-25.06	Horizontal
5	5122.4025	36.66	16.52	53.18	74.00	-20.82	Horizontal
6	6121.6802	34.35	18.36	52.71	74.00	-21.29	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1196.7996	42.59	-2.10	40.49	74.00	-33.51	Vertical
2	2290.1989	42.17	5.53	47.70	74.00	-26.30	Vertical
3	2393.4882	43.28	4.56	47.84	74.00	-26.16	Vertical
4	3107.3453	36.33	10.59	46.92	74.00	-27.08	Vertical
5	5151.1279	35.49	16.36	51.85	74.00	-22.15	Vertical
6	6220.0800	34.38	18.49	52.87	74.00	-21.13	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1397.2664	47.26	-1.04	46.22	74.00	-27.78	Horizontal
2	1673.5193	44.01	1.54	45.55	74.00	-28.45	Horizontal
3	2286.5318	45.48	5.27	50.75	74.00	-23.25	Horizontal
4	3046.2274	41.52	8.51	50.03	74.00	-23.97	Horizontal
5	5079.6200	35.64	16.31	51.95	74.00	-22.05	Horizontal
6	6016.5574	34.95	17.59	52.54	74.00	-21.46	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1278.0865	41.52	-1.16	40.36	74.00	-33.64	Vertical
2	1684.5205	41.07	1.44	42.51	74.00	-31.49	Vertical
3	2395.9329	43.26	4.50	47.76	74.00	-26.24	Vertical
4	2661.7958	39.10	7.01	46.11	74.00	-27.89	Vertical
5	4799.0888	37.42	14.94	52.36	74.00	-21.64	Vertical
6	6187.0763	35.31	18.27	53.58	74.00	-20.42	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1238.9710	43.94	-1.30	42.64	74.00	-31.36	Horizontal
2	1474.2749	45.35	-0.17	45.18	74.00	-28.82	Horizontal
3	1708.9677	44.44	1.13	45.57	74.00	-28.43	Horizontal
4	2290.1989	43.37	5.53	48.90	74.00	-25.10	Horizontal
5	2457.6620	45.84	5.26	51.10	74.00	-22.90	Horizontal
6	4670.7412	37.16	14.14	51.30	74.00	-22.70	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1196.1885	41.79	-2.11	39.68	74.00	-34.32	Vertical
2	1476.7196	42.08	-0.29	41.79	74.00	-32.21	Vertical
3	2249.8611	47.63	4.31	51.94	74.00	-22.06	Vertical
4	2292.6436	42.03	5.32	47.35	74.00	-26.65	Vertical
5	2398.9888	42.22	4.42	46.64	74.00	-27.36	Vertical
6	5033.1704	36.36	15.60	51.96	74.00	-22.04	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1205.3562	46.80	-2.12	44.68	74.00	-29.32	Horizontal
2	1408.2676	44.75	-0.90	43.85	74.00	-30.15	Horizontal
3	2302.4225	46.93	4.65	51.58	74.00	-22.42	Horizontal
4	2690.5212	43.88	6.59	50.47	74.00	-23.53	Horizontal
5	3235.6929	40.84	9.45	50.29	74.00	-23.71	Horizontal
6	5262.9737	36.14	16.36	52.50	74.00	-21.50	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1196.1885	41.03	-2.11	38.92	74.00	-35.08	Vertical
2	1669.8522	42.21	1.58	43.79	74.00	-30.21	Vertical
3	2350.7056	43.06	4.47	47.53	74.00	-26.47	Vertical
4	2399.6000	44.40	4.41	48.81	74.00	-25.19	Vertical
5	5128.5143	35.86	16.48	52.34	74.00	-21.66	Vertical
6	5883.3204	35.10	17.56	52.66	74.00	-21.34	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1467.5520	46.06	-0.09	45.97	74.00	-28.03	Horizontal
2	2357.4286	45.77	4.44	50.21	74.00	-23.79	Horizontal
3	2496.1662	46.53	5.50	52.03	74.00	-21.97	Horizontal
4	2661.7958	42.83	7.01	49.84	74.00	-24.16	Horizontal
5	5097.9553	35.90	16.64	52.54	74.00	-21.46	Horizontal
6	6089.8989	34.66	18.33	52.99	74.00	-21.01	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1430.8812	45.36	-0.62	44.74	74.00	-29.26	Vertical
2	1468.7743	43.82	-0.03	43.79	74.00	-30.21	Vertical
3	2290.1989	42.74	5.53	48.27	74.00	-25.73	Vertical
4	2389.2099	46.62	4.63	51.25	74.00	-22.75	Vertical
5	2666.0740	39.59	6.76	46.35	74.00	-27.65	Vertical
6	4211.7458	36.67	13.62	50.29	74.00	-23.71	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1021.3913	45.79	-1.68	44.11	74.00	-29.89	Horizontal
2	1510.9457	46.72	-0.62	46.10	74.00	-27.90	Horizontal
3	1661.9069	43.85	1.39	45.24	74.00	-28.76	Horizontal
4	2306.7007	43.82	4.64	48.46	74.00	-25.54	Horizontal
5	2710.0789	46.88	6.36	53.24	74.00	-20.76	Horizontal
6	4941.4935	35.97	15.51	51.48	74.00	-22.52	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	42.68	-1.15	41.53	74.00	-32.47	Vertical
2	1668.0187	42.10	1.53	43.63	74.00	-30.37	Vertical
3	2395.9329	42.97	4.50	47.47	74.00	-26.53	Vertical
4	2655.0728	40.85	6.78	47.63	74.00	-26.37	Vertical
5	4255.7506	38.70	13.75	52.45	74.00	-21.55	Vertical
6	5057.0063	35.88	16.22	52.10	74.00	-21.90	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1432.1036	47.23	-0.73	46.50	74.00	-27.50	Horizontal
2	2043.2826	43.31	3.98	47.29	74.00	-26.71	Horizontal
3	2334.2038	44.28	4.32	48.60	74.00	-25.40	Horizontal
4	2683.7982	41.87	6.79	48.66	74.00	-25.34	Horizontal
5	5441.4379	35.23	17.89	53.12	74.00	-20.88	Horizontal
6	6198.0776	34.69	18.59	53.28	74.00	-20.72	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1505.4450	41.10	-0.45	40.65	74.00	-33.35	Vertical
2	2396.5441	43.11	4.32	47.43	74.00	-26.57	Vertical
3	2641.6268	39.37	6.49	45.86	74.00	-28.14	Vertical
4	2827.4253	40.20	6.17	46.37	74.00	-27.63	Vertical
5	5058.2287	36.53	15.77	52.30	74.00	-21.70	Vertical
6	5864.9850	35.43	18.12	53.55	74.00	-20.45	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1429.0477	47.74	-0.75	46.99	74.00	-27.01	Horizontal
2	1724.2471	46.95	1.07	48.02	74.00	-25.98	Horizontal
3	2191.1879	44.16	3.77	47.93	74.00	-26.07	Horizontal
4	2489.4433	42.15	5.66	47.81	74.00	-26.19	Horizontal
5	3212.4681	40.51	9.32	49.83	74.00	-24.17	Horizontal
6	6136.3485	34.92	18.20	53.12	74.00	-20.88	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1197.4108	42.97	-1.94	41.03	74.00	-32.97	Vertical
2	2188.7432	40.92	3.76	44.68	74.00	-29.32	Vertical
3	2395.3217	43.47	4.33	47.80	74.00	-26.20	Vertical
4	4463.5515	37.39	14.77	52.16	74.00	-21.84	Vertical
5	5501.3335	35.30	17.82	53.12	74.00	-20.88	Vertical
6	5969.4966	35.74	17.66	53.40	74.00	-20.60	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1881.9313	44.02	2.40	46.42	74.00	-27.58	Horizontal
2	2454.6061	46.14	5.26	51.40	74.00	-22.60	Horizontal
3	2553.6171	46.28	5.41	51.69	74.00	-22.31	Horizontal
4	4463.5515	37.32	14.77	52.09	74.00	-21.91	Horizontal
5	5637.6264	35.60	17.64	53.24	74.00	-20.76	Horizontal
6	6206.6341	35.32	18.53	53.85	74.00	-20.15	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1801.2557	41.44	1.90	43.34	74.00	-30.66	Vertical
2	2389.8211	44.58	4.37	48.95	74.00	-25.05	Vertical
3	2560.9512	40.95	5.45	46.40	74.00	-27.60	Vertical
4	3109.1788	37.03	10.07	47.10	74.00	-26.90	Vertical
5	5035.0039	36.38	16.05	52.43	74.00	-21.57	Vertical
6	5836.8708	36.05	17.52	53.57	74.00	-20.43	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1432.1036	45.53	-0.73	44.80	74.00	-29.20	Horizontal
2	1665.5740	46.09	1.43	47.52	74.00	-26.48	Horizontal
3	2291.4213	42.50	5.32	47.82	74.00	-26.18	Horizontal
4	2884.8761	40.39	7.22	47.61	74.00	-26.39	Horizontal
5	5500.7223	35.75	17.82	53.57	74.00	-20.43	Horizontal
6	5921.2135	35.66	17.95	53.61	74.00	-20.39	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1640.5156	40.03	1.26	41.29	74.00	-32.71	Vertical
2	2389.8211	41.59	4.37	45.96	74.00	-28.04	Vertical
3	3228.3587	38.63	9.16	47.79	74.00	-26.21	Vertical
4	4460.4956	36.65	14.56	51.21	74.00	-22.79	Vertical
5	5464.6627	35.28	17.87	53.15	74.00	-20.85	Vertical
6	6124.7361	35.34	18.24	53.58	74.00	-20.42	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1521.3357	46.58	-0.53	46.05	74.00	-27.95	Horizontal
2	1869.7077	44.60	2.31	46.91	74.00	-27.09	Horizontal
3	2245.5828	43.60	4.30	47.90	74.00	-26.10	Horizontal
4	2708.2454	45.18	6.23	51.41	74.00	-22.59	Horizontal
5	3931.8258	36.94	12.21	49.15	74.00	-24.85	Horizontal
6	4573.5637	36.55	13.50	50.05	74.00	-23.95	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	2391.0434	43.12	4.17	47.29	74.00	-26.71	Vertical
2	2708.2454	42.76	6.23	48.99	74.00	-25.01	Vertical
3	2745.5273	41.26	6.34	47.60	74.00	-26.40	Vertical
4	4201.9669	36.61	13.22	49.83	74.00	-24.17	Vertical
5	4992.2214	36.51	14.93	51.44	74.00	-22.56	Vertical
6	6025.1139	35.07	17.52	52.59	74.00	-21.41	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1059.8955	47.18	-1.64	45.54	74.00	-28.46	Horizontal
2	1228.5810	46.35	-1.43	44.92	74.00	-29.08	Horizontal
3	1848.3165	45.03	2.10	47.13	74.00	-26.87	Horizontal
4	2313.4237	42.03	4.56	46.59	74.00	-27.41	Horizontal
5	3187.4097	39.02	9.13	48.15	74.00	-25.85	Horizontal
6	4024.7250	37.38	12.63	50.01	74.00	-23.99	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1439.4377	43.02	-0.25	42.77	74.00	-31.23	Vertical
2	1461.4402	42.91	-0.45	42.46	74.00	-31.54	Vertical
3	2390.4323	43.52	4.14	47.66	74.00	-26.34	Vertical
4	2434.4372	42.01	4.98	46.99	74.00	-27.01	Vertical
5	4449.4944	35.80	14.31	50.11	74.00	-23.89	Vertical
6	5030.1145	35.94	15.26	51.20	74.00	-22.80	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1174.1860	43.33	-1.97	41.36	74.00	-32.64	Horizontal
2	1480.3867	45.23	-0.70	44.53	74.00	-29.47	Horizontal
3	2265.7518	46.72	4.19	50.91	74.00	-23.09	Horizontal
4	2297.5331	46.50	4.61	51.11	74.00	-22.89	Horizontal
5	2488.2209	46.97	5.38	52.35	74.00	-21.65	Horizontal
6	4995.8884	37.86	14.93	52.79	74.00	-21.21	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Vertical	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	41.46	-1.59	39.87	74.00	-34.13	Vertical
2	1711.4124	41.99	0.89	42.88	74.00	-31.12	Vertical
3	2309.7566	41.02	4.39	45.41	74.00	-28.59	Vertical
4	2395.9329	43.32	4.41	47.73	74.00	-26.27	Vertical
5	3453.8838	37.38	11.07	48.45	74.00	-25.55	Vertical
6	4502.0558	36.40	13.94	50.34	74.00	-23.66	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1703.4671	45.33	1.39	46.72	74.00	-27.28	Horizontal
2	2155.1283	45.96	3.95	49.91	74.00	-24.09	Horizontal
3	2869.5966	42.73	6.52	49.25	74.00	-24.75	Horizontal
4	3246.6941	38.41	9.88	48.29	74.00	-25.71	Horizontal
5	5439.6044	36.20	16.61	52.81	74.00	-21.19	Horizontal
6	6288.5321	34.53	18.75	53.28	74.00	-20.72	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1289.6989	40.94	-1.27	39.67	74.00	-34.33	Vertical
2	1681.4646	40.44	1.46	41.90	74.00	-32.10	Vertical
3	2270.0300	41.15	5.26	46.41	74.00	-27.59	Vertical
4	2356.8174	43.21	4.44	47.65	74.00	-26.35	Vertical
5	4270.4189	36.06	14.17	50.23	74.00	-23.77	Vertical
6	6114.9572	34.33	18.40	52.73	74.00	-21.27	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Horizontal	PASS



**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1236.5263	46.37	-1.40	44.97	74.00	-29.03	Horizontal
2	1462.6625	45.81	-0.33	45.48	74.00	-28.52	Horizontal
3	1914.3238	45.63	2.41	48.04	74.00	-25.96	Horizontal
4	2176.5196	44.56	4.02	48.58	74.00	-25.42	Horizontal
5	2675.8529	41.91	6.83	48.74	74.00	-25.26	Horizontal
6	3052.9503	40.17	8.67	48.84	74.00	-25.16	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1196.1885	42.64	-2.11	40.53	74.00	-33.47	Vertical
2	2278.5865	41.28	4.83	46.11	74.00	-27.89	Vertical
3	2395.3217	42.41	4.52	46.93	74.00	-27.07	Vertical
4	2741.8602	41.79	6.54	48.33	74.00	-25.67	Vertical
5	3937.9375	37.16	12.57	49.73	74.00	-24.27	Vertical
6	4796.0329	36.45	14.97	51.42	74.00	-22.58	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Horizontal	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1484.6650	49.53	-0.38	49.15	74.00	-24.85	Horizontal
2	1681.4646	47.94	1.46	49.40	74.00	-24.60	Horizontal
3	2273.0859	44.08	5.11	49.19	74.00	-24.81	Horizontal
4	2840.8712	42.28	6.36	48.64	74.00	-25.36	Horizontal
5	3246.0829	42.28	9.83	52.11	74.00	-21.89	Horizontal
6	4962.2736	35.76	15.44	51.20	74.00	-22.80	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Vertical	PASS


**PK Result:**

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1197.4108	42.67	-2.10	40.57	74.00	-33.43	Vertical
2	2274.9194	39.38	5.01	44.39	74.00	-29.61	Vertical
3	2392.8770	41.36	4.57	45.93	74.00	-28.07	Vertical
4	2677.6864	40.66	6.92	47.58	74.00	-26.42	Vertical
5	4422.6025	35.81	14.12	49.93	74.00	-24.07	Vertical
6	5067.3964	35.03	16.43	51.46	74.00	-22.54	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.