


Test Mode	Channel	Polarization	Verdict
11ax HE40	5190	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	4839.8340	35.57	22.98	58.55	74.00	-15.45	Vertical
2	5037.2537	35.69	23.70	59.39	74.00	-14.61	Vertical
3	5150.0000	32.23	23.44	55.67	74.00	-18.33	Vertical


AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	4839.8340	23.58	22.98	46.56	54.00	-7.44	Vertical
2	5037.2537	24.06	23.70	47.76	54.00	-6.24	Vertical
3	5150.0000	24.08	23.44	47.52	54.00	-6.48	Vertical

Remark:

1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ax HE40	5310	Horizontal	PASS


PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	32.63	24.00	56.63	74.00	-17.37	Horizontal
2	5362.6733	34.05	24.12	58.17	74.00	-15.83	Horizontal
3	5380.0330	34.48	24.25	58.73	74.00	-15.27	Horizontal

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	23.28	24.00	47.28	54.00	-6.72	Horizontal
2	5362.6733	23.99	24.12	48.11	54.00	-5.89	Horizontal
3	5380.0330	24.41	24.25	48.66	54.00	-5.34	Horizontal

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ax HE40	5310	Vertical	PASS


PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	32.83	24.00	56.83	74.00	-17.17	Vertical
2	5361.2871	34.49	24.09	58.58	74.00	-15.42	Vertical
3	5397.7228	34.25	24.51	58.76	74.00	-15.24	Vertical

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	23.53	24.00	47.53	54.00	-6.47	Vertical
2	5361.2871	24.48	24.09	48.57	54.00	-5.43	Vertical
3	5397.7228	24.03	24.51	48.54	54.00	-5.46	Vertical

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ax HE40	5510	Horizontal	PASS


PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5430.6306	34.46	24.41	58.87	74.00	-15.13	Horizontal
2	5460.0000	33.08	24.25	57.33	74.00	-16.67	Horizontal
3	5468.4685	39.66	24.32	63.98	68.20	-4.22	Horizontal
4	5470.0000	34.95	24.33	59.28	68.20	-8.92	Horizontal

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5430.6306	23.79	24.41	48.20	54.00	-5.80	Horizontal
2	5460.0000	23.41	24.25	47.66	54.00	-6.34	Horizontal

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ax HE40	5510	Vertical	PASS


PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5457.6577	37.55	24.28	61.83	74.00	-12.17	Vertical
2	5460.0000	37.14	24.25	61.39	74.00	-12.61	Vertical
3	5465.7658	41.17	24.30	65.47	68.20	-2.73	Vertical
4	5470.0000	34.95	24.33	59.28	68.20	-8.92	Vertical

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5457.6577	25.19	24.28	49.47	54.00	-4.53	Vertical
2	5460.0000	25.56	24.25	49.81	54.00	-4.19	Vertical

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE40	5670	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	32.83	24.69	57.52	68.20	-10.68	Horizontal
2	5725.8876	35.05	24.68	59.73	68.20	-8.47	Horizontal
3	5740.7091	35.89	24.76	60.65	68.20	-7.55	Horizontal

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE40	5670	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	32.64	24.69	57.33	68.20	-10.87	Vertical
2	5746.7897	33.97	24.80	58.77	68.20	-9.43	Vertical
3	5792.3742	34.75	24.80	59.55	68.20	-8.65	Vertical

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE40	5755	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5613.4413	34.77	24.66	59.43	68.20	-8.77	Horizontal
2	5638.1638	34.03	24.69	58.72	68.20	-9.48	Horizontal

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE40	5755	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5606.2806	34.27	24.62	58.89	68.20	-9.31	Vertical
2	5627.6028	33.96	24.62	58.58	68.20	-9.62	Vertical

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE40	5795	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5945.1945	34.19	25.38	59.57	68.20	-8.63	Horizontal
2	5974.5975	33.65	25.66	59.31	68.20	-8.89	Horizontal

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ax HE40	5795	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5942.5143	33.60	25.35	58.95	68.20	-9.25	Vertical
2	5960.0760	33.78	25.44	59.22	68.20	-8.98	Vertical

Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

7.2. HARMONICS AND SPURIOUS EMISSIONS

TEST ENVIRONMENT

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

TEST RESULT TABLE

1) For 1GHz to 6.5GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

Test Mode	Channel	Puw(dBm)	Verdict
11a	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS

Test Mode	Channel	Puw(dBm)	Verdict
11ac VHT20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ac VHT40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS
Test Mode	Channel	Puw(dBm)	Verdict
11ax HE20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ax HE40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Note: Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.

2) For 6.5GHz to 18GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

Test Mode	Channel	Puw(dBm)	Verdict
11a	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS

Test Mode	Channel	Puw(dBm)	Verdict
11ac VHT20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
11ac VHT40	5190	<Limit	PASS
	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Test Mode	Channel	Puw(dBm)	Verdict
11ax HE20	5180	<Limit	PASS
	5200	<Limit	PASS
	5240	<Limit	PASS
	5260	<Limit	PASS
	5280	<Limit	PASS
	5320	<Limit	PASS
	5500	<Limit	PASS
	5580	<Limit	PASS
	5700	<Limit	PASS
	5720	<Limit	PASS
	5745	<Limit	PASS
	5785	<Limit	PASS
	5825	<Limit	PASS
	5190	<Limit	PASS
11ax HE40	5230	<Limit	PASS
	5270	<Limit	PASS
	5310	<Limit	PASS
	5510	<Limit	PASS
	5550	<Limit	PASS
	5670	<Limit	PASS
	5710	<Limit	PASS
	5755	<Limit	PASS
	5795	<Limit	PASS

Note: Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.

3) For 18GHz to 26.5GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

4) For 26.5GHz to 40GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

5) For 30MHz to 1GHz part:

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025

Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

6) For 9kHz~30MHz

Environment Parameter	Selected Values During Tests
Relative Humidity	53% - 60%
Atmospheric Pressure:	100kPa - 101kPa
Temperature	22.2°C - 23.6°C
Test Voltage	AC 120V
Test Date	06/08/2025 - 06/30/2025


Test Mode	Channel	Puw(dBm)	Verdict
11a	5745	<Limit	PASS

Note: Pre-testing all test modes and channels, find the 5745 MHz of 802.11a mode of UNII-III band which is the worst case, so only the data of this mode is included in the test report

TEST GRAPHS:

PART 1: For 1GHz to 6.5GH

Test Mode	Channel	Polarization	Verdict
11a	5180	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1327.9785	41.88	-1.91	39.97	74.00	-34.03	Horizontal
2	2289.9112	36.33	5.30	41.63	74.00	-32.37	Horizontal
3	4144.3305	37.52	13.00	50.52	74.00	-23.48	Horizontal
4	5079.4474	35.20	16.23	51.43	74.00	-22.57	Horizontal
5	5885.9857	33.83	17.74	51.57	74.00	-22.43	Horizontal
6	6372.7966	33.49	19.18	52.67	74.00	-21.33	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5180	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1376.1095	42.52	-1.13	41.39	74.00	-32.61	Vertical
2	2025.1906	37.48	3.91	41.39	74.00	-32.61	Vertical
3	4143.6430	38.75	12.99	51.74	74.00	-22.26	Vertical
4	4805.7882	35.77	14.94	50.71	74.00	-23.29	Vertical
5	6159.6450	34.37	18.39	52.76	74.00	-21.24	Vertical
6	6468.3710	33.72	19.69	53.41	74.00	-20.59	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1125.1406	40.64	-2.25	38.39	74.00	-35.61	Horizontal
2	1512.2515	39.19	-0.11	39.08	74.00	-34.92	Horizontal
3	3225.0281	37.34	9.31	46.65	74.00	-27.35	Horizontal
4	4160.1450	37.50	13.10	50.60	74.00	-23.40	Horizontal
5	5414.9894	34.76	16.91	51.67	74.00	-22.33	Horizontal
6	6350.7938	33.78	19.05	52.83	74.00	-21.17	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.0413	44.86	-1.89	42.97	74.00	-31.03	Vertical
2	2664.6456	37.03	6.80	43.83	74.00	-30.17	Vertical
3	3078.5723	36.15	9.92	46.07	74.00	-27.93	Vertical
4	4159.4574	36.90	13.10	50.00	74.00	-24.00	Vertical
5	5049.8812	35.45	16.20	51.65	74.00	-22.35	Vertical
6	6117.7022	34.55	18.53	53.08	74.00	-20.92	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	40.59	-2.23	38.36	74.00	-35.64	Horizontal
2	2192.2740	36.93	3.99	40.92	74.00	-33.08	Horizontal
3	3077.8847	36.06	9.84	45.90	74.00	-28.10	Horizontal
4	4191.7740	37.14	13.27	50.41	74.00	-23.59	Horizontal
5	5352.4191	34.67	16.77	51.44	74.00	-22.56	Horizontal
6	6089.5112	33.71	18.45	52.16	74.00	-21.84	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1329.3537	44.22	-1.90	42.32	74.00	-31.68	Vertical
2	2059.5699	36.69	4.42	41.11	74.00	-32.89	Vertical
3	3077.8847	36.33	9.84	46.17	74.00	-27.83	Vertical
4	4192.4616	38.65	13.25	51.90	74.00	-22.10	Vertical
5	4691.6490	35.88	14.66	50.54	74.00	-23.46	Vertical
6	6316.4146	33.12	18.97	52.09	74.00	-21.91	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5260	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	40.85	-2.23	38.62	74.00	-35.38	Horizontal
2	1330.0413	39.22	-1.89	37.33	74.00	-36.67	Horizontal
3	2017.6272	36.26	3.95	40.21	74.00	-33.79	Horizontal
4	3083.3854	35.85	10.02	45.87	74.00	-28.13	Horizontal
5	4710.2138	35.65	14.70	50.35	74.00	-23.65	Horizontal
6	6275.8470	33.87	18.71	52.58	74.00	-21.42	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5260	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1400.8626	42.09	-1.19	40.90	74.00	-33.10	Vertical
2	2705.9007	38.35	6.12	44.47	74.00	-29.53	Vertical
3	3705.6507	36.29	11.74	48.03	74.00	-25.97	Vertical
4	4521.8152	36.01	13.82	49.83	74.00	-24.17	Vertical
5	5980.1850	34.41	17.69	52.10	74.00	-21.90	Vertical
6	6281.3477	33.50	18.76	52.26	74.00	-21.74	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5280	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1125.1406	40.63	-2.25	38.38	74.00	-35.62	Horizontal
2	1332.7916	40.12	-1.79	38.33	74.00	-35.67	Horizontal
3	2598.6373	36.28	6.82	43.10	74.00	-30.90	Horizontal
4	3069.6337	37.22	8.86	46.08	74.00	-27.92	Horizontal
5	5038.8799	35.61	15.88	51.49	74.00	-22.51	Horizontal
6	6158.2698	34.01	18.42	52.43	74.00	-21.57	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5280	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1294.2868	43.06	-1.88	41.18	74.00	-32.82	Vertical
2	1376.1095	41.77	-1.13	40.64	74.00	-33.36	Vertical
3	2076.7596	36.76	4.33	41.09	74.00	-32.91	Vertical
4	3685.0231	35.78	12.01	47.79	74.00	-26.21	Vertical
5	4820.9151	35.49	14.92	50.41	74.00	-23.59	Vertical
6	6255.2194	34.64	18.60	53.24	74.00	-20.76	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5320	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	39.68	-2.23	37.45	74.00	-36.55	Horizontal
2	1464.1205	37.90	-0.19	37.71	74.00	-36.29	Horizontal
3	2072.6341	36.87	4.48	41.35	74.00	-32.65	Horizontal
4	3102.6378	36.27	10.16	46.43	74.00	-27.57	Horizontal
5	4255.7195	38.13	13.56	51.69	74.00	-22.31	Horizontal
6	6462.8704	33.44	19.67	53.11	74.00	-20.89	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5320	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1294.9744	44.30	-1.90	42.40	74.00	-31.60	Vertical
2	1331.4164	45.41	-1.84	43.57	74.00	-30.43	Vertical
3	1655.2694	38.52	0.91	39.43	74.00	-34.57	Vertical
4	3096.4496	36.05	9.95	46.00	74.00	-28.00	Vertical
5	4499.1249	36.09	13.77	49.86	74.00	-24.14	Vertical
6	5873.6092	35.43	17.43	52.86	74.00	-21.14	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5500	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1360.2950	41.01	-1.40	39.61	74.00	-34.39	Horizontal
2	2656.3945	36.19	7.11	43.30	74.00	-30.70	Horizontal
3	3735.2169	36.30	11.73	48.03	74.00	-25.97	Horizontal
4	4400.1125	36.73	13.75	50.48	74.00	-23.52	Horizontal
5	5025.8157	35.28	15.92	51.20	74.00	-22.80	Horizontal
6	6474.5593	33.10	19.90	53.00	74.00	-21.00	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5500	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1396.7371	43.62	-1.28	42.34	74.00	-31.66	Vertical
2	1996.3120	38.03	3.52	41.55	74.00	-32.45	Vertical
3	3192.7116	35.96	9.77	45.73	74.00	-28.27	Vertical
4	3874.1093	36.28	12.12	48.40	74.00	-25.60	Vertical
5	5462.4328	34.15	17.87	52.02	74.00	-21.98	Vertical
6	6455.9945	33.42	19.78	53.20	74.00	-20.80	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5580	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1328.6661	41.90	-1.84	40.06	74.00	-33.94	Horizontal
2	2248.6561	37.28	4.19	41.47	74.00	-32.53	Horizontal
3	2619.2649	37.34	6.18	43.52	74.00	-30.48	Horizontal
4	3823.2279	35.62	12.73	48.35	74.00	-25.65	Horizontal
5	4464.0580	35.55	14.30	49.85	74.00	-24.15	Horizontal
6	6471.1214	33.11	19.88	52.99	74.00	-21.01	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5580	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1332.1040	42.78	-1.78	41.00	74.00	-33.00	Vertical
2	1408.4261	41.79	-1.13	40.66	74.00	-33.34	Vertical
3	2650.8939	36.60	6.75	43.35	74.00	-30.65	Vertical
4	3821.1651	35.64	12.87	48.51	74.00	-25.49	Vertical
5	6125.2657	34.38	18.44	52.82	74.00	-21.18	Vertical
6	6471.1214	33.31	19.88	53.19	74.00	-20.81	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5700	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1327.9785	42.13	-1.85	40.28	74.00	-33.72	Horizontal
2	1912.4266	37.76	2.77	40.53	74.00	-33.47	Horizontal
3	2670.8339	36.66	6.48	43.14	74.00	-30.86	Horizontal
4	3288.9736	36.86	9.90	46.76	74.00	-27.24	Horizontal
5	4274.9719	35.06	13.99	49.05	74.00	-24.95	Horizontal
6	6381.0476	33.48	19.60	53.08	74.00	-20.92	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5700	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1268.1585	44.06	-1.75	42.31	74.00	-31.69	Vertical
2	1332.1040	45.07	-1.78	43.29	74.00	-30.71	Vertical
3	2089.1361	36.54	4.03	40.57	74.00	-33.43	Vertical
4	2608.2635	37.26	6.26	43.52	74.00	-30.48	Vertical
5	3676.7721	35.60	12.52	48.12	74.00	-25.88	Vertical
6	6454.6193	33.38	19.78	53.16	74.00	-20.84	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1125.1406	40.45	-2.32	38.13	74.00	-35.87	Horizontal
2	2024.5031	37.79	4.03	41.82	74.00	-32.18	Horizontal
3	2582.1353	37.43	6.02	43.45	74.00	-30.55	Horizontal
4	3077.8847	36.68	9.62	46.30	74.00	-27.70	Horizontal
5	4015.7520	36.05	13.05	49.10	74.00	-24.90	Horizontal
6	6332.9166	34.72	19.06	53.78	74.00	-20.22	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1268.1585	43.63	-1.75	41.88	74.00	-32.12	Vertical
2	1328.6661	42.73	-1.84	40.89	74.00	-33.11	Vertical
3	3397.6122	36.12	10.58	46.70	74.00	-27.30	Vertical
4	4000.6251	35.89	12.97	48.86	74.00	-25.14	Vertical
5	5430.8038	34.17	17.91	52.08	74.00	-21.92	Vertical
6	6436.0545	33.38	19.52	52.90	74.00	-21.10	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5745	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	40.38	-2.43	37.95	74.00	-36.05	Horizontal
2	2397.1746	37.42	4.75	42.17	74.00	-31.83	Horizontal
3	3278.6598	37.02	9.33	46.35	74.00	-27.65	Horizontal
4	5043.6930	35.82	15.17	50.99	74.00	-23.01	Horizontal
5	5652.2065	35.05	16.75	51.80	74.00	-22.20	Horizontal
6	6235.2794	34.24	18.00	52.24	74.00	-21.76	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5745	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1246.1558	42.86	-1.97	40.89	74.00	-33.11	Vertical
2	2558.0698	36.86	5.65	42.51	74.00	-31.49	Vertical
3	3424.4281	36.13	10.71	46.84	74.00	-27.16	Vertical
4	4332.0415	36.41	13.37	49.78	74.00	-24.22	Vertical
5	5012.0640	35.01	15.22	50.23	74.00	-23.77	Vertical
6	6191.2739	34.04	18.26	52.30	74.00	-21.70	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11a	5785	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1349.9812	41.74	-1.64	40.10	74.00	-33.90	Horizontal
2	2001.8127	37.46	3.68	41.14	74.00	-32.86	Horizontal
3	2988.4986	36.84	8.29	45.13	74.00	-28.87	Horizontal
4	4040.5051	35.95	12.96	48.91	74.00	-25.09	Horizontal
5	5028.5661	34.94	15.32	50.26	74.00	-23.74	Horizontal
6	6455.9945	33.32	19.77	53.09	74.00	-20.91	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5785	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1277.7847	44.05	-2.11	41.94	74.00	-32.06	Vertical
2	1408.4261	40.53	-1.04	39.49	74.00	-34.51	Vertical
3	1955.7445	37.72	3.13	40.85	74.00	-33.15	Vertical
4	3106.7633	36.16	9.52	45.68	74.00	-28.32	Vertical
5	4164.2705	35.08	13.13	48.21	74.00	-25.79	Vertical
6	6427.1159	33.73	19.08	52.81	74.00	-21.19	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	40.37	-2.43	37.94	74.00	-36.06	Horizontal
2	2637.1421	36.82	6.62	43.44	74.00	-30.56	Horizontal
3	3125.3282	36.21	9.43	45.64	74.00	-28.36	Horizontal
4	3429.9287	36.33	11.03	47.36	74.00	-26.64	Horizontal
5	4103.0754	36.28	12.55	48.83	74.00	-25.17	Horizontal
6	6325.3532	33.28	18.96	52.24	74.00	-21.76	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1205.5882	41.76	-1.52	40.24	74.00	-33.76	Vertical
2	1331.4164	45.12	-1.70	43.42	74.00	-30.58	Vertical
3	2571.1339	36.96	5.90	42.86	74.00	-31.14	Vertical
4	3850.0438	36.14	12.43	48.57	74.00	-25.43	Vertical
5	4485.3732	35.81	13.75	49.56	74.00	-24.44	Vertical
6	6029.6912	34.28	17.96	52.24	74.00	-21.76	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1277.7847	39.34	-1.61	37.73	74.00	-36.27	Horizontal
2	1574.8219	38.11	0.31	38.42	74.00	-35.58	Horizontal
3	2024.5031	37.55	3.92	41.47	74.00	-32.53	Horizontal
4	3098.5123	35.55	9.97	45.52	74.00	-28.48	Horizontal
5	4845.6682	36.33	14.79	51.12	74.00	-22.88	Horizontal
6	6317.7897	33.55	18.98	52.53	74.00	-21.47	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.0413	44.10	-1.89	42.21	74.00	-31.79	Vertical
2	1405.6757	41.92	-1.07	40.85	74.00	-33.15	Vertical
3	3089.5737	35.46	9.88	45.34	74.00	-28.66	Vertical
4	3450.5563	36.18	11.16	47.34	74.00	-26.66	Vertical
5	4268.7836	35.71	13.98	49.69	74.00	-24.31	Vertical
6	6191.9615	34.30	18.24	52.54	74.00	-21.46	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1125.1406	40.16	-2.25	37.91	74.00	-36.09	Horizontal
2	2024.5031	37.30	3.92	41.22	74.00	-32.78	Horizontal
3	3141.1426	37.17	9.18	46.35	74.00	-27.65	Horizontal
4	4160.1450	38.92	13.10	52.02	74.00	-21.98	Horizontal
5	5659.7700	35.04	16.49	51.53	74.00	-22.47	Horizontal
6	6435.3669	33.34	19.49	52.83	74.00	-21.17	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1205.5882	41.84	-2.07	39.77	74.00	-34.23	Vertical
2	1294.2868	42.15	-1.88	40.27	74.00	-33.73	Vertical
3	3075.8220	36.40	9.58	45.98	74.00	-28.02	Vertical
4	4266.0333	35.68	13.82	49.50	74.00	-24.50	Vertical
5	5069.1336	34.56	16.45	51.01	74.00	-22.99	Vertical
6	6422.9904	34.22	19.31	53.53	74.00	-20.47	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.0413	40.08	-1.89	38.19	74.00	-35.81	Horizontal
2	2029.3162	37.43	3.86	41.29	74.00	-32.71	Horizontal
3	3082.0103	36.46	10.05	46.51	74.00	-27.49	Horizontal
4	4297.6622	36.32	13.43	49.75	74.00	-24.25	Horizontal
5	5117.9522	34.68	16.41	51.09	74.00	-22.91	Horizontal
6	6332.2290	33.49	18.86	52.35	74.00	-21.65	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1294.2868	42.15	-1.88	40.27	74.00	-33.73	Vertical
2	1352.0440	42.00	-1.24	40.76	74.00	-33.24	Vertical
3	2613.0766	37.32	6.42	43.74	74.00	-30.26	Vertical
4	3450.5563	36.68	11.16	47.84	74.00	-26.16	Vertical
5	5088.3860	35.54	16.47	52.01	74.00	-21.99	Vertical
6	6132.8291	33.97	18.68	52.65	74.00	-21.35	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	40.25	-2.23	38.02	74.00	-35.98	Horizontal
2	1330.7288	40.83	-1.86	38.97	74.00	-35.03	Horizontal
3	3247.0309	36.91	9.61	46.52	74.00	-27.48	Horizontal
4	3680.8976	35.77	12.40	48.17	74.00	-25.83	Horizontal
5	5078.0723	35.31	16.27	51.58	74.00	-22.42	Horizontal
6	6271.0339	34.17	18.68	52.85	74.00	-21.15	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Vertical	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1332.1040	43.89	-1.82	42.07	74.00	-31.93	Vertical
2	3099.1999	37.20	9.99	47.19	74.00	-26.81	Vertical
3	3887.8610	36.66	12.16	48.82	74.00	-25.18	Vertical
4	5070.5088	35.53	16.45	51.98	74.00	-22.02	Vertical
5	5872.9216	35.13	17.44	52.57	74.00	-21.43	Vertical
6	6321.9152	33.50	18.97	52.47	74.00	-21.53	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	41.11	-2.23	38.88	74.00	-35.12	Horizontal
2	1329.3537	40.69	-1.90	38.79	74.00	-35.21	Horizontal
3	3112.9516	35.47	10.26	45.73	74.00	-28.27	Horizontal
4	4216.5271	36.07	13.31	49.38	74.00	-24.62	Horizontal
5	5092.5116	35.17	16.50	51.67	74.00	-22.33	Horizontal
6	6411.3014	33.76	19.23	52.99	74.00	-21.01	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1265.4082	41.84	-1.49	40.35	74.00	-33.65	Vertical
2	1393.2992	42.50	-1.04	41.46	74.00	-32.54	Vertical
3	3114.3268	35.80	10.08	45.88	74.00	-28.12	Vertical
4	4326.5408	35.70	13.56	49.26	74.00	-24.74	Vertical
5	5068.4461	34.65	16.43	51.08	74.00	-22.92	Vertical
6	6372.7966	33.29	19.18	52.47	74.00	-21.53	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.7288	41.64	-1.86	39.78	74.00	-34.22	Horizontal
2	2600.0125	36.76	6.86	43.62	74.00	-30.38	Horizontal
3	3082.0103	36.01	10.05	46.06	74.00	-27.94	Horizontal
4	3973.8092	35.56	13.01	48.57	74.00	-25.43	Horizontal
5	5089.7612	35.02	16.51	51.53	74.00	-22.47	Horizontal
6	6319.8525	33.68	18.99	52.67	74.00	-21.33	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1294.2868	44.03	-1.88	42.15	74.00	-31.85	Vertical
2	2087.7610	36.83	4.28	41.11	74.00	-32.89	Vertical
3	3076.5096	36.06	9.67	45.73	74.00	-28.27	Vertical
4	3955.2444	36.38	12.83	49.21	74.00	-24.79	Vertical
5	5086.3233	34.84	16.41	51.25	74.00	-22.75	Vertical
6	6399.6125	33.51	19.27	52.78	74.00	-21.22	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.7288	39.76	-1.80	37.96	74.00	-36.04	Horizontal
2	3365.2957	36.51	10.41	46.92	74.00	-27.08	Horizontal
3	4399.4249	39.35	13.76	53.11	74.00	-20.89	Horizontal
4	5500.2500	34.48	17.82	52.30	74.00	-21.70	Horizontal
5	5940.9926	34.82	17.89	52.71	74.00	-21.29	Horizontal
6	6442.9304	33.92	19.56	53.48	74.00	-20.52	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1408.4261	43.13	-1.13	42.00	74.00	-32.00	Vertical
2	2322.9154	37.80	4.16	41.96	74.00	-32.04	Vertical
3	3077.8847	35.95	9.62	45.57	74.00	-28.43	Vertical
4	4400.1125	36.52	13.75	50.27	74.00	-23.73	Vertical
5	5508.5011	33.99	17.80	51.79	74.00	-22.21	Vertical
6	6326.7283	33.33	19.14	52.47	74.00	-21.53	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1177.3972	41.77	-1.83	39.94	74.00	-34.06	Horizontal
2	2041.6927	36.45	4.36	40.81	74.00	-33.19	Horizontal
3	3189.9612	36.97	10.08	47.05	74.00	-26.95	Horizontal
4	4464.0580	36.01	14.30	50.31	74.00	-23.69	Horizontal
5	5462.4328	35.16	17.87	53.03	74.00	-20.97	Horizontal
6	6319.1649	33.61	19.25	52.86	74.00	-21.14	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1241.3427	41.79	-1.87	39.92	74.00	-34.08	Vertical
2	1393.2992	41.75	-1.21	40.54	74.00	-33.46	Vertical
3	2510.6263	37.91	5.63	43.54	74.00	-30.46	Vertical
4	3508.3135	36.25	11.17	47.42	74.00	-26.58	Vertical
5	5019.6275	35.65	15.80	51.45	74.00	-22.55	Vertical
6	6044.1305	34.44	18.00	52.44	74.00	-21.56	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1124.4531	39.83	-2.31	37.52	74.00	-36.48	Horizontal
2	2133.1416	37.26	3.82	41.08	74.00	-32.92	Horizontal
3	2647.4559	36.40	6.69	43.09	74.00	-30.91	Horizontal
4	4282.5353	36.65	13.66	50.31	74.00	-23.69	Horizontal
5	5465.8707	33.76	17.86	51.62	74.00	-22.38	Horizontal
6	6127.3284	34.84	18.42	53.26	74.00	-20.74	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1328.6661	44.73	-1.84	42.89	74.00	-31.11	Vertical
2	2009.3762	37.08	3.75	40.83	74.00	-33.17	Vertical
3	3075.8220	36.70	9.50	46.20	74.00	-27.80	Vertical
4	4389.1111	35.54	13.88	49.42	74.00	-24.58	Vertical
5	5467.2459	33.78	17.86	51.64	74.00	-22.36	Vertical
6	6076.4471	34.43	18.27	52.70	74.00	-21.30	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1329.3537	41.37	-1.83	39.54	74.00	-34.46	Horizontal
2	2293.3492	37.21	4.94	42.15	74.00	-31.85	Horizontal
3	2631.6415	36.70	6.64	43.34	74.00	-30.66	Horizontal
4	3458.1198	36.92	10.76	47.68	74.00	-26.32	Horizontal
5	4576.1345	35.65	14.12	49.77	74.00	-24.23	Horizontal
6	6471.1214	33.97	19.88	53.85	74.00	-20.15	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1332.7916	42.84	-1.76	41.08	74.00	-32.92	Vertical
2	1400.8626	43.97	-1.34	42.63	74.00	-31.37	Vertical
3	3068.2585	36.77	9.14	45.91	74.00	-28.09	Vertical
4	4244.7181	35.58	13.91	49.49	74.00	-24.51	Vertical
5	5434.9294	34.06	17.90	51.96	74.00	-22.04	Vertical
6	5892.8616	35.55	17.71	53.26	74.00	-20.74	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Horizontal	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1030.2538	42.75	-2.00	40.75	74.00	-33.25	Horizontal
2	1330.7288	40.10	-1.70	38.40	74.00	-35.60	Horizontal
3	2097.3872	36.59	4.09	40.68	74.00	-33.32	Horizontal
4	3077.8847	36.32	8.79	45.11	74.00	-28.89	Horizontal
5	5207.3384	36.72	14.70	51.42	74.00	-22.58	Horizontal
6	6325.3532	34.49	18.96	53.45	74.00	-20.55	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1294.2868	42.82	-2.03	40.79	74.00	-33.21	Vertical
2	1347.9185	42.69	-1.64	41.05	74.00	-32.95	Vertical
3	2589.0111	38.35	5.95	44.30	74.00	-29.70	Vertical
4	4313.4767	35.97	13.20	49.17	74.00	-24.83	Vertical
5	4807.8510	35.20	14.82	50.02	74.00	-23.98	Vertical
6	6317.7897	33.01	19.13	52.14	74.00	-21.86	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1125.1406	39.74	-2.42	37.32	74.00	-36.68	Horizontal
2	1277.7847	40.47	-2.11	38.36	74.00	-35.64	Horizontal
3	3678.1473	36.35	12.52	48.87	74.00	-25.13	Horizontal
4	4446.8684	35.42	13.65	49.07	74.00	-24.93	Horizontal
5	5429.4287	34.72	16.38	51.10	74.00	-22.90	Horizontal
6	6021.4402	35.08	17.53	52.61	74.00	-21.39	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1277.7847	43.13	-2.11	41.02	74.00	-32.98	Vertical
2	1326.6033	45.77	-1.72	44.05	74.00	-29.95	Vertical
3	2624.0780	36.06	6.39	42.45	74.00	-31.55	Vertical
4	4015.7520	34.81	13.21	48.02	74.00	-25.98	Vertical
5	5082.8854	35.46	14.80	50.26	74.00	-23.74	Vertical
6	6165.1456	34.07	18.10	52.17	74.00	-21.83	Vertical

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Horizontal	PASS


PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1330.7288	41.98	-1.70	40.28	74.00	-33.72	Horizontal
2	2416.4271	37.61	4.83	42.44	74.00	-31.56	Horizontal
3	3132.8916	36.10	9.25	45.35	74.00	-28.65	Horizontal
4	4660.0200	35.90	14.28	50.18	74.00	-23.82	Horizontal
5	4987.3109	35.21	14.98	50.19	74.00	-23.81	Horizontal
6	6036.5671	34.82	17.88	52.70	74.00	-21.30	Horizontal

Remark:

1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27 dBm/MHz (68.2 dBuV/m) limit.