






Date: 17.JAN.2025 13:41:21


Band2-9262-4-1000~3000MHz


Date: 17.JAN.2025 13:41:46


Band2-9262-4-3000~10000MHz


































Date: 17.JAN.2025 13:48:51

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com







Band2-9400-4-30~1000MHz



Band2-9400-4-1000~3000MHz











Date: 17.JAN.2025 13:53:13


Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com

























Date: 17.JAN.2025 14:00:18


Band2-9538-5-0.15~30MHz


Date: 17.JAN.2025 14:00:28


Band2-9538-5-30~1000MHz


































Date: 17.JAN.2025 14:35:51


Band5-4132-4-30~1000MHz


Date: 17.JAN.2025 14:37:04


Band5-4132-4-10000~18000MHz





































Date: 17.JAN.2025 14:44:45


Band5-4182-4-30~1000MHz


Date: 17.JAN.2025 14:45:10


Band5-4182-4-1000~3000MHz
















Date: 17.JAN.2025 14:48:22

Band5-4233-1-30~1000MHz



Date: 17.JAN.2025 14:48:46

Band5-4233-1-1000~3000MHz





Date: 17.JAN.2025 14:49:49

Band5-4233-2-0.009~0.15MHz

Date: 17.JAN.2025 14:51:22

Band5-4233-2-10000~18000MHz







Date: 17.JAN.2025 14:51:36


Band5-4233-3-0.009~0.15MHz


Date: 17.JAN.2025 14:51:44


Band5-4233-3-0.15~30MHz

















AppendixF:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	6.49	0.003504	±2.5	PASS
Band2	9262	VN	NT	-0.36	-0.000194	±2.5	PASS
Band2	9262	VH	NT	-0.83	-0.000448	±2.5	PASS
Band2	9400	VL	NT	-3.62	-0.001926	±2.5	PASS
Band2	9400	VN	NT	3.92	0.002085	±2.5	PASS
Band2	9400	VH	NT	3.13	0.001665	±2.5	PASS
Band2	9538	VL	NT	7.48	0.003921	±2.5	PASS
Band2	9538	VN	NT	-1.44	-0.000755	±2.5	PASS
Band2	9538	VH	NT	-2.95	-0.001546	±2.5	PASS
Band5	4132	VL	NT	0.18	0.000218	±2.5	PASS
Band5	4132	VN	NT	-0.49	-0.000593	±2.5	PASS
Band5	4132	VH	NT	1.07	0.001295	±2.5	PASS
Band5	4182	VL	NT	0.55	0.000658	±2.5	PASS
Band5	4182	VN	NT	0.13	0.000155	±2.5	PASS
Band5	4182	VH	NT	1.14	0.001363	±2.5	PASS
Band5	4233	VL	NT	0.68	0.000803	±2.5	PASS
Band5	4233	VN	NT	0.51	0.000602	±2.5	PASS
Band5	4233	VH	NT	0.24	0.000283	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	1.91	0.001031	±2.5	PASS
Band2	9262	NV	-20	-0.71	-0.000383	±2.5	PASS
Band2	9262	NV	0	-4.49	-0.002424	±2.5	PASS
Band2	9262	NV	10	3.65	0.001970	±2.5	PASS
Band2	9262	NV	20	4.16	0.002246	±2.5	PASS
Band2	9400	NV	-30	-1.24	-0.000660	±2.5	PASS
Band2	9400	NV	-20	-1.52	-0.000809	±2.5	PASS
Band2	9400	NV	0	-1.70	-0.000904	±2.5	PASS
Band2	9400	NV	10	0.87	0.000463	±2.5	PASS
Band2	9400	NV	20	3.65	0.001941	±2.5	PASS
Band2	9538	NV	-30	-1.15	-0.000603	±2.5	PASS
Band2	9538	NV	-20	-0.93	-0.000488	±2.5	PASS
Band2	9538	NV	0	1.11	0.000582	±2.5	PASS
Band2	9538	NV	10	-2.82	-0.001478	±2.5	PASS
Band2	9538	NV	20	3.59	0.001882	±2.5	PASS
Band5	4132	NV	-30	2.16	0.002614	±2.5	PASS
Band5	4132	NV	-20	0.90	0.001089	±2.5	PASS
Band5	4132	NV	0	-2.32	-0.002807	±2.5	PASS
Band5	4132	NV	10	-0.21	-0.000254	±2.5	PASS
Band5	4132	NV	20	-0.39	-0.000472	±2.5	PASS

Band5	4182	NV	-30	0.04	0.000048	±2.5	PASS
Band5	4182	NV	-20	-0.42	-0.000502	±2.5	PASS
Band5	4182	NV	0	1.13	0.001351	±2.5	PASS
Band5	4182	NV	10	0.64	0.000765	±2.5	PASS
Band5	4182	NV	20	0.40	0.000478	±2.5	PASS
Band5	4233	NV	-30	2.68	0.003166	±2.5	PASS
Band5	4233	NV	-20	-0.18	-0.000213	±2.5	PASS
Band5	4233	NV	0	-0.30	-0.000354	±2.5	PASS
Band5	4233	NV	10	-0.85	-0.001004	±2.5	PASS
Band5	4233	NV	20	-1.07	-0.001264	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-0.03	-0.000016	±2.5	PASS
Band2	9262	1	VN	NT	-1.12	-0.000605	±2.5	PASS
Band2	9262	1	VH	NT	-0.60	-0.000324	±2.5	PASS
Band2	9262	2	VL	NT	-1.52	-0.000821	±2.5	PASS
Band2	9262	2	VN	NT	-3.14	-0.001695	±2.5	PASS
Band2	9262	2	VH	NT	6.22	0.003358	±2.5	PASS
Band2	9262	3	VL	NT	4.56	0.002462	±2.5	PASS
Band2	9262	3	VN	NT	2.93	0.001582	±2.5	PASS
Band2	9262	3	VH	NT	-8.44	-0.004556	±2.5	PASS
Band2	9262	4	VL	NT	-3.94	-0.002127	±2.5	PASS
Band2	9262	4	VN	NT	-3.46	-0.001868	±2.5	PASS
Band2	9262	4	VH	NT	-3.38	-0.001825	±2.5	PASS
Band2	9400	1	VL	NT	2.70	0.001436	±2.5	PASS
Band2	9400	1	VN	NT	0.06	0.000032	±2.5	PASS
Band2	9400	1	VH	NT	0.69	0.000367	±2.5	PASS
Band2	9400	2	VL	NT	5.25	0.002793	±2.5	PASS
Band2	9400	2	VN	NT	3.66	0.001947	±2.5	PASS
Band2	9400	2	VH	NT	-4.16	-0.002213	±2.5	PASS
Band2	9400	3	VL	NT	1.04	0.000553	±2.5	PASS
Band2	9400	3	VN	NT	8.04	0.004277	±2.5	PASS

Band2	9400	3	VH	NT	-0.78	-0.000415	±2.5	PASS
Band2	9400	4	VL	NT	10.24	0.005447	±2.5	PASS
Band2	9400	4	VN	NT	2.03	0.001080	±2.5	PASS
Band2	9400	4	VH	NT	7.46	0.003968	±2.5	PASS
Band2	9538	1	VL	NT	-2.23	-0.001169	±2.5	PASS
Band2	9538	1	VN	NT	-1.42	-0.000744	±2.5	PASS
Band2	9538	1	VH	NT	-0.58	-0.000304	±2.5	PASS
Band2	9538	2	VL	NT	-10.83	-0.005677	±2.5	PASS
Band2	9538	2	VN	NT	-8.31	-0.004356	±2.5	PASS
Band2	9538	2	VH	NT	2.57	0.001347	±2.5	PASS
Band2	9538	3	VL	NT	0.59	0.000309	±2.5	PASS
Band2	9538	3	VN	NT	5.07	0.002658	±2.5	PASS
Band2	9538	3	VH	NT	-5.40	-0.002831	±2.5	PASS
Band2	9538	4	VL	NT	1.05	0.000550	±2.5	PASS
Band2	9538	4	VN	NT	1.44	0.000755	±2.5	PASS
Band2	9538	4	VH	NT	4.08	0.002139	±2.5	PASS
Band5	4132	1	VL	NT	0.72	0.000871	±2.5	PASS
Band5	4132	1	VN	NT	-1.37	-0.001658	±2.5	PASS
Band5	4132	1	VH	NT	-0.69	-0.000835	±2.5	PASS
Band5	4132	2	VL	NT	0.88	0.001065	±2.5	PASS
Band5	4132	2	VN	NT	0.99	0.001198	±2.5	PASS
Band5	4132	2	VH	NT	0.77	0.000932	±2.5	PASS
Band5	4132	3	VL	NT	-1.08	-0.001307	±2.5	PASS

Band5	4132	3	VN	NT	-0.38	-0.000460	±2.5	PASS
Band5	4132	3	VH	NT	-0.03	-0.000036	±2.5	PASS
Band5	4132	4	VL	NT	-3.39	-0.004102	±2.5	PASS
Band5	4132	4	VN	NT	-0.65	-0.000787	±2.5	PASS
Band5	4132	4	VH	NT	1.52	0.001839	±2.5	PASS
Band5	4182	1	VL	NT	1.12	0.001339	±2.5	PASS
Band5	4182	1	VN	NT	1.82	0.002176	±2.5	PASS
Band5	4182	1	VH	NT	-0.12	-0.000143	±2.5	PASS
Band5	4182	2	VL	NT	0.15	0.000179	±2.5	PASS
Band5	4182	2	VN	NT	0.11	0.000132	±2.5	PASS
Band5	4182	2	VH	NT	1.32	0.001578	±2.5	PASS
Band5	4182	3	VL	NT	-0.48	-0.000574	±2.5	PASS
Band5	4182	3	VN	NT	0.74	0.000885	±2.5	PASS
Band5	4182	3	VH	NT	-1.67	-0.001997	±2.5	PASS
Band5	4182	4	VL	NT	1.32	0.001578	±2.5	PASS
Band5	4182	4	VN	NT	2.38	0.002846	±2.5	PASS
Band5	4182	4	VH	NT	1.19	0.001423	±2.5	PASS
Band5	4233	1	VL	NT	-1.77	-0.002091	±2.5	PASS
Band5	4233	1	VN	NT	-0.26	-0.000307	±2.5	PASS
Band5	4233	1	VH	NT	1.52	0.001795	±2.5	PASS
Band5	4233	2	VL	NT	-1.02	-0.001205	±2.5	PASS
Band5	4233	2	VN	NT	0.09	0.000106	±2.5	PASS
Band5	4233	2	VH	NT	2.68	0.003166	±2.5	PASS

Band5	4233	3	VL	NT	2.19	0.002587	±2.5	PASS
Band5	4233	3	VN	NT	3.37	0.003981	±2.5	PASS
Band5	4233	3	VH	NT	1.58	0.001866	±2.5	PASS
Band5	4233	4	VL	NT	1.87	0.002209	±2.5	PASS
Band5	4233	4	VN	NT	0.51	0.000602	±2.5	PASS
Band5	4233	4	VH	NT	0.75	0.000886	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	2.47	0.001333	±2.5	PASS
Band2	9262	1	NV	-20	4.11	0.002219	±2.5	PASS
Band2	9262	1	NV	0	-7.10	-0.003833	±2.5	PASS
Band2	9262	1	NV	10	5.88	0.003174	±2.5	PASS
Band2	9262	1	NV	20	7.30	0.003941	±2.5	PASS
Band2	9262	2	NV	-30	0.12	0.000065	±2.5	PASS
Band2	9262	2	NV	-20	-3.03	-0.001636	±2.5	PASS
Band2	9262	2	NV	0	0.16	0.000086	±2.5	PASS
Band2	9262	2	NV	10	-5.71	-0.003082	±2.5	PASS
Band2	9262	2	NV	20	-6.45	-0.003482	±2.5	PASS
Band2	9262	3	NV	-30	-8.23	-0.004443	±2.5	PASS
Band2	9262	3	NV	-20	-4.67	-0.002521	±2.5	PASS
Band2	9262	3	NV	0	7.43	0.004011	±2.5	PASS

Band2	9262	3	NV	10	5.04	0.002721	±2.5	PASS
Band2	9262	3	NV	20	0.34	0.000184	±2.5	PASS
Band2	9262	4	NV	-30	-3.20	-0.001727	±2.5	PASS
Band2	9262	4	NV	-20	1.28	0.000691	±2.5	PASS
Band2	9262	4	NV	0	-0.74	-0.000399	±2.5	PASS
Band2	9262	4	NV	10	-1.17	-0.000632	±2.5	PASS
Band2	9262	4	NV	20	-1.14	-0.000615	±2.5	PASS
Band2	9400	1	NV	-30	2.37	0.001261	±2.5	PASS
Band2	9400	1	NV	-20	3.67	0.001952	±2.5	PASS
Band2	9400	1	NV	0	1.04	0.000553	±2.5	PASS
Band2	9400	1	NV	10	3.06	0.001628	±2.5	PASS
Band2	9400	1	NV	20	2.34	0.001245	±2.5	PASS
Band2	9400	2	NV	-30	-7.56	-0.004021	±2.5	PASS
Band2	9400	2	NV	-20	-9.24	-0.004915	±2.5	PASS
Band2	9400	2	NV	0	-5.75	-0.003059	±2.5	PASS
Band2	9400	2	NV	10	4.51	0.002399	±2.5	PASS
Band2	9400	2	NV	20	8.13	0.004324	±2.5	PASS
Band2	9400	3	NV	-30	-4.26	-0.002266	±2.5	PASS
Band2	9400	3	NV	-20	-2.45	-0.001303	±2.5	PASS
Band2	9400	3	NV	0	-4.13	-0.002197	±2.5	PASS
Band2	9400	3	NV	10	-4.89	-0.002601	±2.5	PASS
Band2	9400	3	NV	20	-1.65	-0.000878	±2.5	PASS
Band2	9400	4	NV	-30	8.37	0.004452	±2.5	PASS

Band2	9400	4	NV	-20	4.83	0.002569	±2.5	PASS
Band2	9400	4	NV	0	3.04	0.001617	±2.5	PASS
Band2	9400	4	NV	10	-0.44	-0.000234	±2.5	PASS
Band2	9400	4	NV	20	-3.60	-0.001915	±2.5	PASS
Band2	9538	1	NV	-30	1.19	0.000624	±2.5	PASS
Band2	9538	1	NV	-20	0.64	0.000336	±2.5	PASS
Band2	9538	1	NV	0	-1.54	-0.000807	±2.5	PASS
Band2	9538	1	NV	10	-0.22	-0.000115	±2.5	PASS
Band2	9538	1	NV	20	-3.45	-0.001809	±2.5	PASS
Band2	9538	2	NV	-30	1.20	0.000629	±2.5	PASS
Band2	9538	2	NV	-20	2.75	0.001442	±2.5	PASS
Band2	9538	2	NV	0	1.73	0.000907	±2.5	PASS
Band2	9538	2	NV	10	3.39	0.001777	±2.5	PASS
Band2	9538	2	NV	20	2.76	0.001447	±2.5	PASS
Band2	9538	3	NV	-30	-6.74	-0.003533	±2.5	PASS
Band2	9538	3	NV	-20	-5.64	-0.002957	±2.5	PASS
Band2	9538	3	NV	0	-8.36	-0.004382	±2.5	PASS
Band2	9538	3	NV	10	-6.93	-0.003633	±2.5	PASS
Band2	9538	3	NV	20	-4.77	-0.002501	±2.5	PASS
Band2	9538	4	NV	-30	0.94	0.000493	±2.5	PASS
Band2	9538	4	NV	-20	-3.58	-0.001877	±2.5	PASS
Band2	9538	4	NV	0	0.19	0.000100	±2.5	PASS
Band2	9538	4	NV	10	7.67	0.004021	±2.5	PASS

Band2	9538	4	NV	20	9.32	0.004886	±2.5	PASS
Band5	4132	1	NV	-30	-0.28	-0.000339	±2.5	PASS
Band5	4132	1	NV	-20	-0.12	-0.000145	±2.5	PASS
Band5	4132	1	NV	0	3.81	0.004610	±2.5	PASS
Band5	4132	1	NV	10	1.12	0.001355	±2.5	PASS
Band5	4132	1	NV	20	1.62	0.001960	±2.5	PASS
Band5	4132	2	NV	-30	1.69	0.002045	±2.5	PASS
Band5	4132	2	NV	-20	-0.54	-0.000653	±2.5	PASS
Band5	4132	2	NV	0	1.74	0.002106	±2.5	PASS
Band5	4132	2	NV	10	-0.26	-0.000315	±2.5	PASS
Band5	4132	2	NV	20	-1.38	-0.001670	±2.5	PASS
Band5	4132	3	NV	-30	0.62	0.000750	±2.5	PASS
Band5	4132	3	NV	-20	-0.34	-0.000411	±2.5	PASS
Band5	4132	3	NV	0	0.11	0.000133	±2.5	PASS
Band5	4132	3	NV	10	-2.10	-0.002541	±2.5	PASS
Band5	4132	3	NV	20	-0.67	-0.000811	±2.5	PASS
Band5	4132	4	NV	-30	0.91	0.001101	±2.5	PASS
Band5	4132	4	NV	-20	2.25	0.002723	±2.5	PASS
Band5	4132	4	NV	0	0.34	0.000411	±2.5	PASS
Band5	4132	4	NV	10	0.40	0.000484	±2.5	PASS
Band5	4132	4	NV	20	1.07	0.001295	±2.5	PASS
Band5	4182	1	NV	-30	2.07	0.002475	±2.5	PASS
Band5	4182	1	NV	-20	2.27	0.002714	±2.5	PASS

Band5	4182	1	NV	0	0.38	0.000454	±2.5	PASS
Band5	4182	1	NV	10	0.55	0.000658	±2.5	PASS
Band5	4182	1	NV	20	-0.94	-0.001124	±2.5	PASS
Band5	4182	2	NV	-30	0.29	0.000347	±2.5	PASS
Band5	4182	2	NV	-20	1.32	0.001578	±2.5	PASS
Band5	4182	2	NV	0	0.59	0.000705	±2.5	PASS
Band5	4182	2	NV	10	0.37	0.000442	±2.5	PASS
Band5	4182	2	NV	20	2.11	0.002523	±2.5	PASS
Band5	4182	3	NV	-30	-1.54	-0.001841	±2.5	PASS
Band5	4182	3	NV	-20	1.79	0.002140	±2.5	PASS
Band5	4182	3	NV	0	-0.21	-0.000251	±2.5	PASS
Band5	4182	3	NV	10	-0.24	-0.000287	±2.5	PASS
Band5	4182	3	NV	20	2.22	0.002654	±2.5	PASS
Band5	4182	4	NV	-30	-1.00	-0.001196	±2.5	PASS
Band5	4182	4	NV	-20	-2.16	-0.002582	±2.5	PASS
Band5	4182	4	NV	0	-1.34	-0.001602	±2.5	PASS
Band5	4182	4	NV	10	-0.74	-0.000885	±2.5	PASS
Band5	4182	4	NV	20	-1.17	-0.001399	±2.5	PASS
Band5	4233	1	NV	-30	-0.66	-0.000780	±2.5	PASS
Band5	4233	1	NV	-20	-1.01	-0.001193	±2.5	PASS
Band5	4233	1	NV	0	0.25	0.000295	±2.5	PASS
Band5	4233	1	NV	10	0.62	0.000732	±2.5	PASS
Band5	4233	1	NV	20	0.75	0.000886	±2.5	PASS

Band5	4233	2	NV	-30	0.44	0.000520	±2.5	PASS
Band5	4233	2	NV	-20	0.78	0.000921	±2.5	PASS
Band5	4233	2	NV	0	0.46	0.000543	±2.5	PASS
Band5	4233	2	NV	10	1.32	0.001559	±2.5	PASS
Band5	4233	2	NV	20	0.57	0.000673	±2.5	PASS
Band5	4233	3	NV	-30	0.49	0.000579	±2.5	PASS
Band5	4233	3	NV	-20	-0.84	-0.000992	±2.5	PASS
Band5	4233	3	NV	0	-0.97	-0.001146	±2.5	PASS
Band5	4233	3	NV	10	-2.16	-0.002551	±2.5	PASS
Band5	4233	3	NV	20	0.07	0.000083	±2.5	PASS
Band5	4233	4	NV	-30	0.35	0.000413	±2.5	PASS
Band5	4233	4	NV	-20	-0.10	-0.000118	±2.5	PASS
Band5	4233	4	NV	0	0.59	0.000697	±2.5	PASS
Band5	4233	4	NV	10	2.89	0.003414	±2.5	PASS
Band5	4233	4	NV	20	1.70	0.002008	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	0.27	0.000146	±2.5	PASS
Band2	9262	1	VN	NT	-5.44	-0.002937	±2.5	PASS
Band2	9262	1	VH	NT	0.88	0.000475	±2.5	PASS
Band2	9262	2	VL	NT	5.76	0.003109	±2.5	PASS
Band2	9262	2	VN	NT	5.35	0.002888	±2.5	PASS
Band2	9262	2	VH	NT	4.53	0.002445	±2.5	PASS
Band2	9262	3	VL	NT	-7.08	-0.003822	±2.5	PASS
Band2	9262	3	VN	NT	-9.24	-0.004988	±2.5	PASS
Band2	9262	3	VH	NT	-8.71	-0.004702	±2.5	PASS
Band2	9262	4	VL	NT	-8.86	-0.004783	±2.5	PASS
Band2	9262	4	VN	NT	-8.28	-0.004470	±2.5	PASS
Band2	9262	4	VH	NT	-6.32	-0.003412	±2.5	PASS
Band2	9262	5	VL	NT	-5.94	-0.003207	±2.5	PASS
Band2	9262	5	VN	NT	-6.59	-0.003558	±2.5	PASS
Band2	9262	5	VH	NT	-6.17	-0.003331	±2.5	PASS
Band2	9400	1	VL	NT	-3.87	-0.002059	±2.5	PASS
Band2	9400	1	VN	NT	-4.08	-0.002170	±2.5	PASS
Band2	9400	1	VH	NT	-7.95	-0.004229	±2.5	PASS
Band2	9400	2	VL	NT	-1.52	-0.000809	±2.5	PASS
Band2	9400	2	VN	NT	-2.39	-0.001271	±2.5	PASS

Band2	9400	2	VH	NT	-2.05	-0.001090	±2.5	PASS
Band2	9400	3	VL	NT	-6.49	-0.003452	±2.5	PASS
Band2	9400	3	VN	NT	-3.63	-0.001931	±2.5	PASS
Band2	9400	3	VH	NT	-4.84	-0.002574	±2.5	PASS
Band2	9400	4	VL	NT	4.79	0.002548	±2.5	PASS
Band2	9400	4	VN	NT	2.45	0.001303	±2.5	PASS
Band2	9400	4	VH	NT	-4.97	-0.002644	±2.5	PASS
Band2	9400	5	VL	NT	5.75	0.003059	±2.5	PASS
Band2	9400	5	VN	NT	-7.20	-0.003830	±2.5	PASS
Band2	9400	5	VH	NT	4.81	0.002559	±2.5	PASS
Band2	9538	1	VL	NT	-8.85	-0.004639	±2.5	PASS
Band2	9538	1	VN	NT	-7.37	-0.003863	±2.5	PASS
Band2	9538	1	VH	NT	-8.22	-0.004309	±2.5	PASS
Band2	9538	2	VL	NT	-7.62	-0.003995	±2.5	PASS
Band2	9538	2	VN	NT	-8.30	-0.004351	±2.5	PASS
Band2	9538	2	VH	NT	-7.60	-0.003984	±2.5	PASS
Band2	9538	3	VL	NT	-5.55	-0.002909	±2.5	PASS
Band2	9538	3	VN	NT	-7.50	-0.003932	±2.5	PASS
Band2	9538	3	VH	NT	-8.75	-0.004587	±2.5	PASS
Band2	9538	4	VL	NT	-8.77	-0.004597	±2.5	PASS
Band2	9538	4	VN	NT	-5.89	-0.003088	±2.5	PASS
Band2	9538	4	VH	NT	-8.21	-0.004304	±2.5	PASS
Band2	9538	5	VL	NT	-3.25	-0.001704	±2.5	PASS

Band2	9538	5	VN	NT	-5.24	-0.002747	±2.5	PASS
Band2	9538	5	VH	NT	-6.65	-0.003486	±2.5	PASS
Band5	4132	1	VL	NT	1.14	0.001379	±2.5	PASS
Band5	4132	1	VN	NT	1.97	0.002384	±2.5	PASS
Band5	4132	1	VH	NT	-0.52	-0.000629	±2.5	PASS
Band5	4132	2	VL	NT	-0.05	-0.000061	±2.5	PASS
Band5	4132	2	VN	NT	2.42	0.002928	±2.5	PASS
Band5	4132	2	VH	NT	0.01	0.000012	±2.5	PASS
Band5	4132	3	VL	NT	1.37	0.001658	±2.5	PASS
Band5	4132	3	VN	NT	-0.24	-0.000290	±2.5	PASS
Band5	4132	3	VH	NT	1.72	0.002081	±2.5	PASS
Band5	4132	4	VL	NT	-0.45	-0.000545	±2.5	PASS
Band5	4132	4	VN	NT	-2.37	-0.002868	±2.5	PASS
Band5	4132	4	VH	NT	-0.52	-0.000629	±2.5	PASS
Band5	4132	5	VL	NT	-0.72	-0.000871	±2.5	PASS
Band5	4132	5	VN	NT	-1.90	-0.002299	±2.5	PASS
Band5	4132	5	VH	NT	-0.39	-0.000472	±2.5	PASS
Band5	4182	1	VL	NT	0.31	0.000371	±2.5	PASS
Band5	4182	1	VN	NT	-0.66	-0.000789	±2.5	PASS
Band5	4182	1	VH	NT	-1.08	-0.001291	±2.5	PASS
Band5	4182	2	VL	NT	-1.87	-0.002236	±2.5	PASS
Band5	4182	2	VN	NT	-0.47	-0.000562	±2.5	PASS
Band5	4182	2	VH	NT	-0.36	-0.000430	±2.5	PASS

Band5	4182	3	VL	NT	3.28	0.003922	±2.5	PASS
Band5	4182	3	VN	NT	2.60	0.003109	±2.5	PASS
Band5	4182	3	VH	NT	2.55	0.003049	±2.5	PASS
Band5	4182	4	VL	NT	0.42	0.000502	±2.5	PASS
Band5	4182	4	VN	NT	0.88	0.001052	±2.5	PASS
Band5	4182	4	VH	NT	0.55	0.000658	±2.5	PASS
Band5	4182	5	VL	NT	-0.24	-0.000287	±2.5	PASS
Band5	4182	5	VN	NT	-1.21	-0.001447	±2.5	PASS
Band5	4182	5	VH	NT	0.35	0.000418	±2.5	PASS
Band5	4233	1	VL	NT	3.38	0.003992	±2.5	PASS
Band5	4233	1	VN	NT	1.87	0.002209	±2.5	PASS
Band5	4233	1	VH	NT	1.85	0.002185	±2.5	PASS
Band5	4233	2	VL	NT	0.53	0.000626	±2.5	PASS
Band5	4233	2	VN	NT	1.83	0.002162	±2.5	PASS
Band5	4233	2	VH	NT	0.53	0.000626	±2.5	PASS
Band5	4233	3	VL	NT	-0.49	-0.000579	±2.5	PASS
Band5	4233	3	VN	NT	1.34	0.001583	±2.5	PASS
Band5	4233	3	VH	NT	1.04	0.001228	±2.5	PASS
Band5	4233	4	VL	NT	0.28	0.000331	±2.5	PASS
Band5	4233	4	VN	NT	1.49	0.001760	±2.5	PASS
Band5	4233	4	VH	NT	1.37	0.001618	±2.5	PASS
Band5	4233	5	VL	NT	0.68	0.000803	±2.5	PASS
Band5	4233	5	VN	NT	0.05	0.000059	±2.5	PASS

Band5	4233	5	VH	NT	1.37	0.001618	±2.5	PASS
-------	------	---	----	----	------	----------	------	------

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	1.75	0.000945	±2.5	PASS
Band2	9262	1	NV	-20	5.99	0.003234	±2.5	PASS
Band2	9262	1	NV	0	6.67	0.003601	±2.5	PASS
Band2	9262	1	NV	10	4.73	0.002553	±2.5	PASS
Band2	9262	1	NV	20	4.53	0.002445	±2.5	PASS
Band2	9262	2	NV	-30	2.20	0.001188	±2.5	PASS
Band2	9262	2	NV	-20	2.02	0.001090	±2.5	PASS
Band2	9262	2	NV	0	-2.76	-0.001490	±2.5	PASS
Band2	9262	2	NV	10	-9.46	-0.005107	±2.5	PASS
Band2	9262	2	NV	20	-4.25	-0.002294	±2.5	PASS
Band2	9262	3	NV	-30	-8.78	-0.004740	±2.5	PASS
Band2	9262	3	NV	-20	-5.34	-0.002883	±2.5	PASS
Band2	9262	3	NV	0	-9.59	-0.005177	±2.5	PASS
Band2	9262	3	NV	10	-7.44	-0.004016	±2.5	PASS
Band2	9262	3	NV	20	-8.66	-0.004675	±2.5	PASS
Band2	9262	4	NV	-30	-7.58	-0.004092	±2.5	PASS
Band2	9262	4	NV	-20	-5.29	-0.002856	±2.5	PASS
Band2	9262	4	NV	0	-5.11	-0.002759	±2.5	PASS

Band2	9262	4	NV	10	-5.11	-0.002759	±2.5	PASS
Band2	9262	4	NV	20	-5.36	-0.002894	±2.5	PASS
Band2	9262	5	NV	-30	-4.16	-0.002246	±2.5	PASS
Band2	9262	5	NV	-20	-4.13	-0.002230	±2.5	PASS
Band2	9262	5	NV	0	-5.64	-0.003045	±2.5	PASS
Band2	9262	5	NV	10	-5.04	-0.002721	±2.5	PASS
Band2	9262	5	NV	20	-3.09	-0.001668	±2.5	PASS
Band2	9400	1	NV	-30	-4.17	-0.002218	±2.5	PASS
Band2	9400	1	NV	-20	-5.33	-0.002835	±2.5	PASS
Band2	9400	1	NV	0	-5.03	-0.002676	±2.5	PASS
Band2	9400	1	NV	10	-5.56	-0.002957	±2.5	PASS
Band2	9400	1	NV	20	-3.60	-0.001915	±2.5	PASS
Band2	9400	2	NV	-30	-2.40	-0.001277	±2.5	PASS
Band2	9400	2	NV	-20	-2.13	-0.001133	±2.5	PASS
Band2	9400	2	NV	0	-1.74	-0.000926	±2.5	PASS
Band2	9400	2	NV	10	-1.82	-0.000968	±2.5	PASS
Band2	9400	2	NV	20	-5.43	-0.002888	±2.5	PASS
Band2	9400	3	NV	-30	-5.40	-0.002872	±2.5	PASS
Band2	9400	3	NV	-20	-3.28	-0.001745	±2.5	PASS
Band2	9400	3	NV	0	-3.20	-0.001702	±2.5	PASS
Band2	9400	3	NV	10	-4.56	-0.002426	±2.5	PASS
Band2	9400	3	NV	20	-6.92	-0.003681	±2.5	PASS
Band2	9400	4	NV	-30	-8.40	-0.004468	±2.5	PASS

Band2	9400	4	NV	-20	-6.74	-0.003585	±2.5	PASS
Band2	9400	4	NV	0	-8.29	-0.004410	±2.5	PASS
Band2	9400	4	NV	10	-7.65	-0.004069	±2.5	PASS
Band2	9400	4	NV	20	-9.37	-0.004984	±2.5	PASS
Band2	9400	5	NV	-30	2.68	0.001426	±2.5	PASS
Band2	9400	5	NV	-20	2.32	0.001234	±2.5	PASS
Band2	9400	5	NV	0	-7.05	-0.003750	±2.5	PASS
Band2	9400	5	NV	10	-7.61	-0.004048	±2.5	PASS
Band2	9400	5	NV	20	-7.98	-0.004245	±2.5	PASS
Band2	9538	1	NV	-30	-7.90	-0.004141	±2.5	PASS
Band2	9538	1	NV	-20	-6.34	-0.003324	±2.5	PASS
Band2	9538	1	NV	0	-7.82	-0.004099	±2.5	PASS
Band2	9538	1	NV	10	-7.12	-0.003732	±2.5	PASS
Band2	9538	1	NV	20	-7.69	-0.004031	±2.5	PASS
Band2	9538	2	NV	-30	-6.15	-0.003224	±2.5	PASS
Band2	9538	2	NV	-20	-5.91	-0.003098	±2.5	PASS
Band2	9538	2	NV	0	-7.80	-0.004089	±2.5	PASS
Band2	9538	2	NV	10	-10.00	-0.005242	±2.5	PASS
Band2	9538	2	NV	20	-7.14	-0.003743	±2.5	PASS
Band2	9538	3	NV	-30	-9.99	-0.005237	±2.5	PASS
Band2	9538	3	NV	-20	-7.65	-0.004010	±2.5	PASS
Band2	9538	3	NV	0	-7.86	-0.004120	±2.5	PASS
Band2	9538	3	NV	10	-5.62	-0.002946	±2.5	PASS

Band2	9538	3	NV	20	-7.93	-0.004157	±2.5	PASS
Band2	9538	4	NV	-30	-8.83	-0.004629	±2.5	PASS
Band2	9538	4	NV	-20	-4.76	-0.002495	±2.5	PASS
Band2	9538	4	NV	0	-7.30	-0.003827	±2.5	PASS
Band2	9538	4	NV	10	-6.04	-0.003166	±2.5	PASS
Band2	9538	4	NV	20	-6.02	-0.003156	±2.5	PASS
Band2	9538	5	NV	-30	-4.56	-0.002390	±2.5	PASS
Band2	9538	5	NV	-20	-5.44	-0.002852	±2.5	PASS
Band2	9538	5	NV	0	-6.11	-0.003203	±2.5	PASS
Band2	9538	5	NV	10	-4.54	-0.002380	±2.5	PASS
Band2	9538	5	NV	20	-2.25	-0.001179	±2.5	PASS
Band5	4132	1	NV	-30	0.73	0.000883	±2.5	PASS
Band5	4132	1	NV	-20	0.73	0.000883	±2.5	PASS
Band5	4132	1	NV	0	-0.88	-0.001065	±2.5	PASS
Band5	4132	1	NV	10	-0.10	-0.000121	±2.5	PASS
Band5	4132	1	NV	20	1.42	0.001718	±2.5	PASS
Band5	4132	2	NV	-30	1.52	0.001839	±2.5	PASS
Band5	4132	2	NV	-20	2.08	0.002517	±2.5	PASS
Band5	4132	2	NV	0	0.54	0.000653	±2.5	PASS
Band5	4132	2	NV	10	-1.14	-0.001379	±2.5	PASS
Band5	4132	2	NV	20	-0.04	-0.000048	±2.5	PASS
Band5	4132	3	NV	-30	1.43	0.001730	±2.5	PASS
Band5	4132	3	NV	-20	0.40	0.000484	±2.5	PASS

Band5	4132	3	NV	0	1.36	0.001646	±2.5	PASS
Band5	4132	3	NV	10	2.73	0.003303	±2.5	PASS
Band5	4132	3	NV	20	-1.53	-0.001851	±2.5	PASS
Band5	4132	4	NV	-30	-0.36	-0.000436	±2.5	PASS
Band5	4132	4	NV	-20	-1.24	-0.001500	±2.5	PASS
Band5	4132	4	NV	0	1.33	0.001609	±2.5	PASS
Band5	4132	4	NV	10	-1.84	-0.002227	±2.5	PASS
Band5	4132	4	NV	20	-1.99	-0.002408	±2.5	PASS
Band5	4132	5	NV	-30	1.20	0.001452	±2.5	PASS
Band5	4132	5	NV	-20	0.61	0.000738	±2.5	PASS
Band5	4132	5	NV	0	1.26	0.001525	±2.5	PASS
Band5	4132	5	NV	10	1.06	0.001283	±2.5	PASS
Band5	4132	5	NV	20	-0.67	-0.000811	±2.5	PASS
Band5	4182	1	NV	-30	-0.34	-0.000407	±2.5	PASS
Band5	4182	1	NV	-20	-0.94	-0.001124	±2.5	PASS
Band5	4182	1	NV	0	1.31	0.001566	±2.5	PASS
Band5	4182	1	NV	10	0.94	0.001124	±2.5	PASS
Band5	4182	1	NV	20	-1.44	-0.001722	±2.5	PASS
Band5	4182	2	NV	-30	0.34	0.000407	±2.5	PASS
Band5	4182	2	NV	-20	0.09	0.000108	±2.5	PASS
Band5	4182	2	NV	0	0.47	0.000562	±2.5	PASS
Band5	4182	2	NV	10	1.09	0.001303	±2.5	PASS
Band5	4182	2	NV	20	0.85	0.001016	±2.5	PASS

Band5	4182	3	NV	-30	1.25	0.001495	±2.5	PASS
Band5	4182	3	NV	-20	-0.07	-0.000084	±2.5	PASS
Band5	4182	3	NV	0	-0.78	-0.000933	±2.5	PASS
Band5	4182	3	NV	10	-0.91	-0.001088	±2.5	PASS
Band5	4182	3	NV	20	-0.16	-0.000191	±2.5	PASS
Band5	4182	4	NV	-30	1.57	0.001877	±2.5	PASS
Band5	4182	4	NV	-20	2.36	0.002822	±2.5	PASS
Band5	4182	4	NV	0	-0.59	-0.000705	±2.5	PASS
Band5	4182	4	NV	10	-0.14	-0.000167	±2.5	PASS
Band5	4182	4	NV	20	-2.35	-0.002810	±2.5	PASS
Band5	4182	5	NV	-30	-0.24	-0.000287	±2.5	PASS
Band5	4182	5	NV	-20	0.49	0.000586	±2.5	PASS
Band5	4182	5	NV	0	1.02	0.001220	±2.5	PASS
Band5	4182	5	NV	10	1.66	0.001985	±2.5	PASS
Band5	4182	5	NV	20	2.52	0.003013	±2.5	PASS
Band5	4233	1	NV	-30	2.39	0.002823	±2.5	PASS
Band5	4233	1	NV	-20	2.32	0.002740	±2.5	PASS
Band5	4233	1	NV	0	1.83	0.002162	±2.5	PASS
Band5	4233	1	NV	10	1.37	0.001618	±2.5	PASS
Band5	4233	1	NV	20	1.22	0.001441	±2.5	PASS
Band5	4233	2	NV	-30	1.12	0.001323	±2.5	PASS
Band5	4233	2	NV	-20	1.60	0.001890	±2.5	PASS
Band5	4233	2	NV	0	1.31	0.001547	±2.5	PASS

Band5	4233	2	NV	10	2.77	0.003272	±2.5	PASS
Band5	4233	2	NV	20	1.43	0.001689	±2.5	PASS
Band5	4233	3	NV	-30	0.64	0.000756	±2.5	PASS
Band5	4233	3	NV	-20	-0.86	-0.001016	±2.5	PASS
Band5	4233	3	NV	0	0.18	0.000213	±2.5	PASS
Band5	4233	3	NV	10	0.11	0.000130	±2.5	PASS
Band5	4233	3	NV	20	1.49	0.001760	±2.5	PASS
Band5	4233	4	NV	-30	0.98	0.001158	±2.5	PASS
Band5	4233	4	NV	-20	2.15	0.002540	±2.5	PASS
Band5	4233	4	NV	0	0.19	0.000224	±2.5	PASS
Band5	4233	4	NV	10	1.58	0.001866	±2.5	PASS
Band5	4233	4	NV	20	1.66	0.001961	±2.5	PASS
Band5	4233	5	NV	-30	0.19	0.000224	±2.5	PASS
Band5	4233	5	NV	-20	0.21	0.000248	±2.5	PASS
Band5	4233	5	NV	0	0.01	0.000012	±2.5	PASS
Band5	4233	5	NV	10	0.84	0.000992	±2.5	PASS
Band5	4233	5	NV	20	1.11	0.001311	±2.5	PASS

*** End of Report ***