







2DH5-Ant1-Hop_2480-PASS




3DH5-Ant1-2402-PASS




3DH5-Ant1-2480-PASS



3DH5-Ant1-Hop_2402-PASS



3DH5-Ant1-Hop_2480-PASS





Conducted Emission Method

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	0~Reference	2.10	2.10	---	PASS
DH5	Ant1	2402	30~1000	2.10	-57.18	≤-17.9	PASS
DH5	Ant1	2402	1000~26500	2.10	-23.86	≤-17.9	PASS
DH5	Ant1	2441	0~Reference	1.28	1.28	---	PASS
DH5	Ant1	2441	30~1000	1.28	-57.51	≤-18.72	PASS
DH5	Ant1	2441	1000~26500	1.28	-23.99	≤-18.72	PASS
DH5	Ant1	2480	0~Reference	0.00	0.00	---	PASS
DH5	Ant1	2480	30~1000	0.00	-57.47	≤-20	PASS
DH5	Ant1	2480	1000~26500	0.00	-23.55	≤-20	PASS
2DH5	Ant1	2402	0~Reference	2.04	2.04	---	PASS
2DH5	Ant1	2402	30~1000	2.04	-57.52	≤-17.96	PASS
2DH5	Ant1	2402	1000~26500	2.04	-25.98	≤-17.96	PASS
2DH5	Ant1	2441	0~Reference	1.17	1.17	---	PASS
2DH5	Ant1	2441	30~1000	1.17	-57.76	≤-18.83	PASS
2DH5	Ant1	2441	1000~26500	1.17	-26.82	≤-18.83	PASS
2DH5	Ant1	2480	0~Reference	0.02	0.02	---	PASS
2DH5	Ant1	2480	30~1000	0.02	-57.75	≤-19.98	PASS
2DH5	Ant1	2480	1000~26500	0.02	-26.66	≤-19.98	PASS
3DH5	Ant1	2402	0~Reference	2.00	2.00	---	PASS
3DH5	Ant1	2402	30~1000	2.00	-56.79	≤-18	PASS
3DH5	Ant1	2402	1000~26500	2.00	-27.52	≤-18	PASS
3DH5	Ant1	2441	0~Reference	1.15	1.15	---	PASS
3DH5	Ant1	2441	30~1000	1.15	-57.06	≤-18.85	PASS
3DH5	Ant1	2441	1000~26500	1.15	-28.88	≤-18.85	PASS
3DH5	Ant1	2480	0~Reference	0.02	0.02	---	PASS
3DH5	Ant1	2480	30~1000	0.02	-57.56	≤-19.98	PASS
3DH5	Ant1	2480	1000~26500	0.02	-26.6	≤-19.98	PASS



Test Graphs:


DH5-Ant1-2402-0~Reference-PASS



DH5-Ant1-2402-30~1000-PASS




DH5-Ant1-2402-1000~26500-PASS



DH5-Ant1-2441-0~Reference-PASS



DH5-Ant1-2441-30~1000-PASS




DH5-Ant1-2441-1000~26500-PASS




DH5-Ant1-2480-0~Reference-PASS



DH5-Ant1-2480-30~1000-PASS




DH5-Ant1-2480-1000~26500-PASS



2DH5-Ant1-2402-0~Reference-PASS



2DH5-Ant1-2402-30~1000-PASS



2DH5-Ant1-2402-1000~26500-PASS




2DH5-Ant1-2441-0~Reference-PASS



2DH5-Ant1-2441-30~1000-PASS




2DH5-Ant1-2441-1000~26500-PASS



2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS




2DH5-Ant1-2480-1000~26500-PASS




3DH5-Ant1-2402-0~Reference-PASS



3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~26500-PASS



3DH5-Ant1-2441-0~Reference-PASS



3DH5-Ant1-2441-30~1000-PASS



3DH5-Ant1-2441-1000~26500-PASS




3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS





14 Antenna Requirement

14.1 Test Standard and Requirement

Test Standard	FCC Part15 Section 15.203 /247(c)
Requirement	1) 15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. 2) 15.247(c) (1)(i) requirement: Systems operating in the 2400-2483.5 MHz band that is used exclusively for fixed. Point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum conducted output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction


The antenna is Ceramic antenna which permanently attached, and the best case gain of the antenna is 2.5 dBi. It complies with the standard requirement.

15 APPENDIX I -- TEST SETUP PHOTOGRAPH

Conducted Emissions



Radiated Emissions From 30M-1GHz



Above 1GHz



16 APPENDIX II -- EUT PHOTOGRAPH








L:














R:













*****THE END REPORT*****