








































Conducted Band Edge**U-NII 1:**

TestMode	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
802.11a	Low	5180	-43.28	≤-27	PASS
	High	5240	-50.32	≤-27	PASS
802.11n(HT20)	Low	5180	-42.52	≤-27	PASS
	High	5240	-49.93	≤-27	PASS
802.11n(HT40)	Low	5190	-41.24	≤-27	PASS
	High	5230	-49.31	≤-27	PASS
802.11ac(HT20)	Low	5180	-41.87	≤-27	PASS
	High	5240	-49.32	≤-27	PASS
802.11ac(HT40)	Low	5190	-39.66	≤-27	PASS
	High	5230	-50.54	≤-27	PASS
802.11ac(HT80)	Low	5210	-39.68	≤-27	PASS
	High	5210	-49.75	≤-27	PASS
802.11ax(HT20)	Low	5180	-42.46	≤-27	PASS
	High	5240	-49.66	≤-27	PASS
802.11ax(HT40)	Low	5190	-42.18	≤-27	PASS
	High	5230	-50.11	≤-27	PASS
802.11ac(HT80)	Low	5210	-40.66	≤-27	PASS
	High	5210	-50.25	≤-27	PASS

U-NII 3:


TestMode	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
802.11a	Low	5745	5650~5700	-51.78	≤-26.96	PASS
			5700~5720	-38.39	≤15.43	PASS
			5720~5725	-31.06	≤22.11	PASS
			5760~5650	-50.55	≤-27	PASS
	High	5825	5850~5855	-42.84	≤16.65	PASS
			5855~5875	-43.47	≤14.63	PASS
			5875~5925	-49.77	≤-26.21	PASS
802.11n(HT20)	Low	5745	5925~5935	-49.95	≤-27	PASS
			5650~5700	-51.22	≤-26.79	PASS
			5700~5720	-40.1	≤15.30	PASS
			5720~5725	-33.42	≤21.32	PASS
	High	5825	5760~5650	-51.27	≤-27	PASS
			5850~5855	-42.86	≤15.73	PASS
			5855~5875	-43.67	≤15.09	PASS
802.11n(HT40)	Low	5755	5875~5925	-49.91	≤-26.81	PASS
			5925~5935	-49.52	≤-27	PASS
			5650~5700	-52.37	≤-26.80	PASS
			5700~5720	-33.47	≤15.35	PASS
	High	5795	5720~5725	-33.26	≤16.04	PASS
			5780~5650	-51.11	≤-27	PASS
			5850~5855	-50.97	≤15.66	PASS
802.11ac(HT20)	Low	5745	5855~5875	-49.83	≤10.16	PASS
			5875~5925	-50.17	≤-25.98	PASS
			5925~5935	-50.73	≤-27	PASS
			5650~5700	-52.01	≤-26.36	PASS
	High	5825	5700~5720	-41.48	≤15.18	PASS
			5720~5725	-30.8	≤18.70	PASS
			5760~5650	-51.13	≤-27	PASS
802.11ac(HT40)	Low	5755	5850~5855	-40.54	≤18.19	PASS
			5855~5875	-43.26	≤15.58	PASS
			5875~5925	-50.17	≤-26.31	PASS
			5925~5935	-50.08	≤-27	PASS
	High	5795	5650~5700	-50.6	≤-25.90	PASS
			5700~5720	-34.74	≤15.50	PASS
			5720~5725	-34.19	≤16.04	PASS
802.11ac(HT80)	Low	5775	5780~5650	-51.51	≤-27	PASS
			5850~5855	-50.9	≤16.03	PASS
			5855~5875	-50.23	≤10.29	PASS
	High	5795	5875~5925	-50.47	≤-26.34	PASS
			5925~5935	-50	≤-27	PASS
			5650~5700	-51.03	≤-26.00	PASS


	High	5775	5700~5720	-39.35	≤14.56	PASS
			5720~5725	-37.77	≤17.41	PASS
			5800~5650	-51.25	≤-27	PASS
			5850~5855	-50.23	≤15.84	PASS
			5855~5875	-46	≤11.59	PASS
			5875~5925	-49.83	≤-25.91	PASS
			5925~5935	-50.74	≤-27	PASS
802.11ax(HT20)	Low	5745	5650~5700	-51.45	≤-26.70	PASS
			5700~5720	-41.85	≤15.50	PASS
			5720~5725	-31.94	≤21.58	PASS
			5760~5650	-50.1	≤-27	PASS
	High	5825	5850~5855	-40.7	≤17.88	PASS
			5855~5875	-42.9	≤15.46	PASS
			5875~5925	-50.93	≤-26.71	PASS
802.11ax(HT40)	Low	5755	5925~5935	-48.35	≤-27	PASS
			5650~5700	-52.21	≤-26.80	PASS
			5700~5720	-34.3	≤15.58	PASS
			5720~5725	-32.93	≤16.97	PASS
	High	5795	5780~5650	-51.53	≤-27	PASS
			5850~5855	-50.5	≤16.41	PASS
			5855~5875	-50.55	≤10.11	PASS
802.11ax(HT80)	Low	5775	5875~5925	-51.65	≤-26.83	PASS
			5925~5935	-49.6	≤-27	PASS
			5650~5700	-52.19	≤-26.91	PASS
			5700~5720	-39.08	≤14.48	PASS
	High	5775	5720~5725	-37.38	≤17.41	PASS
			5800~5650	-50.31	≤-27	PASS
			5850~5855	-46.49	≤18.37	PASS
	High	5775	5855~5875	-48.76	≤10.40	PASS
			5875~5925	-51.43	≤-26.87	PASS
			5925~5935	-50.06	≤-27	PASS


Test plot as follows


U-NII 1:














U-NII 3:

