
Mask box instruction manual

Product accessories introduction






Feature:


After power—on, it is automatically turned on, Bluetooth mode is automatically turned on, and the voice prompt tone is: waiting for connection, Bluetooth name: BT Speaker. When the phone is turned on and connected to Bluetooth name BT Speaker, the voice announcement prompt is: If the connection is successful, the music can be played. Long press or single point can control the temperature reduction, long press or single point can control the temperature increase, the LCD display to display the internal temperature of the box, wireless charging 15W, the mobile phone or other devices with wireless charging function, flat back in the lightning symbol center position, you can wireless charging.

Note:

Wireless charging can not have foreign bodies, the heating temperature is maintained at about 45 degrees Celsius, the cooling temperature is maintained at about 13 degrees Celsius, and the temperature difference between the mask box and the room is about 15 degrees Celsius



Product wiring diagram



| NO | Product name and specification description | Quantity used(PCS) |
|-----|---|--------------------|
| 1 | Facial mask box/Length 22.1*Breadth 21*Altitude 10.5 (CM) | 1 |
| 2 | Power cable/DC5521/0.21M | 1 |
| 3 | Power adapter 12V5A/Line length 1.65M | 1 |
| 4 | Speaker/4Ω10W | 2 |
| 5 | Horn screen cover/012.3 | 2 |
| 6 | Self-tapping screw/M3*16 | 18 |
| 7 | Extension cord/Line length 1M | 1 |
| -3- | | |

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- --Reorient or relocate the receiving antenna.
- --Increase the separation between the equipment and receiver.
- --Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- --Consult the dealer or an experienced radio/TV technician for help.

 Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

 Radiation Exposure Statement

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.

The FCC certification of this device refers to RF exposure testing performed in typical operating conditions, where a person is no closer than 20 centimeters from the device surface at all times, except for non-repetitive patterns with transient time intervals in the order of a second. Only in the stated conditions, the device is shown to fully comply with the FCC RF Exposure requirements of KDB 447498.

For BT

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.