


REMOTE CONTROL MANUAL OF THE INVERTER FAN LAMP




CODE MATCHING METHOD

1. Turn on the power switch when the light is on and after one "Di" sound, press the "ALL OFF" keys at the same time, get two "Di" sounds, the code pairing is successful.
2. If there is no successful code pairing, turn off the power and wait for one minute to repeat the above operation.

Note: When the remote control does not work properly, please check the battery. Please remove the battery when it is not in use for a long time.

PRECAUTIONS

1. Receiver should face upward can not be installed backwards, otherwise it will affect the outer cover and ceiling unevenness.
2. The receiver has input and output wires, it is strictly forbidden to swap the input and output wires.
3. Operating voltage: AC 100-240V 50/60Hz.
4. If the fan power switch is on the wall, it must be "on" for effective control.
5. Please connect the wires according to the right color and instructions on the sleeves.
6. When using the remote control, please check whether the right battery is installed(pay attention to the distinction between positive and negative battery), the handle control keys will flash every time you press a key indicator.



FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.